

Considered: _____

WATER PERMIT NO. 5652-3

Phone: 356-2580

Name of Applicant: Mark Chicoine

Post Office Address: RR 2, Box 508, Elk Point SD 57025

Amount of Water Claimed: 1.11 add'l (1.11 transfer) Total Acres: 160 (no add'l)

Source of Water Supply: groundwater

Water to be used for: irrigation County: Union

About 3 miles North of Elk Point

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F.& C/.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY Date Received: 3-17-92 Fee: \$225 Remarks transfer

diversion authority authorized by No. 2114-3

Corrected Application Received _____ Period of Annual Use April 1 - Oct 31


WATER QUALITY APPROVAL RECEIVED 4-6-92 APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as Application YES X NO _____ REMARKS _____

Diversion Point: NE 1/4 SW 1/4 Sec 5-T91N-R49W

Land to be Irrigated: SW 1/4 NE 1/4, W 1/2 SE 1/4,

SE 1/4 SE 1/4 Sec 5-T91N-R49W



Well Log: Driller: _____ Licensed YES _____ NO _____

Depth of Well: 80' REMARKS _____

Type of Map: aerial PREPARED BY: Gregory C Johnston Reviewed and the Number

Assigned on 4-7-92 By Karen Schlaak

(See instructions)

No. 5652-3 Hydrologic Unit 10170203
Basin Big Sioux
Newspaper Elk Point Leader-Courier

Application For Soil/Water Compatibility Permit and Permit To Appropriate Water

Type of Application: ☒ New ☐ Vested Right ☒ Amend Permit No. see No. 2114-3
☐ Change Acreage ☒ Change diversion point(s) ☐ Add diversion point(s)
☒ Add Acreage ☒ Increase diversion rate ☐ Other _____

- Name of Applicant Mark Chicoine Phone No. 356-2580
Post Office Address RR2 Box 508, Elk Point, SD State 57025
(Street, RR or Box) (City) Zip Code
- Amount of water claimed (c.f.s) 1.11 transfer Total acres irrigated 160
1.11 addl. Big Sioux Aquifer - one well
- Source of Water supply SW1/4 SE1/4 Section 5- T91N-R49W
- Location of point of diversion NE SW
County Union
- Counties where water will be used Union
- Annual period during which water is to be used April 1 - October 31
- List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
SW1/4 NE1/4 5-91-49	40
NW1/4 SE1/4 "	40
SW1/4 SE1/4 "	40
SE1/4 SE1/4 "	40

Land Description	No. Acres Irr.

Attach sheet if more space is needed

- Type of Irrigation: Gravity: X Towline: _____ Center Pivot: _____ Gun: _____ Other: _____
- Crops to be Irrigated: _____

- Give a description of proposed project. (Attach sheet if more space is needed)
This application is transfer of diversion authority (1.11 cfs) from a well authorized by No. 2114-3 located in the SE1/4 NW1/4 Section 5 to the well described above. This application also appropriates an additional 1.11 cfs (2.22 cfs - total well capacity) to the lands described above. The increase in diversion will be assigned a new priority date. The 1.11 cfs transferred from No. 2114-3 will retain the priority date assigned to No. 2114-3 (Sept. 19, 1974).

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of Union)^{ss}

I, Mark Chicoine, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Signed Mark Chicoine

Subscribed and sworn to before me this 13 day of May 19 92

Sandra Swingston
6-25-92 Notary Public

SOUTH DAKOTA
WATER PERMIT No. 5652-3 FOR IRRIGATION

Date of first receipt of application March 17, 1992.

Date Soil/Water Compatibility Permit received April 6, 1992.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 5652-3 to Mark Chicoine, RR 2, Box 508, Elk Point SD 57025 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5652-3 appropriates 1.11 cubic feet of water per second (cfs) and transfer the diversion authority for 1.11 cfs from one well authorized by Water Right No. 2114-3 to one well located in the NE 1/4 SW 1/4 Section 5-T91N-R49W. Water Right No. 2114-3 appropriates 3.33 cfs from one well located 2640 feet south and 1350 feet east of the NW corner of Section 5 to irrigate 320 acres located in the SW 1/4 NE 1/4, S 1/2 NW 1/4, E 1/2 SW 1/4, W 1/2 SE 1/4, SE 1/4 SE 1/4; all in Section 5-T91N-R49W. This permit authorizes diversion of 2.22 cfs from the one well located in the NE 1/4 SW 1/4 to irrigate 160 acres located in the SW 1/4 NE 1/4, W 1/2 SE 1/4, SE 1/4 SE 1/4; all in Section 5-T91N-R49W. Water Right No. 2114-3 will be reissued for 2.22 cfs from the well located 2640 feet south and 1350 feet east of the NW corner of Section 5 to irrigate 160 acres located in the S 1/2 NW 1/4, E 1/2 SW 1/4; all in Section 5-T91N-R49W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 - October 31.
3. The dates from which applicant may claim right are:


 March 17, 1992 - 1.11 cfs
 September 19, 1974 - 1.11 cfs
4. The date of approval of Permit No. 5652-3 is July 8, 1992.
5. One-fifth of the construction is to be completed on or before January 8, 1995.
6. All construction is to be completed on or before July 8, 1997.
7. Water is to be put to beneficial use on or before July 8, 2001.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

(continued)

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: 

Chief Engineer, Water Rights Division
Department of Environment and Natural Resources

MAR 17 1993

date

Supplemental Information

4/7/92

Well - No. 2114-3 (SE 1/4 Sec 5-92-49) (Drilled '74?)

Conversation: Mark Chiosine

1. Well Information - Proposed construction

- a) Drill Hole Diameter 16" Depth 84'
- b) Casing Type Transite Diameter 16" Thickness ~40' - 44'
- c) Screen Type Transite Diameter 16" Thickness ~40'
- d) Gravel Pack Thickness N/A Length of Gravel Pack N/A
- e) Depth to Top of Water Bearing Material ~40'
- f) Depth to Water (ground surface to water level) 9'
- g) Distance to nearest existing domestic well:
- On applicants property ~700' On property owned by others ~1300'

2. Dugout Information Estimates

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below. The locations of each dam should be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam please give their name and address

b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Primary Outlet Capacity _____
If Pipe, diameter _____

f) Secondary Spillway Capacity _____
Spillway width _____


g) X & Y Slope
Upstream _____

Downstream _____

Surface Area of Impoundment _____

Storage _____ acre feet

Drainage area above dam _____



Signature of Applicant _____

well log of 2373-3

0-3' top soil

3-10' blue clay

10-35' fine sand

streaked with

35-79' coarse gravel

static water level
9 feet

4-13-92

Mark Chicone

Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4697

WR#

OWNERS NAME: CHICOINE, MARK

OWNERS ADDRESS: RR 2 BOX 508

BLK POINT, SD 57025

COUNTY LAND LOCATED IN: UNION

PHONE: 356-2580

LEGAL DESCRIPTION:

☒ Well

☐ Surface

1. LOCATION: NE $\frac{1}{4}$ SW $\frac{1}{4}$ 5-T91N-R49W

Depth: _____

Legal Description	Acres	Legal Description	Acres
SW $\frac{1}{4}$ NE $\frac{1}{4}$ 5-T91N-R49W	40		
NW $\frac{1}{4}$ SE $\frac{1}{4}$ 5-T91N-R49W	40		
SW $\frac{1}{4}$ SE $\frac{1}{4}$ 5-T91N-R49W	40		
SE $\frac{1}{4}$ SE $\frac{1}{4}$ 5-T91N-R49W	40		

2. TYPE OF IRRIGATION: GRAVITY: XXX TOWLINE: _____ CENTER PIVOT: _____ GUN: _____ OTHER: (Specify) _____

3. CROPS TO BE IRRIGATED: _____

WATER QUALITY:

4. WATER SAMPLE NUMBER: 87-0189

7. ADJUSTED (SAR): 3.86

5. SALINITY (EC X 10⁶): 1900

8. PERCENT SODIUM: 17.19

6. SODIUM (SAR): 1.42

Requirements:

If problems with a high water table develop, internal drainage will be required;
i.e., tile drainage.



Russell J. Hane
Director, Division of Conservation

XXX APPROVED

DISAPPROVED

WAIVER

XXX REQUIREMENTS

MARCH 30, 1992

Date

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

413130

Pierre, March 17, 19 92

RECEIVED OF Mark Chicoine, RR 2, Box 508, Elk Point, SD 57025

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>5652-3</u> to Appropriate Water, to construct works and to put water to beneficial use	225	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form		
Fee for Filing Extension Request		
Fee for Certified Copy of		
Fee for Print Copy of Map		
Fee for Certifying		
Fee for _____		
(Any Other Work Provided by Law)	Total	225 00

By

John Hatch 

Chief Engineer

FILE DOCUMENTATION

NAME: Mark Chicoine
RR 2, Box 508
Elk Point SD 57025

SUBJECT: Amendments and Additions to Water Right Nos. 2114-3, 2373-3, and
Permit No. 3769-3

DATE: March 6, 1992

BACKGROUND

Water Right No. 2114-3 appropriates 3.33 cfs for irrigation of 320 acres in the S1/2 NW1/4, SW1/4 NE1/4, E1/2 SW1/4, W1/2 SE1/4, SE1/4 SE1/4 section 5-T91N-R49W (red and black areas on map dated 1/17/92 by Greg Johnston.) The acreage outlined in black is now irrigated with a second well located near the center of section 5. According to Water Right No. 2373-3, this second well was intended to be used to irrigate 77.4 acres in the NE1/4 NE1/4 section 5; Lot 6 section 4; all in T91N-R49W (portion of blue areas on map.)

Water Permit No. 3769-3 authorizes 1.14 cfs from an additional diversion point to irrigate the acreage specified on No. 2373-3 plus an additional 2.6 acres (80 acres total.) A well has been constructed at the site proposed by No. 3769-3; however, the construction occurred after expiration of the construction period. Therefore, Permit No. 3769-3 needs to be cancelled due to nonconstruction within the authorized construction period. Use of water by the well specified on No. 2373-3 for irrigation of the NE1/4 NE1/4 section 5 and Lot 6 section 4 was discontinued after construction of a well in 1989 that was supposedly covered by No. 3769-3.

CORRECTIVE ACTION

The well authorized by No. 2373-3 is currently used to irrigate one half of the 320 acres authorized for irrigation by No. 2114-3. An inspection by Greg Johnston, staff engineer, found the wells authorized by Nos. 2114-3 and 2373-3 each capable of diverting 1,000 gpm (2.22 cfs.) The licensed diversion rates for Nos. 2114-3 and 2373-3 are 3.33 cfs and 1.10 cfs, respectively. According to the date the license was issued for No. 2114-3, the well authorized by No. 2373-3 was completed prior to the end of the construction period for No. 2114-3. Therefore, an application can be made to transfer authority to divert 1.11 cfs (3.33 cfs - 2.22 cfs) from the well authorized by No. 2114-3 to the well authorized by No. 2373-3. The portion of the existing diversion rate not covered by the transfer of diversion authority will take a new priority date (2.22 cfs existing well capacity minus 1.11 cfs amount transferred is 1.11 cfs.)

(continued)

March 6, 1992
Mark Chicoine
Page 2 of 2

A second application is needed to transfer authority to divert 1.10 cfs from the well authorized by No. 2373-3 to the well located in the NE1/4 NE1/4 section 5 that was not constructed within the time frame specified on No. 3769-3. The well was to be constructed by May of 1982 and was not completed until 1989. This transfer is based on the assumption that forfeiture of No. 2373-3 has not occurred (3 years of nonuse without legal excuse -- 1989 to 1991.) The second application also needs to add acreage in the SE1/4 NE1/4, NE1/4 SE1/4 section 5; and those acres not covered by No. 2373-3 in Lot 6 section 4 (No. 2373-3 covers 77.4 acres;) all in T91N-R49W. The additional acreage and any increase in the 1.10 cfs diversion rate will take a new priority date. The increase in diversion rate may not exceed 1 cfs per 70 acres.

A handwritten signature in black ink, appearing to read "Ron Duvall", is written over a horizontal line.

Ron Duvall, Natural Resources Engineer

Mark Chicoine Permit Nos. 2114-3 and 2737-3

No. 2114-3

- 1) The S1/2 NW1/4 and the E1/2 SW1/4, all in Section 5-91-49 (160 acres) covered by Permit No. 2114-3* will be retained at the priority date set under 2114-3 of Sept. 19, 1974. The well irrigating these acres is located 2640' S and 1350' E of the NW corner of Section 5-91-49. The pump capacity of the system irrigating these 160 acres is 1000 GPM (2.22 cfs). Therefore, 2.22 cfs will be retained under a priority date of Sept. 19, 1974.
- 2) The well located under No. 2373-3 was also used to irrigate part of the 320 acres covered under No. 2114-3 (see conversation document - 3/2/92). The licensed amount under 2114-3 is 3.33 cfs. Transfer authority to divert $3.33 - 2.22 = 1.11$ cfs to the well authorized by 2373-3* for irrigation of the SW1/4 NE1/4, W1/2 SE1/4 and SE1/4 SE1/4, all in Section 5-91-49. The well is located 2675' S and 2550' E of the NW corner of Section 5-91-49. The 1.11 cfs retains the priority date of Permit 2114-3 (Sept. 19, 1974). 1000 GPM is the system capacity on these 160 acres; therefore, the amount diverted is 2.22 cfs. The remaining 1.11 cfs not transferred from No. 2114-3 will take a new priority date. The application fee for the additional 1.11 cfs will be \$225.

No. 2373-3

- 1) Transfer authority to divert 1.10 cfs authorized by 2373-3 from the old well (2675'S and 2550'E of the NW corner Section 5-91-49) to the new well (1200'S and 1250'W of the NE corner Section 5-91-49). The 1.10 cfs and Lot 2, Section 5 and Lot 6, Section 4 T91N-R49W (77.4 acres) will retain the priority date of No. 2373-3 (Sept. 26, 1975).
- 2) A new application will include 80 acres in the SE1/4 NE1/4 and the NE1/4 SE1/4 in Section 5, and an additional 11.6 acres in Lot 6, Section 4 both in T91N-R49W, and any diversion rate from the new well in excess of 1.10 cfs. There are a total of 169 acres of land. The irrigation system is capable of only 1000 GPM (2.22 cfs); therefore, 1.12 cfs ($2.22 - 1.10 = 1.12$ cfs) will take a new priority date. The application fee will be \$225 for 1.12 cfs (91.6 acres).

*See accompanying map

Report on Application No. 5652-3
Mark Chicoine
May 29, 1992

Water Permit Application No. 5652-3 is to appropriate 1.11 cubic feet of water per second (cfs) and transfer the diversion authority for 1.11 cfs from one well authorized by Water Right No. 2114-3 to one well located in the NE1/4 SW1/4 Section 5-T91N-R49W. Water Right No. 2114-3 appropriates 3.33 cfs from one well located 2640 feet south and 1350 feet east of the NW corner of Section 5 to irrigate 320 acres located in the SW1/4 NE1/4; S1/2 NW1/4, E1/2 SW1/4, W1/2 SE1/4, SE1/4 SE1/4; all in Section 5-T91N-R49W. This application, if approved, will authorize diversion of 2.22 cfs from one well located in the NE1/4 SW1/4 to irrigate 160 acres located in the SW1/4 NE1/4, W1/2 SE1/4, SE1/4 SE1/4; all in Section 5-T91N-R49W. Water Right No. 2114-3 will be reissued for 2.22 cfs from the well located 2640 feet south and 1350 feet east of the NW corner of Section 5 to irrigate 160 acres located in the S1/2 NW1/4, E1/2 SW1/4; all in Section 5-T91N-R49W.

Aquifer - The Missouri-Elk Point (M-EP)

The Missouri Elk Point aquifer is a glacial outwash deposit generally under water table conditions in the application area. According to the applicant, the well is approximately 84 feet deep and water bearing materials (sand and gravel) are encountered from 40 feet to the bottom of the hole. The static water level is approximately 9 feet below the ground surface. The M-EP aquifer underlies 99,600 acres and contains an estimated 1.5 million acre-feet of recoverable water in Union County (Hedges, 1982). The M-EP is hydraulically connected to both the Missouri and Big Sioux Rivers as well as the Dakota Formation which directly underlies the M-EP in southern Union County. In addition, the Big Sioux - South connects laterally with the M-EP in northern Union County and the Missouri- Vermillion aquifer connects with the M-EP to the west in Clay County.

The Division of Water Rights monitors two observation wells, UN66B and UN66C which lie directly to the west and east, respectively, of the application area (Water Rights Division, 1992). The observation wells fluctuated from approximately 5 to 24 feet below ground surface in both wells measured during extremely wet (1969 and 1984) and dry years (1977). In general, the water levels of both wells fluctuate consistently with corresponding changes in seasonal climatic conditions. Abundant water is available from the Missouri-Elk Point Aquifer.

Existing Water Permits

There are 297 permits within the Missouri - Elk Point aquifer which appropriate up to 128,000 acre-feet per year assuming that


the maximum amount authorized is pumped (which will probably never occur). Actual reported pumping during 1990 was 19,425 acre-feet (Water Rights Division, 1991). There are several water permits adjacent to No. 5652-3. There have been no reported problems with interference from any of the irrigation wells with each other or other nearby domestic wells. Because the Missouri-Elk Point is a very productive aquifer with over 100 feet of wetted thickness, small amounts of drawdown will not adversely affect this aquifer.

Conclusions

1. Water is available from the Missouri-Elk Point aquifer.
2. Interference should not be a problem.
3. It is a beneficial use of water.
4. This well was completed in 1974. It is not known if the well was completed in accordance with SD Well Construction Standards.


Gregory C. Johnston
Natural Resources Engineer

Approved by:


James A. Goodman
Natural Resources Engineer IV

BIBLIOGRAPHY

Hedges, L.S., Et al., 1982, Evaluation of Groundwater Resources of Eastern South Dakota and Upper Big Sioux River, South Dakota and Iowa, for US Army Corps of Engineers, DENR, SDGS, Vermillion, SD 57069.


Water Rights Division, 1992, Observation Well Files, UN66B and UN66C, DENR Division of Water Rights, Joe Foss Building, Pierre, SD 57501.

Water Rights Division, 1990 Irrigation Summary Files, DENR Division of Water Rights, Joe Foss Building, Pierre, SD 57501.

Section 57
Circuit

WATER RIGHTS OBSERVATION WELL


IAN-666



Section 6

WATER RIGHTS OBSERVATION WELL

JAN-66



UN	CCN	031N	50W	010000	05/26/85	-6.5
UN	CCN	031N	50W	010000	06/10/86	-6.5
UN	CCN	031N	50W	010000	06/24/86	-6.8
UN	CCN	031N	50W	010000	07/03/86	-6.9
UN	CCN	031N	50W	010000	07/23/86	-8.2
UN	CCN	031N	50W	010000	08/12/86	-8.9
UN	CCN	031N	50W	010000	08/27/86	-2.0
UN	CCN	031N	50W	010000	09/24/86	-7.6
UN	CCN	031N	50W	010000	10/22/86	-7.8
UN	CCN	031N	50W	010000	05/05/87	-7.6
UN	CCN	031N	50W	010000	05/13/87	-7.9
UN	CCN	031N	50W	010000	06/03/87	-7.2
UN	CCN	031N	50W	010000	06/18/87	-8.4
UN	CCN	031N	50W	010000	07/01/87	-9.0
UN	CCN	031N	50W	010000	07/15/87	-9.9
UN	CCN	031N	50W	010000	07/23/87	-10.0
UN	CCN	031N	50W	010000	08/12/87	-10.6
UN	CCN	031N	50W	010000	08/25/87	-10.5
UN	CCN	031N	50W	010000	09/15/87	-10.9
UN	CCN	031N	50W	010000	10/23/87	-11.2
UN	CCN	031N	50W	010000	03/23/88	-11.4
UN	CCN	031N	50W	010000	05/24/88	-11.4
UN	CCN	031N	50W	010000	06/08/88	-11.7
UN	CCN	031N	50W	010000	06/22/88	-15.7
UN	CCN	031N	50W	010000	07/07/88	-15.5
UN	CCN	031N	50W	010000	07/20/88	-15.4
UN	CCN	031N	50W	010000	08/04/88	-15.3
UN	CCN	031N	50W	010000	08/16/88	-14.6
UN	CCN	031N	50W	010000	08/17/88	-14.5
UN	CCN	031N	50W	010000	10/04/88	-13.4
UN	CCN	031N	50W	010000	05/16/89	-14.5
UN	CCN	031N	50W	010000	05/30/89	-14.2
UN	CCN	031N	50W	010000	06/12/89	-13.6
UN	CCN	031N	50W	010000	06/26/89	-15.0
UN	CCN	031N	50W	010000	07/26/89	-15.6
UN	CCN	031N	50W	010000	08/18/89	-15.6
UN	CCN	031N	50W	010000	05/15/90	-14.5
UN	CCN	031N	50W	010000	05/23/90	-11.8
UN	CCN	031N	50W	010000	06/14/90	-12.5
UN	CCN	031N	50W	010000	06/25/90	-11.9
UN	CCN	031N	50W	010000	07/12/90	-13.9
UN	CCN	031N	50W	010000	07/26/90	-13.6
UN	CCN	031N	50W	010000	08/07/90	-14.8
UN	CCN	031N	50W	010000	08/28/90	-13.9
UN	CCN	031N	50W	010000	06/27/91	-11.6
UN	CCN	031N	50W	010000	07/16/91	-13.7
UN	CCN	031N	50W	010000	08/07/91	-16.2
UN	CCN	031N	50W	010000	08/20/91	-14.3
UN	CCN	031N	43W	060000	07/26/66	-8.9
UN	CCN	031N	43W	060000	11/20/66	-9.3
UN	CCN	031N	43W	060000	03/22/67	-12.7
UN	CCN	031N	43W	060000	06/14/67	-13.1
UN	CCN	031N	43W	060000	06/21/67	-12.8
UN	CCN	031N	43W	060000	06/28/67	-12.9
UN	CCN	031N	43W	060000	07/07/67	-12.8
UN	CCN	031N	43W	060000	07/12/67	-12.7
UN	CCN	031N	43W	060000	07/13/67	-12.7
UN	CCN	031N	43W	060000	07/26/67	-12.7
UN	CCN	031N	43W	060000	08/02/67	-12.9
UN	CCN	031N	43W	060000	08/03/67	-13.0
UN	CCN	031N	43W	060000	08/18/67	-13.6
UN	CCN	031N	43W	060000	08/23/67	-13.5
UN	CCN	031N	43W	060000	09/08/67	-13.0
UN	CCN	031N	43W	060000	10/03/67	-13.4
UN	CCN	031N	43W	060000	11/28/67	-14.0
UN	CCN	031N	43W	060000	03/14/68	-14.1
UN	CCN	031N	43W	060000	06/12/68	-14.7
UN	CCN	031N	43W	060000	06/26/68	-15.1
UN	CCN	031N	43W	060000	07/10/68	-15.1
UN	CCN	031N	43W	060000	07/24/68	-15.2
UN	CCN	031N	43W	060000	08/07/68	-15.3
UN	CCN	031N	43W	060000	08/23/68	-15.3
UN	CCN	031N	43W	060000	09/18/68	-15.3
UN	CCN	031N	43W	060000	11/01/68	-15.9
UN	CCN	031N	43W	060000	04/25/69	-5.2
UN	CCN	031N	43W	060000	06/13/69	-7.2
UN	CCN	031N	43W	060000	06/13/69	-12.6
UN	CCN	031N	43W	060000	06/26/69	-10.2
UN	CCN	031N	43W	060000	07/03/69	-9.4
UN	CCN	031N	43W	060000	07/10/69	-9.5
UN	CCN	031N	43W	060000	07/16/69	-10.1
UN	CCN	031N	43W	060000	07/24/69	-11.0
UN	CCN	031N	43W	060000	07/31/69	-11.5
UN	CCN	031N	43W	060000	03/06/69	-11.9
UN	CCN	031N	43W	060000	11/21/69	-14.3
UN	CCN	031N	43W	060000	04/10/70	-12.9
UN	CCN	031N	43W	060000	07/08/70	-14.6

UN	001	031N 43W-060000	11/13/70	-14.9
UN	002	031N 43W-060000	04/07/71	-13.2
UN	003	031N 43W-060000	07/16/71	-12.2
UN	004	031N 43W-060000	11/24/71	-15.7
UN	005	031N 43W-060000	04/12/72	-14.8
UN	006	031N 43W-060000	08/25/72	-14.4
UN	007	031N 43W-060000	12/15/72	-15.4
UN	008	031N 43W-060000	05/31/73	-13.5
UN	009	031N 43W-060000	08/08/73	-16.5
UN	010	031N 43W-060000	11/23/73	-16.0
UN	011	031N 43W-060000	04/17/74	-16.1
UN	012	031N 43W-060000	07/11/74	-17.3
UN	013	031N 43W-060000	12/04/74	-17.3
UN	014	031N 43W-060000	05/15/75	-16.3
UN	015	031N 43W-060000	07/10/75	-18.6
UN	016	031N 43W-060000	03/28/75	-17.4
UN	017	031N 43W-060000	10/31/75	-17.5
UN	018	031N 43W-060000	05/12/76	-17.0
UN	019	031N 43W-060000	07/23/76	-21.8
UN	020	031N 43W-060000	12/03/76	-16.7
UN	021	031N 43W-060000	02/07/77	-16.7
UN	022	031N 43W-060000	02/03/77	-18.7
UN	023	031N 43W-060000	04/06/77	-18.3
UN	024	031N 43W-060000	06/01/77	-18.0
UN	025	031N 43W-060000	06/23/77	-16.1
UN	026	031N 43W-060000	07/12/77	-23.0
UN	027	031N 43W-060000	07/27/77	-20.5
UN	028	031N 43W-060000	08/11/77	-20.7
UN	029	031N 43W-060000	08/30/77	-13.7
UN	030	031N 43W-060000	09/14/77	-13.3
UN	031	031N 43W-060000	09/28/77	-19.1
UN	032	031N 43W-060000	10/26/77	-18.6
UN	033	031N 43W-060000	12/14/77	-18.0
UN	034	031N 43W-060000	02/05/78	-18.2
UN	035	031N 43W-060000	03/15/78	-18.2
UN	036	031N 43W-060000	05/03/78	-15.2
UN	037	031N 43W-060000	05/23/78	-16.1
UN	038	031N 43W-060000	06/06/78	-15.7
UN	039	031N 43W-060000	06/20/78	-16.7
UN	040	031N 43W-060000	07/06/78	-18.5
UN	041	031N 43W-060000	07/21/78	-19.3
UN	042	031N 43W-060000	08/08/78	-16.5
UN	043	031N 43W-060000	08/30/78	-17.1
UN	044	031N 43W-060000	09/22/78	-17.2
UN	045	031N 43W-060000	10/11/78	-17.5
UN	046	031N 43W-060000	11/01/78	-17.5
UN	047	031N 43W-060000	12/05/78	-17.4
UN	048	031N 43W-060000	03/14/79	-18.9
UN	049	031N 43W-060000	04/10/79	-13.4
UN	050	031N 43W-060000	05/08/79	-13.6
UN	051	031N 43W-060000	06/06/79	-14.0
UN	052	031N 43W-060000	06/21/79	-13.2
UN	053	031N 43W-060000	07/04/79	-14.5
UN	054	031N 43W-060000	07/18/79	-13.6
UN	055	031N 43W-060000	07/31/79	-15.3
UN	056	031N 43W-060000	08/15/79	-15.9
UN	057	031N 43W-060000	08/30/79	-14.3
UN	058	031N 43W-060000	09/19/79	-14.7
UN	059	031N 43W-060000	10/16/79	-15.7
UN	060	031N 43W-060000	11/14/79	-13.6
UN	061	031N 43W-060000	01/15/80	-15.0
UN	062	031N 43W-060000	03/12/80	-15.5
UN	063	031N 43W-060000	04/23/80	-14.7
UN	064	031N 43W-060000	05/23/80	-16.4
UN	065	031N 43W-060000	06/11/80	-14.7
UN	066	031N 43W-060000	06/25/80	-16.2
UN	067	031N 43W-060000	07/09/80	-23.8
UN	068	031N 43W-060000	07/23/80	-21.6
UN	069	031N 43W-060000	08/06/80	-22.5
UN	070	031N 43W-060000	08/21/80	-17.7
UN	071	031N 43W-060000	09/03/80	-17.6
UN	072	031N 43W-060000	09/17/80	-17.7
UN	073	031N 43W-060000	10/22/80	-17.8
UN	074	031N 43W-060000	03/06/81	-18.0
UN	075	031N 43W-060000	03/24/81	-18.1
UN	076	031N 43W-060000	05/06/81	-13.4
UN	077	031N 43W-060000	06/02/81	-18.5
UN	078	031N 43W-060000	06/24/81	-18.2
UN	079	031N 43W-060000	07/07/81	-18.0
UN	080	031N 43W-060000	07/23/81	-20.0
UN	081	031N 43W-060000	08/11/81	-21.5
UN	082	031N 43W-060000	08/26/81	-13.4
UN	083	031N 43W-060000	09/16/81	-18.3
UN	084	031N 43W-060000	10/28/81	-18.8
UN	085	031N 43W-060000	12/09/81	-18.8
UN	086	031N 43W-060000	03/01/82	-17.1
UN	087	031N 43W-060000	05/04/82	-14.0

000	001N	43W	060000	06/15/82	-16.2
000	001N	43W	060000	06/20/82	-13.5
000	001N	43W	060000	07/13/82	-16.5
000	001N	43W	060000	07/26/82	-17.1
000	001N	43W	060000	08/10/82	22.4
000	001N	43W	060000	08/22/82	-13.6
000	001N	43W	060000	09/05/82	10.1
000	001N	43W	060000	10/05/82	-17.5
000	001N	43W	060000	11/03/82	-16.1
000	001N	43W	060000	03/02/83	-11.4
000	001N	43W	060000	04/19/83	-7.7
000	001N	43W	060000	05/18/83	-9.3
000	001N	43W	060000	05/31/83	-10.3
000	001N	43W	060000	06/14/83	-9.6
000	001N	43W	060000	06/27/83	-7.3
000	001N	43W	060000	07/13/83	-9.0
000	001N	43W	060000	07/25/83	-9.6
000	001N	43W	060000	08/09/83	-11.6
000	001N	43W	060000	08/21/83	-14.4
000	001N	43W	060000	09/13/83	-14.0
000	001N	43W	060000	10/18/83	14.5
000	001N	43W	060000	11/15/83	-15.5
000	001N	43W	060000	04/11/84	-6.7
000	001N	43W	060000	05/08/84	-6.1
000	001N	43W	060000	05/22/84	-8.1
000	001N	43W	060000	06/04/84	-8.1
000	001N	43W	060000	06/18/84	-5.6
000	001N	43W	060000	07/02/84	-6.2
000	001N	43W	060000	07/17/84	-8.2
000	001N	43W	060000	07/30/84	-9.6
000	001N	43W	060000	08/13/84	-12.0
000	001N	43W	060000	08/29/84	-12.6
000	001N	43W	060000	10/02/84	-13.2
000	001N	43W	060000	11/06/84	-12.3
000	001N	43W	060000	03/19/85	-12.4
000	001N	43W	060000	04/29/85	-7.9
000	001N	43W	060000	05/20/85	-10.1
000	001N	43W	060000	06/04/85	-10.7
000	001N	43W	060000	06/12/85	-11.3
000	001N	43W	060000	06/19/85	-12.0
000	001N	43W	060000	07/03/85	-11.7
000	001N	43W	060000	07/30/85	-12.2
000	001N	43W	060000	08/20/85	-14.6
000	001N	43W	060000	09/18/85	-13.1
000	001N	43W	060000	10/23/85	-13.1
000	001N	43W	060000	03/23/86	-12.4
000	001N	43W	060000	03/31/86	-11.0
000	001N	43W	060000	04/15/86	-10.3
000	001N	43W	060000	04/28/86	-9.4
000	001N	43W	060000	05/26/86	-10.2
000	001N	43W	060000	06/10/86	-10.6
000	001N	43W	060000	06/24/86	-11.0
000	001N	43W	060000	07/03/86	-11.2
000	001N	43W	060000	07/29/86	-12.5
000	001N	43W	060000	08/12/86	-13.4
000	001N	43W	060000	08/27/86	-13.6
000	001N	43W	060000	09/24/86	-10.6
000	001N	43W	060000	10/22/86	-11.7
000	001N	43W	060000	03/25/87	-11.1
000	001N	43W	060000	05/05/87	-12.1
000	001N	43W	060000	05/19/87	-12.7
000	001N	43W	060000	06/03/87	-12.0
000	001N	43W	060000	06/18/87	-13.3
000	001N	43W	060000	07/01/87	-14.1
000	001N	43W	060000	07/15/87	-14.9
000	001N	43W	060000	07/29/87	-15.2
000	001N	43W	060000	08/12/87	-15.4
000	001N	43W	060000	08/25/87	-15.4
000	001N	43W	060000	09/15/87	-15.8
000	001N	43W	060000	10/28/87	-16.0
000	001N	43W	060000	03/23/88	-15.6
000	001N	43W	060000	05/24/88	-15.6
000	001N	43W	060000	06/08/88	-18.3
000	001N	43W	060000	06/22/88	-21.8
000	001N	43W	060000	07/07/88	-21.0
000	001N	43W	060000	07/20/88	-20.5
000	001N	43W	060000	08/04/88	-19.9
000	001N	43W	060000	08/16/88	-19.5
000	001N	43W	060000	08/17/88	-19.5
000	001N	43W	060000	10/04/88	-18.0
000	001N	43W	060000	05/16/89	-19.3
000	001N	43W	060000	05/30/89	-18.5
000	001N	43W	060000	05/12/89	-20.2
000	001N	43W	060000	06/26/89	-19.3
000	001N	43W	060000	07/26/89	-20.6
000	001N	43W	060000	08/18/89	-20.0
000	001N	43W	060000	09/15/90	-18.0

001	001N	43W	06DDDD	06/14/30	-16.7
002	001N	43W	06DDDD	06/25/30	-15.7
003	001N	43W	06DDDD	07/12/30	-18.0
004	001N	43W	06DDDD	07/25/30	-13.0
005	001N	43W	06DDDD	08/07/30	-13.3
006	001N	43W	06DDDD	08/28/30	-17.3
007	001N	43W	06DDDD	05/27/31	-13.6
008	001N	43W	06DDDD	07/16/31	-13.5
009	001N	43W	06DDDD	08/07/31	-20.6
010	001N	43W	06DDDD	08/20/31	-13.5
011	001N	43W	06DDDD	07/26/66	16.8
012	001N	43W	06DDDD	11/20/65	-16.3
013	001N	43W	06DDDD	03/22/67	16.4
014	001N	43W	06DDDD	05/14/67	-15.0
015	001N	43W	06DDDD	06/21/67	-12.9
016	001N	43W	06DDDD	06/23/67	-12.9
017	001N	43W	06DDDD	07/07/67	-13.7
018	001N	43W	06DDDD	07/12/67	-14.0
019	001N	43W	06DDDD	07/13/67	-14.3
020	001N	43W	06DDDD	07/26/67	-15.0
021	001N	43W	06DDDD	08/02/67	-15.7
022	001N	43W	06DDDD	08/03/67	-16.2
023	001N	43W	06DDDD	08/18/67	-16.6
024	001N	43W	06DDDD	08/23/67	-16.6
025	001N	43W	06DDDD	09/08/67	-17.0
026	001N	43W	06DDDD	10/03/67	-17.6
027	001N	43W	06DDDD	11/28/67	-17.6
028	001N	43W	06DDDD	03/14/68	-17.7
029	001N	43W	06DDDD	05/12/68	-17.6
030	001N	43W	06DDDD	06/26/68	-17.7
031	001N	43W	06DDDD	07/10/68	-18.0
032	001N	43W	06DDDD	07/24/68	-18.3
033	001N	43W	06DDDD	08/07/68	-18.5
034	001N	43W	06DDDD	08/23/68	-18.5
035	001N	43W	06DDDD	09/18/68	-18.5
036	001N	43W	06DDDD	11/01/68	-17.0
037	001N	43W	06DDDD	04/25/69	-3.5
038	001N	43W	06DDDD	06/13/69	-13.7
039	001N	43W	06DDDD	06/19/69	-13.9
040	001N	43W	06DDDD	06/26/69	-11.2
041	001N	43W	06DDDD	07/03/69	-3.6
042	001N	43W	06DDDD	07/10/69	-10.5
043	001N	43W	06DDDD	07/16/69	-12.0
044	001N	43W	06DDDD	07/24/69	-12.9
045	001N	43W	06DDDD	07/31/69	-13.1
046	001N	43W	06DDDD	08/06/69	-13.7
047	001N	43W	06DDDD	11/20/69	-16.0
048	001N	43W	06DDDD	04/10/70	-13.4
049	001N	43W	06DDDD	07/08/70	-16.0
050	001N	43W	06DDDD	09/04/70	-16.6
051	001N	43W	06DDDD	11/19/70	-16.0
052	001N	43W	06DDDD	04/07/71	-14.1
053	001N	43W	06DDDD	07/16/71	-13.9
054	001N	43W	06DDDD	11/24/71	-17.0
055	001N	43W	06DDDD	04/12/72	-15.5
056	001N	43W	06DDDD	08/25/72	-15.4
057	001N	43W	06DDDD	12/15/72	-16.6
058	001N	43W	06DDDD	05/31/73	-14.5
059	001N	43W	06DDDD	08/08/73	-17.5
060	001N	43W	06DDDD	11/29/73	-17.0
061	001N	43W	06DDDD	04/17/74	-16.7
062	001N	43W	06DDDD	07/11/74	-18.6
063	001N	43W	06DDDD	12/05/74	-18.5
064	001N	43W	06DDDD	05/15/75	-17.2
065	001N	43W	06DDDD	07/10/75	-13.1
066	001N	43W	06DDDD	08/28/75	-18.4
067	001N	43W	06DDDD	10/31/75	-18.5
068	001N	43W	06DDDD	05/12/76	-17.7
069	001N	43W	06DDDD	07/23/76	-12.6
070	001N	43W	06DDDD	12/03/76	-19.6
071	001N	43W	06DDDD	02/08/77	-13.7
072	001N	43W	06DDDD	04/06/77	-18.9
073	001N	43W	06DDDD	05/01/77	-18.9
074	001N	43W	06DDDD	06/23/77	-18.8
075	001N	43W	06DDDD	07/14/77	-24.0
076	001N	43W	06DDDD	07/27/77	-21.0
077	001N	43W	06DDDD	08/11/77	-21.6
078	001N	43W	06DDDD	08/30/77	-20.4
079	001N	43W	06DDDD	03/14/77	-20.0
080	001N	43W	06DDDD	03/28/77	-20.0
081	001N	43W	06DDDD	10/26/77	-13.3
082	001N	43W	06DDDD	12/14/77	-18.5
083	001N	43W	06DDDD	02/03/78	-18.8
084	001N	43W	06DDDD	03/15/78	-13.8
085	001N	43W	06DDDD	05/08/78	-15.1
086	001N	43W	06DDDD	05/23/78	-16.1
087	001N	43W	06DDDD	05/05/78	15.7

UN	66C	031N-43W-050CDD	07/06/78	-13.7
UN	66C	031N-43W-050CDD	07/21/78	-19.6
UN	66C	031N-43W-050CDD	08/08/78	-16.9
UN	66C	031N-43W-050CDD	08/30/78	-17.8
UN	66C	031N-43W-050CDD	09/22/78	-17.9
UN	66C	031N-43W-050CDD	10/11/78	-13.3
UN	66C	031N-43W-050CDD	11/01/78	-13.2
UN	66C	031N-43W-050CDD	12/05/78	-13.5
UN	66C	031N-43W-050CDD	03/14/79	18.6
UN	66C	031N-43W-050CDD	04/10/79	-12.5
UN	66C	031N-43W-050CDD	05/08/79	-13.4
UN	66C	031N-43W-050CDD	05/08/79	-14.0
UN	66C	031N-43W-050CDD	06/21/79	-13.8
UN	66C	031N-43W-050CDD	07/04/79	-13.8
UN	66C	031N-43W-050CDD	07/13/79	-13.8
UN	66C	031N-43W-050CDD	07/31/79	-16.5
UN	66C	031N-43W-050CDD	08/15/79	-16.3
UN	66C	031N-43W-050CDD	08/30/79	-14.5
UN	66C	031N-43W-050CDD	09/19/79	-15.7
UN	66C	031N-43W-050CDD	10/18/79	-17.1
UN	66C	031N-43W-050CDD	11/14/79	-14.4
UN	66C	031N-43W-050CDD	01/15/80	-16.2
UN	66C	031N-43W-050CDD	03/12/80	-16.8
UN	66C	031N-43W-050CDD	04/21/80	-15.8
UN	66C	031N-43W-050CDD	05/23/80	-17.3
UN	66C	031N-43W-050CDD	06/11/80	-15.6
UN	66C	031N-43W-050CDD	06/25/80	-17.4
UN	66C	031N-43W-050CDD	07/03/80	-22.9
UN	66C	031N-43W-050CDD	07/23/80	-22.8
UN	66C	031N-43W-050CDD	08/06/80	-21.5
UN	66C	031N-43W-050CDD	08/21/80	-19.0
UN	66C	031N-43W-050CDD	09/03/80	-18.8
UN	66C	031N-43W-050CDD	09/17/80	-18.9
UN	66C	031N-43W-050CDD	10/22/80	-19.0
UN	66C	031N-43W-050CDD	03/06/81	-19.1
UN	66C	031N-43W-050CDD	03/24/81	-19.1
UN	66C	031N-43W-050CDD	05/06/81	-19.4
UN	66C	031N-43W-050CDD	05/02/81	-19.6
UN	66C	031N-43W-050CDD	06/24/81	-19.1
UN	66C	031N-43W-050CDD	07/07/81	-18.9
UN	66C	031N-43W-050CDD	07/25/81	-21.1
UN	66C	031N-43W-050CDD	08/11/81	-21.7
UN	66C	031N-43W-050CDD	08/26/81	-20.2
UN	66C	031N-43W-050CDD	09/16/81	-20.1
UN	66C	031N-43W-050CDD	10/28/81	-19.7
UN	66C	031N-43W-050CDD	12/03/81	-19.8
UN	66C	031N-43W-050CDD	03/01/82	-17.4
UN	66C	031N-43W-050CDD	05/04/82	-18.1
UN	66C	031N-43W-050CDD	05/31/82	-16.1
UN	66C	031N-43W-050CDD	06/15/82	-16.8
UN	66C	031N-43W-050CDD	06/28/82	-17.2
UN	66C	031N-43W-050CDD	07/13/82	-17.8
UN	66C	031N-43W-050CDD	07/26/82	-18.2
UN	66C	031N-43W-050CDD	08/10/82	-20.7
UN	66C	031N-43W-050CDD	08/22/82	-20.3
UN	66C	031N-43W-050CDD	09/03/82	-18.9
UN	66C	031N-43W-050CDD	10/06/82	-18.3
UN	66C	031N-43W-050CDD	11/08/82	-15.7
UN	66C	031N-43W-050CDD	03/02/83	-11.0
UN	66C	031N-43W-050CDD	04/19/83	-8.1
UN	66C	031N-43W-050CDD	05/18/83	-10.2
UN	66C	031N-43W-050CDD	05/31/83	-11.7
UN	66C	031N-43W-050CDD	06/14/83	-11.3
UN	66C	031N-43W-050CDD	06/27/83	-8.0
UN	66C	031N-43W-050CDD	07/13/83	-3.9
UN	66C	031N-43W-050CDD	07/25/83	-10.8
UN	66C	031N-43W-050CDD	08/09/83	-13.1
UN	66C	031N-43W-050CDD	08/21/83	-15.7
UN	66C	031N-43W-050CDD	09/13/83	-15.4
UN	66C	031N-43W-050CDD	10/18/83	-15.9
UN	66C	031N-43W-050CDD	11/16/83	-15.7
UN	66C	031N-43W-050CDD	04/11/84	-7.2
UN	66C	031N-43W-050CDD	05/08/84	-7.0
UN	66C	031N-43W-050CDD	05/22/84	-9.3
UN	66C	031N-43W-050CDD	06/04/84	-3.6
UN	66C	031N-43W-050CDD	06/18/84	-6.1
UN	66C	031N-43W-050CDD	07/02/84	-7.0
UN	66C	031N-43W-050CDD	07/17/84	-9.5
UN	66C	031N-43W-050CDD	07/30/84	-11.0
UN	66C	031N-43W-050CDD	08/13/84	-13.2
UN	66C	031N-43W-050CDD	08/23/84	-14.1
UN	66C	031N-43W-050CDD	10/02/84	-14.8
UN	66C	031N-43W-050CDD	11/06/84	-13.3
UN	66C	031N-43W-050CDD	03/13/85	-12.4
UN	66C	031N-43W-050CDD	04/23/85	-8.5
UN	66C	031N-43W-050CDD	05/20/85	-11.0
UN	66C	031N-43W-050CDD	06/04/85	-11.6
UN	66C	031N-43W-050CDD	07/12/85	-12.2

UN	600	031N-43W-050CDD	06/19/85	-13.3
UN	600	031N-43W-050CDD	07/03/85	-13.2
UN	600	031N-43W-050CDD	07/16/85	-17.6
UN	600	031N-43W-050CDD	07/30/85	-13.8
UN	600	031N-43W-050CDD	08/13/85	-15.8
UN	600	031N-43W-050CDD	03/18/85	-14.0
UN	600	031N-43W-050CDD	10/23/85	-13.9
UN	600	031N-43W-050CDD	03/20/86	-11.9
UN	600	031N-43W-050CDD	03/31/86	-10.7
UN	600	031N-43W-050CDD	04/15/86	-10.2
UN	600	031N-43W-050CDD	04/28/86	-9.5
UN	600	031N-43W-050CDD	05/25/86	-10.8
UN	600	031N-43W-050CDD	05/10/86	-11.3
UN	600	031N-43W-050CDD	06/24/86	-11.7
UN	600	031N-43W-050CDD	07/03/86	-12.1
UN	600	031N-43W-050CDD	07/23/86	-13.4
UN	600	031N-43W-050CDD	08/12/86	-14.4
UN	600	031N-43W-050CDD	08/27/86	-14.6
UN	600	031N-43W-050CDD	09/24/86	-9.7
UN	600	031N-43W-050CDD	10/22/86	-12.3
UN	600	031N-43W-050CDD	03/25/87	-6.6
UN	600	031N-43W-050CDD	05/05/87	-13.0
UN	600	031N-43W-050CDD	05/19/87	-13.9
UN	600	031N-43W-050CDD	06/03/87	-13.2
UN	600	031N-43W-050CDD	06/18/87	-14.5
UN	600	031N-43W-050CDD	07/01/87	-15.3
UN	600	031N-43W-050CDD	07/15/87	-16.3
UN	600	031N-43W-050CDD	07/29/87	-15.9
UN	600	031N-43W-050CDD	08/12/87	-16.4
UN	600	031N-43W-050CDD	08/25/87	-16.6
UN	600	031N-43W-050CDD	09/15/87	-17.0
UN	600	031N-43W-050CDD	10/28/87	-17.0
UN	600	031N-43W-050CDD	03/23/88	-16.2
UN	600	031N-43W-050CDD	05/24/88	-15.9
UN	600	031N-43W-050CDD	06/08/88	-16.7
UN	600	031N-43W-050CDD	06/22/88	-21.0
UN	600	031N-43W-050CDD	07/07/88	-21.0
UN	600	031N-43W-050CDD	07/20/88	-20.2
UN	600	031N-43W-050CDD	08/04/88	-19.9
UN	600	031N-43W-050CDD	08/16/88	-20.0
UN	600	031N-43W-050CDD	08/17/88	-19.9
UN	600	031N-43W-050CDD	10/04/88	-18.4
UN	600	031N-43W-050CDD	05/16/89	-18.7
UN	600	031N-43W-050CDD	05/30/89	-19.0
UN	600	031N-43W-050CDD	06/12/89	-17.3
UN	600	031N-43W-050CDD	06/26/89	-19.6
UN	600	031N-43W-050CDD	07/26/89	-20.5
UN	600	031N-43W-050CDD	08/18/89	-20.4
UN	600	031N-43W-050CDD	05/15/90	-19.5
UN	600	031N-43W-050CDD	05/29/90	-16.4
UN	600	031N-43W-050CDD	06/14/90	-17.4
UN	600	031N-43W-050CDD	06/25/90	-16.2
UN	600	031N-43W-050CDD	07/12/90	-18.4
UN	600	031N-43W-050CDD	07/25/90	-18.2
UN	600	031N-43W-050CDD	08/07/90	-19.7
UN	600	031N-43W-050CDD	08/28/90	-18.6
UN	600	031N-43W-050CDD	06/27/91	-17.1
UN	600	031N-43W-050CDD	07/15/91	-20.7
UN	600	031N-43W-050CDD	08/07/91	-21.1
UN	600	031N-43W-050CDD	08/20/91	-19.1
UN	600	030N-43W-010CDD	07/26/66	-12.7
UN	600	030N-43W-010CDD	11/20/66	-12.1
UN	600	030N-43W-010CDD	03/22/67	-14.6
UN	600	030N-43W-010CDD	05/14/67	-9.8
UN	600	030N-43W-010CDD	06/21/67	-6.6
UN	600	030N-43W-010CDD	06/28/67	-7.5
UN	600	030N-43W-010CDD	07/07/67	-8.3
UN	600	030N-43W-010CDD	07/12/67	-8.6
UN	600	030N-43W-010CDD	07/19/67	-9.0
UN	600	030N-43W-010CDD	07/25/67	-9.5
UN	600	030N-43W-010CDD	08/02/67	-10.5
UN	600	030N-43W-010CDD	08/09/67	-11.2
UN	600	030N-43W-010CDD	08/18/67	-12.0
UN	600	030N-43W-010CDD	08/23/67	-12.1
UN	600	030N-43W-010CDD	09/08/67	-12.8
UN	600	030N-43W-010CDD	10/03/67	-13.7
UN	600	030N-43W-010CDD	11/28/67	-14.8
UN	600	030N-43W-010CDD	03/14/68	-15.5
UN	600	030N-43W-010CDD	05/12/68	-15.8
UN	600	030N-43W-010CDD	06/26/68	-15.8
UN	600	030N-43W-010CDD	07/10/68	-16.1
UN	600	030N-43W-010CDD	07/24/68	-15.5
UN	600	030N-43W-010CDD	08/06/68	-15.8
UN	600	030N-43W-010CDD	09/21/68	-15.9
UN	600	030N-43W-010CDD	09/18/68	-16.1
UN	600	030N-43W-010CDD	11/01/68	-15.4
UN	600	030N-43W-010CDD	04/25/69	-8.0


RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 5652-3, Mark Chicoine

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Environment and Natural Resources concerning Water Permit Application No. 5652-3, Mark Chicoine, Box 508, Elk Point, SD 57025.

The Chief Engineer is recommending APPROVAL of Application No. 5652-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.


for JOHN HATCH, Chief Engineer
June 3, 1992



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

June 5, 1992

Mark Chicoine
Box 508
Elk Point, SD 57025

Dear Mr. Chicoine:

Water Permit Application Nos. 5652-3 and 5653-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Elk Point Leader-Courier printed at Elk Point, SD (Ph # 356-2632). For your information, a copy of the notice, the recommendations of the Chief Engineer and a report on the applications are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the applications.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendations, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the applications.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

June 5, 1992

Elk Point Leader-Courier
Box 310
Elk Point, SD 57025

ATTENTION: Legal Department

Enclosed is a Notice of Hearing on Application Nos. 5652-3 and 5653-3 to be published twice. Please publish the first notice on June 11, 1992, with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Mark Chicoine, Box 508, Elk Point, SD 57025 (Ph # 356-2580).

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. No action may be taken on the permit application until proof of publication has been received.

Sincerely,

Eric Gronlund
Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

FIRST TRANSMITTAL NOTICE

TO: Eric Gronlund
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to
Appropriate Water by Application No. _____ which was first published in our issue
of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper

Instruction to Newspaper - Publish first Notice on June 11, 1992, with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application Nos. 5652-3 and 5653-3 to Appropriate Water
and to Transfer Diversion Authority for Water Permit Nos. 2114-3 and 2373-3

Notice is given that Mark Chicoine, Box 508, Elk Point, SD 57025 has filed applications for water permits.

Water Permit Application No. 5652-3 is to appropriate 1.11 cubic feet of water per second (cfs) and transfer the diversion authority for 1.11 cfs from one well authorized by Water Right No. 2114-3 to one well located in the NE 1/4 SW 1/4 Section 5-T91N-R49W. Water Right No. 2114-3 appropriates 3.33 cfs from one well located 2640 feet south and 1350 feet east of the NW corner of Section 5 to irrigate 320 acres located in the SW 1/4 NE 1/4, S 1/2 NW 1/4, E 1/2 SW 1/4, W 1/2 SE 1/4, SE 1/4 SE 1/4; all in Section 5-T91N-R49W. This application, if approved, will authorize diversion of 2.22 cfs from the one well located in the NE 1/4 SW 1/4 to irrigate 160 acres located in the SW 1/4 NE 1/4, W 1/2 SE 1/4, SE 1/4 SE 1/4; all in Section 5-T91N-R49W. Water Right No. 2114-3 will be reissued for 2.22 cfs from the well located 2640 feet south and 1350 feet east of the NW corner of Section 5 to irrigate 160 acres located in the S 1/2 NW 1/4, E 1/2 SW 1/4; all in Section 5-T91N-R49W.

Water Permit Application No. 5653-3 is to appropriate 1.12 cfs and transfers the diversion authority for 1.10 cfs from one well authorized by Water Right No. 2373-3 to one well located in the NE 1/4 NE 1/4 (Lot 2) Section 5-T91N-R49W. This application also proposes to add 91.6 additional acres of irrigation. Water Right No. 2373-3 appropriates 1.10 cfs from one well located in the NW 1/4 SE 1/4 Section 5 to irrigate 77.4 acres located in Lot 6 Section 4 and NE 1/4 NE 1/4 Section 5; all in T91N-R49W. This application, if approved, will authorize diversion of 2.22 cfs from the one well located in the NE 1/4 NE 1/4 (Lot 2) Section 5 to irrigate a total of 169 acres. The irrigated acres include the 77.4 acres authorized by Water Right No. 2373-3 as listed above and for 91.6 additional acres located in the SE 1/4 NE 1/4, NE 1/4 SE 1/4 Section 5 and Lot 6 Section 4; all in T91N-R49W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application Nos. 5652-3 and 5653-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. Unless a petition is filed opposing the applications or the applicant files a petition contesting the chief engineer's recommendations, the Water Management Board will NOT CONDUCT a HEARING to consider these applications and the chief engineer will issue the permits as recommended. Petitions filed in support of the applications will NOT require the Board to hear the applications.

Any person interested in opposing or supporting the applications must file a written petition with BOTH the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendations. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 29, 1992. The petition may be informal, but must include a statement describing the petitioner's interest in the applications, the petitioner's reasons for opposing or supporting the applications, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

For purposes of publishing 1) the notice of hearings on Application Nos. 5652-3 and 5653-3 and 2) the chief engineer's recommendations, a meeting at the Division of Water Rights office to hear the applications is scheduled for July 8, 1992, at 9:00 am in Room 413, Joe Foss Building, 523 E Capitol, Pierre SD. If the applications are opposed or the recommendations are contested, the July 8, 1992, hearing date will be rescheduled for a regularly scheduled Board meeting. Notice of the time and place of the rescheduled hearing before the Board will be given by First Class Mail to the applicant and persons filing petitions. Anyone not filing a petition, but interested in attending the hearing,

may contact the Division of Water Rights to confirm a hearing date and location. The July 8, 1992, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the applications. The request for an automatic delay must be filed by June 29, 1992.

If a hearing is held, the Chief Engineer's recommendations are not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny the applications based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact the Water Rights Division to request copies of information pertaining to the applications or to assure access to the hearing by the handicapped.

These applications are made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31, 46-5-33 thru 46-5-35; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, 46-6-26; 46-5-38 thru 46-5-40; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County _____) ss.
County _____)



I, Lester E. Emerson

certify that the attached printed Notice was taken
from the The Leader-Courier

A newspaper which during the whole time of publication of
said notice herein after stated, has been and is printed and
published in the City
_____ of Elk Point

County of Union and State of South Dakota;
that the said notice was published in said newspaper on the
following two dates:

June 11, 1992

June 18, 1992

Lester E. Emerson
(Signature)

Editor

(Title)

June 18, 1992

(Date Signed)

Cost of Printing: 83.54

Angel M. Emerson

My Commission Expires 7-21-92

NOTICE OF HEARING

on Application Nos. 5652-3 and
5653-3 to Appropriate Water and
to Transfer Diversion Authority
for Water Permit Nos. 2114-3
and 2373-3

Notice is given that Mark Chi-
caine, Box 508, Elk Point, SD
57025 has filed applications for
water permits.

Water Permit Application No.
5652-3 is to appropriate 1.11 cubic
feet of water per second (cfs) and
transfer the diversion authority
for 1.11 cfs from one well author-
ized by Water Right No. 2114-3 to
one well located in the NE $\frac{1}{4}$ SW $\frac{1}{4}$
Section 5-T91N-R49W. Water
Right No. 2114-3 appropriates 3.33
cfs from one well located 2640 feet
south and 1350 feet east of the
NW corner of Section 5 to irrigate
320 acres located in the SW $\frac{1}{4}$
NE $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$
SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$; all in Section
5-T91N-R49W. This application, if
approved, will authorize diversion
of 2.22 cfs from the one well locat-
ed in the NE $\frac{1}{4}$ SW $\frac{1}{4}$ to irrigate
160 acres located in the SW $\frac{1}{4}$
NE $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$; all in
Section 5-T91N-R49W. Water
Right No. 2114-3 will be reissued
for 2.22 cfs from the well located
2640 feet south and 1350 feet east
of the NW corner of Section 5 to
irrigate 160 acres located in the
S $\frac{1}{2}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$; all in Sec-
tion 5-T91N-R49W.

Water Permit Application No.
5653-3 is to appropriate 1.12 cfs
and transfers the diversion
authority for 1.10 cfs from one
well authorized by Water Right
No. 2373-3 to one well located in
the NE $\frac{1}{4}$ NE $\frac{1}{4}$ (Lot 2) Section 5-
T91N-R49W. This application also
proposed to add 91.6 additional
acres of irrigation. Water Right
No. 2373-3 appropriates 1.10 cfs
from one well located in the NW $\frac{1}{4}$
SE $\frac{1}{4}$ Section 5 to irrigate 77.4
acres located in Lot 6 Section 4
and NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 5; all in
T91N-R49W. This application, if
approved, will authorize diversion
of 2.22 cfs from the one well locat-
ed in the NE $\frac{1}{4}$ NE $\frac{1}{4}$ (Lot 2) Sec-
tion 5 to irrigate a total of 169
acres. The irrigated acres include
the 77.4 acres authorized by
Water Right No. 2373-3 as listed
above and for 91.6 additional acres
located in the SE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$
SE $\frac{1}{4}$ Section 5 and Lot 6 Section
4; all in T91N-R49W.

Pursuant to SDCL 46-2A-2, the
Chief Engineer recommends AP-
PROVAL of Application Nos.
5652-3 and 5653-3 because 1) unap-
propriated water is available, 2)
existing rights will not be unlaw-
fully impaired, 3) it is a beneficial
use of water, and 4) it is in the
public interest. Unless a petition is
filed opposing the applications or
the applicant files a petition con-
testing the chief engineer's recom-
mendations, the Water Manage-

ment Board will NOT CONDUCT a HEARING to consider these applications and the chief engineer will issue the permits as recommended. Petitions filed in support of the applications will NOT require the Board to hear the applications.

Any person interested in opposing or supporting the applications must file a written petition with BOTH the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendations. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre, SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by, June 29, 1992. The petition may be informal, but must include a statement describing the petitioner's interest in the applications, the petitioner's reasons for opposing or supporting the applications, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

For purposes of publishing 1) the notice of hearings on Application Nos. 5652-3 and 5653-3 and 2) the chief engineer's recommendations, a meeting at the Division of Water Rights office to hear the applications is scheduled for July 8, 1992, at 9:00 a.m. in Room 413, Joe Foss Building, 523 E Capitol, Pierre, SD. If the applications are opposed or the recommendations are contested, the July 8, 1992, hearing date will be rescheduled for a regularly scheduled Board meeting. Notice of the time and place of the rescheduled hearing before the Board will be given by First Class Mail to the applicant and persons filing a petition. One not filing a petition and not interested in attending the hearing may contact the Division of Water Rights to confirm a hearing date and location. The July 8, 1992, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the applications. The request for automatic delay must be filed by, June 29, 1992.

If a hearing is held, the Chief Engineer's recommendations are not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny the applications based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact the Water Rights Division to request copies of information pertaining to the applications or to assure access to the hearing by the handicapped.

These applications are made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16; 46-2-1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31, 46-5-33 thru 46-5-37, 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-6, 46-6-13, 46-6-14, 46-6-26; 46-538 thru 46-540; and Board Rule ARSD 74:02:01:01 thru 74:02:01:15. 18 Pub. June 18 1992



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

MAR 17 1993

Mark Chicoine
RR 2 Box 508
Elk Point, SD 57025

Dear Mr. Chicoine:

Enclosed are Water Permit Nos. 5652-3 and 5653-3 authorizing construction of your water diversion systems and beneficial use of the water, not exceeding the limits as specified in the Water Permits.

Also enclosed is Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the systems and/or have put the water to beneficial use. An inspection can then be scheduled so that the Water Licenses may be issued, thus completing your acquisition of a Water Right.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

PLEASE NOTE: Certain changes can be made in your permits within the five year construction period, usually without affecting the priority dates provided applications to amend your permits are made within the five year period - i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.



NOTICE OF COMPLETION OF WORKS AND APPLICATION OF WATER TO BENEFICIAL USE

Date 4-6-93

TO: Water Rights Division, DENR
523 E. Capitol
Pierre, SD 57501-3181

FROM: Mark Chicoine R2 Box 508
(name) (address)
Elk Point S.Dak. 57025 356-2580
(city) (state) (zip) (phone)

I have completed the construction of the water diversion system and I have put the water to beneficial use to the maximum extent it is going to be used. I have not exceeded the amounts specified in Water Permit No. 5652-3.

~~March 17~~ Water Permit No. 5652-3 states that the diversion system is to be constructed by July 8 1997, and that the water is put to beneficial use by July 8 2001.
(date) (date)

The diversion system was completed on Sept 19, 1974
March 17, 1992.
(date)

Applying the water to beneficial use was completed on July 8 1992.
(date)

You may schedule an inspection so that the Water License may be issued.

Mark Chicoine
(signature)



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

September 17, 1996

5652-3

5653-3

Mark Chicoine
RR 2, Box 508
Elk Point, SD 57025

Dear Mr. Chicoine:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit Nos. 5652-3 and 5653-3, has been completed. Your final water right documents, the Water Licenses, can now be issued.

Statutes require that we charge a \$50.00 fee per license for the inspection and issuance of the Water Licenses. Upon receipt of the \$50.00 fee per license from you (\$100.00 total), we will begin processing your Water Licenses.

**Please remit fee to:
Department of Environment & Natural Resources
Water Rights Program
523 E. Capitol
Pierre, SD 57501-3181**

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Program
(605) 773-3352

NOTE: On check or money order, please specify your permit numbers. This will insure proper handling of the fee.

Permit No. 5652-3
Big Sioux - Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

I have this day, August 19, 1996, made a thorough examination of the water use system constructed by Mark Chicoine of RR2 Box 508, Elk Point, SD 57025 holder of Permit No. 5652-3, bearing the priorities of March 17, 1992 (1.11 cfs) and September 19, 1974 (1.11 cfs transferred from Water Right No. 2114-3) authorizing diversions of Water License No. 2114-3 bears a priority of September 19, 1974 (2.22 cfs). Combined Water Permit No. 5652-3 and Water Right No. 2114-3 authorize diversion of 4.44 cu. ft. of water per second from ground water for irrigation purposes, in Union County.

NOTE:

Water Permit No. 5652-3 appropriates 1.11 cfs and transfers the diversion authority for 1.11 cfs FROM one well authorized by Water Right No. 2114-3 (SE1/4 NW1/4 Section 5) TO well no. 2 (NE1/4 SW1/4 Section 5). (See aerial photo for more details).

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

Two 30 HP Ronk electric motors with 1500 GPM Western Land Roller pumps for each well #1 and #2.

B. Works used to transport water to place of use:

2640 feet of 8" aluminum flood irrigation pipe with 40" gates.

3000 feet of 10" aluminum flood irrigation pipe with 30" gates.

C. Works used to apply water to beneficial use:

Gated 8" and 10" aluminum pipe as described in part B above.

The system is in the following condition good. The point of diversion is located Well #1: (Covered under Water Right No. 2114-3) 2640 feet S and 1350 feet E; Well #2: (covered under Water Right No. 2373-3) 2675 feet S and 2550 feet E (NE1/4 SW1/4) both from the NW corner of Section 5; T91N R49W. The works are capable of diverting and conveying to the place of use 6.66 cu. ft. of water per second which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:

T91N R49W	Section 5	SW1/4 NW1/4	31 acres
		SE1/4 NW1/4	40 acres
		SW1/4 NE1/4	40 acres
		NE1/4 SW1/4	40 acres
		SE1/4 SW1/4	40 acres
		NW1/4 SE1/4	40 acres
		SW1/4 SE1/4	40 acres
		SE1/4 SE1/4	40 acres

comprising a total of 311 acres of land and the incorporated license should be issued for 4.44 cfs. Water Permit No. 5652-3 and Water Right No. 2114-3 may be incorporated.

Applicable permit qualifications have been complied with: Yes ☒ No

Exceptions to compliance are: None Date Report Completed: September 10, 1996



Barry A. McLaury

Natural Resources Scientist

DENR, Water Rights Program

NOTE:

When Water Right No. 2114-3 was reissued in 1992, there appears to have been an error in the amount of water reissued. There should have been only 2.22 cfs reissued instead of 3.33 cfs. The amount of 1.11 cfs in excess (which was actually transferred to well no. 2) was not taken into consideration at the time of reissuing the water right and therefore wasn't removed from the portion of the 3.33 cfs.

REPORT ON INSPECTION OF PERMIT NO. 5652-3

Other permit(s) associated with the project: Water Right No. 2114-3.

DATE OF INSPECTION: August 19, 1996

NAME OF INSPECTION CONTACT: Mark Chicoine

NAME & ADDRESS OF PERMIT HOLDER: Mark Chicoine, RR2 Box 508, Elk Point, SD 57025

DIVERSION POINT LEGAL LOCATION: Well #1: (Covered under Water Right No. 2114-3) 2640 feet S and 1350 feet E; Well #2: 2675 feet S and 2550 feet E (NE1/4 SW1/4) both from the NW corner of Section 5; T91N R49W.

WELL INFORMATION:

- | | |
|---------------------------------------|-------------------------------------|
| 1) Well Drilling Firm: <u>Nichols</u> | 3) Depth(s) <u>80 & 84</u> feet |
| 2) No. of Wells <u>2</u> | 4) Well logs are available <u>N</u> |

Casing: (Well #2)

- 1) Diameter 16 inches
- 2) Length 40 feet
- 3) Type Transite

Screen: (Well #2)

- 1) Type Transite
- 2) Length 40 feet
- 3) Static water level 2 feet

Motor: (#2)

- 1) Make Ronk
- 2) Model No. ?
- 3) Horsepower rating 30 HP

Pump: (#2)

- 1) Make Western Land Roller
- 2) Size 10"
- 3) Capacity 1500 GPM

Casing: (Well #1)

- 1) Diameter 16 inches
- 2) Length 44 feet
- 3) Type Transite

Screen: (Well #1)

- 1) Type Transite
- 2) Length 40 feet
- 3) Static water level 2 feet

Motor: (#1)

- 1) Make Ronk
- 2) Model No. ?
- 3) Horsepower rating 30 HP

Pump: (#1)

- 1) Make Western Land Roller
- 2) Model No. BH 7598
- 3) Capacity 1500 GPM

DISTRIBUTION LINES OR CANALS:

- 1) Type ALU 2) Size 10 inches 3) Length 3000 feet
- 1) Type ALU 2) Size 08 inches 3) Length 2640 feet

SYSTEM TYPE:

Flood:

- 1) Pipe style Aluminum
- 2) Diameter 8 & 10 inches
- 3) Spacing of gates 30 & 40 inches
- 4) Length 2640' of 8" & 3000 feet of 10"

CHEMIGATION EQUIPMENT:

- 1) Does chemigate N

PERMIT QUALIFICATIONS AND REGULATIONS:

- 1) Special qualifications to permit being abided by Y
- 2) All structures, wells and lands on map Y
- 3) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y

COMMENTS:


Gated pipe used interchangeably on Water Permit No. 5653-3. Portions of the Lands under water permit 5653-3 are irrigated from this well.

Water Right No. 2114-3 will be incorporated into Water Permit No. 5652-3 during licensing.

See Water Right Nos. 2114-3 & 2373-3 for more information on the wells and irrigated acreage's.

Water Permit No. 5652-3 appropriates 1.11 cfs and transfers the diversion authority for 1.11 cfs **FROM** one well authorized by Water Right No. 2114-3 (SE1/4 NW1/4 Section 5) **TO** well no. 2 (NE1/4 SW1/4 Section 5). (See aerial photo for more details).

5652-3



NHEL

5652-3

Explanation of Report of Examination of Works for Water Permit No. 5652-3

NOTE: The following is a summary of Barry McLaury's licensing investigation conducted August 19, 1996 for Water Permit No. 5652-3 and Water Right No. 2114-3. Since Mr. McLaury is no longer with the Water Right Program, I have reviewed the file for the purpose of making sure the licensing of Mark Chicoine's water permit reflects the system in the field and complies with water rights statutes. See Mr. McLaury's report of examination of works for more specific information.

I do not believe Water Right Permit No. 5652-3 and Water Right No. 2114-3 should be incorporated into one water right license since they appear to be separate water use systems. The specifics how each water right should be licensed is as follows:

Water Right No. 2114-3 (water license needs to be reissued to reflect the reduction as a result of transfer of diversion authority to a well now covered under Water Permit No. 5652-3)

The point of diversion: one well located 2640 feet South and 1350 feet East from the NW corner (SE1/4 NW1/4) Section 5, T91N, R49W.

Diversion rate: - 2.22 cfs with a priority date of September 19, 1974 established by Water Right No. 2114-3 (1.11 cfs of the original 3.33 cfs authorize by No. 2114-3 has been transferred to No. 5652-3)

TOTAL: - 2.16 cfs (limited by the statutory limit for irrigation of 151 acres)

Acreage Irrigated: - Total of 151 acres all in Section 5, T91N, R49W located as follows:

SW1/4 NW1/4 – 31 acres	SE1/4 NW1/4 – 40 acres
SE1/4 SW1/4 -- 40 acres	NE1/4 SW1/4 – 40 acres

Water Right No. 5652-3

The point of diversion: one well located 2675 feet South and 2550 feet East from the NW corner [NE1/4 SW1/4] Section 5, T91N, R49W.

Diversion rate: - 1.1 cfs with a priority date of September 19, 1974 established by Water Right No. 2114-3 (this diversion authority was transferred to current well by No. 5652-3)

- 1.11 cfs with a priority date of March 17, 1992 established. by Water Permit No. 5652-3.

TOTAL: - 2.22 cfs


Acreage Irrigated: - Total of 160 acres all in Section 5, T91N, R49W located as follows:

SW1/4 NE1/4 - 40 acres

NW1/4 SE1/4 - 40 acres

SW1/4 SE1/4 -- 40 acres

SE1/4 SE1/4 - 40 acres



Eric Gronlund

Water Right Program

August 24, 1998

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 5652-3

(1) Mark Chicoine, RR 2, Box 508, Elk Point SD 57025 made Application No. 5652-3, March 17, 1992 for a water permit to divert 1.11 cubic feet of water per second (cfs) from groundwater (one well), Union County, South Dakota for irrigation purposes. Permit No. 5652-3, with a priority date of March 17, 1992 was approved July 8, 1992 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before July 8, 1997 and for the application to beneficial use of said water on or before July 8, 2001.


Water Permit No. 5652-3 transferred the diversion authority for 1.11 cfs from one well authorized by Water Right No. 2114-3 (priority date of September 19, 1974) to one well located in the NE 1/4 SW 1/4 Section 5.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 2.22 cubic feet of water per second for beneficial use. The location of the diversion point is 2,675 feet south and 2,550 feet east from the northwest corner of Section 5-T91N-R49W (NE 1/4 SW 1/4).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 5-T91N-R49W	SW 1/4 NE 1/4	40 acres
	NW 1/4 SE 1/4	40 acres
	SW 1/4 SE 1/4	40 acres
	SE 1/4 SE 1/4	40 acres
Total 160 acres		

(4) Pursuant to South Dakota Water Law 46-5-30.1 Mark Chicoine, RR 2 Box 508, Elk Point SD 57025 the holder and/or owner of Water Permit No. 5652-3 is issued a license to appropriate water, the right to use 2.22 cubic feet of water per second from groundwater (one well) with priority dates of March 17, 1992 (1.11 cfs) and September 19, 1974 (1.11 cfs) from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 5652-3 and subject to South Dakota State Law.



JOHN HATCH, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

SEP 24 1998

date





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

November 19, 1996

SECOND NOTICE
Permit No. 5652-3
5653-3

NOTICE OF WATER LICENSE INSPECTION FEE REQUIREMENT

Mark Chicoine
RR 2, Box 508
Elk Point, SD 57025

Dear Mr. Chicoine:

On September 17, 1996, you were notified the final inspection fee of \$50.00 per permit (\$100.00 total) is due before Water License Nos. 5652-3 and 5653-3 can be issued. As of this date, the fee has not been received.

The fee is a final step in the legal process of obtaining and perfecting a water right and is required by SDCL 46-2-13(3). Upon receipt of the \$100.00 fee, your Water Licenses will be sent to you. This is the final document for the perfection of your Water Rights. A perfected water right is similar to a property right and once a water right is perfected, it cannot be lost as long as the water is used.

Please remit fee to:
Department of Environment & Natural Resources
Water Rights Program
523 E. Capitol
Pierre, SD 57501-3181

According to South Dakota Water Law 46-5-30.1, you may not divert water until the License fee is paid. Please submit the required fee immediately to avoid jeopardizing your water permit.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

RECEIPT

415188

Division of Water Rights

South Dakota Department of Environment and Natural Resources

Pierre, _____ November 25, 19 96

RECEIVED OF Mark Chicoine, RR 2, Box 508, Elk Point, SD 57025

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>5652-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	50 00

By John Water 
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

SEP 24 1998

Mark Chicoine
RR 2 Box 508
Elk Point SD 57025

Dear Mr. Chicoine:

Enclosed are Water License Nos. 5652-3, 5653-3, Reissued Water License No. 2114-3 and receipts for payment of the license fees. These water licenses are the final documents completing the process of obtaining a water right.

The wells authorized under Water License Nos. 5652-3 and 5653-3 are capable of diverting far more water than the statutory limit for the number of acres being irrigated. The licensing investigation of the permits found each system capable of diverting at a rate of 5.57 cfs (2500 gpm). Water License No. 5652-3 and 5653-3 have been issued to reflect the maximum diversion allowed by law. These water rights do not give a legal right to diversion of water in excess of 4.44 cfs (2000 gpm) authorized by No. 5652-3 and 2.22 cfs (1000 gpm) authorized by No. 5653-3.

As long as you use the water beneficially, as stated in the Water Licenses, State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Program
605 773-3352

ks

enclosures



January 22, 1999

5652-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

NOTICE

TO: MARK CHICOINE, RR 2 BOX 508, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1998 Irrigation Questionnaires

Our records indicate that the 1998 Irrigation Questionnaires have not been submitted for Permit Nos. 5427-3, 5652-3, 5653-3 & 5904-3, 2114-3. The request for the Questionnaires was dated October 16, 1998. The Water Management Board has directed that owners of water permits who have not submitted the 1998 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2114-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5427-3, 5652-3, 5653-3 & 5904-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 3, 1999 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5427-3, 5652-3, 5653-3 & 5904-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2114-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before March 1, 1999, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 28, 1999

Mark Chicoine
RR 2 Box 508
Elk Point, SD 57025

RE: Water Permit/Right Nos. 2114-3, 5427-3, 5652-3, 5653-3 & 5904-3

Dear Mr. Chicoine:

I am writing to acknowledge receipt of your 1998 irrigation questionnaires. You may disregard the January 22, 1999, "Notice" concerning reporting requirements for Water Permit/Right Nos. 2114-3, 5427-3, 5652-3, 5653-3 & 5904-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2010

NOTICE

TO: MARK CHICOINE, 32120 477TH AVE, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2009 Irrigation Questionnaires

Our records indicate that the 2009 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 16, 2009. The Water Management Board has directed that owners of water permits who have not submitted the 2009 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2114-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5652-3, 5653-3, 5904-3 & 6155-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 10, 2010** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5652-3, 5653-3, 5904-3 & 6155-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2114-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 5, 2010**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link:
<https://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 28, 2010

Mark Chicoine
32120 477th Ave
Elk Point SD 57025

RE: 2009 Irrigation Questionnaires for Water Right Nos. 2114-3, 5652-3, 5653-3, 5904-3 & 6155-3

Dear Mr. Chicoine:

I am writing to acknowledge receipt of your 2009 irrigation questionnaires. You may disregard the January 22, 2010, "Notice" concerning reporting requirements for Water Right Nos. 2114-3, 5652-3, 5653-3, 5904-3 & 6155-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Genny McMath'.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us