

WATER PERMIT NO. 5841-3

Phone: 966-5538

Name of Applicant: Vincent Trudeau

Post Office Address: RR 1, Box 370, Jefferson SD 57038

Amount of Water Claimed: 0.57 Total Acres: 40

Source of Water Supply: groundwater

Water to be used for: irrigation County: Union

Location: 3 miles southwest of Jefferson

PRIORITY Date Received: 12-1-94 Fee: \$50


Corrected Application Received: 12-27-94 Period of Annual Use: April 1 - Nov 30

Remarks: _____

Diversion Point: SE 1/4 NE 1/4 Sec 28-T90N-R49W

Land to be Irrigated: _____

SE 1/4 NE 1/4 Sec 28-T90N-R49W



Well Log: Driller: Wetmore Drilling Licensed: YES X NO _____

Depth of Well: 104 feet REMARKS: _____

Type of Map: aerial Prepared By: Larry D Wilcox, ASCS Reviewed and the Number

Assigned on: 12-27-94 By: Karen Schlaak

FORM 2: Application for Irrigation in South Dakota
(type or print)

Mail to:
Water Rights Division
Joe Foss Building
523 E Capitol
Pierre SD 57501-3181
605 773-3352

No. 5841-3 Hydrologic Unit 10170102
Basin Vermillion River
Newspaper Leader Courier - Elk Point
(office use only)



Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
(check one) (Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. acreage change, change diversion point(s), add diversion point(s), etc.) _____

1. Name of Applicant Vincent Trudeau Phone 966-5538
(check one) ☐ Owner ☐ Tenant/lessee
Mailing Address RRI Box 370 Jefferson State S.D. 57038
(Street, RR, or Box) (City) (Zip Code)
2. Amount of water claimed 0.57 *CFS or **GPM ***AF Total Acreage 40
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout if applicable)
3. Source of water supply well
4. Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) The center of SE 1/4 of the NE 1/4 of sec 28 90-49
County Union
5. County or counties where water will be used Union
6. Annual period during which water is to be used April thru Nov. 30
7. List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
<u>SE 1/4 of the NE 1/4</u>	<u>40</u>		
<u>Sec 28-90N-49W</u>			

8. Give a description of the project. (Attach sheet if more space is needed)
4 Tower Pierce Electric Pivot
30 HP Electric Motor on a Western Land Roller
Pump.

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

STATE OF SOUTH DAKOTA)

County of Union ^{SS}

I, Vincent Trudeau the applicant, have read this application, examined the attached map, and certify that the matters stated are true. I intend and am able to complete the necessary construction.

Signed Vincent Trudeau

Subscribed and sworn to before me this 16 day of December 19 94

Janet L. Rigg
Notary Public

Supplemental Information

(type or print in ink)

1. Well Information - Proposed Construction

- a) Drill Hole Diameter 24" Depth 104'
- b) Casing Type Plastic Diameter 18" Thickness 1/2"
- c) Screen Type Plastic Diameter 18" Thickness 1/2"
- d) Gravel Pack Thickness 6" Length of Gravel Pack _____
- e) Depth to Top of Water Bearing Material 40'
- f) Depth to Water (ground surface to water level) 18'
- g) Distance to nearest existing domestic well:

On applicants property _____ On property owned by others 1/2 mile

2. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:

b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Primary Outlet Capacity _____

If pipe, diameter _____

f) Secondary Spillway Capacity _____

Spillway Width _____

g) X & Y Slope


Upstream _____

Downstream _____

h) Surface Area of Impoundment _____

i) Storage _____ Acre Feet

j) Drainage Area Above Dam _____ Acres



**SOUTH DAKOTA
WATER PERMIT NO. 5841-3**

Date of first receipt of application December 1, 1994.

Date of return to applicant for corrections, amendments or changes December 2, 1994.

Date of receipt of corrected application December 27, 1994.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 5841-3 to Vincent Trudeau, RR 1, Box 370, Jefferson SD 57038 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5841-3 appropriates 0.57 cubic feet of water per second from one well (Missouri Elk Point Aquifer) 104 feet deep located in the SE 1/4 NE 1/4 Section 28 to irrigate 40 acres located in the SE 1/4 NE 1/4 Section 28; all in T90N-R49W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 - November 30.
3. The date from which applicant may claim right is December 1, 1994.
4. The date of approval of Permit No. 5841-3 is February 21, 1995.
5. One-fifth of the construction is to be completed on or before August 21, 1997.
6. All construction is to be completed on or before February 21, 2000.
7. Water is to be put to beneficial use on or before February 21, 2004.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 5841-3 shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) from the producing formation to the surface pursuant to Section 74:02:04:28.
3. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD


By: 
John Hatch, Chief Engineer
Water Rights Division

MAR 29 1995

date



NOT TO SCALE



P.O. Box 577

Phone [605] 356-3272

Name Kincent Tunde

Address Jefferson SD

Date 4-1, 1951

Date 7-1, 1950		
No.	Description	Amount
0-2.5	Top soil	
2.5-41	clay	
41-69	fine sand	
69-103	coarse sand & gravel	
James W. Etters		
Received By		Sub Total
		Tax
		TOTAL

Please Pay By Invoice
No Statement Will Be Sent

Driller's Log

<u>Depth</u>	<u>Lithology</u>
0-2	Top soil
2-32	Sand, fine-grained
32-55	Yellow Clay
55-104	Sand & Gravel



A handwritten signature in dark ink, appearing to read "Mike Wetmore". The signature is stylized with a long horizontal stroke extending to the right.

Mike Wetmore
Wetmore Drilling

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 8154

PIERRE,

April 14, 1981

RECEIVED OF Vincent Trudeau, RR 1, Box 57, Jefferson, SD 57025

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. 5841-3 (examination, processing, recording and filing)	225.00
Fee for inspecting Construction, and issuing Cert. of Construction No.	
Fee for inspecting Beneficial Use, and issuing Water License No.	
Fee for issuing Location Certificate-Dry Draw, No.	
Fee for filing	
Fee for certified copy of Partial Refund \$75.00	
Fee for Print copy of map application reduced	
Fee for Certifying from 11.00 AC to 40 AC	
Fee for (any other work as provided by law)	
TOTAL	225.00

WATER RIGHTS COMMISSION

By

John Hatch
Chief Engineer, Executive Officer

JOHN HATCH / 68



Department of Water & Natural Resources

Joe Foss Building
Pierre, South Dakota 57501

Division of Water Rights
(605) 773-3352

April 14, 1981

Vincent Trudeau
RR 1, Box 57
Jefferson SD 57025

Dear Mr. Trudeau:

Your application dated April 1, 1981 for a permit to appropriate water from groundwater through the Vincent #4 was received April 14, 1981.

We have not, as of this date, received the soil/water compatibility approval from the State Conservation Commission. For required procedures and forms please contact that office at 773-3259.

When this information is received further processing of your application will proceed.

To MAINTAIN YOUR PRIORITY DATE ON YOUR APPLICATION FOR PERMIT TO APPROPRIATE WATER, in accordance with SDCL 46-5-16, you will now have SIXTY DAYS from the date of this letter to correct your application and/or to have the above information submitted to this office.

Your Receipt No. 4 8154 in the amount of \$ 225 is on file with your application.

Sincerely,

KAREN WERNSMANN
Administrative Secretary

Equal Opportunity Employer



Department of Water & Natural Resources

Joe Foss Building

Pierre, South Dakota 57501

Water Rights Division

(605) 773-3352

April 23, 1981



Mr. Vincent Trudeau
RR #1, Box 57
Jefferson, SD 57038

Dear Mr. Trudeau:

Enclosed is your application to appropriate 1.7 cfs to irrigate 120 acres and your map. As you will note, the application and the map do not correspond. Please correct your application and map and return to this office.

Upon receipt of the corrected application and/or map, further processing of your application will proceed.

We are enclosing another set of forms for your convenience.

Sincerely,

BETTY WESTLUND
Water Rights Specialist

BW/gy

*Nope this is right this
time will send a check for
the additional acres as soon as
I catch up with Vince.
If this ain't
right give
me a call.*

Jamie
Equal Opportunity Employer



Department of Water & Natural Resources

Joe Foss Building
Pierre, South Dakota 57501

Water Rights Division

(605) 773-3352

W. J. Foss
W. J.
April 23, 1981

Philip J. Foss
Mr. Vincent Trudeau
RR #1, Box 57
Jefferson, SD 57038

Dear Mr. Trudeau:

Enclosed is your application to appropriate 1.7 cfs to irrigate 120 acres and your map. As you will note, the application and the map do not correspond. Please correct your application and map and return to this office.

Upon receipt of the corrected application and/or map, further processing of your application will proceed.

We are enclosing another set of forms for your convenience.

Sincerely,

BETTY WESTLUND
Water Rights Specialist

BW/gy

Equal Opportunity Employer

file copy

July 14, 1986

Vincent Trudeau
RR#1, Box 57
Jefferson, South Dakota 57038

Dear Mr. Trudeau:

I am writing to you in reference to the water permit application you submitted in April, 1981. The application was for diversion of 2.28 cfs from a well in the SE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 28, T90N, R49W to irrigate 160 acres in the S $\frac{1}{2}$ NE $\frac{1}{4}$ and N $\frac{1}{2}$ SE $\frac{1}{4}$ Section 28, T90N, R49W. To date, the application has not been completed.

In order to complete the application, the following is required.

1. Soil/Water Compatibility approval from the State Conservation Commission.
2. An additional \$25.00 filing fee. (A filing fee of \$250.00 is required for irrigation of 160 acres. You have already paid \$225.00).

The application, map, well log and receipt #4 8154 in the amount of \$225.00 remain on file in our office.

Enclosed is a partially completed soil/water compatibility application and instruction sheet. If you have any questions concerning the application, you may contact the Division of Conservation directly at 773-3259 and speak with Jim Stukel.

Upon receipt of the soil/water compatibility approval from Conservation and the additional \$25.00 filing fee, your application will be processed. However, if you do not intend to proceed with the application, please notify our office. The data we have on file will then be returned to you.

Your assistance in this matter will be appreciated. If I can answer any questions for you, please contact me.

Sincerely,

Genny McMath
Natural Resources Analyst

GM:ms
cc: J. Stukel

(605) 773-3352
Water Rights Division

November 18, 1981

Vincent Trudeau
RR 1, Box 57
Jefferson, SD 57025

Dear Mr. Trudeau:

In reviewing our files we have found that your application for a water permit has not been completed. If you plan on completing the project an additional \$25.00 fee is required as well as the soil/water compatibility approval from the State Conservation Commission.

If you do not plan on completing the project we will return your application with the \$225 filing fee we have received.

If you have any questions, please advise.

Sincerely,

BETTY WESTLUND
Water Rights Specialist

BW/bt



DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

January 15, 1991

Vincent Trudeau
RR 1, Box 57
Jefferson SD 57038

Dear Mr. Trudeau:

On April 14, 1981, you submitted an application (copy enclosed) for a permit to appropriate water for irrigation. You were notified that the application was incomplete and were instructed what additional information was necessary in order to complete the application. To date, we have not received a response from you.

We are questioning whether or not you plan to proceed with this project or if you would like to withdraw the application. By withdrawing the application the \$225.00 filing fee can be refunded.

Please let us know your intentions regarding this application by March 15, 1991.

Sincerely,

Eric Gronlund
Water Rights Division
Phone: (605) 773-3352

enclosure



DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 27, 1991

Vincent Trudeau
RR 1, Box 57
Jefferson SD 57025

Dear Mr. Trudeau:

Enclosed is a check in amount of \$75.00. This is a partial refund of the application fee which was paid in April, 1981. You have indicated you would like your application reduced from 160 acres to 40 acres. We are processing your application for 40 acres.

If you have any questions, please contact this office.

Sincerely,

Karen Schlaak

Karen Schlaak
Natural Resources Analyst
605 773-3352

enclosures



DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

copy

March 18, 1991

Vincent Trudeau
RR 1, Box 57
Jefferson, SD 57038

Dear Mr. Trudeau:

Enclosed are the mailing labels and instructions on how to take a water sample for your water permit application as we discussed on the phone. Also, I am amending your application as we discussed to an amount of water claimed of 0.57 cubic feet of water per second to irrigate 40 acres in the SE1/4 NE1/4 Section 29 T90N-R49W.

If you have any questions please feel free to contact me.

Sincerely,

Eric Gronlund
Eric Gronlund
Water Rights Division
605 773-3352

enclosure



DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181 - DWNR
Conversation File Documentation

NAME OF PERSON OR FILE: Vincent Trudeau

ADDRESS: RR 1, Box 57 Jefferson, SD 57038

COUNTY:

DATE: 3/18/91

TELEPHONE:

RE: Pending application from 1981

COMMENTS:

Mr. Trudeau called in to the office in response to my letter from 1/15/91 to find out what additional information we need to process in application. Past correspondence indicated that a SW Permit and an additional \$25 was necessary. Mr. Trudeau was going to send in a sample to the Water Resources Institute and I sent him the necessary mailing labels.

Mr. Trudeau also indicated that he does not plan to irrigate the 160 acres that were in his original application. Instead he just plans to irrigate 40 acres in the SE1/4 NE1/4 Section 29 T90N, R49W. I stated the appropriate amount of water claimed for 40 acres would be 0.57 cfs. He said this was fine and asked me to make those necessary changes.

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

NAME:

Eric Henderson

FROM: Anderson, Dale

TO: Schlaak, Karen

DATE: 06-24-93

TIME: 13:59

CC:

SUBJECT: PENDING APPLICATION

PRIORITY:

ATTACHMENTS:

Vincent Trudeau's application is in the hold file waiting for a water sample. We haven't received one yet.

REPLY FROM: Anderson, Dale

FROM: Schlaak, Karen

TO: Anderson, Dale

DATE: 06-24-93

TIME: 07:49

CC:

SUBJECT: PENDING APPLICATION

PRIORITY: R

ATTACHMENTS:

We have a pending application for Vincent Trudeau which was submitted several years ago. We sent a follow-up letter to Mr. Trudeau in March, 1991. At that time, Mr. Trudeau stated he would be sending a water sample to the Water Quality Lab. I am wondering if you ever received a water analysis. The well is located in the SE 1/4 NE 1/4 Section 28-T90N-R49W in Union County.

Let me know.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

June 25, 1993

Vincent Trudeau
RR 1, Box 57
Jefferson SD 57038

Dear Mr. Trudeau:

On April 14, 1981, you submitted an application (copy enclosed) for a permit to appropriate water for irrigation of 160 acres. On April, 18, 1991 you contacted this office and requested the application be reduced from 160 acres to 40 acres located in the SE 1/4 NE 1/4 Section 28-T90N-R49W. At that time, you were informed that a water sample needed to be submitted in order process the soil/water compatibility permit. Part of the original application filing fee was also refunded at that time.

The Division of Conservation has been contacted. The soil/water compatibility permit can not be issued because a water sample was never submitted. Since the water sample has not been submitted, we are assuming that you are not irrigating and do not intend to irrigate the 40 acres in the SE 1/4 NE 1/4 Section 28-T90N-R49W. Is this assumption correct? If this application is withdrawn, the remainder of the original filing fee, which is \$150.00, can be refunded to you. Please let us know your intentions regarding this pending application.

Pursuant to South Dakota Codified Laws 46-1-15, 46-5-9, 46-5-10 and 46-2-18, you must have a water permit prior to using water.

If you have any questions, please contact this office.

Sincerely,

Karen Schlaak
Natural Resources Analyst
(605) 773-3352

enclosure



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

June 17, 1994

*sent him appl.
forms based on
phone call 6-21-94*

Vincent Trudeau
RR 1, Box 58
Jefferson SD 57025

Dear Mr. Trudeau:

On April 14, 1981, you submitted an application (copy enclosed) for a permit to appropriate water for irrigation of 160 acres in the S 1/2 NE 1/4 and the N 1/2 SE 1/4 Section 28-T90N-R49W. At your request, in March, 1991 the application was reduced from 160 acres to 40 acres located in the SE 1/4 NE 1/4 Section 28-T90N-R49W. Part of the filing fee was refunded to you at that time.

If you wish to pursue this project, please contact us and we will send you another set of application forms to complete. You should be aware that the remaining portion of the application fee (\$150.00) is still on file. If you wish to withdraw the application, the \$150.00 application fee will be refunded to you.


Please let us know if your intentions regarding this application. If you have any questions, please contact this office.

Sincerely,

Karen Schlaak

Karen Schlaak
Natural Resources Scientist
(605) 773-3352

enclosure



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

December 2, 1994

Vincent Trudeau
RR 1, Box 370
Jefferson SD 57025

Dear Mr. Trudeau:

We received your water permit application on December 1, 1994. The application is being returned because it needs to be notarized.

Upon receipt of the notarized application, further processing of the application will continue. If you have any questions, please contact this office.

Sincerely,

A handwritten signature in cursive script that reads "Karen Schlaak".

Karen Schlaak
Environmental Scientist
605 773-3352

enclosure

REPORT ON WATER PERMIT APPLICATION NO. 5841-3
for Vincent Trudeau
January 17, 1995

Water Permit Application No. 5841-3 proposes to appropriate 0.57 cfs (256 gpm) from one well approximately 104 feet deep located in the SE 1/4 NE 1/4 of section 28 to irrigate 40 acres located in the SE 1/4 NE 1/4 of section 28; all in T90N R49W in Union County.

AQUIFER - MISSOURI ELK POINT (M-EP)

The Missouri Elk Point is an alluvium mantled sand and gravel which is primarily under water table or unconfined conditions in the area of this application (Niehus, 1994). The drill log submitted with the application indicates a surficial sand from 2 to 32 feet with a clay layer from 32 to 55 feet and sands and gravel (major aquifer material) from 55 to 104 feet all below land surface. This would indicate confined conditions at the drill site. However, typically the geology of the area will vary from mostly sand from the land surface to variations of clay layers from the surface to a depth of 50 to 60 feet before encountering the main portion of the Missouri Elk Point aquifer. The Missouri Elk Point aquifer underlies 99,600 acres and contains an estimated 1.5 million acre feet of recoverable water in storage in Union County (Hedges, 1982). The aquifer is hydraulically connected to the Big Sioux South aquifer to the north, the Lower Vermillion Missouri aquifer to the northwest and to the Big Sioux and Missouri rivers. Ground water movement is basically from northwest to southeast towards the Missouri and Big Sioux rivers.


The Division of Water Rights monitors five observation wells completed in the Missouri Elk Point aquifer within a five mile radius of this application. Water levels for these wells show good correlation with climatic conditions, that is, rising water levels during wet years (recharge) and gradually declining water levels during dry years. In general, the water level record indicates that the aquifer is capable of sustaining additional withdrawals (Water Rights, 1995). Hydrographs for wells UN-770, UN-77P, UN-77R, UN-77R and UN-78B are included with this report.

REVIEW OF EXISTING WATER PERMITS/RIGHTS

There are five existing water permits/rights with diversion points which are approximately 1/2 mile radial distance from this application. Interference is not expected to be a concern. The Missouri Elk Point is a very prolific aquifer which is capable of producing large volumes of water with relatively small drawdown. The addition of this well will not adversely affect other users in the area.

CONCLUSIONS

1. Water is available from the Missouri Elk Point aquifer.
2. The aquifer is confined and under artesian conditions at the well site, however, most of the wells in the surrounding area are unconfined and under water table conditions. Drawdown is not expected to be a concern. Interference should not be a problem.
3. The well authorized by this application must be constructed in accordance with SD Well Construction Standards.




James A Goodman
Natural Resources Engineer


BIBLIOGRAPHY

- Hedges, L.S., etal, 1982, Evaluation of Ground-Water Resources Eastern SD and Upper Big Sioux River, SD and Iowa, for US Army Corps of Engineers, SD DENR, SDGS, Vermillion, SD, 57069.
- Niehus, C.A., 1994, Water Resources of Lincoln and Union Counties, South Dakota, USGS WRI 93-4195, USGS, Rapid City, SD, 57702.
- Water Rights, 1995, Unpublished Observation Well Records for Union County, SD DENR, Division of Water Rights, Pierre, SD, 57501.


WATER RIGHTS OBSERVATION WELL UN-770



WATER RIGHTS OBSERVATION WELL UN-77P




WATER RIGHTS OBSERVATION WELL UN-77Q




WATER RIGHTS OBSERVATION WELL

UN-77R



WATER RIGHTS OBSERVATION WELL

UN-78B



RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 5841-3, Vincent Trudeau

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Environment and Natural Resources concerning Water Permit Application No. 5841-3, Vincent Trudeau, RR 1 Box 270, Jefferson, SD 57038.

The Chief Engineer is recommending APPROVAL of Application No. 5841-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 5841-3 shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) from the producing formation to the surface pursuant to Section 74:02:04:28.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.


JOHN HATCH, Chief Engineer
January 20, 1995



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

January 26, 1995

Vincent Trudeau
RR 1 Box 370
Jefferson, SD 57038

Dear Mr. Trudeau:

Water Permit Application No. 5841-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Leader Courier printed at Elk Point, SD (Ph # 605-356-2632). For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,


Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 26, 1995

Leader Courier
Box 310
Elk Point, SD 57025-0310

ATTENTION: Legal Department

Enclosed is a Notice of Hearing on Application No. 5841-3 to be published twice. Please publish the first notice on February 2, 1995, with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Vincent Trudeau, RR 1 Box 370, Jefferson, SD 57038 (Ph # 605-966-5538).

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. No action may be taken on the permit application until proof of publication has been received.

Sincerely,


Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

FIRST TRANSMITTAL NOTICE

TO: Eric Gronlund
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to Appropriate Water by Application No. _____ which was first published in our issue of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper

Instruction to Newspaper - Publish first Notice on February 2, 1995, with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 5841-3 to Appropriate Water


Notice is given that Vincent Trudeau, RR 1 Box 370, Jefferson, SD 57038 has filed an application for a water permit to appropriate 0.57 cubic feet of water per second from one well (Missouri Elk Point Aquifer) 104 feet deep located in the SE 1/4 NE 1/4 Section 28 to irrigate 40 acres located in the SE 1/4 NE 1/4 Section 28; all in T90N-R49W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 5841-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the chief engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and chief engineer. The applicant must file a petition if contesting the chief engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by February 21, 1995.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Division address to request copies of information pertaining to this application. Steven M. Pirner, Acting Secretary, Department of Environment and Natural Resources.

PROOF OF PUBLICATION



STATE OF SOUTH DAKOTA)
County of Union) ss

I, Lester E. Emerson

certify that the attached printed Notice was

taken from the The Leader-Courier

printed and published in Elk Point

County of Union and State of

South Dakota. The notice was published in the newspaper on the following two dates:

February 2, 1995

February 9, 1995

Cost of Printing: 34.40

Lester E. Emerson
(Signature)

Editor/Publisher
(Title)

February 9, 1995
(Date Signed)

NOTICE OF APPLICATION NO. 5841-3

to Appropriate Water

Notice is given that Vincent Trudeau, RR1 Box 370, Jefferson, SD 57038 has filed an application for a water permit to appropriate 0.57 cubic feet of water per second from one well (Missouri Elk Point Aquifer) 104 feet deep located in the SE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 28 to irrigate 40 acres located in the SE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 28; all in T90N-R49W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 5841-3 because: 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the chief engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and chief engineer. The applicant must file a petition if contesting the chief engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E. Capitol, Pierre, SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by February 21, 1995.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Division address to request copies of information pertaining to this application. Steven M. Pirner, Acting Secretary, Department of Environment and Natural Resources.

Pub. Feb. 2, 9, 1995



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

MAR 29 1995

Vincent Trudeau
RR 1 Box 370
Jefferson, SD 57038

Dear Mr. Trudeau:

Enclosed is Water Permit No. 5841-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Also enclosed is Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the system and/or have put the water to beneficial use. An inspection can then be scheduled so that the Water License may be issued, thus completing your acquisition of a Water Right.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

PLEASE NOTE: Certain changes can be made in your permit within the five year construction period, usually without affecting the priority date provided an application to amend your permit is made within the five year period - i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.

UNION

Form 10



**NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USE**

Date 3-30-95

TO: Water Rights Division, DENR
523 E. Capitol
Pierre, SD 57501-3181

FROM: Vincent Trudena RR1 Box 370
(name) (address)
Jefferson S.D. 57038 966-5338
(city) (state) (zip) (phone)

I have completed the construction of the water diversion system and I have put the water to beneficial use to the maximum extent it is going to be used. I have not exceeded the amounts specified in Water Permit No. 5841-3.

Water Permit No. 5841-3 states that the diversion system is to be constructed by Feb 21, 2000, and that the water is put to beneficial use by Feb 21, 2004.
(date) (date)

The diversion system was completed on Dec 1993.
(date)

Applying the water to beneficial use was completed on May 1994.
(date)

You may schedule an inspection so that the Water License may be issued.

Vincent Trudena
(signature)



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

September 1, 1999

5841-3
6001-3
6079-3

Joe Trudeau
33060 480th Ave.
Jefferson, SD 57038

Dear Mr. Trudeau:

The investigation of your water use systems was conducted on August 10 and 11, 1999, by Eric Gronlund, staff engineer. The investigation included the extent of application of water to beneficial use, as developed under Water Permit Nos. 5841-3, 6001-3 and 6079-3. Your final water right documents, the Water Licenses, can now be issued.

Statutes require that we charge a \$50.00 fee per license (\$150.00 total) for the investigation and issuance of the Water Licenses. Upon receipt of the \$50.00 fee per license from you (\$150.00 total), we will begin processing your Water Licenses.

**Please remit fee to:
Department of Environment & Natural Resources
Water Rights Program
523 E. Capitol
Pierre, SD 57501-3181**

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Program
(605) 773-3352

NOTE: On check or money order, please specify your permit numbers. This will insure proper handling of the fee.

RECEIPT

Water Rights Program

South Dakota Department of Environment and Natural Resources

NE 416192

Pierre, September 16, 1999

RECEIVED OF Trudeau Farms, Inc., Rt 1, Box 370, Jefferson, SD 57038
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct
and to put water to beneficial use _____

Fee for Application for Permit No. _____ to Appropriate Water, for Future
Use _____

Fee to retain Future Use Permit No. _____ after period of seven years.

Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water
License No. 584103

Fee for Filing Transfer Form _____

Fee for Filing Extension Request _____

Fee for _____

(Any Other Work Provided by Law)

Total

50 00

50 00

By

Chief Engineer

John Hatch (Signature)

Permit No. 5841-3, Joseph and John Trudeau
Vermillion River - Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

On, **August 10, 1999 and August 11, 1999**, I made a thorough examination of the water use system constructed by **Vincent Trudeau** of c/o **Joseph and John Trudeau, 33060 480th Avenue, Jefferson SD 57038** holder of Permit No. **5841-3**, bearing the priority of **December 1, 1994** authorizing the diversion of **0.57** cu. ft. per second of water from **the Missouri:Elk Point Aquifer** for **irrigation** purposes, in **Union** County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

A 104 foot well constructed into the Missouri:Elk Point Aquifer

B. Works used to transport water to place of use:

Wester Land Roller pump and GE Industrial Motor

C. Works used to apply water to beneficial use:

Pierce center pivot at high pressure with end gun

The system is in the following condition **good**. The point of diversion is located **approximately 1960 feet south and 640 west of the NE corner of Section 28, T90N, R49W**. The works are capable of diverting and conveying to the place of use **1.45** cu. ft. per second of water (650 gpm) which is to be used for **irrigation of 39 acres**. Water has been put to beneficial use to the maximum extent as follows:


All in Section 28, T90N, R49W


SE ¼ NE ¼ - 39 acres

comprising a total of **39** acres of land and the license should be issued for **0.56** cfs. This quantity is based on statutory amount set by SDCL 46-5-6

Applicable permit qualifications have been complied with: **Yes**

Exceptions to compliance are: **the system uses 1.45 cfs with is greater that the 1 cfs per 70 acres allowed by law for irrigation of 40 acres (0.57 cfs). The operating cfs of the pivot is greater than the amount allowed by law. The Water Rights Program has historically licensed the water right for the statutory amount which is this case would be 0.56 cfs**


Eric S. Gronlund
Natural Resources Engineer
DENR, Water Rights Program


Date

REPORT ON INSPECTION OF PERMIT NO. 5841-3, Vincent Trudeau

DATE OF INSPECTION: August 10, 1999 (actually viewed system August 11th)

Other permit(s) associated with the project: none

Contact Person & Address: Joseph Trudeau, 33060 480th Avenue, Jefferson SD 57038

DIVERSION POINT LEGAL LOCATION: approximately 1960 feet south and 640 west of the NE corner of Section 28, T90N, R49W

WATER SUPPLY: one well constructed into the Missouri:Elk Point Aquifer

Well Information:

- 1) Well Drilling Firm: Wetmore Drilling 2) No. of Wells One
3) Depth(s) 104 feet 4) Well log is available No

* this well has been in existence since approximately 1986

Casing:

- 1) Diameter 18 inches 2) Length ? feet
3) Type PVC

Screen:

- 1) Type PVC 2) Length ? feet
3) Static water level 18 feet

Pump:

- 1) Make Wester Land Roller 2) Model Serial No. C79607
3) Size 4) Capacity 650 GPM *

* capacity is according to Mr. Trudeau's records

Motor:

- 1) Make GE Industrial 2) Model No. 5K6238XH308
3) Horsepower rating 30 hp 4) ID No. DLJ423323

SYSTEM TYPE:

Center pivot:

- 1) Make Pierce (3040400 05958) 2) Overall length 740 feet (640' + 100' end gun throw)
3) Number of towers 4 4) End gun Yes
5) High or low pressure High 6) Capacity 650 GPM

CHEMIGATION EQUIPMENT: Chemigation is not used but does have a Waterman air relief valve between well & pivot

- 1) Does chemigate No

PERMIT QUALIFICATIONS AND REGULATIONS:


- 1) Special qualifications to permit being abided by yes
2) All structures, wells and lands on map yes
3) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period system was constructed and operational prior to obtaining a water permit

Comments

- ♦ Note: Joseph Trudeau, who is Vincent Trudeau's son, should receive all correspondence on this water right permit.

- ◆ System was not operating at the time of licensing investigation.
- ◆ Field was planted in corn
- ◆ Since it was too dark to go out to the pivot on August 10th, I returned unaccompanied on August 11th to the pivot

Water Permit No. 5841-3, Vincent Trudeau



Legal Description
SE1/4 NE1/4 Section 28, T90N, R49W

Eric Gronlund
Eric Gronlund
Water Rights Program

Licensing Investigation conducted
August 11, 1999

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 5841-3

(1) Vincent Trudeau, c/o Joseph and John Trudeau, 33060 480th Ave, Jefferson SD 57038 made Application No. 5841-3, December 1, 1994 for a water permit to divert 0.57 cubic feet of water per second from groundwater (one well), Union County, South Dakota for irrigation purposes. Permit No. 5841-3, with a priority date of December 1, 1994 was approved February 21, 1995 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before February 21, 2000 and for the application to beneficial use of said water on or before February 21, 2004.


The permit holder submitted a *Notice of Completion of Works and Application of Water to Beneficial Use* on April 5, 1995. The *Notice* stated the diversion system was completed in December, 1993 and the water placed to beneficial use in May, 1994.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 0.56 cubic feet of water per second for beneficial use. The location of the diversion point is approximately 1,960 feet south and 640 feet west of the northeast corner of Section 28-T90N-R49W (SE ¼ NE ¼).

(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 28-T90N-R49W SE ¼ NE ¼ 39 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Vincent Trudeau, c/o Joseph and John Trudeau, 33060 480th Ave, Jefferson SD 57038 the holder and/or owner of Water Right No. 5841-3 is issued a license to appropriate water, the right to use 0.56 cubic feet of water per second from groundwater (one well) with a priority date of December 1, 1994 from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Right No. 5841-3 and subject to South Dakota State Law.



JOHN HATCH, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

DEC 6 1999

date





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

DEC 6 1999

5841-3
6001-3
6079-3

Vincent Trudeau
%Joseph and John Trudeau
33060 480th Ave.
Jefferson, SD 57038

Dear Mr. Trudeau:

Enclosed are Water License Nos. 5841-3, 6001-3 and 6079-3. These are the final water right documents completing your process of obtaining a Water Right. Enclosed are Receipt Nos. 416192, 416193 and 416194 in the amount of \$50.00 each which you paid for the investigation and issuance of the Water Licenses.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the wells authorized by Water Right Nos. 5841-3, 6001-3 and 6079-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water Licenses, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

ks
enclosures

NOTE: The investigation of the irrigation system developed under No. 5841-3 (Vincent Trudeau) found the system is capable of diverting 1.45 cubic feet of water per second (cfs) which is equivalent to approximately 650 gallons per minute (gpm). The statutory limit for 39 acres is 0.56 cfs (equivalent to approximately 250 gpm). Diversion of water under this water license is limited to 0.56 cfs.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

December 5, 2006

5841-3

Mary Schmitz
48016 County Rd 1B
Jefferson SD 57038

Dear Ms. Schmitz:

I am contacting you in regard to ownership of land described in Water Right No. 5841-3. I have included a copy of the water right for your review. Joe Trudeau notified us when returning this year's irrigation questionnaire that the land changed ownership and we should contact you.

Enclosed is a partially completed Notice of Transfer of Ownership form for filing an ownership change. Please review the form and make any necessary corrections. Upon completion, please sign the form and return it to our office with a required filing fee of \$2.50. The check or money order for the fee can be made payable to the Water Rights Program.

Joe has been returning the irrigation questionnaire each year as "operator". Do you want the yearly forms to continue to be sent to him or should I direct them to you? If you would, please include a note with the transfer form and filing fee when you send them in and I'll change the files accordingly.

If I can answer any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 5841-3

Date: 12-16-06

I/We request that Water Right No. 5841-3

formerly owned by: Vincent Trudeau

be transferred to: (name & address)

Mary Schmitz + Michael Schmitz
48016 County Rd 1B Jefferson S.D. 57038
Telephone No. 605 966 5415

Title to the following described land(s)/property has been transferred as described above:


39 acres - SE 1/4 NE 1/4 Section 28, T90N, R49W

I/We understand that the validity of Water Right No. 5841-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We Mary Schmitz, the new owner, certify that the above information is true and correct.
Mike Schmitz



(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIVED
DEC 18 2006
WATER RIGHTS
PROGRAM

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date December 18, 20 06

RECEIVED OF Mary Schmitz, 48016 County Rd 1E, Jefferson SD 57038

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use		
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>5841-3</u>	2	50
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	2.50

No.

02700

By

Darland Erbe
Chief Engineer *gm*



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

December 18, 2006

5841-3

Mary & Michael Schmitz
48016 County Rd 1B
Jefferson SD 57038

Dear Mr. & Mrs. Schmitz:

I am writing to acknowledge receipt of the ownership change you filed for Water Right No. 5841-3. The transfer has been completed. The water right, formerly held by Vincent Trudeau is now listed in your names.

Enclosed is your Receipt No. 02700 in the amount of \$2.50. You may keep this for your records.

Thank you for the note concerning the yearly irrigation questionnaire. The form for 2006 has been completed and is already on file. We will mail next year's form directly to you.

If I can answer any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosure



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

November 7, 2024

5841-3

6737-3

Michael Schmitz
48016 County Rd 1B
Jefferson SD 57038

Dear Mr. Schmitz:

The Water Rights Program is in receipt of the 2024 Irrigation Questionnaires you submitted. A review of this year's submissions raised questions regarding the number of hours reported for Water Right No. 5841-3 & Water Permit No. 6737-3. Copies of both questionnaires are enclosed for you to review.

On this year's report for Water Right No. 5841-3, you indicated 805 hours of irrigation in July & 780 hours of irrigation in August. On the report for Water Permit No. 6737-3, you indicated 850 hours of irrigation in July & 1,080 hours of irrigation in August. July and August each only have 744 hours in the month.

Please contact me via email or by calling my direct line (605) 910-5187 to discuss any changes that need to be made to these two reports.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

enclosures