

WATER PERMIT NO. 6184-3

Name of Applicant: Stanley Steinheuser

Address: 38542 180th St, Tulare SD 57476

Phone: 605 472-2264

Amount of Water Claimed: ^{1.86}~~1.27~~ cfs

Total Acres: 135

Source of Water Supply: groundwater

Water to be used for: irrigation

County: Spink

Type of Waste Disposal System:

Location: 5 miles west of Tulare

PRIORITY

Date Received: 3-2-2000

Fee: \$250

Corrected Application Received:

Period of Annual Use: April 1 – October 31

Remarks: Proposing to use existing well authorized by Water Right No. 5771-3

Diversion Point: SW ¼ NW 1/4

Sec 26-T115N-R65W

Land to be Irrigated: SE ¼

Sec 26-T115N-R65W

Depth of Well: 140 feet deep

Well Driller: : Pullman Drilling

Remarks:


Type of Map: aerial

Prepared by: Gwenneth Jackson, Spink Co. FSA

Reviewed and the Number Assigned on: 3-3-2000

By: Karen Schlaak

Notice of Hearing - date to intervene: _____



**SOUTH DAKOTA
WATER PERMIT NO. 6184-3**

Date of first receipt of application March 2, 2000.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 6184-3 to Stanley Steinheuser, 38542 180th St, Tulare SD 57476 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6184-3 appropriates 1.89 cubic feet of water per second from one existing well (Tulare-Western Spink Aquifer) 127 feet deep located in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 26 to irrigate 135 acres located in the SE $\frac{1}{4}$ Section 26; all in T115N-R65W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 – October 31.
3. The date from which applicant may claim right is March 2, 2000.
4. The date of approval of Permit No. 6184-3 is April 17, 2000.
5. One-fifth of the construction is to be completed on or before October 17, 2002.
6. All construction is to be completed on or before April 17, 2005.
7. Water is to be put to beneficial use on or before April 17, 2009.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele
Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUN 22 2000
date



Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	(office use only)	
	No. <u>6184-3</u>	Hydrologic Unit <u>10160009</u>
	Basin <u>Dames River</u>	
	Newspaper <u>The Redfield Press, Redfield, SD</u>	



Application For Permit To Appropriate Water For Irrigation

Type of Application: X New Vested Right Amendment/Correction to Permit No.
 (Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

- Name of Applicant Stanley Steinheuser Phone 605-472-2264
 (check one) ✓ Owner Tenant/lessee
 Mailing Address 38542 180th St. Tulare State S.D. 57476
 (Street, RR, or Box and City) (Zip Code)
 1.89
- Amount of water claimed 1.89 *CFS or 850 **GPM ***AF Total Acreage 135
 (*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable
- Source of water supply WELL
- Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) Water Permit
No. 5771-3 Located SW1/4 NW1/4 Section 26 to
irrigate 135 acres located SE1/4 115-65 County SPINK
- County or counties where water will be used SPINK
- Annual period during which water is to be used April - October 31
- List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
 (Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
NE 1/4 SE 1/4 Sec 26	34	Lake Township 115N-R65W	
NW 1/4 SE 1/4 Sec 26	34	Lake Township 115N-R65W	
SW 1/4 SE 1/4 Sec 26	34	Lake Township 115N-R65W	
SE 1/4 SE 1/4 Sec 26	33	Lake Township 115N-R65W	

8. Give a description of the project. (Attach sheet if more space is needed)
This well is already in use and we will be adding
a pivot on the S.E 1/4 of Section 26 - 115N-R65W.

STATE OF SOUTH DAKOTA) SS

County of Spink

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, Stanley Steinheuser, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature Stanley Steinheuser

Subscribed and sworn to before me this 1st day of March 2000

Patricia Hayart

Notary Public signature

Supplemental Information

(Complete applicable portions only)

Stanley Steinheuser (type or print in ink)

This Well log is on File
at your office

1. Well Information - Proposed Construction

- a) Drill Hole Diameter _____ Depth _____
- b) Casing Type _____ Diameter _____ Thickness _____
- c) Screen Type _____ Diameter _____ Thickness _____
- d) Gravel Pack _____ Length of Gravel Pack _____
- e) Depth to Top of Water Bearing Material _____
- f) Depth to Water (ground surface to water level) _____
- g) Distance to nearest existing domestic well:

On applicants property NoOn property owned by others 3/4 mile

2. Wastewater Disposal System Information

- a) Type of System (i.e. septic tank, drain field) _____
- b) System Capacity (gallons) _____ Year Constructed _____
- c) Connected to the City of _____ Sanitary System _____


3. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:





- b) Freeboard _____
- c) Crest Width _____
Crest Length _____
- d) Height _____
- e) Primary Outlet Capacity _____
If pipe, diameter _____
- f) Secondary Spillway Capacity _____
Spillway Width _____
- g) X & Y Slope _____
Upstream _____
Downstream _____
- h) Surface Area of Impoundment _____
- i) Storage _____ Acre Feet
- j) Drainage Area Above Dam _____ Acres

PULLMAN DRILLING — DRILLERS LOG

Phone: 1-800-451-4884

Stanley Steinhauser JOB NAME	N 1/2 - Sec 4 T26-115-65 Spink Co. LOCATION	3-4-91 DATE	RIG NO.	Payson FOREMAN
---------------------------------	--	----------------	---------	-------------------

JI No.	DEPTH	TIME	REMARKS
1	20		0-17 yellow clay
2	40		17-20 Sandy Blue clay
3	60		20-80 " " "
4	80		80-83 Blue clay
5	100		83-100 coarse sand & gravel
6	120		100-125 Red rock
7	140		125-140 Blue clay
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			




(att) Eric Gronlund

SOUTH DAKOTA WATER WELL COMPLETION REPORT

07-92

Location SE 1/4 NW 1/4 Sec 26 Twp 115 Rg 65County Spink

Please mark well location with an "X"

Well Completion Date 6-19-93Well Owner: Stanley Steinhauser
Business Name: _____
Address: RR
Tulsa, SD 57476

WELL LOG:

FORMATION	DEPTH	
	FROM	TO
<u>Yellow Sand</u>	<u>0</u>	<u>10</u>
<u>Fine Sand</u>	<u>10</u>	<u>20</u>
<u>Sandy Blue Clay</u>	<u>20</u>	<u>70</u>
<u>Medium Sand</u>	<u>70</u>	<u>80</u>
<u>Coarse Gravel</u>	<u>80</u>	<u>127</u>

LOCATION:

Distance from nearest potential pollution source (septic tank, abandoned well, feed lot, etc.)? _____ ft. from _____ (identify source).

PROPOSED USE:

☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

Reverse

CASING DATA:

☐ Steel ☒ Plastic ☐ Other

If other describe _____

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
_____ LB/FT	<u>1 1/2"</u>	<u>0</u> FT	<u>1 1/2</u> FT	<u>24</u> IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN

GROUTING DATA

Grout Type	No. of Sacks	Grout Weight	From	To
<u>Cement</u>	<u>60</u>	_____ lb./gal	<u>0</u> ft	<u>20</u> ft
<u>Grout</u>	<u>20</u>	_____ lb./gal	<u>20</u> ft	<u>80</u> ft

Describe grouting procedure _____

Line to 86 ft.SCREEN: ☐ Perforated pipe ☒ ManufacturedDiameter 1 1/2 IN Length 20 FEETMaterial PVCSlot Size #57 Set From 10.7 Feet to 127 Feet

Other information _____

Gravel packedWAS A PACKER OR SEAL USED? ☐ YES ☐ NO

If so, what material? _____

Describe packer(s) and location? _____

DISINFECTION:

Was well disinfected upon completion? ☒ YES. How: Polys

_____ NO. Why Not? _____

Laboratory sent to for water quality analysis _____

STATIC WATER LEVEL 17 Feet

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other _____

Reduced Flowrate _____ GPM

Can well be completely shut in? _____

WELL TEST DATA:

☒ Pumped Describe: 900 gpm☐ Bailed _____☐ Other _____

Pumping Level Below Land Surface

26 ft. After 6 Hrs. pumped 900 GPM

_____ ft. After _____ Hrs. pumped _____ GPM

If pump installed, pump rate _____ GPM

REMARKS

This well was drilled under license # 440

And this report is true and accurate.

Drilling firm Pullman Well Drilling


Signature of License Representative: _____

R. J. Kuhl

Signature of Well Owner or Equitable Property Holder: _____

Date: 12-17-931-21-94

MAP NOT TO SCALE
THIS IS NOT AN OFFICIAL WETLAND MAP.



RECEIPT

Water Rights Program

South Dakota Department of Environment and Natural Resources

N^o 416411

Pierre, _____ March 2, 2000

RECEIVED OF Stanley or Janice Steinheuser, 38542 - 180th St., Tulare, SD 57476-9545
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____	250	00
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	300 00

By Harland Erbe 
Chief Engineer

REPORT ON WATER PERMIT APPLICATION NO. 6184-3
for Stanley Steinheuser
March 14, 2000

Application No. 6184-3 proposes to appropriate 1.89 cfs from one existing well approximately 127 feet deep located in the SW 1/4 NW 1/4 of Section 26 to irrigate 135 acres located in the SE 1/4 of Section 26; all in T115N-R65W.

AQUIFER - TULARE WESTERN SPINK (T-WS)

The Tulare Western Spink is a buried outwash (sand and gravel) which is under confined or artesian conditions at this site. The aquifer underlies 72,300 acres and contains an estimated 270,930 acre feet of recoverable water in storage in Spink County (Hedges, 1982). The aquifer extends into Hand County to the west and is hydraulically connected to the Tulare Hitchcock aquifer to the east. Ground water movement is from southwest to northeast and toward the James River (Hamilton, 1996). The Turtle River appears to be hydraulically connected to the aquifer and has the potential to recharge the aquifer.

The well completion report for the irrigation well which will be used to supply water for this application indicates medium sand from 70 feet to 80 feet, coarse gravel from 80 feet to 127 feet. The well had a static water level of 17 feet below land surface and was capable of producing 900 gpm with nine feet of drawdown which equates to a specific capacity of 100 gpm/ft of drawdown.


The Water Rights Program monitors two observation wells, SP-80P and SP-63E, which are located within one mile of this application. Water levels for these two observation wells show good response to area pumping and to climatic conditions. Water levels rise due to recharge especially from a series of wet years and gradually decline during dry years. The water level record clearly indicates that the aquifer is capable of sustaining additional withdrawals (Water Rights, 2000). Hydrographs for these two observation wells are included with this report.

REVIEW OF EXISTING WATER PERMITS/RIGHTS

There are two existing irrigation wells within one-half mile of the well for this application. These are all existing wells and have been in use for many years with no apparent problems. It is interesting to note the three irrigation wells in this immediate area all are used to supply water to more than one center pivot. The two wells in Section 26 each supply water to two center pivots also in Section 26 but can only supply to one pivot at a time. These two wells are both Steinheuser water rights/permits and include this application.

CONCLUSIONS

1. Water is available from the Tulare Western Spink aquifer.
2. The aquifer is confined and under artesian conditions at this site. However, even though there will be fluctuation in the water levels drawdown created by pumping is not expected to adversely affect existing users. Interference is not a concern. This is shown by an historical review of water levels using the observation well hydrographs.
3. The well to be utilized by this application has been constructed in accordance with SD Well Construction Standards.



James A Goodman
Natural Resources Engineer


BIBLIOGRAPHY

Hamilton, L.J., L.W. Howells, 1996, Water Resources of Spink County, South Dakota, Water Resources Investigations Report 96-4056, USGS, Rapid City, SD, 57702.


Hedges, L.S., et al., 1982, Evaluation of Ground-Water Resources Eastern SD and Upper Big Sioux River, SD and Iowa, for US Army Corps of Engineers, SD DENR, SDGS, Vermillion, SD, 57069.

Water Rights, 2000, Unpublished Observation Well Data for Spink County, SD DENR, Division of Environmental Services, Water Rights Program, Pierre, SD, 57501.

WATER RIGHTS' OBSERVATION WELL
SP-80P



WATER RIGHTS' OBSERVATION WELL
SP-63E




**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6184-3, Stanley Steinheuser**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6184-3, Stanley Steinheuser, 38543 180th Street, Tulare, SD 57476.

The Chief Engineer is recommending APPROVAL of Application No. 6184-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

A handwritten signature in black ink, appearing to read "Garland Erbele". The signature is fluid and cursive, with the first name "Garland" being more prominent than the last name "Erbele".

Garland Erbele, Chief Engineer

March 21, 2000



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

March 21, 2000

Stanley Steinheuser
38542 180th St.
Tulare, SD 57476

Dear Mr. Steinheuser:

Water Permit Application No. 6184-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Redfield Press printed at Redfield, SD (Ph # (605) 472-0822). For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

March 21, 2000

The Redfield Press
Box 440
Redfield, SD 57469-0440

ATTENTION: Legal Public Notice

Enclosed is a Notice of Hearing on Application No. 6184-3 to Appropriate Water to be published twice. Please publish the first notice on March 29, 2000, with the second publication 7 days later.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Stanley Steinheuser, 38542 180th St., Tulare, SD 57476 (Ph # (605) 472-2264).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CU T HERE-----

No. 6184-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of March 21, 2000, enclosing Notice of Hearing to Appropriate Water by Application No. 6184-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper

Instruction to Newspaper - Publish first Notice on March 29, 2000, with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 6184-3 to Appropriate Water

Notice is given that Stanley Steinheuser, 38542 180th St, Tulare SD 57476 has filed an application for a water permit to appropriate 1.89 cubic feet of water per second from one existing well (Tulare-Western Spink Aquifer) 127 feet deep located in the SW ¼ NW ¼ Section 26 to irrigate 135 acres located in the SE ¼ Section 26; all in T115N-R65W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6184-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by April 17, 2000.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Nettie H. Myers, Secretary, Department of Environment and Natural Resources.

Affidavit of Publication



STATE OF SOUTH DAKOTA

SS

County of Spink

Notice of Application No. 6184-3 to appropriate water

No. 47

Notice is given that Stanley Steinheuser, 38542 180th St, Tulare SD 57476 has filed an application for a water permit to appropriate 1.89 cubic feet of water per second from one existing well (Tulare-Western Spink

Aquifer) 127 feet deep located in the SW 1/4 NW 1/4 Section 26 to irrigate 135 acres located in the SE 1/4 Section 26; all in T115N-R65W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6184-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by April 17, 2000.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Nettie H. Myers, Secretary, Department of Environment and Natural Resources.

(March 29, April 5)

I, Deborah M Reinbold, of said County and State, being first duly sworn on oath, say that THE REDFIELD PRESS is a legal weekly newspaper as defined in Sec. 65.0508 South Dakota Code 1939, as amended by Chapter 298 of the Session of Laws of 1939, printed and published in the English language in the City of Redfield, in said County and State, by THE REDFIELD PRESS, and has been such newspaper during the time hereinafter mentioned, and that I Deborah M Reinbold, the undersigned, am Office Manager of said newspaper in charge of the advertising department thereof, and have personal knowledge of all the facts stated in this affidavit, and that the legal or official notice entitled:

Notice of Water Appropriation #47

a printed copy of which is hereto attached, was printed and published in said newspaper in 2 successive issues, to wit:

The first publication being made on March 29 2000
2nd April 5 2000 5th 20
3rd 20 6th 20
4th 20 7th 20

that the full amount of the fee charged for publishing the same to-wit: the sum of \$ 33.93, insures to the benefit of the publisher of THE REDFIELD PRESS, that no agreement or understanding for the division thereof has been made with any other person, and that no part thereof has been agreed to be paid to any person whomsoever.

Deborah M Reinbold

Subscribed and sworn to before me this 10 day

of April, 2000.

Linda Simpson
Notary Public, Spink County, South Dakota





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

JUN 22 2000

Stanley Steinheuser
38542 180th St.
Tulare, SD 57476

Dear Mr. Steinheuser:

Enclosed is Water Permit No. 6184-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

NOTICE OF COMPLETION OF WORKS AND APPLICATION OF WATER TO BENEFICIAL USE



Date 7-24-00

TO: Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

FROM:

Stanley Steinhausen
(name)

38542 180 St
(address)

Fulda S.D. 57474
(city, state, zip)

605-472-2264
(phone)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 6184-3 states that the water use system is to be constructed by

April 17-2005
(date)


, and water is to be put to beneficial use by April 17-2009
(date)

The water use system was completed on 7-14-00
(date)

Applying the water to beneficial use was completed on 7-15-00
(date)

You may schedule an investigation so that the water license may be issued.

Stanley Steinhausen
(signature)



Water Rights Division - DENR

Conversation or File Documentation

Name of Person: Stanley Steinheuser


File Nos. 5771-3, 6184-3

Address: 38542 180th St, Tulare, SD 57476 **County:** Spink

Date: July 31, 2001 **Telephone:** (605) 472-2264

RE: Status of Water Permit No. 5771-3

Comments: I told Stanley that I am in the process of writing up his inspection report for Water Permit No. 6184-3. I told him that when I was out there the end of June that he told me that he only irrigates three-fourths of the land located in the NE ¼ of Section 26 T115N-R65W. I told that his permit (Water Right No. 5771-3) allows him to irrigate most of the NE ¼ section. He told me that conditions are too wet for him to do that right now. When he can he will irrigate most of the land in the NE ¼ of Section 26 T115N-R65W.



Stacy J. Johnson
Natural Resources Project Engineer

Permit No. 6184-3
James River - Water District

Other permit/license(s) associated with project: 5390-3, 5771-3

Contact Person & Address: Stanley Steinheuser, 38542 180th St, Tulare, SD 57476

Report Of Examination Of Works

On, June 26, 2001, I made a thorough examination of the water use system constructed by Stanley Steinheuser of 38542 180th St, Tulare, SD 57476 holder of Permit No. 6184-3, bearing the priority of March 2, 2000, authorizing the diversion of 1.89 cu. ft. per second and Permit No. 5771-3, bearing the priority of April 27, 1993, authorizing the diversion of 1.89 cu. ft. per second of the waters of Tulare-Western Spink Aquifer for irrigation purposes, in Spink County.

The system is in the following condition good. The point of diversion is located Well: from the SW corner of Section 26 T115N-R65W it is 2646 feet north and 1222 feet east with a longitude of -98.620726 and a latitude of 44.742319. The works are capable of diverting and conveying to the place of use 1.89 cu. ft. per second of water that is to be used for irrigation purposes. Water has been put to beneficial use to the maximum extent as follows:

All lands in Section 26 T115N-R65W

NE ¼ NE ¼ = 34 Acres

NW ¼ NE ¼ = 34 Acres

SW ¼ NE ¼ = 34 Acres

SE ¼ NE ¼ = 33 Acres

NE ¼ SE ¼ = 34 Acres

NW ¼ SE ¼ = 34 Acres

SW ¼ SE ¼ = 34 Acres

SE ¼ SE ¼ = 33 Acres

comprising a total of 270 acres of land and the license should be issued for 1.89 cfs.

Review of Permit Qualifications And Regulations:

- 1) Special qualifications to permit being abided by yes
- 2) All structures, wells and lands on map yes
- 3) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period yes
- 4) Exceptions to compliance are: none

Report On the Specifics of the System

Diversion Point Information:

- | | |
|--|-------------------------------------|
| 1) Well Drilling Firm: <u>Pullman Drilling</u> | 2) No. of Wells <u>1</u> |
| 3) Depth(s) <u>127</u> feet | 4) Well log is available <u>yes</u> |

Casing:

- | | |
|------------------------------|---------------------------|
| 1) Diameter <u>16</u> inches | 2) Length <u>107</u> feet |
| 3) Type <u>Plastic</u> | |

Screen:

- | | |
|--------------------------------------|--------------------------|
| 1) Type <u>PVC</u> | 2) Length <u>20</u> feet |
| 3) Static water level <u>17</u> feet | |

Pump\ Motor:

- | | |
|---|--|
| 1) Pump Make <u>Amarillo</u> | 2) Pump Model <u>Serial No. S60A180215</u> |
| 3) Capacity <u>850</u> GPM | 4) Motor Make <u>Rockford Power</u> |
| 5) Motor Model No. <u>Serial No. 862874</u> | 6) Horsepower rating <u>75</u> hp |

Distribution System:

- | | | |
|--------------------------------------|-------------------------|--------------------------------|
| 1) Type <u>Plastic underground</u> | 2) Size <u>8</u> inches | 3) Length <u>700-1200</u> feet |
| 1) Type <u>Aluminum above ground</u> | 2) Size <u>8</u> inches | 3) Length <u>700</u> feet |
| 1) Type <u>Aluminum</u> | 2) Size <u>8</u> inches | 3) Length <u>2706</u> feet |

System Type: Water Right No. 5771-3

Center pivot:

- | | |
|-------------------------------------|------------------------------------|
| 1) Make <u>T/L</u> | 2) Overall length <u>1250</u> feet |
| 3) Number of towers <u>8</u> | 4) End gun <u>yes</u> |
| 5) High or low pressure <u>high</u> | 6) Capacity <u>850</u> GPM |

System Type: Water Right No. 6184-3

Center pivot:

- | | |
|------------------------------|---|
| 1) Make <u>T&L</u> | 2) Overall length <u>1250-1260</u> feet |
| 3) Number of towers <u>8</u> | 4) End gun <u>yes</u> |

5) High or low pressure low to medium 6) Capacity 850 GPM

Chemigation:

1) Does chemigate no

Stacy J. Johnson
Stacy J. Johnson
Natural Resources Project Engineer
DENR, Water Rights Program

8-8-01
Date

Section 26 T115N-R65W

Well from the SW corner it is 2646 feet north and
1222 feet east

Irrigated Lands

NE 1/4 NE 1/4 = 34 Acres
NW 1/4 NE 1/4 = 34 Acres
SW 1/4 NE 1/4 = 34 Acres
SE 1/4 NE 1/4 = 33 Acres

NE 1/4 SE 1/4 = 34 Acres
NW 1/4 SE 1/4 = 34 Acres
SW 1/4 SE 1/4 = 34 Acres
SE 1/4 SE 1/4 = 33 Acres

Total irrigated acres = 270 Acres

Well

Permit No. 6184-3 irrigated lands

Water Right No. 5771-3 irrigated lands

0.4 0 0.4 Miles

Stacy J Johnson 7-31-01
Stacy J Johnson
Natural Resources Engineer
SD DENR Water Rights Program

6184-3

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 6184-3

(1) Stanley Steinheuser, 38542 180th St, Tulare SD 57476 made Application No. 6184-3, March 2, 2000 for a water permit to divert 1.89 cubic feet of water per second (cfs) from groundwater (one well), Spink County, South Dakota for irrigation purposes. Permit No. 6184-3, with a priority date of March 2, 2000 was approved April 17, 2000 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before April 17, 2005 and for the application to beneficial use of said water on or before April 17, 2009.

The permit holder submitted a *Notice of Completion of Works and Application of Water to Beneficial Use* on July 25, 2000. The *Notice* stated the diversion system was completed on July 14, 2000 and the water placed to beneficial use on July 15, 2000.


Water Permit No. 5771-3, with a priority date of April 27, 1993 authorizes diversion of 1.89 cfs from the same well authorized by No. 6184-3 to irrigate the NE $\frac{1}{4}$ Section 26-T115N-R65W. The applicable portions of No. 5771-3 have been incorporated into No. 6184-3.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.89 cubic feet of water per second for beneficial use. The location of the diversion point is 2,646 feet N and 1,222 feet E of the SW corner of Section 26-T115N-R65W (SW $\frac{1}{4}$ NW $\frac{1}{4}$).

(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 26-T115N-R65W			
NE $\frac{1}{4}$ NE $\frac{1}{4}$	34 acres	NE $\frac{1}{4}$ SE $\frac{1}{4}$	34 acres
NW $\frac{1}{4}$ NE $\frac{1}{4}$	34 acres	NW $\frac{1}{4}$ SE $\frac{1}{4}$	34 acres
SW $\frac{1}{4}$ NE $\frac{1}{4}$	34 acres	SW $\frac{1}{4}$ SE $\frac{1}{4}$	34 acres
SE $\frac{1}{4}$ NE $\frac{1}{4}$	33 acres	SE $\frac{1}{4}$ SE $\frac{1}{4}$	33 acres
Total 270 acres			

(4) Pursuant to South Dakota Water Law 46-5-30.1 Stanley Steinheuser, 38542 180th St, Tulare SD 57476 the holder and/or owner of Incorporated Water Right No. 6184-3 is issued a license to appropriate water, the right to use 1.89 cubic feet of water per second from groundwater (one well) with priority dates of April 27, 1993 (NE $\frac{1}{4}$) and March 2, 2000 (SE $\frac{1}{4}$) from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Incorporated Water Right No. 6184-3 and subject to South Dakota State Law.


GARLAND ERBELE, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

AUG 13 2001

date





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

AUG 13 2001

6184-3

Stanley Steinheuser
38542 180th St.
Tulare, SD 57476

Dear Mr. Steinheuser:

Enclosed is Water License No. 6184-3. This is the final water right document completing your process of obtaining a Water Right.

As long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

NOTE: The applicable portions of No. 5771-3 are incorporated into Water License No. 6184-3

enclosures



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: STANLEY STEINHEUSER, 38542 180TH ST, TULARE, SD 57476

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaire(s)

Our records indicate your 2024 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5390-3, 6184-3 & 6288-3. The request for the Questionnaire was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5390-3, 6184-3 & 6288-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5390-3, 6184-3 & 6288-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: ENVZMB**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 21, 2025

5390-3, 6184-3, 6288-3

Stanley Steinheuser
38542 180th St
Tulare SD 57476

Dear Mr. Steinheuser:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 5390-3, 6184-3 & 6288-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us



5390-3
6184-3
6288-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2026

NOTICE

TO: STANLEY STEINHEUSER, 38542 180TH ST, TULARE, SD 57476

FROM: Ron Duvall, Engineer III
for Adam Mathiowetz, PE, Acting Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2025 Irrigation Questionnaire(s)

Our records indicate your 2025 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5390-3, 6184-3 & 6288-3. The request for the Questionnaire was dated October 8, 2025. The Water Management Board has directed owners of water permits who have not submitted the 2025 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5390-3, 6184-3 & 6288-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 4, 2026 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5390-3, 6184-3 & 6288-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2026** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Shannon Konst at (605) 773-3352 or email at shannon.konst@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: IJEMFI**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.