

WATER PERMIT NO. 6243-3

Name of Applicant: Todd Woertink

Address: RR 2 Box 133, Castlewood SD 57223

Phone: 605 793-2440

Amount of Water Claimed: no add'l

Total Acres: 16.1 acres

Source of Water Supply: groundwater (1 existing well)

Water to be used for: irrigation

County: Hamlin

Type of Waste Disposal System:

Location: 3 miles southeast of Castlewood

PRIORITY

Date Received: 11-21-2000

Fee: \$150


Corrected Application Received::

Period of Annual Use: March 1 – November 30

Remarks: Increases the irrigated acres authorized by Water Right No. 2061A-3

Diversion Point: NW ¼ NE ¼ Sec 18-T114N-R51W

Land to be Irrigated: NE ¼ Sec 18-T114N-R51W



Depth of Well: 76 feet deep

Well Driller: : _

Remarks:

Type of Map: aerial

Prepared by: Norma Job

Reviewed and the Number Assigned on: 11-28-2000

By: Karen Schlaak

Notice of Hearing - date to intervene: _____

SOUTH DAKOTA
WATER PERMIT NO. 6243-3

Date of first receipt of application November 21, 2000.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 6243-3 to Todd Woertink, 46224 184th St, Castlewood SD 57223 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6243-3 authorizes irrigation of 16.1 additional acres. Water Right No. 2061A-3 authorizes 1.0 cubic feet of water per second (cfs) from one well (Big Sioux Brookings Aquifer) 76 feet deep located in the NW ¼ NE ¼ Section 18 to irrigate 108 acres located in the NE ¼ Section 18; all in T114N-R51W. Water Permit Nos. 2888-3 and 3888-3, combined appropriated 2.0 cfs from this same well to irrigate 160 acres located in the NW ¼ Section 17; all in T114N-R51W. The permit holder has indicated that the well is capable of producing 2.22 cfs and the land located in NE ¼ Section 18 and NW ¼ Section 17 are irrigated from the one well on an alternating basis. This permit authorizes irrigation of 16.1 additional acres located in the NE ¼ Section 18-T114N-R51W from the existing well. This permit does not authorize any increase in the developed diversion rate of 2.22 cfs.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: March 1 – November 30.
3. The date from which applicant may claim right is November 21, 2000.
4. The date of approval of Permit No. 6243-3 is February 26, 2001.
5. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele
Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

AUG 13 2001

date



Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	(office use only)
	No. <u>6243-3</u> Hydrologic Unit <u>10170202</u>
	Basin <u>Sioux River</u>
	Newspaper <u>Hamlin Co. Republican, Castlewood SD</u>

Application For Permit To Appropriate Water For Irrigation

Type of Application: X New Vested Right Amendment/Correction to Permit No.
(check one) (Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. acreage change, change diversion point(s), add diversion point(s), etc.)

1. Name of Applicant Todd Woertink ☒ Owner ☐ Tenant/Lessee Phone 605 793-2440
(check one) (check one)
- Mailing Address RR 2 Box 133 Castlewood State SD 57223
(Street, RR, or Box) (Zip Code)
2. Amount of water claimed no add'l *CFS or 2061A-3 **GPM ***AF Total Acreage 16.1
(*Cubic Feet per Second) (**Gallons per Minute) (***Acre Feet - storage capacity of dam/dugout if applicable)
3. Source of water supply Well authorized under Water Right No. 2061-3 (portion owned by Mr. Woertink)
4. Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) NW 1/4 NE 1/4 Section 18, T114N, R51W
County Hamlin
5. County or counties where water will be used Hamlin
6. Annual period during which water is to be used March 1 - November 30
7. List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
Additional acres in NE 1/4 Section 18, T114N, R51W	16.1		

8. Give a description of the project. (Attach sheet if more space is needed)

Applying for 16.1 additional acres to accurately reflect the system in the field.

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)


STATE OF SOUTH DAKOTA)

County of Hughes) ss

I, Todd Woertink, the applicant, have read this application, examined the attached map, and certify that the matters stated are true. I intend and am able to complete the necessary construction.

Signed Todd Woertink

Subscribed and sworn to before me this 21st day of November 19 2000



Karen Schlaak
Notary Public
KAREN SCHLAACK, Notary Public
My Commission Expires

Permit No. WL# 2061-3
WR# 2888-3
WR# 3888-3

Water District

Report Of Examination Of Works And/Or Application Of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DWNR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Todd Woertink and

Virgil Rhody of Castlewood, S.D. 57223 holder of

Permit No. WL# 2061-3 bearing the priority of March 4 74
WR# 2888-3 August 6 1976 authorizing
WR# 3888-3 April 11 77

the diversion of 4.0 cu. ft. per second of the waters of groundwater

for irrigation purposes, in Hamlin County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

Pumps: 1. Peerless, 900 gallons per minute capacity. Motors: 1. Toshiba, 75 horse power.
 2. Byron Jackson, 900 gallons per minute capacity. 2. US Elec. 75 horse power.
 3. Layne Bowler, 900 gallons per minute capacity. 3. GE, 60 horse power.

B. Works used to transport water to place of use:

8-10 inch Polyvinyl Chloride (PVC) pipes, total 4400 feet for 3 pivots.

C. Works used to apply water to beneficial use:

Pivots: 1. Electrogator, 7 towers, 1300 feet long, 900 gallons per minute capacity.
 2. Reinke, 7 towers, 1300 feet long, 900 gallons per minute capacity.
 3. Electrogator, 7 towers, 1200 feet long, 900 gallons per minute capacity.

The system is in the following condition very good

The point of diversion is located West well: 2100 feet east, 1500 feet south from the Northwest corner
of Section 18; East well: 1250 feet south, 2170 feet west from the Northeast corner of Section
18, T114N-R51W.

The works are capable of diverting and conveying to the place of use 4.0

cu. ft. per second of water which is to be used for irrigation

Water has been put to beneficial use to the maximum extent as follows: _____

_____ see attached sheet _____

comprising a total of 370 acres of land and the license should be issued for 4.0 cfs

Applicable permit qualifications have been complied with X Yes No

Exceptions to compliance are: _____ Date 12/17/87

(signature)

NR Rhody

WL# 2061-3
LICENSE FOR PERMIT NUMBER WR# 3888-3

1. Legal location of wells: NW¹ NE¹ Section 18, T114N-R51W

dams & structures: _____

2. Well Information: Well Drilling Firm Empire Drilling Company

No. of wells 2 Depth 39 feet

Casing a) diameter 16 inches Screen a) type Fiberglass
b) length 29 feet b) length 10 feet
c) type Fiberglass Static Water Level 12 feet

Pump a) make Byron Jackson Motor a) make US Electric
b) model 771H7439 b) model no. R2093066
c) size _____ c) horsepower rating 75
d) capacity 900 GPM d) motor efficiency rating _____
e) turbine pump
no. of stages _____

3. Distribution lines:

a) size of lines 8-10 inches
b) type Polyvinyl Chloride (PVC)
c) length 850 feet

4. Dam information:

a) height to crest _____
b) height to spillway _____
c) crest width _____
d) crest length _____
e) spillway length _____
f) spillway width _____
g) approx. storage _____

i) Outlet tubes:

1) diameter _____
2) type _____
3) valued (Y/N) _____
4) valve type _____
5) location on structure _____

h) Distribution lines or canals:

1) size _____
2) type _____
3) length _____

5. System Type: a) sideroll:

1) length _____ feet
2) diameter of pipe _____
3) make, model & number of sprinklers _____
4) spacing of sprinklers _____
5) nozzle size _____

b) towline:

1) length _____ feet
2) make, model & number of sprinklers _____
3) spacing of sprinklers _____
4) nozzle size _____

5. System Type: c) center pivot

- 1) make Reinke
- 2) number of towers 7
- 3) distance between towers
184 feet
- 4) overall length 1300 feet
- 5) End gun (Y/N) y
- 6) high or low pressure high
- 7) make & size of nozzles

- 8) PSI reading while system is
running 70
- 9) GPM 900

g) Gun

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____
- 6) hose size _____
- 7) hose length _____

d) Gate Pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

e) Siphons

- 1) number _____
- 2) size _____

f) Portable boom

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____

h) Hydromatic

- 1) make _____
- 2) model _____
- 3) serial number _____
- 4) length _____
- 5) nozzle size _____
- 6) spacing _____
- 7) PSI _____
- 8) capacity (GPM) _____

YES

NO

Check Items

- | | | |
|---|--|--|
| <p><u>X</u></p> <p><u>X</u></p> <p><u>X</u></p> | <p>_____</p> <p>_____</p> <p>_____</p> | <p>1. Soil and water permit lands agree with lands being irrigated and lands listed on permit.</p> <p>2. Special Qualifications to permit being abided by.</p> <p>3. All Structures, wells and lands on map.</p> |
|---|--|--|

REMARKS:

LICENSE FOR PERMIT NUMBER WL# 2061-3

1. Legal location of wells: SE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 18, T114N-R51W

dams & structures: _____

2. Well Information: Well Drilling Firm Empire Drilling Company

No. of wells 2 Depth 88 feet

Casing a) diameter 16 inches
b) length 88 feet
c) type Fiberglass

Screen a) type Fiberglass

b) length unknown

Static Water Level 8 feet

Pump a) make Layne Bowler
b) model no tag
c) size _____
d) capacity 900 GPM
e) turbine pump
no. of stages _____

Motor a) make GE

b) model no. _____

c) horsepower rating 60

d) motor efficiency rating _____

3. Distribution lines:

a) size of lines 8 inches

b) type Polyvinyl Chloride (PVC)

c) length 850 feet

4. Dam information:

a) height to crest _____

b) height to spillway _____

c) crest width _____

d) crest length _____

e) spillway length _____

f) spillway width _____

g) approx. storage _____

h) Distribution lines or canals:

1) size _____

2) type _____

3) length _____

i) Outlet tubes:

1) diameter _____

2) type _____

3) valued (Y/N) _____

4) valve type _____

5) location on structure _____

5. System Type: a) sideroll:

1) length _____ feet

2) diameter of pipe _____

3) make, model & number of sprinklers _____

4) spacing of sprinklers _____

5) nozzle size _____

b) towline:

1) length _____ feet

2) make, model & number of sprinklers _____

3) spacing of sprinklers _____

4) nozzle size _____

5. System Type: c) center pivot

- 1) make Electrogator
- 2) number of towers 7
- 3) distance between towers
170 feet
- 4) overall length 1200 feet
- 5) End gun (Y/N) Y
- 6) high or low pressure high
- 7) make & size of nozzles

- 8) PSI reading while system is
running _____
- 9) GPM 900

g) Gun

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____
- 6) hose size _____
- 7) hose length _____

d) Gate Pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

e) Siphons

- 1) number _____
- 2) size _____

f) Portable boom

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____

h) Hydromatic

- 1) make _____
- 2) model _____
- 3) serial number _____
- 4) length _____
- 5) nozzle size _____
- 6) spacing _____
- 7) PSI _____
- 8) capacity (GPM) _____

YES	NO	Check Items
-----	----	-------------

- | | | |
|----------|-------|--|
| <u>X</u> | _____ | 1. Soil and water permit lands agree with lands being irrigated
/ and lands listed on permit. |
| <u>X</u> | _____ | 2. Special Qualifications to permit being abided by. |
| <u>X</u> | _____ | 3. All Structures, wells and lands on map. |

REMARKS: This permit has already been licensed. The permit was inspected because the water authorized under this permit is now used to irrigate the land authorized under WR# 2888-3 and WR# 3888-3.

LICENSE FOR PERMIT NUMBER WR# 2888-3

1. Legal location of wells: NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 18, T114N-R51W

dams & structures: _____

2. Well Information: Well Drilling Firm Empire Drilling Company.

No. of wells 2 Depth 39 feet

Casing a) diameter 16 inches Screen a) type Fiberglass

b) length 29 feet b) length 10 feet

c) type Fiberglass Static Water Level 12 feet

Pump a) make Peerless Motor a) make Toshiba

b) model 4AD11 b) model no. B0304VGE1V3

c) size _____ c) horsepower rating 75

d) capacity 900 GPM d) motor efficiency rating _____

e) turbine pump _____

no. of stages _____

3. Distribution lines:

a) size of lines 8-10 inches

b) type Polyvinyl Chloride (PVC)

c) length 2700 feet

4. Dam information:

a) height to crest _____

b) height to spillway _____

c) crest width _____

d) crest length _____

e) spillway length _____

f) spillway width _____

g) approx. storage _____

h) Distribution lines or canals:

1) size _____

2) type _____

3) length _____

i) Outlet tubes:

1) diameter _____

2) type _____

3) valued (Y/N) _____

4) valve type _____

5) location on structure _____

5. System Type: a) sideroll:

1) length _____ feet

2) diameter of pipe _____

3) make, model & number of sprinklers _____

4) spacing of sprinklers _____

5) nozzle size _____

b) towline:

1) length _____ feet

2) make, model & number of sprinklers _____

3) spacing of sprinklers _____

4) nozzle size _____

5. System Type: c) center pivot

- 1) make Electraator
- 2) number of towers 7
- 3) distance between towers
184 feet
- 4) overall length 1300 feet
- 5) End gun (Y/N) y
- 6) high or low pressure high
- 7) make & size of nozzles

- 8) PSI reading while system is
running 70
- 9) GPM 900

g) Gun

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____
- 6) hose size _____
- 7) hose length _____

d) Gate Pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

e) Siphons

- 1) number _____
- 2) size _____

f) Portable boom

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____

h) Hydromatic

- 1) make _____
- 2) model _____
- 3) serial number _____
- 4) length _____
- 5) nozzle size _____
- 6) spacing _____
- 7) PSI _____
- 8) capacity (GPM) _____

YES

NO

Check Items

- | | | |
|----------|-------|---|
| <u>X</u> | _____ | 1. Soil and water permit lands agree with lands being irrigated and lands listed on permit. |
| <u>X</u> | _____ | 2. Special Qualifications to permit being abided by. |
| <u>X</u> | _____ | 3. All Structures, wells and lands on map. |

REMARKS: The pivot is located in the NW $\frac{1}{4}$ of Section 17, T114N-R51W.

Permit Nos. 6243-3, 2061A-3, 2888-3 & 3888-3
Big Sioux River - Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

This report is a compilation of previous examination of the water use system by Water Right staff for the purpose of licensing Todd Woertink's irrigation system of RR 2, Box 133, Castlewood, SD 57223 who is holder of Permit/Right Nos. 6243-3, 2061A-3, 2888-3 & 3888-3, bearing the priority dates of November 21, 2000 (6243-3), March 4, 1974 (2061A-3), August 6, 1976 (2888-3), and April 11, 1977 (3888-3) authorizing the diversion of 1.0 cfs (2061A-3 and 2.0 cfs (2888-3) of the waters of Big Sioux:Brookings Aquifer for irrigation purposes, in Hamlin County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

Byron/Johnson pump, with a 75 HP US Electric motor

B. Works used to transport water to place of use:

PVC pipes conveys water from the center pivot to

C. Works used to apply water to beneficial use:

**Reinke pivot is located in the NE ¼ Section 18 and
an Electrogator is located in the NW ¼ Section 17**

The point of diversion is located 1,250 feet south and 2,170 feet west of the NE corner (NW¼ NE¼) Section 18, T114N, R51W. The works are capable of diverting and conveying to the place of use 2.2² cu. ft. per second of water (1,000 gpm) which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:

All in T114N, R51W *


NW¼ NE¼ Section 18	36 acres	NW¼ NW¼ Section 17	34 acres
SW¼ NE¼ Section 18	27 acres	SW¼ NW¼ Section 17	32 acres
NE¼ NE¼ Section 18	32 acres	NE¼ NW¼ Section 17	37 acres
SE¼ NE¼ Section 18	29 acres	SE¼ NW¼ Section 17	36 acres

* based on Norma Job's 1991 onsite investigation and confirmed by Mr. Woertink

comprising a total of 263 acres of land and the license should be issued for 2.2² cfs (Mr. Woertink has indicated that the one well is used to supply both center pivots on an alternating basis.)

Date report compiling information was completed: 4/5/2001

Attached is the map prepared by Norma Job and the inspection report prepared by Rassool Ahadi. Note that the well and irrigation system located in the NW ¼ Section 18, T114N, R51W is authorized under Water Right No. 2061B-3 which is held by Randy Hanson



Eric Gronlund

Natural Resources Engineer

DENR, Water Rights Program

~~WL# 2041-3~~ ~~WR# 3000-3~~ ~~WR# 3000-3~~

6243-3

NOT TO SCALE



T 2025
0

579-47-L
E14

prepared by Norma C. Job
Natural Resources Eng
Division of Water Rights
7/25/91

#7

114-51


252.9
T589

135.5
T558

579-47-L

5.6
3888-3

NOT TO SCALE



prepared by
 Norma C. Job, Natural Resources Eng.
 Division of Water Rights
 July 25, 1991

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

Pierre, _____, 19____

RECEIVED OF _____

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	

By _____

Chief Engineer

RECEIPT

Water Rights Program

South Dakota Department of Environment and Natural Resources

Nº 416697

Pierre, November 28, 2000, _____

RECEIVED OF Todd Woertink, 46224 184th St, Castlewood SD 57223
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>6243-3</u> to Appropriate Water, to construct and to put water to beneficial use _____	150	00
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	150 00

By Garland Erbele
Chief Engineer

125



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

March 17, 2000

Todd Woertink
46224 184th St
Castlewood, SD 57223

Dear Mr. Woertink:

I am writing in follow-up to our March 16th telephone conversation concerning ownership and licensing of Water Permit No. 3888-3.

The acreage you irrigate is described in Water Right No. 2061-3 and Water Permit Nos. 2888-3 & 3888-3. Below is a description of each:

- **Water Right No. 2061-3, Virgil Rhody:** authorizes diversion of 2.00 cubic feet of water per second (cfs) from two wells (one in the NE $\frac{1}{4}$ & one in the NW $\frac{1}{4}$) to irrigate the N $\frac{1}{2}$ Section 18, T114N, R51W;
- **Water Permit No. 2888-3, Todd Woertink:** authorizes diversion of 2.00 cfs from a well in the NW $\frac{1}{4}$ Section 17 to irrigate the NW $\frac{1}{4}$ Section 17, T114N, R51W;
- **Water Permit No. 3888-3, Todd Woertink & Virgil Rhody:** authorizes use of a change in diversion point (for No. 2888-3) in the NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 18 to irrigate the NW $\frac{1}{4}$ Section 17 and the NE $\frac{1}{4}$ Section 18, T114N, R51W. No. 3888-3 did not authorize an additional appropriation of water over No. 2888-3.

I am enclosing copies of the investigation report and maps for your review. If you would, please look them over and let me know which parts pertain to the land you own. Once we clarify the diversion points, rates and acreage that belong to you, Water License No. 3888-3 can be issued. The license will incorporate the applicable portions of Nos. 2061-3 and 2888-3.

Enclosed are partially completed "Notice of Transfer of Ownership" forms for use in filing an ownership change with Nos. 2061-3 and 3888-3. No. 2061-3 will be divided and reissued as No. 2061A-3 and 2061B-3 to reflect separate ownership. No. 3888-3 can be transferred to you in its entirety.

The transfer forms will need to be signed in the presence of a notary public and returned to our office with a required filing fee of \$2.50 each (total of \$5.00). The check or money order for the filing fees can be made payable to the "Water Rights Program."

If you have any questions when reviewing the enclosed materials, please let me know.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

August 31, 2000

Todd Woertink
46224 184th St
Castlewood, SD 57223

Dear Mr. Woertink:

On March 17th, I wrote to you about the change of ownership for Water Right No. 2061-3 and the ownership change and licensing of Water Permit No. 3888-3. To date, I have not received a response from you. This is certainly not a pressing issue, but one that we should try and get resolved in order to update your water rights.

Enclosed is a copy of my March 17th letter outlining the water permits and water right that need to be updated. If you remember, once the ownership changes were filed, Water Right No. 2061-3 was going to be divided and reissued as No. 2061A-3 and No. 2061B-3. Since I last wrote to you, Randy Hanson has filed the ownership change for his portion of No. 2061-3. A water license has been issued to Mr. Hanson for the NW ¼ Section 18, T114N, R51W.

I had previously forwarded to you copies of the investigation report and maps. If you would, please look them over and let me know which parts pertain to the land you own. Once we clarify the diversion points, rates and acreage that belong to you, Water License No. 3888-3 can be issued. The license will incorporate the applicable portions of Nos. 2061A-3 and 2888-3.

In my last letter, I also forwarded "Notice of Transfer of Ownership" forms to you for use in filing an ownership change with Nos. 2061-3 and 3888-3. If you no longer have the forms, let me know and I can certainly send you another set.

The transfer forms will need to be signed in the presence of a notary public and returned to our office with a required filing fee of \$2.50 each (total of \$5.00). The check or money order for the filing fees can be made payable to the "Water Rights Program."

If you have any questions when reviewing the materials or completing the transfer forms, please let me know.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

Water Rights Program - DENR
Conversation File Documentation

NAME OF PERSON OR FILE: Todd Woertink

ADDRESS: COUNTY: Hamlin County

DATE: November 21, 2000 TELEPHONE:

RE: Filing of Application

COMMENTS:

On November 21, 2000, Mr. Woertink stopped in the office to get his existing water rights straightened out. Genny McMath had corresponded with him previously since Water Right No. 2061-3 had been split between two owners. Mr. Woertink now owns the NE $\frac{1}{4}$ of Section 18, T114N, R51W. The proportionate share of Water Right No. 2061-3 that went to Mr. Woertink was 108 acres in this NE quarter, however, an inspection by Norma Job in 1991 showed 123 acres being irrigated in this quarter. Mr. Woertink's water right is now designated as No. 2061A-3.

Mr. Woertink explained originally a towable pivot capable of irrigating 108 acres was used for irrigating the two pivots located in the N $\frac{1}{2}$ of Section 18. This pivot remains on the NW $\frac{1}{4}$ of this section. A newer pivot is located on the NE $\frac{1}{4}$ of this section and Mr. Woertink was unsure of exactly how many acres it irrigated. The old ASCS map used when Norma Job conducted her inspection showed 123 acres being irrigable land. This is 15 acres more than what Mr. Woertink has under his portion of Water Right No. 3888-3.

At Mr. Woertink's suggestion I called the Hamlin County Farm Service Agency (old ASCS) to see what they had for irrigable acres in the NE $\frac{1}{4}$ of Section 18. I was informed that their records indicated 124.1 acres were being irrigated in the quarter. Based on this information Mr. Woertink applied for 16.1 additional acres so that his permitted acres would reflect what is occurring out in the field.

Mr. Woertink also indicated that the well located in the NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 18 serves the pivots located in the NE $\frac{1}{4}$ Section 18 (No. 2061A-3) and the NW $\frac{1}{4}$ Section 17 (No. 2888-3 & 3888-3) on an alternating basis. Mr. Woertink indicated this well supplies 2.22 cfs (1000 gpm).

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

NAME: 



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6243-3, Todd Woertink**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6243-3, Todd Woertink, RR 2 Box 133, Castlewood SD 57223.

The Chief Engineer is recommending APPROVAL of Application No. 6243-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
January 30, 2001

REPORT ON WATER PERMIT NO. 6243-3
for Todd Woertink
January 12, 2001

Application No. 6243-3 proposes to irrigate an additional 16.1 acres. Water Right No. 2061A-3 authorizes 1.0 cfs from one well approximately 76 feet deep located in the NW 1/4 NE 1/4 of section 18 to irrigate 108 acres located in the NE 1/4 of section 18; all in T114N R51W. Water Permit Nos. 2888-3 and 3888-3, combined appropriated 2.0 cfs from this same well to irrigate 160 acres located in the NW 1/4 section 17; all in T114N R51W. The applicant has indicated that the well is capable of producing 2.22 cfs and the land located in the NE 1/4 of section 18 and NW 1/4 of section 17 are irrigated from the one well on an alternating basis. This application is to irrigate 16.1 additional acres located in the NE 1/4 of section 18, T114N R51W from the existing well. This application, if approved, does not authorize any increase in the developed diversion rate of 2.22 cfs.

AQUIFER - BIG SIOUX BROOKINGS (BS-B)

The Big Sioux Brookings is a predominantly surface outwash (sand and gravel) which is under water table conditions over most of Hamlin County. However, at this site the aquifer appears to be confined or at least buried and under artesian conditions. The aquifer underlies 88,500 acres and contains an estimated 331,880 acre feet of recoverable water in storage in Hamlin County (Hedges, 1982). The aquifer extends into Brookings County to the south, into Codington County to the north (where the aquifer is called the Big Sioux North aquifer), into Deuel County to the east and is hydraulically connected to the Big Sioux River. In general, ground water movement is from north to south with local movement toward the Big Sioux River (Kume, 1985).

Very little information is available on the well for this application. Apparently, at one time a shallow well, about 39 feet deep was used for irrigation of this land. Later a well reportedly 76 feet deep was used for irrigation of the same lands. The question is whether these deeper wells are completed into the Big Sioux Brookings aquifer and that answer is, yes. The drilling information for the area indicates a deeper layer of sand and gravel, but also that it is probably hydraulically connected to the shallower sand and gravel.


The Water Rights Program does monitor observation wells completed into the Big Sioux Brookings aquifer in this area. One observation well, BG-63A, is located about one mile north of this application. Water levels for this well show good response to climatic conditions, that is, rising water levels during wet years and gradually declining water levels during dry years. The water level record indicates that the aquifer is capable of sustaining additional withdrawals (Water Rights, 2001). A hydrograph for this observation well is included with this report.

REVIEW OF EXISTING WATER PERMITS/RIGHTS

There are three existing irrigation wells in a one-half mile radius of the well for this application. Interference is not a concern. These wells have been in existence for many years with no apparent problems. This application does not change the diversion rate which has been used for many years.

CONCLUSIONS

1. Water is available from the Big Sioux Brookings aquifer.
2. Interference is not expected to be a concern. These wells have been in use for many years with no reported problems.
3. Approval of this application for an additional 16.1 acres of irrigated lands will allow licensing of the system as constructed.



James A Goodman
Natural Resources Engineer


BIBLIOGRAPHY

Hedges, L.S., etal, 1982, Evaluation of Ground-Water Resources Eastern SD and Upper Big Sioux River, SD and Iowa, for US Army Corps of Engineers, SD DENR, SDGS, Vermillion, SD, 57069.

Kume, J., 1985, Water Resources of Deuel and Hamlin Counties, South Dakota, WRI 84-4069, USGS, Huron, SD, 57350.

Water Rights, 2001, Unpublished Observation Well Data for Hamlin County, SD DENR, DES, Water Rights Program, Pierre, SD, 57501.

WATER RIGHTS' OBSERVATION WELL
HN-63A





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

January 30, 2001

Todd Woertink
RR 2 Box 133
Castlewood, SD 57223

Dear Mr. Woertink:

Water Permit Application No. 6243-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Hamlin Co Republican printed at Castlewood, SD (Ph # 605-793-2293). For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 30, 2001

Hamlin Co. Republican
Box 50
Castlewood, SD 57223-0050

ATTENTION: Legal Public Notice


Enclosed is a Notice of Hearing on Application No. 6243-3 to Appropriate Water to be published twice. Please publish the first notice on February 7, 2001 with the second publication 7 days later.

The applicant must verify to you that the notice is to be published, before you make the first publication **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Todd Woertink, RR 2 Box 133 Castlewood, SD 57223 (Ph # 605-793-2440).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,


Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 6243-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of January 30, 2001 enclosing Notice of Hearing to Appropriate Water by Application No. 6243-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper

Instruction to Newspaper - Publish first Notice on February 7, 2001 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 6243-3 to Appropriate Water
and to Amend Water Right No. 2061A-3

Notice is given that Todd Woertink, RR 2 Box 133, Castlewood SD 57223 has filed an application for a water permit to irrigate 16.1 additional acres. Water Right No. 2061A-3 authorizes 1.0 cubic feet of water per second (cfs) from one well (Big Sioux Brookings Aquifer) 76 feet deep located in the NW ¼ NE ¼ Section 18 to irrigate 108 acres located in the NE ¼ Section 18; all in T114N-R51W. Water Permit Nos. 2888-3 and 3888-3, combined appropriated 2.0 cfs from this same well to irrigate 160 acres located in the NW ¼ Section 17; all in T114N-R51W. The applicant has indicated that the well is capable of producing 2.22 cfs and the land located in NE ¼ Section 18 and NW ¼ Section 17 are irrigated from the one well on an alternating basis. This application is to irrigate 16.1 additional acres located in the NE ¼ Section 18-T114N-R51W from the existing well. This application, if approved, does not authorize any increase in the developed diversion rate of 2.22 cfs.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6243-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by February 26, 2001.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
 County of Hamlin) SS

I, Lelanne Archer

certify that the attached printed Notice was taken

from the Hamlin County
Republican

printed and published in Castlewood

County of Hamlin and

state of South Dakota. The notice was published

in the newspaper on the following two dates:

Feb. 7, 2001

Feb. 14, 2001

Cost of Printing 54.27

Lelanne Archer
 (Signature)

Owner
 (Title)

2-14-01
 (Date Signed)

**NOTICE OF APPLICATION NO.
 6243-3 TO APPROPRIATE
 WATER AND TO AMEND
 WATER RIGHT NO. 2061A-3**

Notice is given that Todd Woertink, RR 2, Box 133, Castlewood, has filed an application for a water permit to irrigate 16.1 additional acres. Water Right No. 2061A-3 authorizes 1.0 cubic feet of water per second (cfs) from one well (Big Sioux Brookings Aquifer) 76 feet deep located in the NW 1/4 NE 1/4 Section 18 to irrigate 108 acres located in the NE 1/4 Section 18; all in T114N-R51W. Water Permit Nos. 2888-3 and 3888-3, combined appropriated 2.0 cfs from this same well to irrigate 160 acres located in the NW 1/4 Section 17, all in T114N-R51W. The applicant has indicated that the well is capable of producing 2.22 cfs and the land located in NE 1/4 Section 18 and NW 1/4 Section 17 are irrigated from the one well on an alternating basis. This application is to irrigate 16.1 additional acres located in the NE 1/4 Section 18-T114N-R51W from the existing

well. This application, if approved, does not authorize any increase in the developed diversion rate of 2.22 cfs.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6243-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by February 26, 2001.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application.

Steven M. Pirner, Secretary,
 Department of Environment
 and Natural Resources



**STATE OF SOUTH DAKOTA
WATER LICENSE NO. 6243-3**

(1) Todd Woertink, 46224 184th St., Castlewood SD 57223 made Application No. 6243-3, November 21, 2000 for a water permit to irrigate additional acres from groundwater (one well), Hamlin County, South Dakota for irrigation purposes. Permit No. 6243-3, with a priority date of November 21, 2000 was approved February 26, 2001 and issued to the applicant for diversion of water with construction of the described water supply system and the application to beneficial use of said water completed.

Water Right No. 2061A-3, with priority date of March 4, 1974 authorizes 1.00 cubic feet of water per second (cfs) from one well located in the NW ¼ NE ¼ Section 18 to irrigate 108 acres in the NE ¼ Section 18; all in T114N-R51W.

Water Permit No. 2888-3, with priority date of August 6, 1976 authorizes 2.0 cfs from one well located in the SW ¼ NW ¼ Section 17 to irrigate 160 acres located in the NW ¼ Section 17; all in T114N-R51W. This diversion point was never developed.

Water Permit No. 3888-3, with priority date of April 11, 1977 changed the location of the diversion point authorized by No. 2888-3 to the well authorized by No. 2061A-3.

Water Permit No. 6243-3, with priority date of November 21, 2000 authorizes irrigation of 16.1 additional acres located in the NE ¼ Section 18-T114N-R51W.


The applicable portions of Nos. 2061A-3, 2888-3 and 3888-3 are incorporated into Water Right No. 6243-3.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 2.22 cubic feet of water per second for beneficial use. The location of the diversion point is 2,170 feet west and 1,250 feet south of the NE ¼ corner of Section 18-T114N-R51W (NW ¼ NE ¼).

(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

All in T114N-R51W					
Section 17	NW ¼ NW ¼	34 acres	Section 18	NW ¼ NE ¼	36 acres
	NE ¼ NW ¼	37 acres		NE ¼ NE ¼	32 acres
	SE ¼ NW ¼	36 acres		SE ¼ NE ¼	29 acres
	SW ¼ NW ¼	32 acres		SW ¼ NE ¼	27 acres
Total 263 acres					


(4) Pursuant to South Dakota Water Law 46-5-30.1 Todd Woertink, 46224 184th St, Castlewood SD 57223 the holder and/or owner of Incorporated Water Right No. 6243-3 is issued a license to appropriate water, the right to use 2.22 cubic feet of water per second from groundwater (one well) with priority dates of March 4, 1974, August 6, 1976 and November 21, 2000 from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Incorporated Water Right No. 6243-3 and subject to South Dakota State Law.



GARLAND ERBELE, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

AUG 13 2001

date





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

AUG 13 2001

Todd Woertink
46224 184th St
Castlewood SD 57223

Dear Mr. Woertink:

Enclosed are reissued Water License No. 2061A-3 and Water Permit/License No. 6243-3. These are the final water right documents completing your process of obtaining a Water Right.

The applicable portions of 2061A-3, 2888-3 and 3888-3 are incorporated into Water Right No. 6243-3.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 6243-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures



6243-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 14, 2004

NOTICE

TO: TODD WOERTINK, 46224 184th St, CASTLEWOOD, SD 57223

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2003 Irrigation Questionnaire(s)

Our records indicate that the 2003 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6243-3. The request for the Questionnaire was dated October 17, 2003. The Water Management Board has directed that owners of water permits who have not submitted the 2003 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6243-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 3, 2004 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6243-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **February 27, 2004**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



6243-3

Track & Confirm

Current Status

You entered 2301 3460 0000 8515 9838

Your item was delivered at 1:31 pm on January 15, 2004 in
CASTLEWOOD, SD 57223. The item was signed for by T WOERTINK.

[Shipment Details >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

Notification Options

▶ Track & Confirm by email

[What is this?](#)

[Go >](#)

▶ Request Proof of Delivery

[What is this?](#)

[Go >](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

SIGNATURE CONFIRMATION NUMBER:
2301 3460 0000 8515 9838

TODD WOERTINK
46224 184th St
CASTLEWOOD SD 57223

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail®
☐ Package Services



6243-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 30, 2004

6243-3

Todd Woertink
46224 184th St
Castlewood SD 57223

Dear Mr. Woertink:

I am writing to acknowledge receipt of your 2003 irrigation questionnaire. You may disregard the January 14, 2004, "Notice" concerning reporting requirements for Water Right No. 6243-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

October 29, 2008

6243-3

Todd Woertink
46224 184th St
Castlewood SD 57223-5332

Dear Mr. Woertink:

Enclosed is a "Notice" dated October 24, 2008 concerning the 2008 irrigation questionnaire. The notice was originally mailed to Box 85, Castlewood, SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

October 20, 2010

6243-3

Todd Woertink
812 N 1st Ave
Castlewood SD 57223-2051

Dear Mr. Woertink:

Enclosed is a "Notice" dated October 15, 2010 concerning the 2010 irrigation questionnaire.

The notice was originally mailed to 46224 184th St, Castlewood SD The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



DEPARTMENT OF ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov



October 28, 2014

6243-3

Todd Woertink
18205 459th Ave
Castlewood SD 57223 5344

Dear Sir:

Enclosed is a "Notice" dated October 17, 2014 concerning the 2014 irrigation questionnaire.

The notice was originally mailed to 812 N 1st Ave, Castlewood SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures