

WATER PERMIT NO. 6267-3

Name of Applicant: Selby Community Golf Course, Inc.

Address: Box 155, Selby SD 57472

Phone: 605 649-7604

Amount of Water Claimed: 0.13 cfs

Total Acres: 38 acres

Source of Water Supply: groundwater (one well)

Water to be used for: irrigation

County: Walworth

Type of Waste Disposal System:

Location: south side of Selby

PRIORITY

Date Received: 5-31-2001

Fee: \$150

Corrected Application Received::


Period of Annual Use: April 1 – October 31

Remarks:

Diversion Point: NE ¼ SW ¼ Sec 4-T123N-R76W

Land to be Irrigated: S ½ NW ¼, N ½ SW ¼

Sec 4-T123N-R76W



Depth of Well: 42 feet deep

Well Driller: : Aberle Well Service

Remarks:

Type of Map: aerial

Prepared by: Eleanor Goetz, FSA

Reviewed and the Number Assigned on: 5-31-2001

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____

**SOUTH DAKOTA
WATER PERMIT NO. 6267-3**

Date of first receipt of application May 31, 2001.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 6267-3 to Selby Community Golf Course, Inc., Box 155, Selby SD 57472 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6267-3 appropriates 0.13 cubic feet of water per second (60 gallons per minute) from one well (Pleistocene Unknown) 24 feet deep located in the NE ¼ SW ¼ Section 4 to irrigate 38 acres located in the S ½ NW ¼, N ½ SW ¼ Section 4; all in T123N-R76W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 – October 31.
3. The date from which applicant may claim right is May 31, 2001.
4. The date of approval of Permit No. 6267-3 is July 30, 2001.
5. One-fifth of the construction is to be completed on or before January 30, 2004.
6. All construction is to be completed on or before July 30, 2006.
7. Water is to be put to beneficial use on or before July 30, 2010.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele

Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

AUG 13 2001

date



Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	No. <u>62673</u> (office use only)
	Hydrologic Unit <u>10130106</u>
	Basin <u>Missouri River</u>
	Newspaper <u>Selby Record, Selby, 57472-0421</u>



Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____

(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.) _____

- Name of Applicant Selby Community Golf Course, Inc. Phone 605-649-7604
(check one) ☒ Owner ☐ Tenant/lessee
Mailing Address Box 155, Selby, SD 57472 State SD 57472
(Street, RR, or Box and City) (Zip Code)
- Amount of water claimed 0.13 *CFS or 60 **GPM ***AF Total Acreage 38
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable
- Source of water supply aquifer
- Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W)
See attached Exhibit "A" NE 1/4 SW 1/4 Sec. 4 - T123N-R76W
Walworth County
- County or counties where water will be used Walworth
- Annual period during which water is to be used 5 months April 1 - Oct 31
- List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
N 34.67 rods of the SW 1/4 of 4-123-76	33	<u>S 1/2 NW 1/4 Sec 4 - T123N-R76W</u>	
S 1/2 NW 1/4 of 4-123-76 except parcels	5	<u>N 1/2 SW 1/4</u>	
already deeded			

- Give a description of the project. (Attach sheet if more space is needed)
See attached Exhibit "A"

STATE OF SOUTH DAKOTA) SS
County of Walworth)

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, Scott Schilling, President, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature Scott Schilling Pres.

Subscribed and sworn to before me this 25 day of May 19 2001

John R. [Signature]
Notary Public signature

Supplemental Information

(type or print in ink)

1. Well Information - Proposed Construction

- a) Drill Hole Diameter 8 inch Depth 42 ft.
- b) Casing Type PVC Diameter 5 inch Thickness $\frac{1}{4}$ inch
- c) Screen Type manufactured Diameter 5 inch Thickness $\frac{1}{4}$ inch
- d) Gravel Pack red flat Length of Gravel Pack 20 feet
- e) Depth to Top of Water Bearing Material 22 feet
- f) Depth to Water (ground surface to water level) 6 feet
- g) Distance to nearest existing domestic well:
On applicants property none On property owned by others unknown

2. Wastewater Disposal System Information

- a) Type of System (i.e. septic tank, drain field) _____
- b) System Capacity (gallons) _____ Year Constructed _____
- c) Connected to the City of _____ Sanitary System

3. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:

b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Primary Outlet Capacity _____

If pipe, diameter _____

f) Secondary Spillway Capacity _____

Spillway Width _____

g) X & Y Slope _____

Upstream _____

Downstream _____

h) Surface Area of Impoundment _____

i) Storage _____ Acre Feet

j) Drainage Area Above Dam _____ Acres




Exhibit "A"

The Selby Golf Course is currently a nine-hole sand green course with no irrigation capabilities other than water provided via WEB Water Development Association and the City of Selby. The current Board of Directors is discussing the possibility of redesigning the course and installing a full-course irrigation system with its water source from a well located on the golf course property.

The redesigned course would still remain nine holes and would also remain on the same real estate as shown on the ASCS maps attached to Form 2. Initially, the Board of Directors would like to water number 5 fairway and 4, 5 and 6 tee box. We would also like to water around the green on hole number 4. Eventually, if cost effective and we have the capabilities, the Board of Directors would like to water all of the fairways and tee boxes.

Meter start 55,500
Meter stop 60,000
end

NAME: Selby Guff Course

Aberle Well Services

(Gregg) Griener, M.

506 E. 1st St.

Mobridge, SD 57601

LOCATION:

DATE: 4-29-98

RECOVERY


[illegible]

SOUTH DAKOTA WATER WELL COMPLETION REPORT

07-92

Location SE 1/4 NW 1/4 Sec 4 Twp 123 Rg 76W
 County Walworth North

Please mark well location with an "X"



Well Completion Date

4-29-98

LOCATION:

Distance from nearest potential pollution source (septic tank, abandoned well, feed lot, etc.)? _____ ft. from None (identify source).

PROPOSED USE:

☒ Domestic/Stock ☐ Municipal ☐ Business ☐ Test Holes
☐ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

Mud Rotary

CASING DATA:

☐ Steel ☒ Plastic ☐ Other

If other describe _____

PIPEWEIGHT 291 LB/FT DIAMETER 5" I.D. FROM 1660 FT TO 42' HOLE DIAMETER 8" IN
 _____ LB/FT _____ IN _____ FT _____ FT _____ IN
 _____ LB/FT _____ IN _____ FT _____ FT _____ IN

GROUTING DATA

Grout Type Port Cement No. of Sacks 3 Grout Weight 220 lb./gal From 0 ft To 12' ft
 _____ lb./gal _____ ft _____ ft

Describe grouting procedure Pumped in from bottom up through tremie pipe

SCREEN: ☐ Perforated pipe ☒ ManufacturedDiameter 5" I.D. IN Length 11' FEETMaterial PVC SDR 21 Slotted pipeSlot Size 032 Set From 13' Feet to 24' Feet

Other information PVC Solid pipe from 24' to 42' & gravel packed up to 20' R.H. flat around screen.

WAS A PACKER OR SEAL USED? ☐ YES ☒ NO

If so, what material? _____

Describe packer(s) and location? _____

DISINFECTION: Was well disinfected upon completion? Chlorine solutionYES, How: circulated in well

NO, Why Not? _____

laboratory sent to for water quality analysis

Well Owner: May Acres Golf Course

Business Name: _____

Address: Selby, S. Dak. 57472

WELL LOG:

DEPTH

FORMATION

FROM

TO

Topsoil	0	1
Brown soft clay	1	6
Brown gravel & sand	6	8
Coarse gravel & sand	8	24
Gray gravel to gray clay	24	42'

STATIC WATER LEVEL 6.6'

Feet

If flowing: closed in pressure _____

PSI

GPM flow _____ through _____

inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other _____

Reduced Flowrate _____

GPM

Can well be completely shut in? _____

WELL TEST DATA:

☒ Pumped

Describe Developed well by air lift off son t. ll water was clear.

☐ Bailed☒ Other

Pumping Level Below Land Surface

25' ft. After 1 Hrs. pumped 60 GPM

_____ ft. After _____ Hrs. pumped _____ GPM

If pump installed, pump rate _____ GPM

REMARKS

Well will be used for watering golf course greens & fairways.

This well was drilled under license # 231

And this report is true and accurate.

Drilling firm Shark Well Service


Signature of License Representative:

Greg Szwarski

Signature of Well Owner or Equitable Property Holder:

MAP NOT TO SCALE
THIS IS NOT AN OFFICIAL WETLAND MAP

Eleanor Doez, Walworth Co. FSA office 5-25-01



Elleanor Post, Walworth Co FSA Office 5-25-01


T520

T2151

454
10.0

5
4
3
2
1

Well



RECEIPT

Water Rights Program

South Dakota Department of Environment and Natural Resources

416844

Pierre, May 31, 20 01

RECEIVED OF Selby Community Golf Club, Selby, SD 57472
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. 6567-3 to Appropriate Water, to construct
and to put water to beneficial use _____

150 00

Fee for Application for Permit No. _____ to Appropriate Water, for Future
Use _____

Fee to retain Future Use Permit No. _____ after period of seven years.

Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water
License No. 6567-3 _____

50 00

Fee for Filing Transfer Form _____

Fee for Filing Extension Request _____

Fee for _____

(Any Other Work Provided by Law)

Total

200 00

By

Darland Erbele
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

June 8, 1998

May Acres Golf Course
Roger Thorstensen
RR
Selby, SD 57472

Dear Sir :

A well driller's report filed by Aberle Well Service shows that they completed a new well for you which produced 60 gallons per minute (gpm) to be used for irrigation of a golf course. A review of our files indicates Selby Community Golf Club, Inc. was issued Water Permit No. 2139-3 in 1975 to irrigate 21 acres. The permit was cancelled in 1992 because the irrigation system was never developed. Based on the information in the report, it appears the golf course needs a water permit.

1. A water permit must be obtained for any water use except for reasonable, private domestic use. Reasonable domestic use is defined as use of less than 25,920 gallons per day with a maximum rate not to exceed 25 gallons per minute. Irrigation of more than one acre requires obtaining a water permit.
2. Also, as a new well owner, you need to be aware of some of your responsibilities. If your new well was drilled as a replacement well, and you do not plan to use the old well, the old well is considered abandoned. All abandoned wells must be plugged by a licensed well driller. If the old well is not going to be abandoned, but will not be used, the well must be sealed or capped at the surface until such time that it is used.

Enclosed are application forms and an instruction sheet to apply for a water permit for irrigation. The completed forms with the application fee and map can be returned to the Water Rights Program, 523 E Capitol, Pierre SD 57501. Please return by August 1, 1998.

If you need help completing the application forms, please contact Ron Duvall or me at (605) 773-3352. We will be happy to assist you in any way possible.

Sincerely,

A handwritten signature in cursive script that reads "Karen Schlaak".

Karen Schlaak
Water Rights Program

enclosures



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

November 5, 1998

May Acres Golf Course
Roger Thorstensen
RR
Selby SD 57472

Dear Mr. Thorstensen:

This letter is a reminder that based on a well driller's report filed by Aberle Well Service, May Acres Golf Course needs a water permit for irrigation use for the well located in the NW ¼ Section 4-T123N-R76W. On July 28, 1998, I contacted you regarding the need to apply for an *Application for a Permit to Appropriate Water for Irrigation* (copy of letter enclosed).

Mr. Thorstensen, please take the time to complete the enclosed applications forms. If help is needed completing the application forms, please contact Ron Duvall or me at (605) 773-3352. We will be happy to assist you in any way possible.

Sincerely,

Karen Schlaak
Water Rights Program

enclosure

Schlaak, Karen

From: Gronlund, Eric
To: Schlaak, Karen; Duvall, Ron
Subject: Call from Selby golf course
Date: Monday, November 09, 1998 10:50AM

Roger Thortensen called regarding what I believe was our second letter to them on need for a water permit for irrigation on the golf course. I believe our letters were sent based on a well report filed on a well. Mr. Thortensen indicated they drilled the well solely to see if water was available and the well is not being used. They have not made a determination whether to use a well for irrigation of the 5 acre golf course. I indicated that if the well is not used, a water permit is not necessary but prior to using the well a water permit is necessary. He seemed to understand.

I was not quick enough on my feet to ask what they currently use to water the course. They used to have a permit to irrigate from dugouts but that permit was cancelled in 1992.

VON WALD LAW OFFICES

4303 4TH AVENUE
P.O. BOX 155
SELBY, SOUTH DAKOTA 57472-0155

JOHN R. VON WALD
LISA M. VON WALD

May 25, 2001

Telephone: 605-649-7603
FAX: 605-649-6228
E-mail: selbylaw@westriv.com

Department of Environment and Natural Resources
Water Rights Program
Joe Foss Building
523 East Capitol
Pierre, SD 57501-3181

Re: Selby Community Golf Course, Inc.

Dear Sirs:

Enclosed please find a completed Application for Permit to Appropriate Water for Irrigation and various attachments. I have also enclosed a check made payable to DENR in the amount of \$ 200⁰⁰. Please process our application at your earliest convenience.

Should you need any additional information or have any questions, please feel free to give me a call.

Thank you.

Sincerely,

VON WALD LAW OFFICES



John R. Von Wald

JRVW/pmg
Enclosures



REPORT ON WATER PERMIT APPLICATION NO. 6267-3
for Selby Community Golf Course, Inc.
June 7, 2001

Application No. 6267-3 proposes to appropriate 0.13 cfs (60 gpm) from one well approximately 24 feet deep located in the NE 1/4 SW 1/4 of section 4 to irrigate 38 acres located in the S 1/2 NW 1/4, N 1/2 SW 1/4 of section 4; all in T123N R76W in Walworth County.

AQUIFER - PLEISTOCENE UNKNOWN (PS-U)

The aquifer is mapped as an alluvium mantled outwash (sand and gravel) (Hedges, 1987). The aquifer extends from a few miles east of Selby to the west through the town of Glenham (Kume, 1987) and was described as a minor aquifer in the Kume report. No estimate for water in storage is available for this aquifer. The aquifer is under water table conditions and according to the driller's log was sand and gravel from about 6 feet to 24 feet below land surface. The completed well had a static water level of 6.6 feet below land surface and was capable of producing 60 gpm with a drawdown of 18.4 feet.


The Water Rights Program does monitor an observation well located about two miles west of this application and completed into this same shallow unnamed glacial aquifer. Water levels for this well show good response to climatic conditions, that is, rising water levels during wet years and gradually declining water levels during dry years. The water level record indicates that the aquifer is capable of sustaining additional withdrawals (Water Rights, 2001). A hydrograph for this observation well WL-76L is included with this report.

REVIEW OF EXISTING WATER PERMITS/RIGHTS

There are no other existing water permits/rights for water from this aquifer in this area. Interference is not a concern. This is a relatively small diversion rate and drawdown is not expected to be significant. There are indications of some domestic use and historically some municipal use by the City of Selby from this aquifer (Lee, 1957). Also the golf course held a permit No. 2139-3 for dugouts and runoff in this same area which was canceled by the Water Management Board in 1992 because the system was not constructed.

CONCLUSIONS

1. Water is available from the unnamed aquifer.
2. The aquifer is under water table conditions and drawdown created by pumping is not expected to be significant. Interference is not a concern.
3. The well is constructed in accordance with SD Well Construction Standards.
4. This appears to be a marginal supply of water at best and may not be dependable during extended drought periods.



James A Goodman
Natural Resources Engineer

BIBLIOGRAPHY


Hedges, L.S., 1987, Geology of Walworth County, South Dakota, Bulletin 30, SD DENR, SDGS, Vermillion, SD, 57069.

Kume, J., L. Howells, 1987, Water Resources of Walworth County, South Dakota, WRI 85-4015, USGS, Huron, SD, 57350.

Lee, K.Y., 1957, The Water Supply Near Selby Walworth County, SD, SD DENR, SDGS, Vermillion, SD, 57069.

Water Rights, 2001, Unpublished Observation Well Records for Walworth County, SD DENR, DES, Water Rights Program, Pierre, SD, 57501.

**WATER RIGHTS' OBSERVATION WELL
WL-76L**





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6267-3, Selby Community Golf Course, Inc.**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6267-3, Selby Community Golf Course, Inc., c/o Scott Schilling, President, Box 155, Selby SD 57472.

The Chief Engineer is recommending APPROVAL of Application No. 6267-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
July 3, 2001

VON WALD LAW OFFICES

4303 4TH AVENUE
P.O. BOX 155
SELBY, SOUTH DAKOTA 57472-0155

JOHN R. VON WALD
LISA M. VON WALD

June 25, 2001

Telephone: 605-649-7603
FAX: 605-649-6228
E-mail: selbylaw@westriv.com



Department of Environment and Natural Resources
Water Rights Program
Joe Foss Building
523 East Capitol
Pierre, SD 57501-3181

Re: Selby Community Golf Course, Inc.

Gentlemen:

Could you kindly advise me as to the status of the above-entitled Application.

Thank you.

Sincerely,

VON WALD LAW OFFICES

John R. Von Wald
John R. Von Wald *by pmg*

JRVW/pmg



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

June 26, 2001

John R Von Wald
Von Wald Law Offices
PO Box 155
Selby SD 57472-0155

Re: Selby Community Golf Course, Inc.

Dear Mr. Von Wald:

Regarding the *Application for a Permit to Appropriate Water* for the Selby Golf course, the staff report has been completed and is awaiting the recommendation of the Chief Engineer. The public notice on the application should be sent to the newspaper within the next week. We will forward a copy of the public notice information to you.

If you have any questions, please contact me.

Sincerely,

Karen Schlaak
Water Rights Program
605 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

July 5, 2001

Scott Schilling, President
Selby Community Golf Course, Inc.
Box 155
Selby, SD 57472

Dear Mr. Schilling:

Water Permit Application No. 6267-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Selby Record printed at Selby, SD (Ph # 605-649-7866). For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund /ks
Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

c: Jon Von Wald, Attorney

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

July 5, 2001

Selby Record
Box 421
Selby, SD 57472-0421

ATTENTION: Legal Public Notice

Enclosed is a Notice of Hearing on Application No. 6267-3 to Appropriate Water to be published twice. Please publish the first notice on July 12, 2001 with the second publication 7 days later.

The applicant must verify to you that the notice is to be published, before you make the first publication **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Scott Schilling, President, Selby Community Golf Course, Inc., Box 155, Selby, SD 57472 (Ph # 605-649-7604).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,

Eric Gronlund /kls

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 6267-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of July 5, 2001 enclosing Notice of Hearing to Appropriate Water by Application No. 6267-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper

Instruction to Newspaper - Publish first Notice on July 12, 2001 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 6267-3 to Appropriate Water

Notice is given that Selby Community Golf Course, Inc., Box 155, Selby SD 57472 has filed an application for a water permit to appropriate 0.13 cubic feet of water per second (60 gallons per minute) from one well (pleistocene unknown) 24 feet deep located in the NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 4 to irrigate 38 acres located in the S $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$ Section 4; all in T123N-R76W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6267-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by July 30, 2001.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
) SS
 County of Walworth)

I, Sharon Wolff

certify that the attached printed Notice was taken

from the Selby Record

printed and published in Selby

County of Walworth and

state of South Dakota. The notice was published

in the newspaper on the following two dates:

7/12/01

7/19/01

Cost of Printing 32.60

Sharon Wolff
 (Signature)

owner
 (Title)

7/19/01
 (Date Signed)

LEGAL NOTICE


NOTICE OF APPLICATION NO. 6267-3 TO APPROPRIATE WATER

Notice is given that Selby Community Golf Course, Inc., Box 155, Selby, SD 57472 has filed an application for a water permit to appropriate 0.13 cubic feet of water per second (60 gallons per minute) from one well (pleistocene unknown) 24 feet deep located in the NE1/4SW1/4 Section 4 to irrigate 38 acres located in the S1/2NW1/4, N1/2SW1/4 Section 4, all in T123N-R76W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6267-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by July 30, 2001.

The petition may be informal, but must include a statement describing the petitioner's interest in the application. The petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pimer, Secretary, Department of Environment and Natural Resources. Published in the Selby Record July 12 and 19, 2001.





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

AUG 13 2001

Selby Community Golf Course, Inc.
Scott Schilling, President
Box 155
Selby, SD 57472

Dear Mr. Schilling:

Enclosed is Water Permit No. 6267-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

VON WALD LAW OFFICES

4303 4TH AVENUE
P.O. BOX 155
SELBY, SOUTH DAKOTA 57472-0155

JOHN R. VON WALD
LISA M. VON WALD

August 21, 2001

Telephone: 605-649-7603
FAX: 605-649-6228
E-mail: selbylaw@westriv.com

Department of Environment and Natural Resources
Water Rights Program
Joe Foss Building
523 East Capitol
Pierre, SD 57501-3181

Re: Selby Community Golf Course, Inc.

Gentlemen:

Enclosed please find a Notice of Completion of Works and Application of Water
to Beneficial Use for the Selby Community Golf Course, Inc.

Thank you.

Sincerely,

VON WALD LAW OFFICES



John R. Von Wald

JRVW/pmg
Enclosure



**NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USE**

Date August 21, 2001

TO: Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181



FROM: Selby Community Golf Course Inc
(name)

Box 155
(address)

Selby SD 57472
(city, state, zip)

(605) 649-7604
(phone)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 6267-3 states that the water use system is to be constructed by


July 30 2000 (date), and water is to be put to beneficial use by July 30 2010 (date).

The water use system was completed on approx August 21, 2001 (date).

Applying the water to beneficial use was completed on August 21, 2001 (date).

You may schedule an investigation so that the water license may be issued.

Scott Schilling Pres.
(signature)





DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 17, 2003

NOTICE

TO: SELBY COMMUNITY GOLF COURSE, SCOTT SCHILLING, PRES., BOX 155, SELBY,
SD 57472

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaire(s)

Our records indicate that the 2002 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6267-3. The request for the Questionnaire was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6267-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 5, 2003 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6267-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2003, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



6267-3

Track & Confirm

Delivery Status

You entered 2301 0370 0000 7541 4173

Your item was delivered at 2:25 pm on January 21, 2003 in SELBY, SD 57472. The item was signed for by S SCHILLING.

[Shipment History >](#)
[Request Delivery Record >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)


POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)
Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
2301 0370 0000 7541 4173

SELBY COMMUNITY GOLF COURSE
SCOTT SCHILLING, PRES.
BOX 155
SELBY SD 57472

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail
☐ Package Services

(See Reverse)

PS Form 153, February 2001



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 26, 2003

6267-3

Scott Schilling, President
Selby Community Golf Course
Box 118
Selby SD 57472

Dear Mr. Schilling:

I am writing to acknowledge receipt of your 2002 irrigation questionnaire. You may disregard the January 17, 2003, "Notice" concerning reporting requirements for Water Permit No. 6267-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

RECEIVED

OCT 28 2000

WATER RIGHTS
PROGRAM

6267-3

Department of Environment
& Natural Resources
500 Foss Building

Dear Garland Erbele,

I am no longer on the irrigation
board at the Selby Golf Course. Please
mail this irrigation request to

Scott Schilling
Selby Community Golf Course
405 S Railway St
Selby, S D, 57472

P.S. Please take my name off
this mailing list. Thank You

Sincerely
Harley Bruchel

Permit No. 6267-3
Missouri River - Water District

Contact Person & Address: **Scott Schilling, 405 S Railway St, Selby SD 57472**

Report Of Examination Of Works

On, **September 16, 2015**, I made a thorough examination of the water use system constructed by **Selby Community Golf Course**, holder of Permit No. **6267-3**, bearing the priority of **May 31, 2001** authorizing the diversion of **0.13** cu. ft. per second of the waters of **ground water (Pleistocene Unknown)** for **irrigation** purposes, in **Walworth** County.

The system is in the following condition **good**. The point of diversions are located: **North Well - from the NW corner of S4 T123N-76W; 2515 ft S & 1545 ft E** with latitude of **45.0051** and a longitude of **-100.03205** and **South Well - from the NW corner of S4 T123N-76W; 2650 ft S & 1630 ft E** with latitude of **45.0008** and a longitude of **-100.03173** as determined using **GPS**. The works are capable of diverting and conveying to the place of use **0.056** cu. ft. per second (**25 gpm**) of water which is to be used for **irrigation**. Water has been put to beneficial use to the maximum extent as follows:

All land is located in **Sec 4 T123N-76W**

SE ¼ NW ¼ - 2.7 ac SW ¼ NW ¼ - 2.4 ac NW ¼ SW ¼ - 3.0 ac NE ¼ SW ¼ - 3.1 ac

comprising a total of **11.2** acres of land and the license should be issued for **0.056** cfs.

Review of Permit Qualifications And Regulations:

- 1) Special qualifications to permit being abided by **yes**
- 2) All structures, wells and lands on map **yes**
- 3) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period **yes**.
- 4) Exceptions to compliance are: **a second well was constructed later to provide for sufficient water**

Report On the Specifics of the System

Diversion Point Information:

Well Information: South Well

- 1) Well Drilling Firm: **Aberle Well Service**
- 2) No. of Wells **1**
- 3) Depth(s) **42** feet4) Well log is available **yes**

Casing:

- 1) Diameter **8** inches
- 2) Length **42** feet
- 3) Type **pvc**

Screen:

- 1) Type **manufactured**
- 2) Length **11** feet
- 3) Static water level **6.6** feet

Pump:

1) Make submersible 2) Model NA 3) Size NA 4) Capacity 20 GPM

Motor:

1) Make submersible 2) Model No. NA 3) Horsepower rating 4 hp

Well Information: North Well

1) Well Drilling Firm: Gregg's Well Drilling and Excavating 2) No. of Wells 1 3) Depth(s) NA feet

4) Well log is available no

Casing:

1) Diameter 8 inches 2) Length NA feet 3) Type pvc

Screen:

1) Type NA 2) Length NA feet 3) Static water level NA feet

Pump:

1) Make submersible 2) Model NA 3) Size NA 4) Capacity 5 GPM

Motor:

1) Make submersible 2) Model No. NA 3) Horsepower rating 4 hp

DISTRIBUTION LINES OR CANALS:

1) Type polyplastic

SYSTEM TYPE:

Pop-ups Sprinklers

CHEMIGATION EQUIPMENT:

1) Does chemigate no


Comments : Found second well which was not permitted. Was told Aberle Well Services, now Gregg's Drilling and Excavating drilled both wells. A letter was sent October 6, requesting well log for second well.



Mark D. Rath
Natural Resources Engineer III
DENR, Water Rights Program

10-29-15

Date





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

October 6, 2015

Gregg's Drilling and Excavating
506 E 1st St
Mobridge SD 57601-2702

Dear Mr. Griewski:

This letter is in regards to a well that was drilled for May Acres Golf Course in Selby SD probably in the early 2000's. I recently did a water permit inspection and found two wells used by the golf course located in the W½ of Section 4 T123N-R76W. Mr. Schilling, representing the golf course, indicated you drilled these wells for them. I searched our records and was only able to find one of the two well logs. Would you please look through your files and mail me the well log for the second well. Also I am enclosing a copy of the well log we currently have on file for the first well so you know which one was not submitted. When you mail well log in please mark it: attention Mark Rath.

If you have any questions, please contact me at phone (605) 773-3352.

Sincerely,

Mark D. Rath
Natural Resources Engineer III
Water Rights Program

Approval of Location Change and/or Additional Diversion Point(s)

NAME: Selby Community Golf, Inc.

ADDRESS: 405 S Railway St, Selby SD 57472

DATE: 10/29/15 COUNTY: Walworth TELEPHONE: 605-649-7604

GENERAL DESCRIPTION OF AUTHORIZED PROJECT:

The permit holder is authorized to irrigate 38 acres at a diversion rate of 0.13 cfs from a single well located in the NE ¼ SW ¼ of Sec 4 T 123N-R76W. The inspection found a second well located in the SE ¼ NW ¼ of Sec 4 T123N-R-76W. The combined diversion rate for the two wells is 0.056 cu. ft. per second (**25 gpm**).

AUTHORITY:

Pursuant to SDCL 46-5-13.1, the location of a diversion point may be changed or additional diversion points may be licensed provided the following conditions are met and the potential for interference with other existing diversions is not increased:

- **Developed water source same as permitted source and no additional water appropriated**
- **There is no new land being irrigated**
- **Review of Existing Diversions show the combined diversion rate is less than what is authorized under the permit.**

RECOMMENDED ACTION

Based on the above criteria, it is recommended that the additional diversion point located in the NE ¼ SW ¼ of Sec 4 T 123N-R76W be licensed as developed.



Mark D. Rath, Natural Resources Engineer
Water Rights Program

The Chief Engineer makes a finding pursuant SDCL 46-5-13.1 and ARSD 74:02:01:14.01 that:

This change in location and/or additional diversion point(s) does not increase the potential for adverse effects to existing diversions.



Jeanne Goodman, Chief Engineer
Water Rights Program



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

DEC 22 2015

6267-3

Selby Community Golf Course Inc
PO Box 155
Selby SD 57472

Dear Sir:

Enclosed is Water License No. 6267-3. This is the final water right document completing your process of obtaining a Water Right. Also, included with your license is a map prepared by the staff engineer who conducted the investigation.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Jeanne Goodman, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 6267-3

(1) Selby Community Golf Course, Inc., Box 155, Selby SD 57472 made Application No. 6267-3, May 31, 2001 for a water permit to divert 0.13 cubic feet of water per second from one well-Pleistocene Unknown Aquifer, Walworth County, South Dakota for irrigation purposes. Permit No. 6267-3, with a priority date of May 31, 2001 was approved July 30, 2001 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before July 30, 2006 and for the application to beneficial use of water on or before July 30, 2010.

An investigation conducted for licensing purposes found an additional diversion point developed under Water Permit No. 6267-3. Pursuant to SDCL 46-5-13.1, the Chief Engineer makes a finding that the additional diversion point does not increase the potential for interference with existing water rights.

(2) The water supply system has been completed and water applied to beneficial use in accordance with South Dakota State Law. Pursuant to South Dakota Codified Law 46-5-30.1, the holder and/or owner of Water Right No. 6267-3 is issued a license, bearing a priority date of May 31, 2001 to appropriate 0.056 cubic feet of water per second (25 gallons per minute) from two wells-Pleistocene Unknown Aquifer to irrigate 11.2 acres.


The diversion points are located: North well – 2,515 feet south and 1,545 feet east and South Well – 2,650 feet south and 1,630 feet east; both from the NW corner of Section 4-T123N-R76W (SE 1/4 NW 1/4 and NE 1/4 SW 1/4 respectfully). The acres authorized for irrigation are as follows:

Section 4-T123N-R76W	SE 1/4 NW 1/4	2.7 acres	NW 1/4 SW 1/4	3.0 acres
	SW 1/4 NW 1/4	2.4 acres	NE 1/4 SW 1/4	3.1 acres

Total 11.2 acres


(3) This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Permit No. 6267-3 including the following qualifications:

- The wells approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
- This Permit is approved subject to the irrigation water use questionnaire being submitted each year.


Jeanne Goodman, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

DEC 22 2015

date





DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: SELBY COMMUNITY GOLF COURSE, SCOTT SCHILLING, 201 S RAILWAY ST, SELBY, SD 57472

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaire(s)

Our records indicate your 2024 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6267-3. The request for the Questionnaire was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6267-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6267-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: THKYTV**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



6267-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 6, 2025

NOTICE OF ENTRY OF ORDER FOR ONE YEAR SUSPENSION OF WATER RIGHT

TO: Selby Community Golf Course, 201 S Railway St, Selby SD 57472

FROM: Eric Gronlund, Chief Engineer *Eric Gronlund*
Water Rights Program

SUBJECT: One Year Suspension of Water Right No. 6267-3

On March 5, 2025, the Water Management Board ordered:

Effective April 4, 2025, Water Right No. 6267-3 be suspended for the 2025 irrigation season for failure to submit the 2024 irrigation questionnaire.

If the 2024 irrigation questionnaire is received prior to April 4, 2025, the suspension will not take effect.

A one-year suspension of Water Right No. 6267-3 means water may not be pumped during the 2025 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2025 unless the 2024 irrigation questionnaire is submitted prior to April 4, 2025.

After April 4, 2025, you may petition the Board to rescind the suspension. You will need to submit, to the Water Rights Program, the 2024 irrigation questionnaire and a letter including your reason for not completing the 2024 irrigation questionnaires within the allotted time and requesting time on the agenda for the next Water Management Board meeting. The next Water Management Board meeting is scheduled for May 7-8, 2025, in Pierre SD.

Decisions made by the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Water Rights staff will conduct unscheduled compliance checks of suspended water rights to ensure irrigation is not taking place.

Please contact Amanda Dewell (605) 773-3352 with any questions.

7021 1970 0000 9489 7530

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee

\$

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy)	\$	
☐ Return Receipt (electronic)	\$	
☐ Certified Mail Restricted Delivery	\$	
☐ Adult Signature Required	\$	
☐ Adult Signature Restricted Delivery	\$	

Postmark
Here

SELBY COMMUNITY GOLF COURSE
201 S RAILWAY ST
SELBY SD 57472

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

CERTIFICATION

The undersigned hereby certifies under the penalty of perjury that I have personally mailed a true and correct NOTICE OF AMENDMENT OF WATER RIGHT, NOTICE OF ENTRY OF ORDER (ONE & THREE YEAR SUSPENSION OF WATER RIGHTS) dated March 6, 2025, via certified mail to the following parties.

Walter Heine
PO Box 145
Blunt SD 57522

Larry Ryken
244 Gavins Point Rd
Yankton SD 57078

Albert Hattum
21862 West Bend Rd
Harrold SD 57536

James & Joan McElhany
45840 SD Hwy 22
Castlewood SD 57223

Layna Saathoff
46044 199th St
Bruce SD 57220

Makens Oak Tree LLP
c/o Michael Makens
PO Box 274
Clark SD 57552

John or Byran Uecker
PO Box 573
Wagner SD 57380

Selby Community Golf Course
201 S Railway St
Selby SD 57472

Lane Tekrony
47840 180th St
Clear Lake SD 57226

Charlotte Nichols
c/o Philip Nichols
7497 Rolling Meadow Dr
West Chester OH 45069

Saddle Butte Angus
c/o Larry May
20545 May Rd
Interior SD 57750

Robert Novotny
10035 County Rd 19
Lidgerwood ND 58503

Stop Drop Lock Inc
c/o Karl Schenk
44352 308th St
Mission Hills SD 57046

Todd Block
PO Box 114
Roslyn SD 57261

Ryan Edwards
25331 Yellow Eagle Rd
White River SD 57579

Robert Phelps Jr
16220 Spring Valley Rd
Piedmont SD 57769


Shannon Konst
Senior Secretary-Water Rights

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 6th day of March, 2025.


Rachel Rodriguez Notary Public
My Commission expires May 16, 2029



6267-3

SENDER: COMPLETE THIS SECTION		COMPLETE THIS SECTION ON DELIVERY	
■ Complete items 1, 2, and 3. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits.		A. Signature X <i>[Signature]</i> ☐ Agent ☒ Addressee	
1. Article Addressed to:		B. Received by (Printed Name) <i>Chris Vetter</i>	C. Date of Delivery <i>3-14-25</i>
BY COMMUNITY GOLF COURSE S RAILWAY ST BY SD 57472		D. Is delivery address different from item 1? ☒ Yes If YES, enter delivery address below: ☐ No	
		<i>PO Box 152 Selby SD 57472</i>	
 9590 9402 6392 0303 3254 57		3. Service Type ☐ Adult Signature ☐ Adult Signature Restricted Delivery ☒ Certified Mail® ☐ Certified Mail Restricted Delivery ☐ Collect on Delivery ☐ Collect on Delivery Restricted Delivery ☐ Insured Mail ☐ Insured Mail Restricted Delivery (over \$500)	
2. Article Number (Transfer from service label) 7021 1970 0000 9489 7530		☐ Priority Mail Express® ☐ Registered Mail™ ☐ Registered Mail Restricted Delivery ☐ Signature Confirmation™ ☐ Signature Confirmation Restricted Delivery	
PS Form 3811, July 2020 PSN 7530-02-000-9053		Domestic Return Receipt	



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 18, 2025

6267-3

Selby Community Golf Course
c/o Chris Vetter
PO Box 152
Selby SD 57472

Dear Mr. Vetter:

I am writing to acknowledge the receipt of your 2024 irrigation information submitted for Water Right No. 6267-3 on March 17, 2025.

The Water management Board moved to suspend Water Right No. 6267-3 for a period of one year if the questionnaire was not returned prior to April 4, 2025. You may disregard the "Notice of Entry of Order for One Year Suspension" of Water Right No. 6267-3, dated March 6, 2025.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us