

WATER PERMIT NO. 6291-3

Name of Applicant: Flandreau Park Golf Club

Address: PO Box 55, Flandreau SD 57028-0055

Phone: 605 997-3202

Amount of Water Claimed: 0.89 cfs

Total Acres: 26 acres

Source of Water Supply: groundwater (one well)

Water to be used for: irrigation

County: Moody

Type of Waste Disposal System:

Location: east of Flandreau

PRIORITY

Date Received: 1-25-2002

Fee: \$150


Corrected Application Received:

Period of Annual Use: April 1 – November 30

Remarks:

Diversion Point: SE ¼ SW ¼ Sec 23-T107N-R48W

Land to be Irrigated: SW ¼ Sec 23-T107N-R48W



Depth of Well: 26 feet deep

Well Driller: : Lacey Well Drilling

Remarks:

Type of Map: aerial

Prepared by: Jackie Haug, Moody Co. FSA

Reviewed and the Number Assigned on: 1-25-2002

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____

SOUTH DAKOTA
WATER PERMIT NO. 6291-3

Date of first receipt of application January 25, 2002.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 6291-3 to Flandreau Park Golf Club, c/o Arthur R. Cartwright, Sr., PO Box 55, Flandreau SD 57028 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6291-3 appropriates 0.89 cubic feet of water per second (cfs) from one well (Big Sioux: Moody Aquifer) 26 feet deep located in the SE ¼ SW ¼ Section 23 to irrigate 26 acres located in portions of the SW ¼ (Tracts C & D) Section 23; all in T107N-R48W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 – November 30.
3. The date from which applicant may claim right is January 25, 2002.
4. The date of approval of Permit No. 6291-3 is April 1, 2002.
5. One-fifth of the construction is to be completed on or before October 1, 2004.
6. All construction is to be completed on or before April 1, 2007.
7. Water is to be put to beneficial use on or before April 1, 2011.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The proximity of this well to the Big Sioux River may induce flow from the river during pumping. As a result, Water Permit No. 6291-3 maybe subject to shut off orders or reduced pumping should river flow diminish where impairment to existing water right holders occurs. Diversions under this permit shall be in accordance with any written orders issued by the Chief Engineer.
2. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
3. Pursuant to SDCL 46-5-6 which allows a greater diversion rate if the method of irrigation, time constraints, or type of soils so requires, Permit No. 6291-3 authorizes a maximum diversion rate of 0.89 cfs for the irrigation of 26 acres.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele
Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

APR 09 2002

date



Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	No. <u>6291-3</u>	(office use only) Hydrologic Unit <u>10170203</u>
	Basin <u>Sioux River</u>	
	Newspaper <u>Moody Co. Enterprise, Flandreau</u>	



Application For Permit To Appropriate Water For Irrigation

Type of Application: X New Vested Right Amendment/Correction to Permit No.
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

1. Name of Applicant FLANDREAU Park Golf Club Phone 605-997-3202
(check one) Owner X Tenant/lessee
Mailing Address PO Box 55, Flandreau SD 57028-0055 State SD 57028-0055
(Street, RR, or Box and City) (Zip Code)
2. Amount of water claimed 0.89*CFS or 400 **GPM ***AF Total Acreage 26
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable)
3. Source of water supply GROUND WATER
4. Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) 1 well in tracts C
AND D of SW 1/4 section 23 - T107N - R48W (SE 1/4 SW 1/4)
County Moody
5. County or counties where water will be used Moody
6. Annual period during which water is to be used April 1 thru November 30
7. List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
TRACTS C & D SW 1/4 SEC 23 - T107N R48W	26		

8. Give a description of the project. (Attach sheet if more space is needed)
IRRIGATION system for a 9 Hole golf course. This will replace
A system that is approximately 25 year old and inadequate.

STATE OF SOUTH DAKOTA)

County of Moody


SS

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, Arthur Cartwright Sr., the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature Arthur Cartwright Sr.

Subscribed and sworn to before me this 21 day of January 20 02



4-23-07

Linda Christensen
Notary Public, SD

Supplemental Information

(type or print in ink)

The well has been completed and included is the well completion Report

1. Well Information - Proposed Construction

- a) Drill Hole Diameter _____ Depth _____
- b) Casing Type _____ Diameter _____ Thickness _____
- c) Screen Type _____ Diameter _____ Thickness _____
- d) Gravel Pack _____ Length of Gravel Pack _____
- e) Depth to Top of Water Bearing Material _____
- f) Depth to Water (ground surface to water level) _____
- g) Distance to nearest existing domestic well:

On applicants property NONE

On property owned by others about 1/2 mile

2. Wastewater Disposal System Information

- a) Type of System (i.e. septic tank, drain field) _____
- b) System Capacity (gallons) _____ Year Constructed _____
- c) Connected to the City of _____ Sanitary System _____


3. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:



- b) Freeboard _____
- c) Crest Width _____
Crest Length _____
- d) Height _____
- e) Primary Outlet Capacity _____
If pipe, diameter _____
- f) Secondary Spillway Capacity _____
Spillway Width _____
- g) X & Y Slope _____
Upstream _____
Downstream _____
- h) Surface Area of Impoundment _____
- i) Storage _____ Acre Feet
- i) Drainage Area Above Dam _____ Acres

Location SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 23 Twp 107-N Rg 48-W

County

North


Moody

Please mark well location with an "X"

W

E

Well Completion Date

6-21-01

LOCATION:

Distance from nearest potential pollution source (septic tank, abandoned well, feed lot, etc.)? 700 ft. from River (identify source).

PROPOSED USE:

- ☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

Bucket - False casingCASING DATA: ☒ Steel ☐ Plastic ☐ Other

If other describe _____

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
_____ LB/FT	<u>12</u> IN	<u>21</u> FT	<u>+2</u> FT	<u>20</u> IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN

GROUTING DATA

Grout Type	No. of Sacks	Grout Weight	From	To
<u>Bentonite</u>	<u>8</u>	_____ lb./gal	<u>6</u> ft	<u>0</u> ft
		_____ lb./gal	_____ ft	_____ ft

Describe grouting procedure _____

SCREEN: ☐ Perforated pipe ☒ ManufacturedDiameter 12" IN Length 5' FEETMaterial Stainless SteelSlot Size 080 Set From 21 Feet to 26 Feet

Other information _____

WAS A PACKER OR SEAL USED? ☐ YES ☒ NO

If so, what material? _____

Describe packer(s) and location? _____

DISINFECTION: Was well disinfected upon completion?

YES, How: w/Gravel

_____, NO, Why Not? _____

Laboratory sent to for water quality analysis _____

Well Owner: F/Andrea Park Golf

Business Name: _____

Address: P.O. Box 55Flanck, SO. 57028

WELL LOG:

DEPTH

FORMATION	DEPTH	
	FROM	TO
<u>Topsoil</u>	<u>0</u>	<u>3</u>
<u>Fine Sand</u>	<u>3</u>	<u>10</u>
<u>Clay lens</u>	<u>10'</u>	
<u>Sand</u>	<u>10</u>	<u>16</u>
<u>Good Gravel</u>	<u>16</u>	<u>26</u>

STATIC WATER LEVEL 6' Feet

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other _____

Reduced Flowrate _____ GPM

Can well be completely shut in? _____

WELL TEST DATA:

☒ PumpedDescribe: 7 1/2 sub-pump☐ Bailed☐ Other

Pumping Level Below Land Surface

6 ft. After _____ Hrs. pumped _____ GPM21 ft. After 2 Hrs. pumped 650 GPM

If pump installed, pump rate _____ GPM

REMARKS

Good wellThis well was drilled under license # 111

And this report is true and accurate.

Drilling firm Lacey Well Drilling

Signature of License Representative:

Joan Redde-Lacey

Signature of Well Owner or Equitable Property Holder:

Date: _____

RECEIPT

Water Rights Program

South Dakota Department of Environment and Natural Resources

417063

Pierre, JANUARY 25, 20 02

RECEIVED OF Flandreau Park Golf Club, Inc., PO Box 55, Flandreau, SD 57028-0055
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____	200	00
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	250 00 250 00

By

Darlene E. Eide

Chief Engineer

gm

REPORT ON WATER PERMIT APPLICATION NO. 6291-3
For Flandreau Park Golf Course
February 13, 2002

Application No. 6291-3 proposes to appropriate 0.89 cfs (400 gpm) from one well approximately 26 feet deep located in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of section 23 to irrigate 26 acres located in portions of the SW $\frac{1}{4}$ of section 23; all in T107N R48W in Moody County. This diversion rate is in excess of one cfs for each 70 acres, however; pursuant to SDCL 46-5-6 this may be allowed if the method of irrigation, time constraints on the diversion of water, or the type of soil so requires.

AQUIFER – BIG SIOUX MOODY (BS-M)

The Big Sioux Moody is a surficial outwash (sand and gravel) which is under water table conditions in this area. The aquifer underlies 58 square miles and contains an estimated 163,000 acre-feet of water in storage in Moody County (Hansen, 1986). Ground water movement is from north to south and toward the Big Sioux River. The aquifer is hydraulically connected to the Big Sioux River and the calculated average annual recharge is 6.5 inches (Hansen, 1988). The driller's log filed with the application indicates fine sand from 3 to 10 feet, a clay lens at 10 feet, sand from 10 to 16 feet, and gravel from 16 to 26 feet below land surface. The completed well had a static water level of six feet below land surface and was capable of producing 650 gpm with 15 feet of drawdown. This equates to a specific capacity of 43 gpm/ft of drawdown.

The Water Rights Program monitors two observation wells located within one mile of this application. These are observation wells MY-63C and MY-78B. Water levels for these wells show good correlation with climatic conditions, that is, rising water levels during wet years and gradually declining water levels during dry years. Hydrographs for these two observation wells are included with this report. In general, the water level record indicates that the aquifer is capable of sustaining additional withdrawals (Water Right, 2002).


REVIEW OF EXISTING WATER PERMITS/RIGHTS

There are five existing water rights within one mile of this application. Three rights are for ground water and two are for surface water from the Big Sioux River. The ground water rights are Nos. 1340-3, 2955-3A and 2956-3. All these rights are for irrigation with wells located more than one-half mile away and also south of the Big Sioux River. Interference is not a concern. With the river located between the well for this application and the existing rights drawdown will be negligible.

CONCLUSIONS

1. Water is available from the Big Sioux Moody aquifer.
2. The aquifer is under water table conditions. Drawdown created by pumping will not be significant. Interference is not a concern.

3. The well for this application has already been constructed and tested.
4. This well is located within 300 feet of the Big Sioux River. Water from the river will maintain the ground water level at the well during pumping, in other words, the well will capture some of the river flows. In this area, actual river diversions are required to maintain a minimum bypass flow in the river. Water Right No. 1290-3 located immediately across the river from this application is required to bypass 30 cfs before pumping can occur. Just downstream of this application another diversion is required to bypass 40 cfs before pumping can occur from the river.
5. This is a ground water diversion and not a surface water diversion. Pumping ground water will have some effect upon streamflow but certainly not a one to one exchange. This application does not need to be held to the same standard as the surface water diversions.



James A Goodman
Natural Resources Engineer


BIBLIOGRAPHY

Hansen, D.S., 1986, Water Resources of Lake and Moody Counties, South Dakota, WRI 84-4209, USGS, Huron, SD, 57350.


Hansen, D.S., 1988, Appraisal of the Water Resources of the Big Sioux Aquifer, Moody County, South Dakota, WRI 87-4057, USGS, Huron, SD, 57350.

Water Rights, 2002, Unpublished Observation Well Data for Moody County, SD DENR, DES, Water Rights Program, Pierre, SD, 57501.

**WATER RIGHTS' OBSERVATION WELL
MY-63C**



**WATER RIGHTS' OBSERVATION WELL
MY-78B**





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6291-3, Flandreau Park Golf Club**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6291-3. Flandreau Park Golf Club, c/o Arthur R. Cartwright, Sr., PO Box 55, Flandreau SD 57028-0055.

The Chief Engineer is recommending APPROVAL of Application No. 6291-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The proximity of this well to the Big Sioux River may induce flow from the river during pumping. As a result, Water Permit No. 6291-3 maybe subject to shut off orders or reduced pumping should river flow diminish where impairment to existing water right holders occurs. Diversions under this permit shall be in accordance with any written orders issued by the Chief Engineer.
2. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
3. Pursuant to SDCL 46-5-6 which allows a greater diversion rate if the method of irrigation, time constraints, or type of soils so requires, Permit No. 6291-3 authorizes a maximum diversion rate of 0.89 cfs for the irrigation of 26 acres.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
February 28, 2002

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
) SS

County of Moody)

I, Angela Nibbelink

certify that the attached printed Notice was taken

from the Moody County

Enterprise

printed and published in Flandreau

County of Moody and

state of South Dakota. The notice was published

in the newspaper on the following two dates:

March 13, 2002

March 20, 2002

Cost of Printing \$44.12

Angela Nibbelink
(Signature)

Bookkeeper
(Title)

3-20-02
(Date Signed)

NOTICE OF APPLICATION NO. 6291-3 to Appropriate Water

Notice is given that Flandreau Park Golf Club, PO Box 55, Flandreau SD 57028-0055 has filed an application for a water permit to appropriate 0.89 cubic feet of water per second (cfs) from one well (Big Sioux: Moody Aquifer) 26 feet deep located in the SE 1/4 SW 1/4 Section 23 to irrigate 26 acres located in portions of the SW 1/4 (Tracts C & D) Section 23; all in T107N-R48W. This diversion rate is in excess of one cfs for each 70 acres, however; pursuant to SDCL 46-5-6 this may be allowed if the method of irrigation, time constraints on diversion of water, or the type of soil so requires.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6291-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E. Capitol, Pierre, SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by April 1, 2002.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pinner, Secretary
Department of Environment and Natural Resources

(March 13 & 20, 2002)

RECEIVED

MAR 22 2002

WATER RIGHTS
PROGRAM

Instruction to Newspaper - Publish first Notice on March 13, 2002 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 6291-3 to Appropriate Water

Notice is given that Flandreau Park Golf Club, PO Box 55, Flandreau SD 57028-0055 has filed an application for a water permit to appropriate 0.89 cubic feet of water per second (cfs) from one well (Big Sioux: Moody Aquifer) 26 feet deep located in the SE ¼ SW ¼ Section 23 to irrigate 26 acres located in portions of the SW ¼ (Tracts C & D) Section 23; all in T107N-R48W. This diversion rate is in excess of one cfs for each 70 acres, however; pursuant to SDCL 46-5-6 this may be allowed if the method of irrigation, time constraints on diversion of water, or the type of soil so requires.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6291-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by April 1, 2002.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 1, 2002

Moody Co. Enterprise
Box 71
Flandreau, SD 57028-0071

ATTENTION: Legal Public Notice


Enclosed is a Notice of Hearing on Application No. 6291-3 to Appropriate Water to be published twice. Please publish the first notice on March 13, 2002 with the second publication 7 days later.

The applicant must verify to you that the notice is to be published, before you make the first publication **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Flandreau Park Golf Club, %Bruce Park, PO Box 55, Flandreau, SD 57028-0055 (Ph # 605-997-3202).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, please send us an affidavit or use the enclosed Proof of Publication form. The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,


Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 6291-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of March 1, 2002 enclosing Notice of Hearing to Appropriate Water by Application No. 6291-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

March 1, 2002

Flandreau Park Golf Club
% Bruce Park
PO Box 55
Flandreau, SD 57028-0055

Dear Mr. Park:

Water Permit Application No. 6291-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Moody Co. Enterprise printed at Flandreau, SD (Ph # 605-997-3725). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

PAYMENT REQUEST FORM

PAYEE: Flandreau Park Golf Club
% Arthur R. Cartwright Sr.
PO Box 55
Flandreau, SD 57028

FROM: Water Rights Program
523 E. Capitol
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Refund of \$50.00
Overpayment of application Fee

AMOUNT: \$50.00

FUNDING SOURCE:

GENERAL: X

FEDERAL:

COMMENTS:

AUTHORIZATION: _____

Daniel Erbe

4/8/02

I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

APR 09 2002

Flandreau Park Golf Club
c/o Arthur R. Cartwright, Sr.
PO Box 55
Flandreau SD 57028

Dear Mr. Cartwright:

Enclosed is Water Permit No. 6291-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

On January 25, 2002, a check was submitted with the application for \$250.00. The actual application/license fee is \$200.00. Therefore, \$50 will be refunded. You should receive the refund check within a couple of weeks.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

6291-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 17, 2003

NOTICE

TO: FLANDREAU PARK GOLF CLUB, ARTHUR R CARTWRIGHT, SR., PO BOX 55,
FLANDREAU, SD 57028 0055

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaire(s)

Our records indicate that the 2002 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6291-3. The request for the Questionnaire was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6291-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 5, 2003 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6291-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2003, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



6291-3

Track & Confirm

Delivery Status

You entered 2301 0370 0000 7540 5348

Your item was delivered at 7:42 am on January 18, 2003 in
FLANDREAU, SD 57028. The item was signed for by G CLUB.

[Request Delivery Record >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)
Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
2301 0370 0000 7540 5348

FLANDREAU PARK GOLF CLUB
ARTHUR R CARTWRIGHT, SR.
PO BOX 55
FLANDREAU SD 57028 0055

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail
☐ Package Services

(See Reverse)

PS Form 153, February 2001



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 18, 2003

6291-3

Dallas Peterson, Supt
Flandreau Park Golf Club
PO Box 55
Flandreau SD 57028-0055

Dear Mr. Peterson:

I am writing to acknowledge receipt of the 2002 irrigation questionnaire for Water Permit No. 6291-3. You may disregard the January 17, 2003, "Notice" concerning reporting requirements.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



6291-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2006

NOTICE

TO: FLANDREAU PARK GOLF CLUB, DALLAS PETERSON, COURSE SUPT, PO BOX 55,
FLANDREAU, SD 57028 0055

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2005 Irrigation Questionnaire(s)

Our records indicate that the 2005 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6291-3. The request for the Questionnaire was dated October 28, 2005. The Water Management Board has directed that owners of water permits who have not submitted the 2005 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6291-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 2, 2006 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6291-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 24, 2006, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

6291-3



Track & Confirm

Current Status

You entered 2303 2160 0000 0799 4886

Your item was delivered at 9:48 am on February 01, 2006 in FLANDREAU, SD 57028. The item was signed for by D PETERSON.

[Shipment Details >](#)

Notification Options

- ▶ Track & Confirm by email [What is this?](#) [Go >](#)
- ▶ Request Proof of Delivery [What is this?](#) [Go >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)
Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

U.S. Postal Service™ Signature Confirmation™ Receipt

SIGNATURE CONFIRMATION NUMBER:
2303 2160 0000 0799 4886

FLANDREAU PARK GOLF CLUB
DALLAS PETERSON, COURSE SUPT
PO BOX 55
FLANDREAU SD 57028 0055

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For inquiries:
Access internet web site at
www.usps.com®
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel

PS Form 153, May 2002

(See Reverse)



0291-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 7, 2006

6291-3

Dallas Peterson, Course Supt
Flandreau Park Golf Club
410 S Wind St
Flandreau SD 57028

Dear Mr. Peterson:

I am writing to acknowledge receipt of your 2005 irrigation questionnaire. You may disregard the January 24, 2006, "Notice" concerning reporting requirements for Water Permit No. 6291-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

Permit No. 6291-3
Sioux River - Water District

Report of Examination of Works and/or Application of Water to Beneficial Use

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

I have this day, **July 11, 2007**, made a thorough examination of the water use system constructed by **Flandreau Park Golf Club** of **410 South Wind St., Flandreau, SD 57028** holder of Permit No. **6291-3**, bearing the priority of **January 25, 2005** authorizing the diversion of **0.89** cu. ft. per second of the waters of the **Big Sioux:Moody Aquifer** for **Irrigation** purposes, in **Moody** County.

Inspection contact & relationship to permit holder, if applicable: **Dallas Peterson, Golf Superintendent**

A. Works used to divert the water:

Well Information:

- 1) Well Drilling Firm: **Lacey Well Drilling**
- 2) No. of Wells **1**
- 3) Depth(s) **26** feet
- 4) Well log is available **Y**

Casing:

- 1) Diameter **12** inches
- 2) Length **21** feet
- 3) Type **Steel**

Screen:

- 1) Type **Stainless Steel**
- 2) Length **5** feet
- 3) Static water level **6** feet

Pump:

- 1) Make **Grundfos**
- 2) Model **385S-4005**
- 3) Size **40**
- 4) Capacity **385** GPM

Motor:

- 1) Make Hitachi
- 2) Model No. VCTI (Mfg # 627016E)
- 3) Horsepower rating 40 hp

C. Works used to apply water to beneficial use:

Underground sprinkler system

Chemigation Equipment:

- 1) Does chemigate N

D. Compliance with Permit Requirements:

- 1) Permit qualifications being abided by Y
- 2) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y
- 3) Exceptions to compliance are: None

The system is in Good condition with the point(s) of diversion located as follows:

Approximately 710 feet north and 2200 feet east of the SW corner of Section 23-T107N-R48W
(N 44.05318, W -96.55852) (SW ¼)

The works are capable of diverting and conveying to the place of use 0.86 cu. ft. per second of water which is to be used for Irrigation of the Golf Course. Water has been put to beneficial use to the maximum extent as follows:

Section 23-T107N-R48W

NW ¼ SW ¼ - 3 acres

NE ¼ SW ¼ - 8 acres

SW ¼ SW ¼ - 10 acres

SE ¼ SW ¼ - 5 acres

comprising a total of 26 acres of land and the license should be issued for 0.86 cfs.

All structures, wells and lands on map Y

Comments or other permit(s) associated with the project:


Mike DeFea

Natural Resources Project Engineer
DENR, Water Rights Program

Date report completed: December 27, 2007


Flandreau Park Golf Club
410 South Wind St
Flandreau, SD 57028
997-3031

Water Permit No. 6291-3



Mike DeFea

Mike DeFea
Natural Resources Engineer
DENR, Water Rights Program
December 27, 2007



0 550 1,100 2,200 3,300 Feet



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

JAN 28 2008

6291-3

Dallas Peterson, Supt
Flandreau Park Golf Club
PO Box 55
Flandreau SD 57028

Dear Mr. Peterson:

Enclosed is Water License No. 6291-3. This is the final water right document completing the process of obtaining a Water Right. Included with the water license is a map prepared by the staff engineer who conducted the field investigation.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 6291-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

STATE OF SOUTH DAKOTA
WATER LICENSE NO. 6291-3

(1) Flandreau Park Golf Club, 410 S Wind St, PO Box 55, Flandreau SD 57028 made Application No. 6291-3, January 25, 2002 for a water permit to divert 0.89 cubic feet of water per second from ground water (one well - Big Sioux:Moody Aquifer), Moody County, South Dakota for irrigation purposes. Permit No. 6291-3, with a priority date of January 25, 2002 was approved April 1, 2002 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before April 1, 2007 and for the application to beneficial use of said water on or before April 1, 2011.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 0.86 cubic feet of water per second for beneficial use. The location of the diversion point is approximately 710 feet north and 2,200 feet east of the SW corner of Section 23, T107N, R48W (SE ¼ SW ¼).

(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 23, T107N, R48W	NW ¼ SW ¼	3 acres
	NE ¼ SW ¼	8 acres
	SW ¼ SW ¼	10 acres
	SE ¼ SW ¼	5 acres
	Total	26 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Flandreau Park Golf Club, 410 S Wind St, PO Box 55, Flandreau SD 57028 the holder and/or owner of Water Right No. 6291-3 is issued a license to appropriate water, the right to use 0.86 cubic feet of water per second from ground water (one well - Big Sioux:Moody Aquifer) with a priority date of January 25, 2002 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation.

This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Right No. 6291-3 and subject to the following qualifications:

- The proximity of this well to the Big Sioux River may induce flow from the river during pumping. As a result, Water Right No. 6291-3 may be subject to shut off orders or reduced pumping should river flow diminish where impairment to existing water right holders occurs. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.
- The well approved under this Water Right will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
- Pursuant to SDCL 46-5-6 which allows a greater diversion rate if the method of irrigation, time constraints, or type of soils so requires, No. 6291-3 authorizes a maximum diversion rate of 0.86 cfs for the irrigation of 26 acres.
- This Water Right is approved subject to the irrigation water use questionnaire being submitted each year.

Garland Erbele

Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JAN 28 2003

date





6291-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 15, 2016

NOTICE

TO: FLANDREAU PARK GOLF CLUB, D MULDER, COURSE SUPT, PO BOX 55,
FLANDREAU, SD 57028

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2015 Irrigation Questionnaire(s)

Our records indicate your 2015 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6291-3. The request for the Questionnaire was dated October 23, 2015. The Water Management Board has directed that owners of water permits who have not submitted the 2015 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6291-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Thursday, March 3, 2016 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6291-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2016** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

March 2, 2016

6291-3

Flandreau Park Golf Club
D Mulder, Course Supt.
PO Box 55
Flandreau SD 57028

Dear Mr. Mulder:

I am writing to acknowledge receipt of your 2015 irrigation questionnaire.

You may disregard the January 15, 2016, "Notice" concerning reporting requirements for Water Right No. 6291-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



6291-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 25, 2019

NOTICE

TO: FLANDREAU PARK GOLF CLUB, D MULDER, COURSE SUPT, PO BOX 55,
FLANDREAU, SD 57028

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2018 Irrigation Questionnaire(s)

Our records indicate your 2018 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6291-3. The request for the Questionnaire was dated October 30, 2018. The Water Management Board has directed that owners of water permits who have not submitted the 2018 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6291-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 6, 2019 at 10:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6291-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 6, 2019** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

ALERT: PAYMENT TRANSACTIONS ON SOME APPLICATIONS WILL BE TEMPORARILY...

USPS Tracking® FAQs > (<https://www.usps.com/faqs/uspstracking-faqs.htm>)**Track Another Package +****Tracking Number:** 70173380000059185522

Remove X

Your item was delivered at 1:02 pm on February 6, 2019 in FLANDREAU, SD 57028.

 DeliveredFebruary 6, 2019 at 1:02 pm
Delivered
FLANDREAU, SD 57028**Get Updates** ✓**Text & Email Updates****Tracking History****Product Information** ✓

U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only	
For delivery information, visit our website at www.usps.com ®.	
OFFICIAL USE	
Certified Mail Fee	\$
Extra Services & Fees (check box, add fee as appropriate)	
☐ Return Receipt (hardcopy)	\$
☐ Return Receipt (electronic)	\$
☐ Certified Mail Restricted Delivery	\$
☐ Adult Signature Required	\$
☐ Adult Signature Restricted Delivery	\$
Postmark Here	
FLANDREAU PARK GOLF CLUB D MULDER, COURSE SUPT PO BOX 55 FLANDREAU SD 57028	
PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions	

See Less ^**Can't find what you're looking for?**

Go to our FAQs section to find answers to your tracking questions.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

March 7, 2019

NOTICE OF ENTRY OF ORDER FOR ONE YEAR SUSPENSION OF WATER RIGHT

TO: D Mulder, Course Supt, Flandreau Park Golf Club, PO Box 55, Flandreau SD 57028

FROM: Jeanne Goodman, Chief Engineer
Water Rights Program 

SUBJECT: One Year Suspension of Water Right No. 6291-3

On March 6, 2019, the Water Management Board ordered:

Effective April 6, 2019, Water Right No. 6291-3 be suspended for the 2019 irrigation season for failure to submit the 2018 irrigation questionnaire.

If the 2018 irrigation questionnaire is received prior to April 6, 2019, the suspension will not take effect.

Suspension of a water permit or right means water may not be pumped during the 2019 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2019 unless the 2018 irrigation questionnaire is submitted by April 6th.

After April 6th, you may petition the Water Management Board to rescind the suspension. You will need to submit the 2018 irrigation questionnaire and a letter to our office requesting time on the agenda for the next Water Management Board meeting scheduled for May 8-9, 2019, in Pierre, SD. The letter should include your reasons for not completing the 2018 irrigation questionnaire. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Water Rights Staff will conduct compliance checks of suspended water rights this summer to determine if irrigation is taking place.

Please contact Genny McMath (605) 773-3352, if you have any questions.

6291-3

USPS Tracking® FAQs > (<https://www.usps.com/faqs/uspstracking-faqs.htm>)

Track Another Package +

Tracking Number: 70180040000038017540

Remove X

Your item was delivered at 9:15 am on March 23, 2019 in FLANDREAU, SD 57028.



March 23, 2019 at 9:15 am
Delivered
FLANDREAU, SD 57028

Get Updates ✓

Text & Email Updates

Tracking History

Product Information

U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only	
For delivery information, visit our website at www.usps.com ®.	
OFFICIAL USE	
Certified Mail Fee \$	Postmark Here
Extra Services & Fees (check box, add fee as appropriate)	
☐ Return Receipt (hardcopy) \$	
☐ Return Receipt (electronic) \$	
☐ Certified Mail Restricted Delivery \$	
☐ Adult Signature Required \$	
FLANDREAU PARK GOLF CLUB D MULDER, COURSE SUPT PO BOX 55 FLANDREAU SD 57028	
PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions	

Feedback

See Less ^

Can't find what you're looking for?

Go to our FAQs section to find answers to your tracking questions.



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2023

NOTICE

TO: FLANDREAU PARK GOLF CLUB, BOARD OF DIRECTORS, 48250 230th St,
FLANDREAU, SD 57028

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2022 Irrigation Questionnaire(s)

Our records indicate your 2022 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6291-3. The request for the Questionnaire was dated October 21, 2022. The Water Management Board has directed owners of water permits who have not submitted the 2022 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6291-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 8, 2023 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6291-3 in accordance with applicable provisions of SDCL 46-1-12;
Based on a previous violation, the recommendation to the Board will be for a three year suspension.
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 8, 2023** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: YMZXOY**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

6291-3

USPS Tracking®

FAQs >

Tracking Number:

Remove X

70211970000094883212

Copy

Add to Informed Delivery (<https://informedelivery.usps.com/>)

Latest Update

Your item was delivered to an individual at the address at 12:14 pm on February 3, 2023 in FLANDREAU, SD 57028.

Get More Out of USPS Tracking:

USPS Tracking Plus®

Delivered

Delivered, Left with Individual

FLANDREAU, SD 57028

February 3, 2023, 12:14 pm

Departed USPS Regional Facility

SIOUX FALLS SD DISTRIBUTION CENTER

February 2, 2023, 11:48 pm

Arrived at USPS Regional Facility

SIOUX FALLS SD DISTRIBUTION CENTER

February 2, 2023, 9:55 am

Arrived at USPS Regional Facility

HURON SD DISTRIBUTION CENTER

February 1, 2023, 11:13 pm

Hide Tracking History

2122 9846 0000 0667 7207

U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only	
For delivery information, visit our website at www.usps.com ®.	
OFFICIAL USE	
Certified Mail Fee \$	Delivered 2-3-2023 Postmark Here
Extra Services & Fees (check box, add fee as appropriate)	
☐ Return Receipt (hardcopy) \$	
☐ Return Receipt (electronic) \$	
☐ Certified Mail Restricted Delivery \$	
☐ Adult Signature Required \$	
☐ Adult Signature Restricted Delivery \$	
Postage \$	
Total Postage and Fees \$	
Sent To <u>Jason Ramsdell</u>	
Street and Apt. No., or PO Box No. <u>Flandreau Park Golf Club</u>	
City, State, ZIP+4® <u>Flandreau SD Hwy 13</u>	
PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions	

Feedback



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 8, 2023

NOTICE OF ENTRY OF ORDER OF THREE-YEAR SUSPENSION OF WATER RIGHT

TO: Jason Ramsdell, 23086 SD Hwy 13, Flandreau SD 57028
Flandreau Park Golf Club, 48250 230th St, Flandreau SD 57028

FROM: Eric Gronlund, Chief Engineer *Eric Gronlund*
Water Rights Program

SUBJECT: Three Year Suspension of Water Right No. 6291-3

On March 8, 2023, the Water Management Board ordered:

That effective April 8, 2023, Water Right No. 6291-3 be suspended for the 2023, 2024 and 2025 irrigation seasons for failure to submit your 2022 irrigation questionnaire.

If the 2022 irrigation questionnaire is received prior to April 8, 2023, the suspension will not take effect.

Suspension means water may not be pumped during the 2023, 2024 and 2025 irrigation seasons. Consistent with the Board's order, you are not permitted to irrigate for three years unless the irrigation questionnaire is submitted by April 8, 2023.

After April 8th, you may petition the Water Management Board to rescind the suspension. You will need to submit the 2022 irrigation questionnaire and a letter to our office requesting time on the agenda for the Water Management Board meeting scheduled for May 3-4, 2023, in Pierre, SD. The letter should include your reasons for not completing the 2022 irrigation questionnaire. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Water Rights Staff will conduct compliance checks of suspended water rights this summer to determine if irrigation is taking place.

Please contact Genny McMath at (605) 773-3352, if you have any questions.

CERTIFICATION

I hereby certify that on March 8, 2023, I have personally deposited with the United States mail at Pierre, South Dakota, a first-class postage prepaid envelopes containing a "Notice" dated March 8, 2023, concerning Board action to amend, suspend or cancel water rights/permits to the following:

One-year suspensions:

1970-1: Russ Grover, Supt., Boulder Canyon Country Club, PO Box 305, Sturgis SD 57785
3487-3: Dave Hanson, 31489 455th Ave., Meckling SD 57069
1994-3: Albert Hattum, 21862 W Bend Rd, Harrold SD 57536

2072-3, 2126-3, 3204-3, 7236-3 & 7237-3:
David Ulvestad, 46720 201st St., Bruce SD 57220
Darwin Ulvestad, 46679 201st St, Bruce SD 57220

1252-1: Robert or Jennifer Weyrich, 6545 Dunsmore Rd, Rapid City SD 57702-7027

Three-year suspensions:

577-1: Max & Brenda Bowen, 17600 Kentucky Pl, Mud Butte SD 57758

6291-3: Jason Ramsdell, 23086 SD Hwy 13, Flandreau SD 57028
Flandreau Park Golf Club, 48250 230th St, Flandreau SD 57028

1692A-2: Ed McMahon, 23805 S Hwy 79, Hermosa SD 57744

Cancellations:

495-2: Harlan Eisenbraun, PO Box 416, Wall SD 57790
618-2: Joel Soderquist, Soderquist Family Ranch Limited Partnership, 17965 Baseline Rd,
Wasta SD 57791 6001

Amendment:

1014-2: Donn Paulson, 30121 323rd Ave., Colome SD 57528

Gerry McOrath


Genny McMath
Water Rights Program

[illegible]

Sworn to, before me, this 9th day of March, 2023.

Karen Schlaack

Karen Schlaak
Notary Public
My Commission expires April 1, 2025





**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 20, 2023

6291-3

James Ramsdell
23086 SD Hwy 13
Flandreau SD 57028

Dear Mr. Ramsdell:

On March 8th the Water Management Board ordered Water Right No. 6291-3 suspended for three years if the 2022 irrigation questionnaire was not received prior to April 8, 2023. The questionnaire for the golf course was received on March 17, 2023.

Since the irrigation questionnaire is now on file, no violation has occurred, and no suspension will take place. You may irrigate during the 2023 irrigation season.

The 2023 irrigation questionnaire will be sent out in October 2023 and will be **due back in the office the first week in December.**

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program
605 773-3352

c: Flandreau Park Golf Club, 48250 230th St, Flandreau SD 57028