

WATER PERMIT NO. 6326A-3

Name of Applicant: Hartman & Pahl

Address: c/o Roger Shoup, 27994 188th St, Pierre SD 57501 Phone: 264-5533

Amount of Water Claimed: no add'l Total Acres: 264 acres

Source of Water Supply: Missouri River

Water to be used for: irrigation County: Sully

Type of Waste Disposal System:

Location: 22 miles west of Onida


PRIORITY Date Received: 2-14-08 Application/License Fee: \$50

Corrected Application Received: Period of Annual Use: April 1 – October 31

Remarks: Reinstatement of Water Permit No. 6326A-3

Diversion Point: SE ¼ SE ¼ Sec 21-T114N-R81W

Land to be Irrigated: W ½ Sec 36-T114N-R81W



Depth of Well: NA

Well Driller:

Remarks:

Type of Map: aerial

Prepared by: Lynn Beck

Reviewed and the Number Assigned on: 2-14-08

By: Karen Schlaak

Notice of Hearing - date to intervene: _____

RECEIVED

FEB 14 2008

WATER RIGHTS
PROGRAM

Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	No. <u>6326A-3</u> (office use only) Hydrologic Unit <u>10/30/05</u>
	Basin <u>Missouri River</u>
	Newspaper <u>Orida Watchman POBox 245</u>
	<u>605-258-2604</u> <u>Orida 57564</u>

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☐ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
 (Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

Reinstatement of Water Permit No. 6326-3

- Name of Applicant Hartman & Pahl c/o Roger Shoup Phone (605) 264-5533
 (check one) ☐ Owner ☐ Tenant/lessee
 Mailing Address 27994 188th Street Pierre State SD 57501
 (Street, RR, or Box and City) (Zip Code)
- Amount of water claimed _____ *CFS or _____ **GPM _____ ***AF Total Acreage 264
 (*Cubic Feet per Second) (**Gallons per Minute) (**Acre Feet - storage capacity of dam/dugout or annual use if applicable)
- Source of water supply Missouri River
- Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) County Sully
SE 1/4 SE 1/4 Section 21, T114N, R81W -- Diversion point for pump station authorized by Water Right No. 5761-3. No increase in the 28.89 cfs is requested
- County or counties where water will be used Sully County
- Annual period during which water is to be used April 1 - October 31
- List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
 (Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
NW 1/4 Section 36, T114N, R81W	132		
SW 1/4 Section 36, T114N, R81W	132		

8. Give a description of the project. (Attach sheet if more space is needed)

Requesting reinstatement of Water Permit No. 6326-3. Construction was to be completed by August 5, 2007. However, due to low water levels on Lake Oahe and the uncertainty at the pump site the two pivots were not installed. Request reinstatement to proceed with developing this irrigation.


STATE OF SOUTH DAKOTA) SS
 County of Hughes

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, Roger Shoup, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature Roger Shoup

Subscribed and sworn to before me this 13th day of February 2008



Shirley J. Livermont
 Notary Public signature 10-11-2003

**SOUTH DAKOTA
WATER PERMIT NO. 6326A-3**

Date of first receipt of application February 14, 2008.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 6326A-3 to Hartman & Pahl, c/o Roger Shoup, 27994 188th St, Pierre SD 57501 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6326A-3 reinstates Water Permit No. 6326-3. Permit No. 6326-3 authorized the irrigation of an additional 264 acres. Water Right No. 5761-3 authorizes 28.89 cubic feet of water per second from the Missouri River located in the SE ¼ SE ¼ Section 21-T114N-R81W to irrigate 1,997 acres and to fill a 19 acre-feet storage dam also utilized in the irrigation system. Permit No. 6326-3 authorized irrigation of 264 acres located in the W ½ Section 36-T114N-R81W. No increase in the Missouri River diversion rate was authorized by Permit No. 6326-3. The permit was approved August 5, 2002 and the project was to be completed by August 5, 2007, with water being put to beneficial use by August 5, 2011. Permit No. 6326A-3 reinstates Water Permit No. 6326-3 since the project has not been completed.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 – October 31.
3. The date from which applicant may claim right is February 14, 2008.
4. The date of approval of Permit No. 6326A-3 is March 24, 2008.
5. One-fifth of the construction is to be completed on or before September 24, 2010.
6. All construction is to be completed on or before March 24, 2013.
7. Water is to be put to beneficial use on or before March 24, 2017.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS


1. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.
2. Permit No. 6326A-3 incorporates the applicable portions of Permit No. 6326-3.

WATER MANAGEMENT BOARD


By: Garland Erbele

Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

MAY 07 2008
date



Water Permit Application for Hartman & Paul




Irrigation of an additional 264 acres located in the W 1/2 of Section 36, T114N, R81W. Will use the existing diversion works authorized under Water Right No. 5761-3. New pivot will be connected by pipelines from existing pivots in the E 1/2 Section 36.



Eric Gronlund
Eric Gronlund
Water Rights Program
May 28, 2002

WATER PERMIT APPLICATION NO. 6326-3

Hartman and Pahl



SCALE

0.5 0 0.5 1 Miles



Lynn Beck

Lynn Beck
DENR, Water Rights Program
June 12, 2002

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date February 14, 20 08

RECEIVED OF Gene Hartman & Elaine Hartman Hayes, PO Box 837, Huron SD 57350

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>6326A-3</u> to Appropriate Water, to construct and to put water to beneficial use <u>Reinstatement of No. 6329-3</u>	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law) TOTAL	50	00

No.

63029

By

Harland Erbele

Chief Engineer

(RS)



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6326A-3, Hartman & Pahl**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6326A-3 to reinstate Water Permit No. 6326-3, Hartman & Pahl, c/o Roger Shoup, 27994 188th Street, Pierre SD 57501.

The Chief Engineer is recommending APPROVAL of Application No. 2623-2 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.
2. Permit No. 6326A-3 incorporates the applicable portions of Permit No. 6326-3.

See report on application for additional information.

Garland Erbele, Chief Engineer
February 29, 2008

REPORT ON WATER PERMIT APPLICATION NO. 6326A-3

Hartman and Pahl Farms

February 19, 2008

Application No. 6326A-3, Hartman and Pahl Farms, c/o Roger Shoup, 27994 188th St, Pierre SD 57501 has filed an application for a water permit to reinstate Permit No. 6326-3. Permit No. 6326-3 authorized the irrigation of an additional 264 acres. Water Right No. 5761-3 authorizes 28.89 cubic feet of water per second from the Missouri River located in the SE ¼ SE ¼ Section 21-T114N-R81W to irrigate 1,997 acres and to fill a 19 acre-feet storage dam also utilized in the irrigation system. Permit No. 6326-3 authorized irrigation of 264 acres located in the W ½ Section 36-T114N-R81W. No increase in the Missouri River diversion rate was authorized by Permit No. 6326-3. The permit was approved August 5, 2002 and the project was to be completed by August 5, 2007, with water being put to beneficial use by August 5, 2011. Application No. 6326A-3 proposes to reinstate Water Permit No. 6326-3 since the project was not constructed within the five year time frame. Approval of No. 6326A-3 will cancel No. 6326-3. The proposed project is located 22 miles west of the town of Onida in Sully County.

Review of the Water Source

The water source for this application is the Missouri River impounded behind Oahe Dam. The U.S. Army Corps of Engineers (USACE) constructed Oahe Dam in the 1950's and 1960's as part of a six reservoir Pick-Sloan project for the Missouri River. The six project dams; Ft Peck, Garrison, Oahe, Big Bend, Ft Randall and Gavins Point; are operated as a system providing storage and water releases for the Congressionally authorized purposes which include irrigation. Specifically, Oahe Reservoir can impound up to 23.4 million acre-feet of water (MAF) when full. Due to an ongoing 8 year region wide drought, Oahe reservoir is currently 11.3 (MAF) below full and down 38.2 feet from the full elevation and down 25.7 feet below the top of the multiple use storage zone. Water availability is not a concern when using the Missouri River as a source, but accessing water due to declining water levels and receding shore line as reservoir levels drop can become an issue.

Review of the Existing Water Rights and Proposed Request

There are 262 existing water rights/permits appropriating water from the Missouri River in South Dakota. Since water availability is not an issue, approval of this permit would not adversely affect these existing water rights.

South Dakota Codified Law 46-2A-8.1 allows a water permit to be reinstated when the works were not constructed and the construction period has expired. The construction period for permit No. 6326-3 expired on August 5, 2007. SDCL 46-2A-8.1 states:

The Water Management Board may reinstate any water permit with a priority date after March 31, 1977, if unappropriated water is available and construction necessary to put water to beneficial use was not completed pursuant to § 46-2A-8 or 46-5-26. Any application under this section shall be made within three years of the expiration of the original construction period pursuant to chapter 46-2A. The priority date for the application to reinstate a permit shall be the date the application to reinstate is filed.

If approved, this permit will receive a new priority date.

Conclusions

1. The applicant filed an application for a water permit to reinstate Permit No. 6326-3.
2. The construction period for permit No. 6326-3 expired on August 5, 2007 and the irrigation works were not constructed.
3. If this permit is approved it would not adversely affect existing water rights.
4. South Dakota Codified Law 46-2A-8.1 allows a water permit to be reinstated where the works were not constructed during the construction period and unappropriated water is available.
5. If approved, this permit will receive a new priority date.

A handwritten signature in black ink, appearing to read 'Mark D. Rath', with a stylized, cursive script.

Mark D. Rath
Natural Resources Engineering Specialist

RECEIVED

MAR 25 2008


AFFIDAVIT OF PUBLICATION

STATE OF SOUTH DAKOTA)
COUNTY OF SULLY)

Curtis R. Olson of said County and State, being first duly sworn on his oath, says that the **ONIDA WATCHMAN** is a weekly newspaper of general circulation, published in the English language in the City of Onida, in said County and State, by said Curtis R. Olson, and has been admitted to the United States mail under the second class mailing privilege at all times hereinafter mentioned, and that all of said times has had more than 200 bona fide paid subscribers; that I, the undersigned, am the publisher of said newspaper, in charge of the legal/display advertising department thereof, and have personal knowledge of all the facts stated in the affidavit; and that the advertisement headed:

NOTICE OF APPLICATION NO. 6326A-3 TO REINSTATE WATER PERMIT NO. 6326-3

A printed copy of which is hereto attached, was printed and published in said newspaper for **TWO** successive issues, the first publication made **2008** the **6th** day of **MARCH**, and the last publication on **2008** the **13** day of **MARCH**, and that **\$56.34** being the full amount of the fee for publication of the annexed notice insured solely to the benefit of the publisher of said newspaper; that no arrangements or understanding for a revision thereof has been made with any person, and that no part thereof has been agreed to be paid to any other person whatsoever.




Curtis R. Olson

Subscribed and Sworn to me this

24th Day of March, 2008

(SEAL)

My commission expires April 24, 2010



Notary Public in and for Sully County, South Dakota

**NOTICE OF APPLICATION
NO. 6326A-3 TO
REINSTATE WATER
PERMIT NO. 6326-3**

Notice is given that Hartman & Pahl, c/o Roger Shoup, 27994 188th St, Pierre SD 57501 has filed an application to reinstate Water Permit No. 6326-3. Permit No. 6326-3 authorized the irrigation of an additional 264 acres. Water Right No. 5761-3 authorizes 28.89 cubic feet of water per second from the Missouri River located in the SE¼ SE¼ Section 21-T114N-R81W to irrigate 1,997 acres and to fill a 19 acre-foot storage dam also utilized in the irrigation system. Permit No. 6326-3 authorized irrigation of 264 acres located in the W½ Section 36-T114N-R81W. No increase in the Missouri River diversion rate was authorized by Permit No. 6326-3. The permit was approved August 5, 2002 and the project was to be completed by August 5, 2007, with water being put to beneficial use by August 5, 2011. Application No. 6326A-3 proposes to reinstate Water Permit No. 6326-3 since the project has not been completed. Approval of No. 6326A-3 will cancel No. 6326-3.

Application No. 6326A-3 to reinstate Permit No. 6326-3 is made pursuant to SDCL 46-2A-8.1 which allows for reinstatement with a new priority date, if unappropriated water is available when construction, necessary to put water to beneficial use, is not completed within five years of approval of the permit.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6326A-3 to reinstate 6326-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files

a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendations is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendations must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773- 3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by March 24, 2008.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel. If legal counsel is obtained, Contact Eric Gronlund at the above Water Rights Program address to request copies of

information pertaining to this application.

Steve M. Pirner, Secretary, Department of Environment and Natural Resources.

10-11



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 29, 2008

Onida Watchman
PO Box 245
Onida SD 57564

ATTENTION: Legal Public Notice

Enclosed is a Notice on Application No. 6326A-3 to Appropriate Water to be published twice. Please publish the first notice on March 6, 2008 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Hartman & Pahl, c/o Roger Shoup, 27994 188th St, Pierre SD 57501 (Ph # 605-264-5533).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 6326A-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of February 29, 2008 enclosing Notice to Appropriate Water by Application No. 6326A-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

February 29, 2008

Hartman & Pahl Farm
c/o Roger Shoup
27994 188th St
Pierre SD 57501

Dear Mr. Shoup:

Water Permit Application No. 6326A-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Onida Watchman printed at Onida SD (Ph # 605-258-2604). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,


Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

Instruction to Newspaper - Publish first Notice on March 6, 2008 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 6326A-3 to Reinstate Water Permit No. 6326-3

Notice is given that Hartman & Pahl, c/o Roger Shoup, 27994 188th St, Pierre SD 57501 has filed an application to reinstate Water Permit No. 6326-3. Permit No. 6326-3 authorized the irrigation of an additional 264 acres. Water Right No. 5761-3 authorizes 28.89 cubic feet of water per second from the Missouri River located in the SE ¼ SE ¼ Section 21-T114N-R81W to irrigate 1,997 acres and to fill a 19 acre-feet storage dam also utilized in the irrigation system. Permit No. 6326-3 authorized irrigation of 264 acres located in the W ½ Section 36-T114N-R81W. No increase in the Missouri River diversion rate was authorized by Permit No. 6326-3. The permit was approved August 5, 2002 and the project was to be completed by August 5, 2007, with water being put to beneficial use by August 5, 2011. Application No. 6326A-3 proposes to reinstate Water Permit No. 6326-3 since the project has not been completed. Approval of No. 6326A-3 will cancel No. 6326-3.

Application No. 6326A-3 to reinstate Permit No. 6326-3 is made pursuant to SDCL 46-2A-8.1 which allows for reinstatement with a new priority date, if unappropriated water is available when construction, necessary to put water to beneficial use, is not completed within five years of approval of the permit.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6326A-3 to reinstate 6326-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendations must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by March 24, 2008.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

MAY 07 2003

Hartman & Pahl
c/o Roger Shoup
27994 188th St
Pierre SD 57501

Dear Mr. Shoup:

Enclosed is Water Permit No. 6326A-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet ? *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

McMath, Genny

Subject: FW: Atten: G. McMath - Irrigation Questionnaire

5761-3, 6163B-3 & 6163C-3, 6326A-3 & 6914-3

-----Original Message-----

From: Jason McHenry [mailto:jasonmchenry@venturecomm.net]

Sent: Tuesday, August 09, 2016 1:11 PM

To: McMath, Genny

Cc: marshallkniffen@venturecomm.net

Subject: RE: Atten: G. McMath - Irrigation Questionnaire

That is the correct address for Marshall Kniffen and for Hartman and Pahl Farms.

Jason McHenry
Hartman and Pahl
(605) 222-1171

-----Original Message-----

From: McMath, Genny [mailto:Genny.McMath@state.sd.us]

Sent: Tuesday, August 09, 2016 12:37 PM

To: 'Jason McHenry '

Cc: marshallkniffen@venturecomm.net

Subject: RE: Atten: G. McMath - Irrigation Questionnaire

Thank you - I will update our records. I have a mailing address of "18755 280th Ave., Pierre" ...is that still correct?

-----Original Message-----

From: Jason McHenry [mailto:jasonmchenry@venturecomm.net]

Sent: Tuesday, August 09, 2016 12:13 PM

To: McMath, Genny

Cc: marshallkniffen@venturecomm.net

Subject: RE: Atten: G. McMath - Irrigation Questionnaire

Genny, here is the contact information for the new manager at Hartman and Pahl Farm.

Marshall Kniffen marshallkniffen@venturecomm.net (605)464-0374

Jason McHenry
Hartman and Pahl
(605) 222-1171