

WATER PERMIT NO. 6350-3

Name of Applicant: Town of Rosholt

Address: PO Box 156, Rosholt SD 57260

Phone: 605 537-4275

Amount of Water Claimed: 440 gpm (0.98 cfs)

Total Acres: NA

Source of Water Supply: groundwater (two existing wells)

Water to be used for: municipal

County: Roberts

Type of Waste Disposal System:

Location: ½ south of Rosholt

PRIORITY

Date Received: 8-7-02


Application/License Fee: \$375

Corrected Application Received:

Period of Annual Use: January 1 – December 31

Remarks: Increases the diversion rate authorized by Water Right No. 6203-3

Diversion Point: SW ¼ NW ¼ Sec 19-T128N-
R48W



Land to be Irrigated: NA

Depth of Well: 234 feet deep

Well Driller: :

Remarks:

Type of Map: aerial

Prepared by: Mark Rath

Reviewed and the Number Assigned on: 8-7-02

By: Karen Schlaak

Notice of Hearing - date to intervene: _____

SOUTH DAKOTA
WATER PERMIT NO. 6350-3

Date of first receipt of application August 7, 2002.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 6350-3 to Town of Rosholt, PO Box 156, Rosholt SD 57260 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6350-3 appropriates an additional 0.98 cubic feet of water per second (cfs) by increasing the diversion rate authorized by Water Right No. 6203-3. Water Right No. 6203-3 appropriates 0.80 cfs from two wells approximately 240 feet deep located in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 19-T128N-R48W. This permit increases the water appropriation from the two wells from 0.80 cfs (360 gallons per minute) to 1.78 cfs (800 gallons per minute). The water source for these wells is the Fairmount Aquifer.
2. The water appropriated shall be used for the purpose of municipal use and may not exceed the amount of water needed for beneficial use.
3. The water is to be used during the following described annual period: January 1 – December 31.
4. The date of approval of Permit No. 6350-3 is November 4, 2002.
5. The date from which applicant may claim right is August 7, 2002.
6. One-fifth of the construction is to be completed on or before May 4, 2005.
7. All construction is to be completed on or before November 4, 2007.
8. Water is to be put to beneficial use on or before November 4, 2011.
9. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The wells approved under this Permit Nos. 6203-3 and 6350-3 will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The Town of Rosholt shall report to the Chief Engineer annually the amount of water withdrawn from the Fairmount Aquifer.


WATER MANAGEMENT BOARD

By: Garland Erbele

Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

DEC 02 2002

date



FORM 2: Application for uses other than irrigation
(type or print)

Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	No. <u>6350-3</u> (office use only)
	Hydrologic Unit <u>09020101</u>
	Basin <u>Red Rainy</u>
	Newspaper <u>Rosholt Review, Rosholt</u>

RECEIVED
AUG - 7 2002
WATER RIGHTS
PROGRAM

Application For Permit To Appropriate Water Within The State Of South Dakota

Check use(s) of water:

☒ Municipal	☐ Suburban Housing	☐ Recreational	☐ Institutional
☐ Rural Water System	☐ Commercial	☐ Fish & Wildlife	☐ Geothermal Heat
☐ Domestic (over 18 gpm)	☒ Industrial	☐ Other	

Type of Application: ☐ New ☐ Vested Right (Use predates Mar 2, 1955) ☐ Future Use Reservation
(check one) ☐ Place to Beneficial Use Water Reserved by Future Use Permit No. _____

☒ Amendment/Correction to Permit No. 6203-3

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

Increase pumping capacity from 360 gpm to 800 gpm

- Name of Applicant Town of Rosholt Phone 605-537-4275
(check one) ☐ Owner ☐ Tenant/lessee
Mailing Address P.O. Box 156, Rosholt States S. Dak. 57260
(Street, RR, or Box and City) (Zip Code)
- Amount of water claimed 0.98 cfs 13,333 *CFS or 800 **GPM (440 add'l) ***AF
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable
- Source of water supply Two Wells
- Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W)
two wells in SW1/4 Section 19-T128N-R48W
SW1/4 NW1/4 County Roberts
- County or counties where water will be used Roberts
- Annual period during which water is to be used January-----December
- Give a description of the project. When available include any preliminary engineering report or other reports or information that will help explain the project. (Attach sheet if more space is needed)

STATE OF SOUTH DAKOTA) SS
County of Roberts)

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, Cory A Peterson, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature Cory A. Peterson

Subscribed and sworn to before me this 5th day of August 20 02

My Commission Expires
November 15, 2007

Jan Houghtaling
Notary Public signature

RECEIPT

Water Rights Program

South Dakota Department of Environment and Natural Resources

NO 417269

Pierre, August 7, 20 02

RECEIVED OF Town of Rosholt, Rosholt, SD 57260
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>6350-3</u> to Appropriate Water, to construct and to put water to beneficial use _____	375	00
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>6350-3</u> _____	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for _____		


(Any Other Work Provided by Law)	Total	425 00

By Darland Erbe
Chief Engineer gm

No. 6203-3



Mark D. Rath 8-20-01



Mark D. Rath
SD DENR

REPORT ON WATER PERMIT APPLICATION NO. 6350-3
For the City of Rosholt
October 2, 2002

Application No. 6350-3 proposes to appropriate an additional 0.98 cfs (440 gpm) by increasing the diversion rate authorized by Water Right No. 6203-3. Water Right No. 6203-3 appropriates 0.80 cfs from two wells approximately 240 feet deep located in the SW ¼ NW ¼ of section 19, T128N R48W in Roberts County. This application increases the water appropriation from the two wells from 0.80 cfs (360 gpm) to 1.78 cfs (800 gpm).

AQUIFER – FAIRMOUNT (FMT)

The Fairmount aquifer underlies 177.8 square miles and contains an estimated 410,800 acre-feet of water in storage in Roberts County (Thompson, 2001). The aquifer is under artesian conditions with ground water basically moving from west to east in the aquifer. There is some very good production information available for the two recently completed city wells. Data for the LTP well (#1) indicates a drawdown of 53.01 feet after 48 hours of pumping at a rate of 305 gpm. This equates to a specific capacity of 5.7 gpm/ft of drawdown. The Wieber Drilling well (#2) was test pumped at 150 gpm with a drawdown of 63 feet. Both of these wells have been completed in accordance with SD Well Construction Standards.

The Water Rights Program does monitor an observation well RB-98A in this immediate area and completed into the Fairmount aquifer. This well was drilled by the SDGS during the county study drilling program for the city of Rosholt to help them determine a municipal well site. The Water Rights Program will continue to monitor water levels for this test well. A hydrograph for RB-98A is included with this report (Water Rights, 2002). The drawdown created by the pumping wells is significant. Since production increased significantly for the ethanol plant water levels have declined about 50 feet in the observation well. This effect appears to be leveling out and theoretically should, when recharge begins to approach the amount of water withdrawn from the aquifer at this site.


REVIEW OF EXISTING WATER RIGHTS/PERMITS

There are no other nearby water permits/rights which obtain water from the Fairmount aquifer in this area. The two city wells are only about 100 feet apart. Interference will occur between the wells. A measured drawdown of 39 feet at a distance of 30 feet from well #1 pumping at 305 gpm after two days was recorded during a production test. With increasing rates of withdrawals more drawdown can be expected. This is normal behavior for any artesian aquifer. Interference can be managed by the city and is not expected to be adverse.

CONCLUSIONS

1. Water is available from the Fairmount aquifer.

2. The aquifer is confined and under artesian conditions. Pumping at a greater rate will create additional drawdown. Interference will occur; however, this is not expected to be adverse. The city can control rates and timing of withdrawals to minimize potential impacts.
3. These wells have been constructed in accordance with SD Well Construction Standards.
4. Pumping has affected the water levels in the area. It may be necessary to lower pumps in the production wells or area domestic wells in order to maintain or increase pumping rates. The hydrograph for observation well RB-98A provides the documentation for the water level record.




James A Goodman
Natural Resources Engineer

BIBLIOGRAPHY

Water Rights, 2002, Unpublished Observation Well Data for Roberts County, SD DENR, DES, Water Rights Program, Pierre, SD, 57501.

**WATER RIGHTS' OBSERVATION WELL
RB-98A**





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6350-3, Town of Rosholt**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6350-3, Town of Rosholt, c/o Gary Peterson, PO Box 156, Rosholt SD 57260.

The Chief Engineer is recommending APPROVAL of Application No. 6350-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The wells approved under this Permit Nos. 6203-3 and 6350-3 will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The Town of Rosholt shall report to the Chief Engineer annually the amount of water withdrawn from the Fairmount Aquifer.

See report on application for additional information.

Garland Erbele, Chief Engineer
October 10, 2002

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
) SS
County of ROSHOLT)

I, CALVIN CEROLL

certify that the attached printed Notice was
taken

from the ROSHOLT REVIEW

printed and published in ROSHOLT, SD

County of ROBERTS and

state of South Dakota. The notice was published

in the newspaper on the following two dates:

OCTOBER 16, 2002

OCTOBER 23, 2002

Cost of Printing \$41.20

Calvin F. Ceroll
(Signature)

Owner
(Title)

10/23/2002
(Date Signed)

**NOTICE OF
APPLICATION
NO. 6350-3 to
Appropriate Water**

Notice is given that the Town of Rosholt, PO Box 156, Rosholt, SD 57260 has filed an application for a water permit to appropriate an additional 0.98 cubic feet of water per second (cfs) by increasing the diversion rate authorized by Water Right No. 6203-3. Water Right No. 6203-3 appropriates 0.80 cfs from two wells approximately 240 feet deep located in the SW 1/4 NW 1/4 Section 19-T128N-R48W. This permit increases the water appropriation from the two wells from 0.80 cfs (360 gallons per minute) to 1.78 cfs (800 gallons per minute). The water source for these wells is the Fairmount Aquifer.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6350-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a ben-

eficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by November 4, 2002.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

(October 16 & 23, 2002)

RECEIVED

OCT 25 2002

**WATER RIGHTS
PROGRAM**

Instruction to Newspaper - Publish first Notice on October 16, 2002 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 6350-3 to Appropriate Water

Notice is given that the Town of Rosholt, PO Box 156, Rosholt SD 57260 has filed an application for a water permit to appropriate an additional 0.98 cubic feet of water per second (cfs) by increasing the diversion rate authorized by Water Right No. 6203-3. Water Right No. 6203-3 appropriates 0.80 cfs from two wells approximately 240 feet deep located in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 19-T128N-R48W. This permit increases the water appropriation from the two wells from 0.80 cfs (360 gallons per minute) to 1.78 cfs (800 gallons per minute). The water source for these wells is the Fairmount Aquifer.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6350-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by November 4, 2002.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

October 10, 2002

Rosholt Review
PO Box 136
Rosholt SD 57260-0136

ATTENTION: Legal Public Notice

Enclosed is a Notice of Hearing on Application No. 6350-3 to Appropriate Water to be published twice. Please publish the first notice on October 16, 2002 with the second publication 7 days later.

The applicant must verify to you that the notice is to be published, before you make the first publication **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Town of Rosholt, % Gary A Peterson, PO Box 156, Rosholt, SD 57260 (Ph # 605-537-4275).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 6350-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of October 10, 2002 enclosing Notice of Hearing to Appropriate Water by Application No. 6350-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.**

October 10, 2002

Town of Rosholt
% Gary A Peterson
PO Box 156
Rosholt SD 57260

Dear Mr. Peterson:

Water Permit Application No. 6350-3 for municipal use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Rosholt Review printed at Rosholt, SD (Ph # 605-537-4276). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,


Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

DEC 02 2002

Town of Rosholt
% Jan Houghtaling, Finance Officer
PO Box 156
Rosholt SD 57260

Dear Ms. Houghtaling:

Enclosed is Water Permit No. 6350-3 authorizing construction of the town's water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

At the time of application, an application/license fee of \$425 was submitted. The correct fee for the amount of water requested is \$375. Therefore, the town will be receiving a refund check for \$50 within the next couple of weeks.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

PAYMENT REQUEST FORM

PAYEE: Town of Rosholt
% Jan Houghtaling, Finance Officer
PO Box 156
Rosholt SD 57260

FROM: Water Rights Program
523 E. Capitol
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Refund of \$50.00. Overpayment of application fee

AMOUNT: \$50.00

FUNDING SOURCE:

GENERAL: X

FEDERAL:

COMMENTS:

AUTHORIZATION: _____

Darland Erbe

DEC 02 2002

I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

Permit No. 6350-3 & WR 6203-3
Red River- Water District

Contact Person & Address: **Town of Rosholt, Justin Rikimoto, PO Box 156, Rosholt SD 57260**

Report of Examination of Works

On, **August 30, 2016**, I made a thorough examination of the water use system constructed by **Town of Rosholt** holder of Permit No. **6203-3**, bearing the priority of **October 22, 1997** authorizing the diversion of **0.33** cu. ft. per second and the priority of **April 12, 2000** authorizing the diversion of **0.47** cu. ft. per second and of Permit No. **6350-3**, bearing the priority of **November 4, 2002** authorizing the diversion of **0.98** cu. ft. per second of the waters of **groundwater (Fairmont Aquifer)** for **municipal** purposes, in **Roberts** County.

August 7

The system is in the following condition **good**. **Diversion point #1** is located **from the NW corner of Sec 19 T128N(R)-R48W; 2635 ft S and 100 ft E** with latitude of **45.85641** and a longitude of **-96.72977** and **Diversion point #2** is located **from the NW corner of Sec 19 T128N(R)-R48W; 2530 ft S and 100 ft E** with latitude of **45.85659** and a longitude of **-96.72976** as determined using **GPS**. The works are capable of diverting and conveying to the place of use **1.56** cu. ft. per second of water which is to be used for **municipal use**. Water has been put to beneficial use to the maximum extent and the license should be issued for **1.56** cfs.

Review of Permit Qualifications and Regulations:

- 1) Special qualifications to permit being abided by **yes**
- 2) All structures, wells and lands on map **yes**
- 3) Exceptions to compliance are: **none**

Report On the Specifics of the System

Diversion Point Information:

Well Information: #1

- 1) Well Drilling Firm: **LTP** 2) No. of Wells **1** 3) Depth(s) **234** feet 4) Well log is available **yes**

Casing:

- 1) Diameter **8** inches 2) Length **214** feet 3) Type **steel**

Screen:

- 1) Type **stainless steel** 2) Length **20** feet 3) Static water level **18** feet

Pump:

- 1) Make **Berkeley** 2) Model **submersible** 3) Size **NA** 4) Capacity **350** GPM

Motor:

- 1) Make **Franklin** 2) Model No. **submersible** 3) Horsepower rating **30** hp

Diversion Point Information:

Well Information: #2

1) Well Drilling Firm: Weiber 2) No. of Wells 1 3) Depth(s) 234 feet 4) Well log is available yes

Casing:

1) Diameter 8 inches 2) Length 214 feet 3) Type pvc

Screen:

1) Type manufactured 2) Length 20 feet 3) Static water level 22 feet

Pump:

1) Make Berkeley 2) Model submersible 3) Size NA 4) Capacity 350 GPM


Motor:

1) Make Franklin 2) Model No. submersible 3) Horsepower rating 30 hp

DISTRIBUTION LINES OR CANALS:

1) Type Municipal distribution system


Comments : none



Mark D. Rath
Natural Resources Engineer III
DENR, Water Rights Program

9-2-16

Date



Mark D Rath
Mark D Rath
Natural Resources Engineer
SD DENR - Water Rights
09-02-2016

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 6350-3

(1) The Town of Rosholt, PO Box 156, Rosholt SD 57260 made Application No. 6350-3, August 7, 2002 for a water permit to divert 0.98 cubic feet of water per second (cfs) from two existing wells - Fairmount Aquifer, Roberts County, South Dakota for municipal use purposes. Permit No. 6350-3, with a priority date of August 7, 2002 was approved November 4, 2002 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before November 4, 2007 and for the application to beneficial use of water on or before November 4, 2011.

Water Right No. 6203-3, with priority dates of October 22, 1997 and April 12, 2000 authorized 0.80 cfs from two wells. The applicable portions of No. 6203-3 are incorporated into No. 6350-3.

(2) The water supply system has been completed and water applied to beneficial use in accordance with South Dakota State Law. Pursuant to South Dakota Codified Law 46-5-30.1, the holder and/or owner of Incorporated Water Right No. 6350-3 is issued a license, bearing priority dates of October 22, 1997 (0.33 cfs), April 12, 2000 (0.47 cfs) and August 7, 2002 (0.76 cfs) to appropriate a total of 1.56 cubic feet of water per second from two wells - Fairmount Aquifer for municipal use purposes.


The diversion points (both within the former boundaries of the Sisseton Wahpeton Indian Reservation) are located:

Diversion point #1 - 2,635 feet S and 100 feet E from the NW corner of Section 19-T128N-R48W (SW 1/4 NW 1/4)

Diversion point #2 - 2,530 feet S and 100 feet E from the NW corner of Section 19-T128N-R48W (SW 1/4 NW 1/4)

(3) This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Permit No. 6350-3 including the following qualifications:

- The wells approved under this Permit Nos. 6203-3 and 6350-3 will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
- The Town of Rosholt shall report to the Chief Engineer annually the amount of water withdrawn from the Fairmount Aquifer. *Water use reports are submitted annually and on file with the Water Rights Program.*



Jeanne Goodman, Chief Engineer

Water Rights Program

Department of Environment and Natural Resources

SEP 12 2016

date



6350-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

SEP 12 2016

6350-3
6203-3

Melissa Krueger, Finance Officer
Town of Rosholt
PO Box 156
Rosholt SD 57260

Dear Ms. Krueger:

Enclosed is Water License No. 6350-3. This is the final water right document completing your process of obtaining a Water Right. Also, included with your license is a map prepared by the staff engineer who conducted the investigation.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 6350-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Jeanne Goodman, Chief Engineer
Water Rights Program
(605) 773-3352

Note: The applicable portions of No. 6203-3 are incorporated into Water License No. 6350-3.