

WATER PERMIT NO. 6398-3

Name of Applicant: Harvey Wollman

Address: 40004 184th St, Frankfort SD Phone: 605 266-2874

Amount of Water Claimed: 0.61 Total Acres: 43

Source of Water Supply: ~~groundwater~~ James River

Water to be used for: irrigation County: Spink

Type of Waste Disposal System:

Location: approximately 11 miles south of Frankfort


PRIORITY Date Received: 2-24-03 Application/License Fee: \$200

Corrected Application Received: Period of Annual Use: May 1 – September 30

Remarks: transferring irrigated acreage and point of diversion authorized by No. 2386-3 to other land and increasing the acres and diversion rate

Diversion Point: 1320' s of center Sec 34-T115N-
R62W

Land to be Irrigated: E ½ SE ¼, SW ¼ Sec 34-
T115N-R62W



Depth of Well: 120 feet deep

Well Driller: : Pullman Well Drilling

Remarks:

Type of Map: aerial

Prepared by: Eric Gronlund

Reviewed and the Number Assigned on: 2-28-2003

By: Karen Schlaak

FORM 2: Application for irrigation in South Dakota

(type or print)

RECEIVED

FEB 24 2003

WATER RIGHTS
PROGRAM

Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	No. <u>6398-3</u>	(office use only) Hydrologic Unit <u>10160006</u>
	Basin <u>James River</u>	
	Newspaper <u>Redfield Press</u> <u>Redfield</u>	

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. 2386-3
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

Transfer irrigation water right from Water Right No. 2386-3 for 89.1 acres and 1.28 cfs to the E 1/2 SE 1/4 Section 33 and the W 1/2 SW 1/4 of Section 34, T115N, R62W. Apply for additional acres and div. rate

- Name of Applicant Harvey Wollman Phone 266-2874
(check one) ☒ Owner ☐ Tenant/lessee
Mailing Address 40004 184th St, Frankfort State SD 57440
(Street, RR, or Box and City) (Zip Code)
- Amount of water claimed 0.610 *CFS or **GPM ***AF Total Acreage 43 add 1
(*Cubic Feet per Second) (**Gallons per Minute) (***Acre Feet - storage capacity of dam/dugout or annual use if applicable)
- Source of water supply James River
- Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) County Spink
approximately 1320 feet south of the center of Section 34, T115N, R62W
- County or counties where water will be used Spink
- Annual period during which water is to be used same as WR No. 2386-3 March 1 - September 30
- List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
NE 1/4 SE 1/4 Sec. 33, T115N, R62W	26 32	NE 1/4 SW 1/4 Sec 34	4
SE 1/4 SE 1/4 Sec. 33	27 32	SE 1/4 SW 1/4 Sec 34	4
NW 1/4 SW 1/4 <u>Sec 34</u>	35 32		
SW 1/4 SW 1/4 <u>Sec 34</u>	36 32		

- Give a description of the project. (Attach sheet if more space is needed)

Transfer acreage from Water Right No. 2386-3 which is James River bottomland approximately 1/2 mile west to accommodate pivot irrigation. The soil is more suitable for irrigation and not as prone to flooding. The transfer would retain the priority date for the transferred acres and new for additional 0.61 cfs diversion rate and 43 acres


STATE OF SOUTH DAKOTA)

SS

County of Hughes

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, Harvey Wollman, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature Harvey WollmanSubscribed and sworn to before me this 24th day of February 20 03Karen Schlaak

Notary Public signature

My commission expires 4/01/07

SOUTH DAKOTA

WATER PERMIT NO. 6398-3 FOR IRRIGATION

Date of first receipt of application February 24, 2003.

The Water Management Board approved Water Permit No. 6398-3 on May 7, 2003 for Harvey Wollman, 40004 184th St. Frankfort SD 57440 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6398-3 appropriates an additional 0.61 cubic feet of water per second and irrigates 43 additional acres to what is currently authorized by Water Right No. 2386-3. Water Right No. 2386-3 appropriates 1.28 cfs from the James River to irrigate 89 acres located in portion of the W $\frac{1}{2}$ SE $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ Section 34-T115N-R62W. This permit authorizes moving the location of the 89 acres approximately $\frac{1}{2}$ mile west and irrigation of 43 additional acres to accommodate operation of a center pivot located in portions of the E $\frac{1}{2}$ SE $\frac{1}{4}$ Section 33 and the SW $\frac{1}{4}$ Section 34; all in T115N-R62W. The James River diversion point will be located approximately 1320 feet south of the center of Section 34-T115N-R62W. Water Right No. 2386-3 and Water Permit No. 6398-3, combined authorize a total diversion rate of 1.89 cfs from the James River for irrigation of 132 acres.

Approval of this permit also serves to expand the irrigation season for Water Right No. 2386-3 from June 1 through August 10 to March 1 through September 30.

2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: March 1 – September 30.
3. The date from which applicant may claim right is February 24, 2003.
4. One-fifth of the construction is to be completed on or before November 7, 2005.
5. All construction is to be completed on or before May 7, 2008.
6. Water is to be put to beneficial use on or before May 7, 2012.
7. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. This qualification applies to the 43 acres and corresponding 0.61 cfs diversion rate authorized by Water Permit No. 6398-3. Diversion of water from the James River shall be in accordance with the following criteria:
 - When pumping from the James River, low flows as needed for downstream domestic use, including livestock water and prior water rights must be by-passed.
 - From March 1 to March 31, diversions from the James River are authorized only when the flow at the Huron SD Third Street Dam is at least 29 cfs while pumping under this permit.
 - From April 1 to June 30, diversions from the James River are authorized only when the flow at the Huron SD Third Street Dam is at least 63 cfs while pumping under this permit.
 - From July 1 – September 1, diversions from the James River are not authorized unless by written orders issued by the Chief Engineer.

(continued)

- Diversions under this permit shall be in accordance with any written orders issued by the Chief Engineer.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele
Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUN 13 2003

date



Gronlund, Eric

From: Harvey & Anne Wollman [harvann@sbtc.net]
Sent: Monday, March 03, 2003 8:32 PM
To: Eric.Gronlund@state.sd.us
Subject: Re: Water Permit Application

Eric, Thanks for the message. Without running around with a tape measure I think this is about the best we can do for accuracy at this point. I concur with your descriptions and we will be within a few feet of the site in any event. Best Wishes, Harvey Wollman

----- Original Message -----

From: Eric.Gronlund@state.sd.us
To: harvann@sbtc.net
Sent: Monday, March 03, 2003 4:53 PM
Subject: Water Permit Application

Mr. Wollman:

We received the application filing fees for the two applications you filed. In reviewing the James River application I thought that some adjustment in the describe location of the irrigated needed to be made. If you recall this is for the transfer and additional acres in Sec. 33 & 34 for irrigation from the James River. The application as you filed it equally divides the 132 acres to be irrigated by the center pivot between the E 1/2 SE 1/4 of Sec. 33 and the W 1/2 SW 1/4 of Section 34. I mentioned it at the time we completed the application and upon closer look it looks like that pivot will be skewed to east in Sec. 34. Therefore, I want to correctly identify the acres and calculated the acres to be irrigated in each parcel. The total acres irrigated does not change.

My calculations for acreage in each quarter-quarter are:

NE 1/4 SE 1/4 Sec. 33 - 26 acres
SE 1/4 SE 1/4 Sec. 33 - 27 acres
NW 1/4 SW 1/4 Sec. 34 - 35 acres
NE 1/4 SW 1/4 Sec. 34 - 4 acres
SW 1/4 SW 1/4 Sec. 34 - 36 acres
SE 1/4 SW 1/4 Sec. 34 - 4 acres
TOTAL - 132 acres

Do you concur with making this change to the application? I want to make sure we include that a small portion of the E 1/2 SW 1/4 of Sec. 34 may be irrigated in the publication notice. Once I hear back from you I'll hand the applications out for a staff report to be prepared.

Eric Gronlund
Water Rights Program, DENR
773-3352

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date February 26, 20 03

RECEIVED OF Harvey Wollman, 40004 184th st., Frankfort SD 57440

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>63472-3</u> to Appropriate Water, to construct and to put water to beneficial use	150	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>63472-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	200.00

No. 000067

By Darlene Elbe
Chief Engineer gm

Gronlund, Eric

From: Harvey & Anne Wollman [harvann@sbtc.net]
Sent: Sunday, March 30, 2003 7:34 AM
To: Eric.Gronlund@state.sd.us
Subject: Re: water permit application from James River

Eric, Thanks for catching the effective date on the water application. By all means I think we should expand the date to whatever the maximum times would be. The river actually went up a couple of feet in recent days, I'm not sure why as there has been zero run off and is as you know extremely dry in the greater James Valley area. Thanks again for your help and attention to this. Harvey

----- Original Message -----

From: Eric.Gronlund@state.sd.us
To: harvann@sbtc.net
Sent: Friday, March 28, 2003 9:29 AM
Subject: water permit application from James River


Mr. Wollman:

I received the staff report back on your application from the James River. Before we go out for public notice I wanted to bring one issue to your attention. On the application you stated the annual period of water use to be the same as your existing water right (No. 2386-3). The annual period listed is June 1st to August 10th. This provides a fairly narrow window for irrigation, especially when you consider that a standard qualification for all James River water rights above Huron does not allow diversion of water after June 30th unless written orders are issued by the Chief Engineer. If there is any possibility you may want to irrigate prior to June 1st? If so, we can expand the annual period of water use on this pending application.

Eric Gronlund
Water Rights Program, DENR
(605) 773-3352

3/31/2003

Water Permit Application filed by Harvey Wollman to Change Location of Irrigated Acreage
and Request Additional Acreage and Diversion Rate to Accommodate Center Pivot Irrigation



Center pivot to be located in portions of the SE 1/4 Section 33 and the SW 1/4 Section 34; all in T115N, R62W.
Location based on representation provided by Mr. Wollman.




Eric Gronlund

Eric Gronlund
Water Rights Program, DENR
February 24, 2003

6398-3

2000 MAP NOT TO SCALE 4630
THIS IS NOT AN OFFICIAL WETLAND MAP.



WATER PERMIT APPLICATION No. 6398-3

**Harvey Wollman
40004 184th Street
Frankfort, SD 57440
(605)266-2874**

Water Permit Application No. 6398-3, Harvey Wollman, proposes to appropriate 0.61 cubic feet per second (cfs) of James River water to irrigate 43 acres additional to those currently authorized by Water Right No. 2386-3. Also, the applicant proposes to separate and transfer all of the land and the corresponding water diversion authorized by Water Right No. 2386-3 to other land for more efficient irrigation using a center pivot system. Annual period of use requested is from March 1 to September 30.

Review of Proposed Project

Water Right No. 2386-3, priority date 9/24/1975, authorizes the diversion of 1.28 cubic feet per second (cfs) of James River water for gravity irrigation of 89.1-acres in portions of Section 34 T115N R62W. The present diversion from the James River is from points between the SE $\frac{1}{4}$ NW $\frac{1}{4}$ and the NW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 34 T115N R62W. (Attachment 1)

The applicant proposes to transfer Water Right No. 2386-3 land to portions of Sections 33 and 34 T115N R62W. The new diversion point from the James River will be in the SE $\frac{1}{4}$ Section 34 T115N R62W. The 89.1-acres and 1.28-cfs water diversion will be co-joined with the 43-acres and related 0.61-cfs water diversion from this application (Attachment 1). The combined 132.1-acres will be center pivot irrigated at the collective diversion rate of 1.89-cfs. The applicant proposes the change for the following reasons:

- Center pivot irrigation is more efficient,
- Soil at the proposed location is more suitable for irrigation, and
- New location is not as prone to flooding as the present location.

Water Source and Existing Water Rights

The water source for the proposed project is the James River in Spink County, SD. Originating in North Dakota, the James River flows southward to the Missouri River near Yankton, SD. Approximately 475 miles of the James River are within South Dakota. During extended periods of low precipitation the James River experiences extremely low flows and cannot be considered a reliable source of water. (Attachment 2)


U.S. Geological Survey (USGS) historical data from 1945 to 2001 for the Ashton, SD stream flow gage approximately 25-miles upstream of the proposed project indicates there is a 50-percent probability monthly median flows could range from 21 to 421-cfs or greater for any given March 1 to September 30 annual period. There is a 75-percent probability monthly median flows at this same location could be in the 1 to 83-cfs range or greater for the same period. (Table 1 and Hydrograph 1)

Table 1. James River Monthly Median Flow (cfs) Ashton, SD

Percentile	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
10	0	0	0	15	12	8	0	0	0	0	0	0
25	0	0	1	64	83	63	31	10	0	0	0	0
50	3	2	21	259	421	243	177	77	12	4	7	14
75	28	15	89	825	1011	691	609	479	157	150	146	70
90	98	66	300	1580	1815	1448	1173	1110	828	495	487	258

Hydrograph 1

James River
Ashton, SD
1945-2001




USGS historical data from 1943 to 2001 for the Huron, SD stream flow gage approximately 30-miles downstream of the proposed project indicates there is a 50-percent probability monthly median flows could range from 75 to 519-cfs or greater for any given March 1 to September 30 annual period. There is a 75-percent probability monthly median flows at this same location could be in the 5 to 87-cfs range or greater for the same period. (Table 2 and Hydrograph 2)

Table 2. James River Monthly Median Flow (cfs) Huron, SD

Percentile	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
10	0	0	1	20	17	9	0	0	0	0	0	0
25	0	0	14	67	87	76	47	5	0	0	0	0
50	16	15	75	472	519	339	173	83	25	11	20	23
75	45	39	483	1194	1140	906	665	453	174	118	133	82
90	112	89	1074	2828	2744	1901	1432	1269	697	513	451	240

Hydrograph 2

James River
Huron, SD
1943-2001



USGS historical data for the Ashton and Huron, SD stream flow gages indicate non-appropriated water is available in the James River during normal and greater stream flow conditions for the April through July annual period. During late summer and early fall months, the James River cannot be considered a reliable source of water. This application's diversion of water should not

adversely impact present Water Rights or domestic water use on the James River during normal and greater stream flow conditions during the April through July annual period.

In 1965 the SD Water Rights Commission, a predecessor to the SD Water Management Board, placed a 300-cfs diversion limit on the James River with a maximum combined diversion limit of 200-cfs from Huron, SD to the North Dakota border. Due to Missouri River backwater into the James River, the 300-cfs restriction has been applied from the North Dakota border to the Yankton-Hutchinson County Line. Presently there are 91 Water Rights with diversions totaling 266.31-cfs from the North Dakota border to the Yankton-Hutchinson, SD County Line. From the North Dakota border to Huron, SD there are 58 Water Rights with diversions totaling 162-cfs. (Attachment 2) These figures are for actual diversions from the river and do not include water storage rights, SD Game, Fish and Parks rights, or U.S. Fish and Wildlife Service rights. Water Permit Application No 6400-3, Oscar, Inc., also proposes to appropriate 6.86-cfs from the James River North Dakota to Huron, SD reach. If this application and Water Permit Application No 6400-3 are approved, diversions from both the total river and the Huron, SD to North Dakota river reach would still be below the established limits.

There have been a number of Water Rights issued on the James River for the reach from Huron, SD to the North Dakota state line with similar flow bypass qualifications such as:

- No. 5027-3, Lake Byron Watershed District priority date 6/14/84: April 1-June 30, 60-cfs or more bypassed after diversions for domestic use or prior Water Rights. Diversions not authorized after June 30 unless by written orders issued by the Chief Engineer.
- No. 5667-3, City of Huron priority date 5/4/92: April 1-June 30, 54-cfs or more are being bypassed. June 30-September diversions not authorized unless by written orders issued by the Chief Engineer. October 1-March 31, 20-cfs or more bypassed as measured at Huron Third Street Dam.
- No. 5737-3, Spink Hutterian Brethren, Inc. priority date 12/17/92: March 1-March 31 flow at Huron Third Street Dam at least 20-cfs while pumping. April 1- June 30 flow at Third Street Dam exceeds 63-cfs while pumping. June 30-November 30 diversions not authorized unless by written orders issued by the Chief Engineer.
- No. 5792-3, Glendale Colony priority date 11/24/93: March 1-March 31 flow at Huron Third Street Dam at 29-cfs while pumping. April 1-June 30 flow at Third Street Dam exceeds 63-cfs while pumping. June 30-November 30 diversions not authorized unless by written orders from the Chief Engineer.
- Nos. 6182-3 & 6183-3 Oscar Inc. priority date 2/22/2000: March 1-March 31 diversions authorized only when flow at Huron Third Street Dam exceeds 29-cfs while pumping. April 1-June 30 diversions authorized only when flow at Huron Third Street Dam exceeds 63-cfs while pumping. June 30-November 30 diversions not authorized unless by written orders from the Chief Engineer. Diversions shall be in accordance with any written orders issued by the Chief Engineer.

- No. 6375-3, Bixler Farms, priority date 01/02/2003. May 1–June 30 diversions authorized only when flow at Huron Third Street dam exceeds 63-cfs while pumping. July 1–October 1 diversions not authorized unless by written orders from the Chief Engineer. Diversions shall be in accordance with any written orders issued by the Chief Engineer.

Application No. 6398-3 should have similar bypass qualifications for the irrigated 43 acres and related 0.61-cfs diversion rate as noted below in order to protect senior James River Water Rights.

- Low flows as needed for downstream domestic use; including livestock water and prior Water Rights must be bypassed.
- From March 1 to March 31, diversions from the James River are authorized only when the flow at the Huron, SD Third Street Dam is at least 29-cfs while pumping under this permit.
- From April 1 to June 30, diversions from the James River are authorized only when the flow at the Huron, SD Third Street Dam exceeds 63-cfs while pumping under this permit.
- From June 30 to November 30, diversions from the James River are not authorized unless by written orders issued by the Chief Engineer.
- Diversions under this permit shall be in accordance with any written orders issued by the Chief Engineer.

The 89.1 acres and related 1.28-cfs diversion rate for Water Right 2386-3 should retain the following original qualifications:

- Division of water from the James River after August 10th of each calendar year, or at any time when the river flow is obviously low are not authorized unless written orders have been so issued by the Water Management Board or its legally appointed representative.
- Diversions under this right shall be in accordance with any written orders by the Chief Engineer.
- This right does not authorize diversions when water is not bypassing the James River Day north of Huron or when less than 20-cfs of water is bypassing the Third Street Dam in Huron.

Because the number and location of James River Water Rights change, the Water Management Board at some time in the future may want to review bypass qualifications for all James River Water Rights. These qualifications may need to be adjusted to reflect the most current status of diversions from the river.

Conclusions

1. Water Permit Application No. 6398-3, Harvey Wollman, proposes to appropriate 0.61 cubic feet per second (cfs) of James River water to irrigate 43 acres additional to that currently authorized by Water Right No. 2386-3. Also, the applicant proposes to separate and transfer all of the land and the corresponding water diversion authorized for irrigation by Water Right No. 2386-3 to other land for more efficient irrigation using a center pivot system.
2. If for any reason it should become impracticable to use all or any part of the water beneficially or economically for irrigation of any land to which the right of its use is appurtenant, South Dakota Codified Law (SDCL) 46-5-34 allows that all or any part of the right may be severed from the land and simultaneously transferred and become appurtenant to other land without losing priority of right previously established, subject to existing rights, upon approval of an application for an amended permit. No increase in total acres irrigated may be allowed.
3. The priority date of 9/24/1975 should be retained for the 89.1 irrigated acres and associated diversion rate of 1.28-cfs.
4. The applicant proposes this change because:
 - Center pivot irrigation is more efficient,
 - Soil at the proposed location is more suitable for irrigation,
 - New location is not as prone to flooding as the present location.
5. USGS historical data for the Ashton and Huron, SD stream flow gages indicate non-appropriated water is available in the James River during normal and greater stream flow conditions for the April through July annual period. During late summer and early fall months, the James River cannot be considered a reliable source of water. This application's diversion of water should not adversely impact present Water Rights or domestic water use on the James River during normal and greater stream flow conditions during the April through July annual period.
6. If this application is approved, the total river and the reach from Huron, SD to North Dakota state line diversion rates from the James River would still be within the limits set by the Water Rights Commission.
7. During extended periods of diminished precipitation, James River Water Rights could be subject to Shutoff Orders by the Chief Engineer.
8. If this application is approved, the following qualifications should be included for the 43 acres and related 0.61-cfs diversion to protect senior Water Rights:
 - Low flows as needed for downstream domestic use; including livestock water and prior Water Rights must be bypassed.

- From March 1 to March 31, diversions from the James River are authorized only when the flow at the Huron, SD Third Street Dam is at least 29-cfs while pumping under this permit.
- From April 1 to June 30, diversions from the James River are authorized only when the flow at the Huron, SD Third Street Dam exceeds 63-cfs while pumping under this permit.
- From June 30 to November 30, diversions from the James River are not authorized unless by written orders issued by the Chief Engineer.
- Diversions under this permit shall be in accordance with any written orders issued by the Chief Engineer.


The 89.1 acres and related 1.28-cfs diversion rate for Water Right 2386-3 should retain the following original qualifications:

- Division of water from the James River after August 10th of each calendar year, or at any time when the river flow is obviously low are not authorized unless written orders have been so issued by the Water Management Board or its legally appointed representative.
- Diversions under this right shall be in accordance with any written orders by the Chief Engineer.
- This right does not authorize diversions when water is not bypassing the James River Dam north of Huron or when less than 20-cfs of water is bypassing the Third Street Dam in Huron.



Donald E. Stroup
Natural Resources Project Engineer
DENR Water Rights Program

Reviewed by:



Mark D. Rath
Natural Resources Engineering Specialist
DENR Water Rights Program

References

South Dakota Department of Environment and Natural Resources, Water Rights Program Records

USGS National NWISWeb Water Information System, Historical Stream Flow for South Dakota



Donald E. Stroup

Donald E. Stroup
Natural Resources Project Engineer
DNR Water Rights Program

6398-3
Harvey Wollman
40004 184th Street
Frankfort, SD 57440
(605)266-2874



T115N R62W

1254

1288

Boundary of
2386-3 Acres

6398-3 Center
Pivot Irrigated Acres

1281

1281

1275

1285


132.1 Acres

1254

89.1 Acres

Old Diversion
Points' Reach

New Diversion
Point



Flowing
Well

Attachment 1

James River

ND-SD Border

ND-SD State Line to Yankton Co. Line
91 Water Rights 266.31 cfs

ND-SD to Huron
58 Water Rights 162 cfs

Huron

Yankon Co.

Brown

11 Water Rights
16.78 cfs

Spink

22 Water Rights
82.79 cfs

Beadle

Huron

31 Water Rights
70.49 cfs

Sanborn

4 Water Rights
6.16 cfs

Mitchell

13 Water Rights
51.76 cfs

Davison

Hanson

10 Water Rights
22.67 cfs

Hutchinson

13 Water Rights
15.66 cfs

Yankton

12 Water Rights
22.21 cfs

Yankton

0 10 20 Miles

- City
- Project Location
- Water Right

Attachment 2



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6398-3. Harvey Wollman**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6398-3, Harvey Wollman, 40004 184th Street, Frankfort SD 57440.

The Chief Engineer is recommending APPROVAL of Application No. 6398-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. This qualification applies to the 43 acres and corresponding 0.61 cfs diversion rate authorized by Water Permit No. 6398-3. Diversion of water from the James River shall be in accordance with the following criteria:
 - When pumping from the James River, low flows as needed for downstream domestic use, including livestock water and prior water rights must be by-passed.
 - From March 1 to March 31, diversions from the James River are authorized only when the flow at the Huron SD Third Street Dam is at least 29 cfs while pumping under this permit.
 - From April 1 to June 30, diversions from the James River are authorized only when the flow at the Huron SD Third Street Dam is at least 63 cfs while pumping under this permit.
 - From July 1 – September 1, diversions from the James River are not authorized unless by written orders issued by the Chief Engineer.
 - Diversions under this permit shall be in accordance with any written orders issued by the Chief Engineer.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
April 1, 2003

Notice of Hearing

No. 165 NOTICE OF HEARING ON WATER PERMIT APPLICATION NOS. 2729A- 3 to Amend Water Right No. 2729-3 and 6398-3 to Appropriate Water

Notice is given that Harvey Wollman, 40004 184th St, Frankfort SD 57440 has filed the following applications for a water permit.

Application No. 2729A-3 proposes to amend Water Right No. 2729-3 by transferring the irrigated acres and point of diversion to other land. Water Right No. 2729-3 held by LeRoy Gross appropriates 1.11 cubic feet of water per second (cfs) from one well located in the approximate center of SE 1/4 Section 2 to irrigate 120 acres located in the SE 1/4 Section 2; all in T114N-R62W. This application proposes to move the location of the 120 acres to land owned by Harvey Wollman approximately 1/2 mile northeast with the well to be located 500 feet west of the center of the NW 1/4 Section 1 to irrigate 120 acres located in the NW 1/4 Section 1; all in T114N-R62W. The water source for this irrigation system in the Tulare:East James Aquifer and no increase in the diversion rate or number of acres irrigated is authorized by this application.

State Law (SDCL 46-5-34) allows an irrigation water right to be severed from a parcel of land and simultaneously transferred to another parcel if it is impractical to use all or any part of the water beneficially or economically for irrigation on the current land. Mr. Wollman and Mr. Gross indicate the existing tow lines are no longer economically feasible. In addition, tree belts prohibit use of a center pivot and removal would not be environmentally friendly.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 2729A-3 pending a favorable finding by the Board as to the validity of Water Right No. 2729-3 because 1) the proposed diversion can be developed without unlawful impairment of existing rights, 2) the proposed use is a beneficial use and 3) it is in the public interest.

Application No. 6398-3 proposes to appropriate an additional 0.61 cfs and to irrigate 43 additional acres to what is currently authorized by Water Right No. 2386-3. Water Right No. 2386-3 appropriates 1.28 cfs from the James River to irrigate 89 acres located in portion of the W 1/2 SE 1/4, E 1/2 SW 1/4, NW 1/4 Section 34-T115N-R62W. This application proposes to move the location of the 89 acres approximately 1/2 mile west and irrigate 43 additional acres to accommodate operation of a center pivot located in portions of the E 1/2 SE 1/4 Section 33 and the SW 1/4 Section 34; all in T115-R62W. The James River diversion point will be located approximately 1320 feet south of the center of Section 34-T115N-R62W. This application, if approved, will authorize a total diversion rate of 1.89 cfs from the James River for irrigation of 132 acres. This notice also serves to expand the irrigation season for Water Right No. 2386-3 from June 1 through August 10 to March 1 through September 30.

State Law (SDCL 46-5-34) allows an irrigation water right to be severed from a parcel of land and simultaneously transferred to another parcel if it is impractical to use all or any part of the water beneficially or economically for irrigation on the current land. Mr. Wollman indicates the soils are more suitable for irrigation and less prone to flooding.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6398-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest.

Any person interested in opposing or supporting these applications must file a written petition with BOTH the

applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendations. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by April 28, 2003. The petition may be informal, but must include a statement describing the petitioner's interest in the applications, the petitioner's reasons for opposing or supporting the applications, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

The Water Management Board will consider these applications at 10 A.M. May 7, 2003 in the Matthew Training Center, Foss Building, 523 E Capitol Ave., Pierre SD. The Chief Engineer's recommendations are not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny these applications based on the facts presented at the public hearing. The May 7, 2003 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the applications. The request for an automatic delay must be filed by April 28, 2003.

Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact Eric Gronlund by April 28, 2003, at the above Water Rights Program address to request copies of information pertaining to these applications, to assure access to the hearing by the handicapped or to obtain an interpreter for the hearing impaired.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12, thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15, 46-2A-20, 46-2A-21; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31, 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, 46-6-26 and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

Steven M. Priner, Secretary
Department of Environment and
Natural Resources
(April 9, 16)


Affidavit of Publication

STATE OF SOUTH DAKOTA,
County of Spink: ss.

I, Mark E. Davis, of said County & State, being first duly sworn on oath, say that THE REDFIELD PRESS is a legal weekly newspaper as defined in Sec. 65.0508 South Dakota Code 1939, as amended by Chapter 298 of the Session of Laws of 1939, printed and published in the English language in the City of Redfield, in said County and State, by THE REDFIELD PRESS, and has been such newspaper during the time hereinafter mentioned, and that I Mark E. Davis, the undersigned, am Publisher of said newspaper in charge of the advertising department thereof, and have personal knowledge of all the facts stated in this affidavit, and that the legal or official notice entitled:

#165 Notice of Hearing

A printed copy of which is hereto attached, was printed and published in said newspaper in 2 successive issues, to wit: The first publication being made on April 9, 2003 and the last publication being made on April 16, 2003 that the full amount of the fee charged for publishing the same to-wit: the sum of Sixty-nine and 90/100 Dollars, insures to the benefit of the publisher of THE REDFIELD PRESS, that no agreement or understanding for the division thereof has been made with any other person, and that no part thereof has been agreed to be paid to any person whomsoever.



Subscribed and sworn to before me this 16th day
of April, 2003.


Notary Public, South Dakota

My term expires 08/16/08



RECEIVED
APR 17 2003
WATER RIGHTS
PROGRAM

Instruction to Newspaper - Publish first Notice on April 8, 2003 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING ON WATER PERMIT APPLICATION
NOS. 2729A-3 to Amend Water Right No. 2729-3 and 6398-3 to Appropriate Water

Notice is given that Harvey Wollman, 40004 184th St, Frankfort SD 57440 has filed the following applications for a water permit.

Application No. 2729A-3 proposes to amend Water Right No. 2729-3 by transferring the irrigated acres and point of diversion to other land. Water Right No. 2729-3 held by LeRoy Gross appropriates 1.11 cubic feet of water per second (cfs) from one well located in the approximate center of SE ¼ Section 2 to irrigate 120 acres located in the SE ¼ Section 2; all in T114N-R62W. This application proposes to move the location of the 120 acres to land owned by Harvey Wollman approximately ½ mile northeast with the well to be located 500 feet west of the center of the NW ¼ Section 1 to irrigate 120 acres located in the NW ¼ Section 1; all in T114N-R62W. The water source for this irrigation system is the Tulare:East James Aquifer and no increase in the diversion rate or number of acres irrigated is authorized by this application.

State Law (SDCL 46-5-34) allows an irrigation water right to be severed from a parcel of land and simultaneously transferred to another parcel if it is impractical to use all or any part of the water beneficially or economically for irrigation on the current land. Mr. Wollman and Mr. Gross indicate the existing tow lines are no longer economically feasible. In addition, tree belts prohibit use of a center pivot and removal would not be environmentally friendly.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 2729A-3 pending a favorable finding by the Board as to the validity of Water Right No. 2729-3 because 1) the proposed diversion can be developed without unlawful impairment of existing rights, 2) the proposed use is a beneficial use and 3) it is in the public interest.

Application No. 6398-3 proposes to appropriate an additional 0.61 cfs and to irrigate 43 additional acres to what is currently authorized by Water Right No. 2386-3. Water Right No. 2386-3 appropriates 1.28 cfs from the James River to irrigate 89 acres located in portion of the W ½ SE ¼, E ½ SW ¼, NW ¼ Section 34-T115N-R62W. This application proposes to move the location of the 89 acres approximately ½ mile west and irrigate 43 additional acres to accommodate operation of a center pivot located in portions of the E ½ SE ¼ Section 33 and the SW ¼ Section 34; all in T115N-R62W. The James River diversion point will be located approximately 1320 feet south of the center of Section 34-T115N-R62W. This application, if approved, will authorize a total diversion rate of 1.89 cfs from the James River for irrigation of 132 acres. This notice also serves to expand the irrigation season for Water Right No. 2386-3 from June 1 through August 10 to March 1 through September 30.

State Law (SDCL 46-5-34) allows an irrigation water right to be severed from a parcel of land and simultaneously transferred to another parcel if it is impractical to use all or any part of the water beneficially or economically for irrigation on the current land. Mr. Wollman indicates the soils are more suitable for irrigation and less prone to flooding.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6398-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest.

(continued)

Any person interested in opposing or supporting these applications must file a written petition with BOTH the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendations. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by April 28, 2003. The petition may be informal, but must include a statement describing the petitioner's interest in the applications, the petitioner's reasons for opposing or supporting the applications, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

The Water Management Board will consider these applications at 10 A.M. May 7, 2003 in the Matthew Training Center, Foss Building, 523 E. Capitol Ave., Pierre SD. The Chief Engineer's recommendations are not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny these applications based on the facts presented at the public hearing. The May 7, 2003 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the applications. The request for an automatic delay must be filed by April 28, 2003.

Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact Eric Gronlund by April 28, 2003, at the above Water Rights Program address to request copies of information pertaining to these applications, to assure access to the hearing by the handicapped or to obtain an interpreter for the hearing impaired.

These applications are made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15, 46-2A-20, 46-2A-21; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, 46-6-26 and Board Rules ARSD 74:02:01:01 thru 74:02:01:15. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

April 3, 2003

Redfield Press
PO Box 440
Redfield SD 57469-0440

ATTENTION: Legal Public Notice

Enclosed is a Notice of Hearing on Application Nos. 2729A-3 and 6398-3 to Appropriate Water to be published twice. Please publish the first notice on April 8, 2003 with the second publication 7 days later.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Harvey Wollman, 40004 184th St., Frankfort SD 57440 (Ph # 605- 266-2874).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,

Eric Gronlund
Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

CUT HERE

No. 2729A-3 & 6398-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of April 3, 2003 enclosing Notice of Hearing to Appropriate Water by Application No. 2729A-3 & 6398-3 which was first published in our issue of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name _____

Newspaper _____



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.**

April 3, 2003

Harvey Wollman
40004 184th St
Frankfort SD 57440

Dear Mr. Wollman:

Water Permit Application Nos. 2729A-3 & 6398-3 for irrigation use have been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Redfield Press printed at Redfield, SD (Ph # 605-472-0822). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendations of the Chief Engineer and a report on the applications are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendations, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the applications.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

April 7, 2003

Leslie Petersen
SD Game, Fish and Parks
523 E. Capitol Avenue
Pierre SD 57501

Dear Leslie:

Please find the reports, recommendations and public notices on three water permit applications from surface water. These applications are being public noticed for the May 7th Board meeting. Petitions to intervene are to be submitted by April 28th if Game, Fish and Park desires to participate in the hearing.

Feel free to contact the staff person who prepared the report or myself if you have any questions.

Sincerely,

Eric Gronlund
Water Rights Program, DENR
(605) 773-3352

enclosures



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

JUN 13 2003

Harvey Wollman
40004 184th St.
Frankfort SD 57440

Dear Mr. Wollman:

Enclosed are Water Permit Nos. 6398-3 and 2729A-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permits.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

File No. 1504A-3

2729A-3

6398-3

WATER RIGHTS PROGRAM -- FILE DOCUMENTATION

NAME & ADDRESS: Harvey Wollman, 40004 184th St, Frankfort SD 57440

DATE: November 2, 2005

TELEPHONE:

RE: status of development

COMMENTS:

Mr. Wollman called in regard to the five 2005 irrigation questionnaires he received and wanted to clarify that he only had three systems.

I explained to him that once he was completed with construction, a staff member would be out to take a look at the systems and water licenses would be issued. The licenses most likely will incorporate older numbers and in the end he will have three questionnaires as opposed to five each year to fill out.

He indicated that construction of his irrigation systems was complete and he was ready for inspection.



Genny McMath
Environmental Scientist



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

July 7, 2006

**JAMES RIVER WATER RIGHT QUALIFICATION REMINDER
WATER RIGHT NO(s). 6398-3**

To: HARVEY WOLLMAN
40004 184TH ST
FRANKFORT SD 57440

From: Garland Erbele, Chief Engineer
Water Rights Program, DENR
(605) 773-3352

Subject: James River Qualification Reminder for Permit No(s) 6398-3

Qualifications on your water right indicate that you are not authorized to divert James River water after June 30th. Please, consider this a reminder and cease diversion if you have not already done so. You may resume diversion on the date stated in the qualifications on your water right.

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

April 11, 2007

TO: All James River Water Right Holders

FROM: Garland Erbele, Chief Engineer
Water Rights Program, DENR *Garland Erbele*

SUBJECT: Proposed Amendment to Conditions on James River Water Rights

As Chief Engineer of the Water Rights Program, I am proposing amending conditions placed on many James River water rights in order to provide consistency for the period when pumping is authorized from the river. Please find enclosed the Chief Engineer's recommendation and a notice being published in newspapers along the James River in South Dakota. The notice schedules a May 9th hearing before the Water Management Board regarding the amendment.

Water Rights on the James River contain a variety of shutoff dates and by-pass flow qualifications. To facilitate the administration of James River water rights, the Chief Engineer is recommending that the Water Management Board amend water rights to provide a standard August 10th shut-off date and bypass conditions relative to USGS gaging stations. Real time flows can easily be accessed via USGS's website at <http://waterdata.usgs.gov/sd/nwis/>. The proposed amendments will not impose any condition more restrictive than currently in place and all water rights will remain subject to senior water rights and any written orders issued by the Chief Engineer.

Please review the enclosed recommendation and public notice. If your water right is among those that will be amended the section in the recommendation dealing with your water right is highlighted. If there is no highlighted section in your enclosure, then there is no proposed change to your water right. If you have any questions about the proposed changes, I encourage you to contact Lynn Beck or Mark Rath at (605) 773-3352.

enclosure

Instruction to Newspaper - Publish first Notice on April 12, 2007 with the second publication 7 days later. The Water Rights Program is responsible for payment.

NOTICE OF CHIEF ENGINEER'S RECOMMENDATION FOR JAMES RIVER WATER RIGHTS

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD proposes to amend conditions placed on many James River water rights in South Dakota. The objective is to bring consistency among water rights for the period when pumping is authorized from the river. This requires the modification to the conditions placed on a number of existing water rights. The amendments will not increase the authorized diversion rate or number of irrigated acres authorized under existing James River water rights. Water rights held by cities for municipal use will not be amended by this proposed action.

Currently, water rights differ in the date that pumping must cease and the amount of water that must bypass a United States Geological Survey's gaging station to pump. The Water Rights Program has reviewed all James River water rights and determined that they can be modified to a standard shut-off date of August 10th of each calendar year. In addition, it is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows.

North Dakota Border to the Ashton gage (northern segment)

Ashton gage to Huron gage (central segment)

Huron gage to gage near Scotland (southern segment)

Water rights that currently have a bypass condition within each segment will be conditioned with a 20 cfs bypass.

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. James River water rights holders will be provided personal notice of the proposed amendment to their water right.

The Chief Engineer recommends that the Water Management Board approve deletion of the existing shut-off and bypass conditions on applicable water rights and add the following qualifications to those James River water rights as set forth above.

1. This permit does not authorize diversion of water from the James River after August 10th of each calendar year, or at any time the river's flow is obviously low, unless written orders have been so issued by the Chief Engineer. Diversions under this permit are subject to senior water rights and any written orders issued by the Chief Engineer.
2. This permit does not authorize diversions from the James River when there is less than 20 cfs bypassing the USGS gaging station at Ashton SD (or Huron and Scotland).

Any person interested in opposing or supporting this proposed amendment change shall file a written petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or water right holder must be filed by April 30, 2007. The petition may be informal, but must include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

The Water Management Board hearing to consider the amendment to delete and add the above qualifications will be held at 11:00 AM, May 9, 2007 in the Floyd Matthew Training Center, 523 E Capitol Avenue, Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) defer, or 3) deny the amendment changes based on the facts presented at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The May 9, 2007 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any interested person opposing the amendments. The request for an automatic delay must be filed by April 30, 2007.

Any hearing will be an adversary proceeding. Any person filing a petition has the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact Eric Gronlund by April 30, 2007, at the above Water Rights Program address to request copies of information pertaining to this action. Notice is further given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Water Rights Program if you have special needs for which special arrangements can be made.

Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

REPORT ON AMENDMENT OF JAMES RIVER WATER PERMITS/RIGHTS

April 24, 2007

Purpose of this Study

The James River historical appropriations show a variety of shut-off and by-pass qualifications adopted at different times. It is the purpose of this study to bring the shut-off and by-pass qualifications of active permits in line with the intentions of the Water Management Board as adopted at the April 1980 and May 1987 Board Meetings. In addition, the study shows that future appropriations of water from the James River can also be administered as stated above.

Historical Summary of James River Water Permits/Rights

During the 1960's the Water Resources Commission (predecessor to the Water Management Board) set a 300 cubic feet per second (cfs) limit and an August 10th cutoff date for appropriations from the James River. It was also determined that 20 cfs of water should by-pass Huron, SD to provide for downstream domestic use. The diversion limit was further defined as a combined 200 cfs of water above Huron and in addition permits having a combined 300 cfs of water could be approved above the SD Hutchinson-Yankton county line.

The Commission set limit was reached in 1968 and applications were deferred until 1975 when cancellations and underdeveloped appropriations allowed for deferred applications to be approved until the 300 cfs limit was reached. Applications were once again deferred until 1979 when a similar situation allowed James River diversions to be approved. In 1980 appropriations on the James River were once again opened and based on studies of actual irrigation development and use, it was projected that a maximum of 50-percent of permitted acres were irrigated at any one time. In 1987 a recommendation was made to the Water Management Board to change the qualifications on those active water permits upstream of Huron, SD requiring alignment with the August 10th cut-off date and the 20-cfs by-pass at the Third Street Dam, and for those water permits downstream of Huron, SD to the August 10th cut-off date.

Most recently, in 2003 Water Rights Program Staff completed on-site surveys of James River water rights that had reported non-use for periods greater than three (3) years. These surveys resulted in forfeiture for non-use of twenty-four (24) James River water rights. To date the Water Rights Program periodically reviews James River water rights for non-use status and possible cancellation. Currently there is unappropriated water in the James River.

See Attachment 1 for a detailed historical review of James River shut-off and by-pass qualifications.

Review of James River Water Permits/Rights

Past inspections of James River water permits/rights have resulted in updates to the number of permits and amounts of water appropriated from the river. See Attachment 2 for a map of the James River permits/rights and Attachment 3 for a list of James River Water Rights including their use and qualifications.

Presently there are eighty-six (86) water rights on the James River reach from the North Dakota (ND) border to the SD Hutchinson-Yankton county line with 231.81-cfs total diversions. These

water rights are for direct diversion of water from the James River during the normal irrigation season. The James River reach from Huron, SD to the ND border presently has fifty-one (51) water rights with 144.83-cfs total diversions. The majority of these water rights are in Spink (25) and Beadle (16) Counties with 124.94-cfs total diversions. At this time there are no water rights in effect for direct diversion of water from the James River upstream of the James River Columbia, SD U.S Geological Survey (USGS) gaging station. Currently 68.19-cfs is available for appropriation on the James River from the ND border to the Hutchinson/Yankton County line, of which, not more than 55.17-cfs is available for appropriation above the USGS gage at Huron due to the 200-cfs limit.

This leaves thirty-five water rights with 86.98-cfs direct diversion from the James River during the normal irrigation season on the stretch below Huron to the Hutchinson/Yankton County line. The majority of these water rights are in Davison (10) and Hutchinson (13) counties with 64.66-cfs total diversions. Currently up to 68.19-cfs is available for diversion below Huron.

Water Availability at Current Appropriation

Currently 231.81-cfs is appropriated on the James River from the ND border to the Hutchinson/Yankton County line, of which, **144.83-cfs** is appropriated above the USGS gage at Huron and **86.98-cfs** is appropriated below Huron to the Hutchinson/Yankton County line. A study was conducted, by water rights staff, to determine the probability that water would be available during the irrigation season until August 10 of each calendar year if existing water permits/rights are brought in line with a common August 10 shut-off date.

The James River was divided into three river reaches between USGS gaging stations, ND border to the USGS gage at Ashton, SD; USGS gage at Ashton, SD to the USGS gage at Huron, SD; and USGS gage at Huron, SD to USGS gage near Scotland, SD. The water appropriated for irrigation and other uses for each of the three river reaches was calculated, see table below.

RIVER REACH	IRR	OTH	TOTALS
ND border to Ashton	16.85	6.5	23.35
Ashton to Huron	95.2	26.28	121.48
TOTAL	112.05	32.78	144.83
Huron to HT/YA Co. ln.	54.2	32.78	86.98
TOTAL	54.2	32.78	86.98

Once these values were obtained, a formula for actual water use at current appropriation was developed.

Stated under, **Historical Summary of Shut-Off and By-Pass Qualifications, 1980 – 1984**, in Attachment 1, the actual irrigation development and use on the James River were found to be a maximum of 50-percent. This conclusion was reached after Water Rights Staff conducted detailed hydrographic surveys of the availability of water in the river and studies of the anticipated effects of approving water permits based on projected development and use by appropriators. A similar study was conducted with current irrigation diversions on the James River. Irrigation questionnaires from 1996 – 2006 were reviewed to estimate maximum

pumping at any one time during the irrigation season. The maximum found in each river reach is as follows:

ND border to the gage at Ashton, SD	52%
Gage at Ashton to gage at Huron, SD	42%
Gage at Huron, SD to HT/YA Co. line	29%

Therefore, the 50-percent value is still applicable today.

Since reporting for other uses is limited, 100-percent pumping is assumed. In addition 20-cfs for domestic use was added. The resulting formula for maximum use is as follows:

0.5(IRR cfs) + 1.0(OTH cfs) + 20 cfs IRR – irrigation use OTH – other uses

RIVER REACH	IRR	50%IRR	OTH	DOM	NEEDED	% CHANCE AVAIL. AUG 10
ND border to Ashton	16.85	8.42	6.5	20	34.92	65
Ashton to Huron	95.2	47.6	26.28	20	93.88	56
Huron to HT/YA Co. ln.	54.2	27.1	32.78	20	79.88	57

In order to bring existing water permits/rights in line with a common August 10 shut-off date the percent chance that water will still be available August 10 must be calculated. This was done using James River flows based on 50 or more years of USGS stream flow data for each of the three river reaches. There is a 65% chance, or better, of flow being available in the reach from the ND border to the Ashton gage; 56% chance, or better, in the reach from the Ashton gage to the gage at Huron; 57% chance, or better, in the reach from the gage at Huron to the Scotland gage. A bar graph representing the above percent chance of water being available August 10th can be found in Attachment 4.

There are factors of safety built into the computations. All of the percent probabilities that water will be available at current appropriations were calculated using flow data collected from the James River during years pumping occurred. Also, while using a 50% figure for simultaneous irrigation pumping it is assumed that 100% of all other uses will be pumping at the same time.

Water Availability at Full Appropriation

In addition, the study shows that future appropriations of water from the James River can also be administered as stated above. Using estimates for future appropriations calculations showed that there is a 63% chance, or better, of flow being available in the reach from the ND border to the Ashton gage; 50% chance, or better, in the reach from the Ashton gage to the gage at Huron; 56% chance, or better, in the reach from the gage at Huron to the Scotland gage. A bar graph representing the above percent chance of water being available August 10th can be found in Attachment 5.

The same factors of safety apply to the calculations at full appropriation as those for calculations at current appropriations.

Proposed Amendment of James River Water Rights

The present appropriations from the ND-SD border to the Hutchinson-Yankton County line total 231.81-cfs. The present total appropriations are less than the 300-cfs limit set by the Water Resources Commission in 1965 and below the June 1985 appropriation total of 254.07-cfs that brought about the Water Management Board's adoption of qualification changes during the May 1987 meeting.

To facilitate the judicious administration of the use of James River water, the protection of the in-stream beneficial uses of the river for recreational use and as a fishery, to maintain good quality water as well as sufficient quantity and velocity of water, and bring the shut-off and by-pass qualifications of active permits in line with the intentions of the Water Management Board as adopted at the April 1980 and May 1987 Board Meetings; it is proposed that appropriations of water from the James River be administered by similar qualifications adopted at the May 1987 meeting without the prior right qualification for Future Use Permit No. 1067-3. Diversions will still be subject to senior water rights and any written orders by the Chief Engineer.

Although the James River is involved in Future Use Permit No. 1067-3, Oahe Conservancy Sub-District, this permit is predicated or conditioned upon Missouri River water being delivered to the James River through the Oahe Project. Presently Future Use Permit No. 1067-3 is allotted 6500-cfs of such water from the James River, but the status of the permit is questionable since the Oahe Project has been terminated.

The Chief Engineer, Water Rights Program, proposes that the Water Management Board take action as stated in the Chief Engineer's Recommendation.



Lynn Beck
Natural Resources Engineer Specialist



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**CHIEF ENGINEER'S RECOMMENDATIONS FOR WATER RIGHTS
ON THE JAMES RIVER IN SOUTH DAKOTA**

Chief Engineer's Recommendation for Water Rights Above Huron:

The Chief Engineer is recommending that the Water Management Board amend the following permits/rights located above Huron as described:

ND Border to the gage at Ashton, SD

Water Permit No. 6427-3:

Delete: Qualification No. 1

1. Diversion of water from the James River shall be in accordance with the following criteria:

- When pumping from the James River, low flows as needed for down stream domestic use, including livestock water and prior water rights must be by-passed.
- From March 1 to March 31, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 29 cfs while pumping under this Permit.
- From April 1 to June 30, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 63 cfs while pumping under this Permit.
- From July 1 - October 1, diversions from the James River are not authorized unless by written orders issued by the Chief Engineer.
- Diversion under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

The Chief Engineer is also recommending that the Water Management Board approve the following Qualifications as standard for existing James River permits issued from the ND border to the gage at Ashton, SD.

Add:

- This permit does not authorize diversion of water from the James River after August 10th of each calendar year, or at any time the river's flow is obviously low, unless written orders have been issued by the Chief Engineer. Diversions under this permit are subject to senior water rights and any written orders issued by the Chief Engineer.
 - This permit does not authorize diversions from the James River when there is less than 20-cfs by-passing the gage at Ashton, SD after pumping.
-

Gage at Ashton, SD to the gage at Huron, SD

Water Right No. 5027-3:

Delete: Qualification No. 1 "Low flows as needed for downstream domestic use and prior water rights must be bypassed. The minimum bypass at Huron for domestic use is 20 cfs. During the period of April 1 through June 30 of each calendar year, diversions are authorized only when 60 cfs or more are by-passed after diversion for domestic use or prior water rights, unless a lower flow by-pass based upon the need for water in Lake Byron verses the need for water downstream, is authorized by the Chief Engineer. This permit does not authorize diversion of water from the James River after June 30th of each calendar year unless written orders have been so issued by the Chief Engineer. In the management of the James River under this permit, flows will be monitored at all gaging stations, and cutoffs will be timed to insure water supplies for domestic use and prior water rights."

Water Permit No. 5737-3:

Delete: Qualification No. 1 "When pumping from the James River into the storage pond, low flows as needed for downstream domestic use, including livestock water, and prior water rights/permits must be by-passed. From March 1 – March 31, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 29 cfs while pumping under this Permit. From April 1 – June 30, diversions from the James River are authorized only when the flow at the Huron Third Street Dam exceeds 63 cfs while pumping under this Permit. From June 30 until November 30, diversions from the James River are not authorized unless allowed by written orders issued by the Chief Engineer. Diversion under this Permit shall be in accordance with any written orders issued by the Chief Engineer."

Water Right Nos. 6182-3 & 6183-3; Water Permit Nos. 6398-3, 6400-3, & 6505-3:

Delete: Qualification No. 1

1. Diversion of water from the James River shall be in accordance with the following criteria:

- When pumping from the James River, low flows as needed for down stream domestic use, including livestock water and prior water rights must be by-passed.

- From March 1 to March 31, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 29 cfs while pumping under this Permit.
- From April 1 to June 30, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 63 cfs while pumping under this Permit
- From July 1 - October 1, diversions from the James River are not authorized unless by written orders issued by the Chief Engineer.
- Diversion under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

Water Permit Nos. 6375-3, 6588-3, 6589A-3, 6589B-3, 6590-3, 6613-3, 6614-3, 6614A-3, & 6738-3:
Delete: Qualification No. 1

1. Diversion of water from the James River shall be in accordance with the following criteria:

- When pumping from the James River, low flows as needed for down stream domestic use, including livestock water and prior water rights must be by-passed.
- From April 1 to June 30, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 63 cfs while pumping under this Permit
- From July 1 - October 31, diversions from the James River are not authorized unless by written orders issued by the Chief Engineer.
- Diversion under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

The Chief Engineer is also recommending that the Water Management Board approve the following Qualifications as standard for existing James River permits issued below the gage at Ashton, SD to the gage at Huron, SD.

Add:

- This permit does not authorize diversion of water from the James River after August 10th of each calendar year, or at any time the river's flow is obviously low, unless written orders have been issued by the Chief Engineer. Diversions under this permit are subject to senior water rights and any written orders issued by the Chief Engineer.
- This permit does not authorize diversions from the James River when there is less than 20-cfs by-passing the gage at Huron, SD after pumping.

Water Right Nos. 1734-3, 1735-3, 1943-3, 1979-3, 2129-3, 2386-3, 2629-3, 4066A-3, 4066B-3, 4071-3, 5651-3, 5925-3, & Water Permit No. 6081-3.

Delete: "flowing over James River Dam" from Qualification No. 2.

Chief Engineer's Recommendation for Water Rights Below Huron:

Gage at Huron, SD to the gage near Scotland, SD

The Chief Engineer is recommending that the Water Management Board amend the following permits/rights located below the gage at Huron, SD as described:

Water Right Nos. 607-3 & 608-3:

Delete: "This permit is granted allowing withdrawal of water whenever 25 cfs or more is flowing past your diversion point."

Add: "This permit does not authorize diversions from the James River when less than 20 cfs is by-passing the gage near Scotland, SD after pumping."

Water Right Nos. 690-3 & 699B-3:

Delete: "Use of water under this water right is subject to flows in the James River of 15 cfs or more past your diversion point."

Add: "This permit does not authorize diversions from the James River when less than 20 cfs is by-passing the gage near Scotland, SD after pumping."

Water Permit No. 6534-3:

Delete: "July 15th" from Qualification No. 1.

Add: "August 10th" to Qualification No. 1.

Contact Lynn Beck, Water Rights Program staff engineer at (605) 773-3352 if you have questions regarding this recommendation.



Garland Erbele, Chief Engineer

Water Rights Program

Department of Environment and Natural Resources

April 25, 2007

Attachment 1

HISTORY OF JAMES RIVER WATER PERMITS/RIGHTS QUALIFICATIONS

April 9, 2007

Historical Summary of Shut-Off and By-Pass Qualifications:

1965 - 1979

In 1965 the South Dakota (SD) Water Resources Commission, a predecessor to the SD Water Management Board, placed a 300 cubic feet per second (cfs) total diversion limit on the James River with a maximum combined total diversion limit of 200-cfs from Huron, SD to the North Dakota border. Due to Missouri River backwater into the James River, the 300-cfs restriction has been applied from the North Dakota border to the SD Yankton-Hutchinson County Line. The Water Resources Commission also set an automatic August 10th diversion shutoff date unless a written order from them or their legal representative was issued to the holder of a James River water right.

In May of 1968 the 300-cfs limit was reached and the SD Water Rights Commission, also a predecessor to the SD Water Management Board, adopted the policy of automatically deferring without advertising further water permit applications until it was determined that non-appropriated water was available in the James River.

It was determined at the November 1975 Water Rights Commission Meeting that water permits could again be issued for James River water within the 300-cfs limit because of prior permit cancellations. Permits were issued at that time to bring the total appropriations back to the 300-cfs limit.

Applications for James River water received after November 1975 were advertised and officially deferred at the January and March 1979 Water Rights Commission Meetings. The James River was withdrawn from further appropriations for one year at the March 1979 Water Rights Commission Meeting until further studies could be made to determine if there was non-appropriated James River water available.

1980- 1984

The James River was again opened for appropriation of water at the January 1980 Water Rights Commission Meeting. The following items pertaining to James River water use were noted in the July 1980 Findings of Fact, Conclusions of Law, and Final Decision resulting from this meeting:

- The Water Rights Staff had conducted detailed hydrographic surveys of the availability of water in the river and studies of the anticipated effects of approving water permits based on projected development and use by appropriators,
- Based on such studies of actual irrigation development and use, it is projected that a maximum of 50-percent of permitted acres will be irrigated at any one time,
- Based on such surveys and studies, there is non-appropriated water available during the spring and through July 15th of normal years,
- The determination of non-appropriated water availability was based strictly on naturally occurring flows and not on anticipated flows diverted into the river from the proposed Garrison Project,
- The Water Quality Staff conducted a detailed study of the river as a fishery,

- Citizens of South Dakota, as well as other states, make substantial use of the river for recreational fishing as well as other in stream beneficial uses,
- Those portions of the river below Huron, SD support a variety of fish and aquatic life as well as acting as a spawning ground for fish in the Missouri River,
- Protection of the in stream beneficial uses of the river requires good quality of water as well as sufficient quantity and velocity of water, and
- Protection of the in stream beneficial uses of the river could be accomplished while still approving additional permits for appropriation by imposing certain by-pass requirements on those issued for use downstream of Huron, SD.

1985 - 1987

In the spring of 1985 examinations were completed by Water Rights Program personnel to update the status of appropriations from the James River. As a result of the examinations, twenty-five (25) water permits were cancelled for non-development or forfeited for non-use. The actual appropriation amount of several other water permits were also reduced to the actual amount of water being used by the appropriator. As of June 1985 there were total appropriations of 254.07-cfs from the James River.

A recommendation was made to the Water Management Board at the May 1987 meeting to change the qualifications on those active water permits upstream of Huron, SD requiring alignment with the August 10th cut-off date and the 20-cfs by-pass at the Third Street Dam, and for those water permits downstream of Huron, SD to the August 10th cut-off date.

At the May 1987 Water Management Board Meeting it was proposed that for those James River permits downstream of Huron, SD the following qualifications be deleted:

- No diversions after July 15th of each year, or in periods of obvious low flow without a written order of the Water Management Board or its legally appointed representative. Diversions shall be in accordance with written orders, if any, of the board or its representative.
- To maintain instream flows for instream and domestic purposes, the permit does not authorize diversions when there is less than the following cubic-feet-per-second bypassing the Scotland Gaging Station:
 - (a) less than 80-cfs during any month of April,
 - (b) less than 70-cfs during any month of May,
 - (c) less than 50-cfs during any month of June, and
 - (d) less than 20-cfs during the remainder of the year.

and replaced with the following:

- This permit does not authorize diversion of water from the James River after August 10th of each calendar year, nor at any time when the river's flow is obviously low, unless written orders have been so issued by the Chief Engineer. Diversions under this permit shall be in accordance with any written orders issued by the Chief Engineer.

For those permits upstream of Huron, SD it was also proposed that the following qualifications be deleted:

- No diversions after July 15th of each year, nor in periods of obvious low flow without a written order of the Water Management Board or its legally appointed representative. Diversions shall be in accordance with written orders, if any, of the Board or its representative.
- Prior water rights on the James River contain an August 10th cut-off date, and the additional requirement that diversions cannot be made when 20-cfs are not by-passing the Third Street Dam in Huron, to provide for downstream domestic use. In the management of the James River under these permits, flows will be monitored at all gauging stations, and cut-offs will be timed to insure water supplies to fulfill the prior water rights and domestic qualification.
- The Oahe Subdistrict has priority rights to portions of this water to the limited extent they may exist under Future Use Withdrawal Permit No. 1067-3. This application is approved subject to these prior rights if or when the Oahe Subdistrict develops the reserve supply.

and replaced with the following:

- This permit does not authorize diversion of water from the James River after August 10th of each calendar year, nor at any time when the river flow is obviously low, unless written orders have been so issued by the Chief Engineer. Diversions under this permit shall be in accordance with any written orders issued by the Chief Engineer.
- This permit does not authorize diversions from the James River when water is not by-passing the James River Dam north of Huron or when less than 20-cfs of water is by-passing the Third Street Dam in Huron.
- Prior rights may exist for portions of this water to a limited extent under Future Use Withdrawal Permit No. 1067-3. This permit is subject to these prior water rights if or when the reserved water supply is developed.

These proposals were adopted by the Water Management Board at the May 1987 meeting.

2003 - Present


In 2003 Water Rights Program Staff completed on-site surveys of James River water rights that had reported non-use for periods greater than three (3) years. These surveys resulted in forfeiture for non-use of twenty-four (24) James River water rights. To date the Water Rights Program periodically reviews James River water rights for non use status and possible cancellation.

Presently there are eighty-six (86) water rights on the James River reach from the North Dakota (ND) border to the SD Hutchinson-Yankton county line with 231.81-cfs total diversions. These water rights are for direct diversion of water from the James River during the normal irrigation season. The James River reach from Huron, SD to the ND border presently has fifty-one (51) water rights with 144.83-cfs total diversions. The majority of these water rights are in Spink (25) and Beadle (16) Counties with 124.94-cfs total diversions. At this time there are no water rights in effect for direct diversion of water from the James River upstream of the James River Columbia, SD U.S Geological Survey (USGS) gaging station.

This leaves thirty-five water rights with 86.98-cfs direct diversion from the James River during the normal irrigation season on the stretch below Huron to the Hutchinson/Yankton County line. The majority of these water rights are in Davison (10) and Hutchinson (13) counties with 64.66-cfs total diversions.

Attachment 2 JAMES RIVER BASIN, SOUTH DAKOTA

Map showing James River Basin and water rights located between streamflow-gaging stations in South Dakota.
April 24, 2007



Legend

- ▲ USGS JR WTRSHD Stream Gages selection
- James River Water Rights
- ▲ USGS James River Stream Gages
- James River Watershed in SD

JAMES RIVER WATER RIGHTS BY GAGING STATION

WRTN ORD – Can't pump after the date without a "Written Order" from the Chief Engineer.

ABOVE HURON:

WR's above Columbia Gage: 2

PERMIT NO	CO	GAGE NO	PRIOR DATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1	USE 2	USE 3
US1-3	BN	1	10/16/1934	LC	0.000			FWP	DOM	REC
5516-3	BN	1	03/08/1991	LC	0.000	110 CFS AT DIV		FWP		
total					0.000					

WR's above Stratford Gage: 13

PERMIT NO	CO	GAGE NO	PRIOR DATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1	USE 2
27-3	BN	2	03/31/1941	LC	0.500			FWP	REC
1817-3	BN	2	01/01/1935	LC	0.000	VR		REC	
5924-3	BN	2	04/03/1996	PE	0.000	FLOOD FLOWS		FWP	
1125-3	BN	2	08/19/1964	LC	1.980	20 CFS		IRR	
1491-3	BN	2	01/15/1968	LC	1.940	20 CFS		IRR	
6427-3	BN	2	06/26/2003	PE	6.000	63 CFS	WRTN ORD 7/1	FWP	
4066A-3	BN	2	09/03/1976	LC	0.680	20 CFS	WRTN ORD 8/10	IRR	
4066B-3	BN	2	09/03/1976	LC	0.650	20 CFS	WRTN ORD 8/10	IRR	
5925-3	BN	2	04/09/1996	LC	2.000	20 CFS	WRTN ORD 8/10	IRR	
5277-3	BN	2	01/25/1989	LC	2.300	20 CFS	WRTN ORD 8/10	IRR	
6081-3	BN	2	05/27/1998	PE	2.220	20 CFS	WRTN ORD 8/10	IRR	
2629-3	BN	2	11/17/1975	LC	1.440	20 CFS	WRTN ORD 8/10	IRR	
1841-3	BN	2	01/01/1935	LC	0.000	VR		IRR	
total					19.710			REC	

WR's above Ashton Gage: 1

PERMIT NO	CO	GAGE NO	PRIOR DATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1
4071-3	SP	3	01/20/1977	LC	3.640	20 CFS	WRTN ORD 8/10	IRR
total					3.640			

ND to Ashton appropriated cfs = 23.35, 50% irrigation pumping plus 100% other use pumping and 20 cfs for domestic use, current needed cfs = 34.92.

WR's above Huron Gage: 46

PERMIT NO	CO	GAGE NO	PRIOR DATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1	USE 2
1172-3	SP	4	03/08/1965	LC	1.500	20 CFS	WRTN ORD 8/10	IRR	
1421-3	SP	4	06/15/1967	LC	0.670	20 CFS	WRTN ORD 8/10	IRR	
2129-3	SP	4	10/10/1974	LC	1.690	20 CFS	WRTN ORD 8/10	IRR	
1943-3	SP	4	05/30/1972	LC	1.890	20 CFS	WRTN ORD 8/10	IRR	

PERMIT NO	CO	GAGE NO	PRIORDATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1	USE 2
1735-3	SP	4	02/16/1970	LC	1.940	20 CFS	WRTN ORD 8/10	IRR	
6589A-3	SP	4	02/04/2005	PE	2.290	63 CFS	WRTN ORD 7/1	IRR	
6587-3	SP	4	11/04/1968	PE	1.910	20 CFS	WRTN ORD 8/10	IRR	
1733-3	SP	4	10/12/1967	LC	3.770	20 CFS	WRTN ORD 8/10	IRR	
6400-3	SP	4	02/10/2003	PE	6.860	63 CFS	WRTN ORD 7/1	IRR	
6590-3	SP	4	02/04/2005	PE	1.560	63 CFS	WRTN ORD 7/1	IRR	
1734-3	SP	4	11/04/1968	LC	3.750	20 CFS	WRTN ORD 8/10	IRR	
6589B-3	SP	4	02/04/2005	PE	2.290	63 CFS	WRTN ORD 7/1	IRR	
1450-3	SP	4	10/12/1967	LC	4.440	20 CFS	WRTN ORD 8/10	IRR	
6588-3	SP	4	02/04/2005	PE	0.000	63 CFS	WRTN ORD 7/1	IRR	
1538-3	SP	4	03/19/1968	LC	4.000	20 CFS	WRTN ORD 8/10	IRR	
2396-3	SP	4	10/10/1975	LC	1.880	20 CFS	WRTN ORD 8/10	IRR	
5737-3	SP	4	12/17/1992	PE	1.880	63 CFS	WRTN ORD 6/30	IRR	
6375-3	SP	4	01/02/2003	PE	5.350	63 CFS	WRTN ORD 7/1	IRR	
6738-3	SP	4	07/05/2006	PE	2.890	63 CFS	WRTN ORD 7/1	IRR	
2386-3	SP	4	09/24/1975	LC	1.280	20 CFS	WRTN ORD 8/10	IRR	
6398-3	SP	4	02/24/2003	PE	0.610	63 CFS	WRTN ORD 7/1	IRR	
1979-3	SP	4	03/27/1973	LC	3.760	20 CFS	WRTN ORD 8/10	IRR	
6182-3	SP	4	02/22/2000	LC	7.030	63 CFS	WRTN ORD 6/30	IRR	
6183-3	SP	4	02/22/2000	LC	7.830	63 CFS	WRTN ORD 6/30	IRR	
616-3	SP	4	06/06/1959	LC	1.140			IRR	
1027-3	BD	4	01/01/1936	LC	0.000	20 CFS		MUN	
6505-3	BD	4	04/26/2004	PE	1.560	63 CFS	WRTN ORD 7/1	IRR	
6613-3	BD	4	03/31/2005	PE	6.680	63 CFS	WRTN ORD 7/1	IRR	
6614-3	BD	4	03/31/2005	PE	1.890	63 CFS	WRTN ORD 7/1	IRR	
6614A-3	BD	4	03/31/2005	PE	0.000	63 CFS	WRTN ORD 7/1	IRR	
5651-3	BD	4	04/01/1947	LC	0.180	20 CFS	WRTN ORD 8/10	IRR	
2387-3	BD	4	12/12/1966	LC	3.500	20 CFS	WRTN ORD 8/10	IRR	
2390A-3	BD	4	09/26/1975	PE	1.890	20 CFS	WRTN ORD 8/10	IRR	
2390-3	BD	4	09/26/1975	LC	1.890	20 CFS	WRTN ORD 8/10	IRR	
5027-3	BD	4	06/14/1984	LC	12.000	60 CFS	WRTN ORD 6/30	REC	MUN
1276-3	BD	4	01/01/1949	LC	2.220	VR		IRR	
4866-3	BD	4	01/01/1949	LC	1.560	20 CFS	WRTN ORD 8/10	IRR	
2643-3	BD	4	02/06/1976	LC	1.620	20 CFS	WRTN ORD 8/10	IRR	
5321-3	BD	4	04/27/1989	LC	0.030	20 CFS	WRTN ORD 8/10	COM	
2049-3	BD	4	02/13/1974	LC	2.000	20 CFS	APRIL MAY JUNE	MUN	REC
9-3A	BD	4	03/31/1950	LC	5.000			MUN	
9-3	BD	4	04/22/1914	LC	5.000			MUN	

PERMIT NO	CO	GAGE NO	PRIORDATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1	USE 2
37A-3	BD	4	11/04/1942	PE	0.000	20 CFS		MUN	
37-3	BD	4	11/04/1942	LC	2.250			IND	
755-3	BD	4	12/23/1960	LC	0.000	2-15 CFS		MUN	
1022-3	BD	4	01/01/1936	LC	0.000	VR		MUN	
total					121.480				

Ashton to Huron appropriated cfs = 121.48. 50% irrigation pumping plus 100% other use pumping and 20 cfs for domestic use, current needed cfs = 93.88.

BELOW HURON:

WR's above Forestburg Gage: 5

PERMIT NO	CO	GAGE NO	PRIORDATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1
550-3	BD	5	09/10/1958	LC	0.600	20 CFS		IRR
559-3A	BD	5	12/03/1958	LC	2.010	15 CFS		IRR
US552-3	BD	5	04/25/1946	LC	0.000			IRR
5385-3	BD	5	01/01/1955	LC	1.360		WRTN ORD 8/10	IRR
5357-3	SA	5	01/01/1936	LC	0.000			REC
total					3.97			

WR's above Scotland Gage: 33

PERMIT NO	CO	GAGE NO	PRIORDATE	STATUS	CUR CFS	FL QUAL1	FL QUAL2	FL QUAL WRTN ORD	USE 1
5500-3	SA	6	03/06/1991	LC	0.250			WRTN ORD 8/10	IRR
1422-3	DN	6	01/02/1968	LC	2.000			WRTN ORD 8/10	IRR
305-3	DN	6	09/22/1956	LC	0.890				IRR
1917-3	DN	6	12/22/1971	LC	1.740			WRTN ORD 8/10	IRR
5207-3	DN	6	04/20/1957	LC	5.580				IRR
5022-3	DN	6	06/19/1984	LC	2.900	20 CFS PST DIV			IRR
4354-3	DN	6	04/06/1978	LC	29.000	20 CFS PST DIV			RWS
690-3	DN	6	03/02/1960	LC	0.860	15 CFS PST DIV			MUN
699B-3	DN	6	03/02/1960	LC	1.630	15 CFS PST DIV			IRR
280-3	DN	6	01/01/1955	LC	0.890				IRR
1693A-3	DN	7	08/04/1969	PE	1.330				IRR
5121-3	HS	7	01/28/1987	LC	0.880			WRTN ORD 8/10	IRR
1900-3	HS	7	09/16/1971	LC	1.550			WRTN ORD 8/10	IND
436-3	HS	7	04/05/1945	LC	1.050			WRTN ORD 8/10	IRR
4656-3	HS	7	09/16/1971	LC	5.820				IRR
608-3	HS	7	05/05/1959	LC	0.380	25 CFS PST DIV		WRTN ORD 8/10	IRR
1902-3	HS	7	09/16/1971	LC	4.750				IRR
4717A-3	HS	7	09/16/1971	LC	1.670			WRTN ORD 8/10	IRR
2411-3	HS	7	10/20/1975	LC	2.000			WRTN ORD 8/10	IRR
607-3	HT	7	05/05/1959	LC	0.660	25 CFS PST DIV		WRTN ORD 8/10	IRR
6534-3	HT	7	08/17/2004	PE	2.780			WRTN ORD 7/15	IRR
6125-3	HT	7	02/01/1999	PE	1.560			WRTN ORD 8/10	IRR

PERMIT NO	CO	GAGE NO	PRIORDATE	STATUS	CUR CFS	FL QUAL1	FL QUAL2	FL QUAL WRTN ORD	USE 1
5970-3	HT	7	12/13/1996	LC	1.440			WRTN ORD 8/10	IRR
4072-3	HT	7	01/24/1977	LC	0.480			WRTN ORD 8/10	IRR
2385-3	HT	7	09/23/1975	LC	1.300			WRTN ORD 8/10	IRR
6131-3	HT	7	03/22/1999	LC	0.770			WRTN ORD 8/10	IRR
5392A-3	HT	7	03/01/1990	LC	1.340			WRTN ORD 8/10	IRR
6506-3	HT	7	04/26/2004	PE	0.000			WRTN ORD 8/10	IRR
5391-3	HT	7	03/01/1990	LC	2.610			WRTN ORD 8/10	IRR
6132-3	HT	7	03/22/1999	LC	0.850			WRTN ORD 8/10	IRR
6082-3	HT	7	06/02/1998	PE	0.570			WRTN ORD 8/10	IRR
2631A-3	HT	7	11/25/1975	LC	1.700			WRTN ORD 8/10	IRR
6083-3	HT	7	06/02/1998	PE	1.780			WRTN ORD 8/10	IRR
total					83.01				


Huron to Scotland appropriated cfs = 86.98, 50% irrigation pumping plus 100% other use pumping and 20 cfs for domestic use, current needed cfs = 79.88.

% CHANCE OF FLOW BEING AVAILABLE FOR DIVERSION THRU AUGUST 10TH

Cfs values are at 50% irrigation pumping and 100% other use diversion at current appropriation plus 20 cfs domestic.

■ % chance to satisfy above gage

□ % chance to satisfy below gage




% CHANCE OF FLOW BEING AVAILABLE FOR DIVERSION THRU AUGUST 10TH

Cfs values are at 50% irrigation pumping and 100% other use diversion when fully appropriated plus 20 cfs domestic.

■ % chance to satisfy above gage

□ % chance to satisfy below gage





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

May 21, 2007

NOTICE

TO: HARVEY WOLLMAN
40004 184TH STREET
FRANKFORT SD 57440

FROM: Garland Erbele, Chief Engineer
Water Rights Program, DENR

SUBJECT: Amendment to Qualifications on Water Right No. 2386-3 and Permit No. 6398-3

On May 9th, the Water Management Board amended qualifications to Water Right No. 2386-3 and Water Permit No. 6398-3. This action was taken as set forth in notice sent to you on April 11, 2007 and published in James River basin newspapers and the staff report mailed to you on April 25, 2007.

Attached is a listing of the qualifications as amended and the portion deleted from the qualifications to reflect the Board's action to your water right. Please file this with your water rights records. All other qualifications listed on your water rights were not changed by the Board's action and remain in effect. For example, submittal of the annual irrigation questionnaire continues to be a qualification of your water permit.

If you have any questions about the Board's action or the amendment, please contact Lynn Beck at 605 773-3352.

Enclosure

Attachment to Water Permit No. 6398-3

Amended Qualifications set by the Water Management Board on May 9, 2007

Qualifications as amended to Water Permit No. 6398-3

- This permit does not authorize diversion of water from the James River after August 10th of each calendar year, or at any time the river's flow is obviously low, unless written orders have been issued by the Chief Engineer. Diversions under this permit are subject to senior water rights and any written orders issued by the Chief Engineer.
- This permit does not authorize diversions from the James River when there is less than 20-cfs by-passing the gage at Huron, SD after pumping.

Qualifications as deleted Water Permit No. 6398-3

- When pumping from the James River, low flows as needed for down stream domestic use, including livestock water and prior water rights must be by-passed.
- From March 1 to March 31, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 29 cfs while pumping under this Permit.
- From April 1 to June 30, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 63 cfs while pumping under this Permit
- From July 1 - October 1, diversions from the James River are not authorized unless by written orders issued by the Chief Engineer.
- Diversion under this Permit shall be in accordance with any written orders issued by the Chief Engineer.


CERTIFICATION

I hereby certify that on May 21, 2007, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated May 21, 2007 regarding Amendment to James River Qualifications addressed as stated below:

Marke Grasse, 38313 131st St, Aberdeen SD 57401
Ron Wheeler, Lake Byron Watershed, PO Box 1363, Huron SD 57350
Floyd Peterson, 18892 390th Ave Hitchcock SD 57348
Reed Bixler, Bixler Farms, 39477 184th St, Hitchcock SD 57348
Ruben Endander, 18239 398th Ave, Frankfort SD 57440
Lyle Arden Bendenagel, 39586 176th St, Frankfort SD 57440
Arne Svarstad, 13797 392nd Ave, Aberdeen SD 57401
Alfred Locken, 39643 137th St, Bath SD 57427
Jon & Loren Locken, 13755 396th Ave, Bath SD 57427
Keith Kettering, 39064 156th St, Mellette, SD 57461
Roger Locken, Locken Ag, 39643 137th St, bath SD 57427
Orrin Roth, 26752 421st Ave, Parkston SD 57366
Loren Roth, 42051 262nd St, Alexandria SD 57311
Don Barber, 41321 Hwy 38, Mitchel SD 57301
Mary K Puetz, 910 Firesteel Dr, Mitchell SD 57301
Russ Werning, 1543 Parkview Dr, Watertown SD 57201
Harvey Wollman, 40004 184th St, Frankfort SD 57440
John Wipf, Spink Colony, 18206 Spink Ln, Frankfort SD 57440
Jerry Kleinsasser, Glendale Colony, 17866 Glendale Dr, Frankfort SD 57440
Sam Waldner, Huron Colony, 40068 Huron Colony Ln, Huron SD 57350

A copy of the above described Notice was sent Inter-office to:

Diane Best, Assistant Attorney General, Capitol Building


Gail Jacobson
Secretary
Water Rights

STATE OF SOUTH DAKOTA)

) SS

COUNTY OF HUGHES)

Sworn to, before me, this 21st day of May, 2007.


Karen Schlaak
Notary Public
My Commission expires April 1, 2013



6398-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

August 6, 2012

**JAMES RIVER WATER RIGHT QUALIFICATION REMINDER
WATER RIGHT NO(s). 2386-3, 6398-3**

To: HARVEY WOLLMAN
40004 184TH ST
FRANKFORT SD 57440

From: Garland Erbele, Chief Engineer
Water Rights Program, DENR
(605) 773-3352

Subject: James River Qualification Reminder for Permit No(s). 2386-3, 6398-3

Qualifications on your water right indicate that you are not authorized to divert James River water after August 10th. Please, consider this a reminder and cease diversion if you have not already done so. No diversion can take place after August 10th unless under written orders by the Chief Engineer. You may resume diversion on the date stated in the qualifications on your water right.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

August 14, 2012

Ben Enander
18231 398th Ave
Frankfort SD 57440

Dear Mr. Enander:

In response to your telephone call on August 14, 2012, requesting an extension to pump from the James River beyond the August 10th cutoff, you are authorized to pump under Water Right Nos. 2386-3 and 6398-3 held by Harvey Wollman and Water Right No. 6738-3 held by Ralph Enander, subject to the following:

- No irrigation from the James River beyond August 24, 2012 for the 2012 irrigation season
- Flows remain available for downstream domestic users and prior water rights
- Flows past the Huron gaging station remain above 20 cubic feet per second after pumping

We will continue to monitor the James River and if conditions warrant, you may be shutoff prior to August 24, 2012, with no prior notice given. If you have any questions, please contact Lynn Beck or Mark Rath at (605) 773-3352.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program

**Water Permit No. 6398-3 Water Right No. 2386-3
James River - Water District**

Contact Person & Address: **Harvey Wollman, 40004 184th St, Frankfort SD 57440**

Report Of Examination Of Works

On, August 27, 2013, I made a thorough examination of the water use system constructed by Harvey Wollman holder of Right No. 2386-3, bearing the priority of September 24, 1975 authorizing the diversion of 1.28 cu. ft. per second Permit No. 6398-3, bearing the priority of February 24, 2003 authorizing the diversion of 0.61 cu. ft. per second of the waters of the James River for irrigation purposes, in Spink County.

The system is in the following condition good. The point of diversion is located from the SE corner of Sec 34 T114N-R62W: 1320 ft N & 1950 ft W with latitude of 44.723189 and a longitude of -98.268638 as determined using GPS. The works are capable of diverting and conveying to the place of use 1.89 cu. ft. per second of water which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:

Land located in Sec 34 T115N-R62W

NW ¼ SW ¼ - 38 ac NE ¼ SW ¼ - 2 ac SE ¼ SW ¼ - 2 ac SW ¼ SW ¼ - 38 ac

Land located in Sec 33 T115N-R62W

NE ¼ SE ¼ - 26 ac SE ¼ SE ¼ - 26 ac

comprising a total of 132 acres of land and the license should be issued for 1.89 cfs.

Review of Permit Qualifications And Regulations:

- 1) Special qualifications to permit being abided by yes
- 2) All structures, wells and lands on map yes
- 3) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period yes.
- 4) Exceptions to compliance are: none

Report On the Specifics of the System

Diversion Point Information:

Pump:

- 1) Make Cornell 2) Model 4RB F16PK6 3) Size 4 4) Capacity 850 GPM

Motor:

- 1) Make John Deere 2) Model No. 4024TF270 3) Horsepower rating 60 hp

DISTRIBUTION LINES OR CANALS:

- 1) Type PVC 2) Size 8 inches 3) Length 3000 feet

SYSTEM TYPE:


Center pivot:

- 1) Make T-L 2) Overall length 1280 feet
3) Number of towers 7 4) End gun yes
5) High or low pressure Lo 6) Capacity 850 GPM

CHEMIGATION EQUIPMENT:

- 1) Does chemigate no


Comments : none



Mark D. Rath
Natural Resources Engineer III
DENR, Water Rights Program

8-30-13

Date



NO. 6398-3



1,200 600 0 1,200 Feet

Mark D Rath
Mark D Rath, Natural Resources Engineer
08-30-2013

**STATE OF SOUTH DAKOTA
WATER LICENSE NO. 6398-3**

(1) Harvey Wollman, 40004 184th St, Frankfort SD 57440 made Application No. 6398-3, February 24, 2003 for a water permit to divert 0.61 cubic feet of water per second (cfs) from the James River, Spink County, South Dakota for irrigation purposes. Permit No. 6398-3, with a priority date of February 24, 2003 was approved May 7, 2003 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before May 7, 2008 and for the application to beneficial use of said water on or before May 7, 2012.

No. 6398-3 authorized moving the 89 acres described in Water Right No. 2386-3 approximately ½ mile west and adding 43 acres to the system to accommodate operation of a center pivot. The applicable portions of Water Right No. 2386-3 have been incorporated into this water license. A priority date of September 24, 1975 as established under Water Right No. 2386-3 is retained for 89 acres and 1.28 cfs. The remaining 43 acres and 0.61 cfs authorized under No. 6398-3 retains a priority date of February 24, 2003.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.89 cubic feet of water per second for beneficial use. The location of the diversion point is 1,320 feet north and 1,950 feet west of the SE corner of Section 34, T114N, R62W (NW ¼ SE ¼).

(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 34, T115N, R62W		Section 33, T115N, R62W	
NW ¼ SW ¼	38 acres	NE ¼ SE ¼	26 acres
NE ¼ SW ¼	2 acres	SE ¼ SE ¼	26 acres
SE ¼ SW ¼	2 acres		
SW ¼ SW ¼	38 acres	Total	132 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Harvey Wollman, 40004 184th St, Frankfort SD 57440 the holder and/or owner of Incorporated Water Right No. 6398-3 is issued a license to appropriate water, the right to use 1.89 cubic feet of water per second from the James River with priority dates of September 24, 1975 (1.28 cfs and 89 acres) and February 24, 2003 (0.61 cfs and 43 acres) from the location specified in (2) of this license for irrigation purposes.

This license is subject to South Dakota Water Law, any limitations or conditions listed in Incorporated Water Right No. 6398-3 and subject to the following qualifications:

- This Permit is approved subject to the irrigation water use questionnaire being submitted each year.


(Amended by the Water Management Board on May 9, 2007)

- This Permit does not authorize diversion of water from the James River after August 10th of each calendar year, or at any time the river's flow is obviously low, unless written orders have been issued by the chief Engineer. Diversions under this permit are subject to senior water rights and any written orders issued by the Chief Engineer.
- This permit does not authorize diversions from the James River when there is less than 20 cfs by-passing the gage at Huron, SD after pumping.


Jeanne Goodman, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

SEP 11 2013

date





6398-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

SEP 11 2013

2386-3
6398-3

Harvey Wollman
40004 184th St
Frankfort SD 57440

Dear Mr. Wollman:

Enclosed is Water License No. 6398-3. This is the final water right document completing your process of obtaining a Water Right. Included with your license is a map prepared by the staff engineer who conducted the field investigation.

During licensing, the applicable portions of Water Right No. 2386-3 were incorporated into No. 6398-3. As long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water.

Sincerely,

Jeanne Goodman, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

May 27, 2021

Dear James River Water Right Holder:

I am writing to water right holders and operators who use water from the James River that river flow is much lower this year and to let them know that shutoff orders are possible this summer.

South Dakota law gives the highest priority to domestic use, including livestock watering. There is generally adequate water available to meet both domestic use and other needs. However, once water availability reaches critical low levels, other uses will begin to interfere with domestic use. If river levels become critically low, the department may be forced to issue shutoff orders to protect domestic use, including livestock watering and those water rights that are most senior.

We are only cautioning that shutoff orders may become necessary. **This not a shutoff order.** This letter is only intended to give you advanced warning that your ability to divert water may be cut short this year. If shutoff orders are issued, you will receive another letter from the department. In the meantime, water right holders can help by closely monitoring water usage and avoid wasting water.

If you are interested, the US Geological Survey has an Internet site showing river flows at 164 stream gauging stations across the state. To view the latest realtime stream flow, go to:

<https://waterdata.usgs.gov/sd/nwis/current/?type=flow>

Thank you for your cooperation. If you have any questions, please contact Mark Rath, Blaise Hansen, or Nakaila Steen at (605) 773-3352.

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

August 16, 2021

Dear James River Water Right Holder:

I am writing to water right holders and operators who either use water from the James River or tributaries under permits with the August 10 shutoff date qualification.

Water rights containing this qualification requires a mandatory compliance and pumping under your permit must cease after August 10th unless you contact the Water Rights Program and receive permission to continue to divert water.

Water Rights staff drove along the James River last week after the August 10 shutoff date to spot-check whether water right holders were complying with this qualification. This spot-check found multiple water right holders diverting water in violation of this qualification.

Again, I remind you, compliance with this shutoff qualification is required unless you request and receive permission from the Water Rights Program to continue pumping. Permission may be granted based upon water availability.

Thank you for your cooperation. If you have any questions, please contact Mark Rath, Blaise Hansen, or Nakaila Steen at (605) 773-3352.

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program



6398-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

December 13, 2023

3036-3
1504A-3
6398-3

Anne Wollman
40004 184th St
Frankfort SD 57440

Dear Ms. Wollman:

I have received your "Notice of Transfer of Ownership" form and the required fees. Enclosed are the receipts of payment for your records.

Water Right Nos. 3036-3, 1504A-3, and 6398-3, previously owned by Harvey Wollman are now listed under your name. I have also updated your contact information in our system.

As a reminder, so long as you use the water beneficially, as stated in the Water Rights, State Water Laws provide that you have a continuing right to use the water. Should the water not be put to beneficial use for a period longer than 3 consecutive years, without legal excuse, the Water Rights will be subject to cancellation.

If you have any questions, please contact me.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

enclosures

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DANR
523 E. Capitol
Pierre, SD 57501-3181

PAID
DEC 12 2023
Ck# 10762
Rec't# 12/12/23

No. 6398-3

Date: 12-4-2023

I/We request that Water Right No. 6398-3

formerly owned by: Harvey Wollman

be transferred to: (name &



Anne M. Wollman
40004 184th St.
Frankfort, SD 57440-7311

Telephone No. 605-266-2874

Title to the following described land(s)/property has been transferred as described above:

132 acres – SW ¼ Section 34 & E ½ SE ¼ Section 33 – All in T115N – R62W

I/We understand that the validity of Water Right No. 6398-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We Anne M. Wollman, the new owner, certify that the above information is true and correct.

Anne M. Wollman
(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIVED

DEC 12 2023

**OFFICE OF
WATER**

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Agriculture and Natural Resources

Date December 12, 2023

RECEIVED OF Anne Wollman 40004 184th St., Frankfort SD 57440-7311

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	\$ _____
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$ _____
Fee to retain Future Use Permit No. _____ after period of seven years.	\$ _____
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	\$ _____
Fee for Filing Transfer Form <u>6398-3</u>	<u>\$50.00</u>
Fee for _____	\$ _____
Fee for Issuing New Well Driller's License No. _____	\$ _____
Fee for Renewal of Well Driller's License No. _____	\$ _____
Fee for Issuing Well Pump Installer's License No. _____	\$ _____
Fee for Renewal of Well Pump Installer's License No. _____	\$ _____
(Any Other Work Provided by Law)	
TOTAL	<u>\$50.00</u>

By Eric Gronlund
Chief Engineer
vm