

WATER PERMIT NO. 6553-3

Name of Applicant: **Prairie Hills Covenant Church**

Address: **2500 S Powderhouse Rd, Sioux Falls SD 57110**

Phone: **605 334-4172**

Amount of Water Claimed: **0.067 cfs (30 gpm)**

Total Acres:

Source of Water Supply: **groundwater (1 well)**

Water to be used for: **irrigation**

County: **Minnehaha**

Type of Waste Disposal System:

Location: **Sioux Falls**

PRIORITY

Date Received: **12-13-04**

Application/License Fee: **\$100**

Corrected Application Received:

Period of Annual Use: **April 1 – October 31**


Remarks: **water landscape around facility**

Diversion Point: **SW ¼ NW ¼ Sec 30-T101N-**

R49W

Land to be Irrigated: **SW ¼ NW ¼ Sec 30-T101N-**

R49W



Depth of Well: **400 feet deep**

Well Driller: **Dave Putzke Well Drilling**

Remarks:

Type of Map: **plat**

Prepared by: **Jon E Jacobson, PE**

Reviewed and the Number Assigned on: **12-13-04**

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____

FORM 2: Application for uses other than irrigation
(type or print)

RECEIVED

DEC 13 2004

WATER RIGHTS
PROGRAM

Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	No. <u>6553-3</u> (office use only)	Hydrologic Unit <u>10170203</u>
	Basin <u>Sioux River</u>	
	Newspaper <u>Argus Leader, Sioux Falls</u>	

Application For Permit To Appropriate Water Within The State Of South Dakota

Check use(s) of water:

☐ Municipal	☐ Suburban Housing	☐ Recreational	☐ Institutional
☐ Rural Water System	☐ Commercial	☐ Fish & Wildlife	☐ Geothermal Heat
☐ Domestic (over 18 gpm)	☒ Industrial	☐ Other	

Type of Application: ☒ New ☐ Vested Right (Use predates Mar 2, 1955) ☐ Future Use Reservation
(check one) ☐ Place to Beneficial Use Water Reserved by Future Use Permit No. _____
☐ Amendment/Correction to Permit No. _____

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.) _____

- Name of Applicant Prairie Hills Covenant Church Phone 334-4172
(check one) Owner Tenant/lessee
Mailing Address 2500 S. Bowdler house Rd. Sioux Falls State SD 57110
(Street, RR, or Box and City) (Zip Code)
- Amount of water claimed 0.067 *CFS or 30 **GPM ***AF
(*Cubic Feet per Second) (**Gallons per Minute) (**Acre Feet - storage capacity of dam/dugout or annual use if applicable)
- Source of water supply ground
- Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) 1 well
Tract 1. Prairie Hill Covenant Church SW 1/4 NW 1/4 30-101-49
County Minnehaha
- County or counties where water will be used Minnehaha
- Annual period during which water is to be used April 1st thru Oct. 31
- Give a description of the project. When available include any preliminary engineering report or other reports or information that will help explain the project. (Attach sheet if more space is needed)
to provide water for irrigation of lawn

STATE OF SOUTH DAKOTA)

County of Minnehaha SS

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)


I, Robert P. Larson, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature Robert P. Larson

Subscribed and sworn to before me this 12 day of December 20 04

Jennifer J. Thomas
Notary Public signature

my commission expires 2-15-2010



**SOUTH DAKOTA
WATER PERMIT NO. 6553-3**

Date of first receipt of application December 13, 2004.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 6553-3 to Prairie Hills Covenant Church, 2500 S Powderhouse Rd, Sioux Falls SD 57110 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6553-3 appropriates 0.067 cubic feet of water per second from one well to be completed into the Sioux Quartzite Aquifer (approximately 400 feet deep) located in the SW ¼ NW ¼ Section 30-T101N-R49W for watering the landscaping around the facility.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 – October 31.
3. The date from which applicant may claim right is December 13, 2004.
4. The date of approval of Permit No. 6553-3 is January 31, 2005.
5. One-fifth of the construction is to be completed on or before July 31, 2007.
6. All construction is to be completed on or before January 31, 2010.
7. Water is to be put to beneficial use on or before January 31, 2014.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATION

The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

WATER MANAGEMENT BOARD

By: Garland Erbele

Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

APR 19 2005

date



Supplemental Information

(type or print in ink)

25 per well driller report

1. Well Information - Proposed Construction

- a) Drill Hole Diameter _____ Depth _____
- b) Casing Type _____ Diameter _____ Thickness _____
- c) Screen Type _____ Diameter _____ Thickness _____
- d) Gravel Pack _____ Length of Gravel Pack _____
- e) Depth to Top of Water Bearing Material _____
- f) Depth to Water (ground surface to water level) _____
- g) Distance to nearest existing domestic well:
- On applicants property _____ On property owned by others _____

2. Wastewater Disposal System Information

- a) Type of System (i.e. septic tank, drain field) _____
- b) System Capacity (gallons) _____ Year Constructed _____
- c) Connected to the City of _____ Sanitary System _____


3. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:



- b) Freeboard _____
- c) Crest Width _____
Crest Length _____
- d) Height _____
- e) Primary Outlet Capacity _____
If pipe, diameter _____
- f) Secondary Spillway Capacity _____
Spillway Width _____
- g) X & Y Slope _____
Upstream _____
Downstream _____
- h) Surface Area of Impoundment _____
- i) Storage _____ Acre Feet
- j) Drainage Area Above Dam _____ Acres

Subj: **church legal descriptions**
Date: 12/5/2004 2:23:29 PM Central Standard Time
From: user22644@uswest.net
To: rhogslc@aol.com

from when we bought the land:
the north 909 feet of the south 949 feet of the west 1/4, NW 1/4 except h lots except Iverson tract, except w
182.16 feet North 203.28 NW 1/4 NW 1/4 30-101-49 Splitrock township, South Dakota

from the appraisal (He noted the legal was given to him from someone in the church?) Tract 1, Evangelical
Covenant church addition, Minnehaha county, South Dakota, SW 1/4 NW 1/4. 30-101-49

Minnehaha county parcel id # 63596

Ron .

If you have any questions please call 338-6821
cell. 366-7023. Sorry this is a little late.

Bob Larson

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date December 13, 20 04

RECEIVED OF Prairie Hills Covenant Church, 2500 S Powderhouse Road, Sioux Falls SD 57110

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>6553-3</u> to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>6553-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	100.00

No.

001516

By

Charles S. White
Chief Engineer
gm

07-92

Date: _____



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

November 3, 2004

Prairie Hills Covenant Church
2500 S Powderhouse Rd
Sioux Falls SD 57110

Dear Sir:

I am writing in regard to a well driller's report filed by Dave Putzke Well Drilling, Inc. The report shows a well was completed for Prairie Hills Covenant Church on July 28, 2004. Based on the information in the report, you will need a water permit for this water use.

- According to state law, a water permit is needed for any water use except for reasonable, private domestic use. Examples of institutional uses that require water permits for private water supplies are: churches, hospitals and nursing homes (any amount of water) and schools that pump more than 18 gallons per minute or use water outside of the school building.
- Also, as a new well owner, you need to be aware of some of your responsibilities. Enclosed is a copy of "Well Owner Responsibilities". Please review these responsibilities to ensure you are complying with all of the requirements.

Enclosed are application forms and instruction sheet to apply for a water permit. The completed forms with the application fee and map can be returned to: Water Rights Program, 523 E. Capitol, Pierre, SD 57501. **Please respond by December 1, 2004.**

If you believe your water use does not require a water permit, or that you have an existing permit, or if help is needed completing the application forms, please contact Ron Duvall or me at (605) 773-3352. We will be happy to assist you in any way possible.

Sincerely,

Karen Schlaak
Water Rights Program
karen.schlaak@state.sd.us

enclosures

REPORT ON WATER PERMIT APPLICATION NO. 6553-3
For Prairie Hills Covenant Church
December 21, 2004

Application No. 6553-3 proposes to appropriate 0.067 cfs (25 gpm) from one well approximately 400 feet deep located in the SW ¼ NW ¼ of section 30, T101N R49W in Minnehaha County. The water is for irrigation and landscaping around the facility.

AQUIFER – SIOUX QUARTZITE (SOUX)

The Sioux Quartzite consists of predominantly orthoquartzite with minor conglomerate and mudstone layers (Tomhave, 1994). In some areas the quartzite is overlain by pink weathered quartzite sand called the Quartzite Wash or by the Dakota Formation in Lincoln County (Niehus, 1994) and the Split Rock Creek aquifer along with numerous glacial outwash aquifers in Minnehaha County (Lindgren, 1992). All of these formations are considered aquifers. The Sioux quartzite is broken into blocks by well-developed jointing both vertical and horizontal (Tomhave, 1994). The Sioux Quartzite underlies all 815 square miles of Minnehaha County and no estimate is available for the amount of water in storage (Lindgren, 1992). Those fractures and jointing within the quartzite also make it an aquifer albeit unpredictable. In this latter instance, typically a well is low yield well and may not sustain a pumping rate. The quartzite is buried but under water table conditions at this site.

The well log filed with the application indicates brown clay (weathered) from near the land surface to 50 feet, and granite (Sioux Quartzite) from 50 to 400 feet. The completed well was capable of producing 30 gpm using air to develop. The well had a static water level of 70 feet below land surface. This well has been constructed in accordance with South Dakota Well Construction Standards.

The Water Right Program does not monitor any observation wells completed into the Sioux quartzite aquifer in this area. Some monitor wells are completed into the wash or other aquifers lying directly upon the quartzite. The nearest observation well of this nature is MA-80BA completed into the Split Rock Creek aquifer and located about three miles north of this application. Water levels for this well respond to climatic conditions, that is, rising water levels during wet years (recharge) and gradually declining water levels during dry years. It is assumed that the quartzite aquifer would respond in a similar manner (Water Rights, 2004). A hydrograph of observation well MA-80BA is included with this report.


REVIEW OF EXISTING WATER PERMITS/RIGHTS

There are no other nearby water permits/rights. The nearest permitted users from this water source are located over two miles away. At this distance, interference is not expected to be a concern. This is a low yield well with a small pumping rate and drawdown should not be significant. Most of the drawdown created by pumping will be

inside the well bore and in all likelihood will not extend very far from the individual production well.

CONCLUSIONS

1. Water is available from the Sioux Quartzite aquifer.
2. The aquifer is under water table conditions at this site. Pumping is not expected to create significant drawdown. Interference should not be a concern.
3. This is an existing well and has been constructed in accordance with SD Well Construction Standards.



James A Goodman
Natural Resources Engineer

BIBLIOGRAPHY


Lindgren, R.J., C.A. Niehus, 1992, Water Resources of Minnehaha County, Water-Resources Investigations Report 91-4101, USGS, Huron, SD, 57350.

Niehus, C.A., 1994, Water Resources of Lincoln and Union Counties, South Dakota, Water Resources Investigations Report 93-4195, USGS, Rapid City, SD, 57702.

Tomhave, D.W., 1994, Geology of Minnehaha County, South Dakota, Bulletin 37, SD DENR, SDGS, Vermillion, SD, 57069.

Water Rights, 2004, Unpublished Observation Well Records for Minnehaha and Lincoln Counties, SD DENR, DES, Water Rights Program, Pierre, SD, 57501.

WATER RIGHTS' OBSERVATION WELL MA-80BA





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6553-3, Prairie Hills Covenant Church**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6553-3, Prairie Hills Covenant Church, c/o Robert Larson, 25005 S Powderhouse Road, Sioux Falls SD 57110.

The Chief Engineer is recommending APPROVAL of Application No. 6553-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualification:

The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

See report on application for additional information.

Garland Erbele, Chief Engineer
January 6, 2005

AFFIDAVIT OF PUBLICATION-
Customer Number: 078340
Invoice Number: 794819

DEPARTMENT OF ENVIRONMENT & NAT. RES.

Argus Leader
AFFIDAVIT OF PUBLICATION

STATE OF SOUTH DAKOTA

COUNTY OF MINNEHAHA } ss

Vicki Kiel being duly sworn, says: That The Argus Leader is, and during all the times hereinafter mentioned was, a daily legal newspaper as defined by SDCL 17-2-21, as amended published at Sioux Falls, Minnehaha County, South Dakota; that affiant is and during all of said times, was an employee of the publisher of such newspaper and has personal knowledge of the facts stated in this affidavit; that the notice, order or advertisement, a printed copy of which is hereto attached, was published in said newspaper upon

Wednesday, the 12 day of January 2005 ,

Wednesday, the 19 day of January 2005 ,

_____, the _____ day of _____ 2005 ,

_____, the _____ day of _____ 2005 ,


_____, the _____ day of _____ 2005 ,

_____, the _____ day of _____ 2005 ,

_____, the _____ day of _____ 2005 ,

and that \$95.28 was charged for publishing the same including A \$5.00 affidavit fee.

[Signature]
Subscribed and sworn to before 1/19/2005 .



[Signature]
Notary Public, South Dakota

My Commission expires June 30, 2005

State Notices

NOTICE OF APPLICATION
NO. 6553-3
to Appropriate Water

Notice is given that Prairie Hills Covenant Church, c/o Robert P Larson, 2500 S Powderhouse Rd, Sioux Falls SD 57110 has filed an application for a water permit to appropriate 0.067 cubic feet of water per second from one well to be completed into the Sioux Quartzite Aquifer (approximately 400 feet deep) located in the SW1/4 NW1/4 Section 30-T101N-R49W for watering the landscaping

around the facility.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6553-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by January 31, 2005.

The petition may be informal, but must include a statement

describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

794819 Jan. 12 & 19, 2005

RECEIVED

JAN 21 2005

WATER RIGHTS
PROGRAM

Instruction to Newspaper - Publish first Notice on January 12, 2005 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 6553-3 to Appropriate Water

Notice is given that Prairie Hills Covenant Church, c/o Robert P Larson, 2500 S Powderhouse Rd, Sioux Falls SD 57110 has filed an application for a water permit to appropriate 0.067 cubic feet of water per second from one well to be completed into the Sioux Quartzite Aquifer (approximately 400 feet deep) located in the SW ¼ NW ¼ Section 30-T101N-R49W for watering the landscaping around the facility.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6553-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by January 31, 2005.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 6, 2005

Argus Leader
PO Box 5034
Sioux Falls SD 57117-5034

ATTENTION: Legal Public Notice


Enclosed is a Notice on Application No. 6553-3 to Appropriate Water to be published twice. Please publish the first notice on January 12, 2005 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Prairie Hills Covenant Church, % Robert P Larson, 2500 S Powderhouse Rd, Sioux Falls SD (Ph # 605-334-4172).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,


Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 6553-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of January 6, 2005 enclosing Notice to Appropriate Water by Application No. 6553-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

January 6, 2005

Prairie Hills Covenant Church
% Robert P Larson
2500 S Powderhouse Rd
Sioux Falls SD 57110

Dear Mr. Larson:

Water Permit Application No. 6553-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Argus Leader printed at Sioux Falls, SD (Ph # 605-331-2200). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

APR 19 2005

Prairie Hills Covenant Church
% Robert P Larson
2500 S Powderhouse Rd
Sioux Falls SD 57110

Dear Mr. Larson:

Enclosed is Water Permit No. 6553-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USE

Date

6/29/05

TO: Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

FROM:

Prairie Hills Covenant Church

(name)

2500 Bowhouse Rd.

(address)

Sour Falls, SD 57110

(city, state, zip)

334-4172

(phone)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 6553-3 states that the water use system is to be constructed by

Aug 2004
(date)

, and water is to be put to beneficial use by

Sept 2004
(date)

The water use system was completed on

Aug. 2004
(date)

Applying the water to beneficial use was completed on

Sept. 2004
(date)


You may schedule an investigation so that the water license may be issued.

[Signature]
(signature)

(366-7023)

for Prairie Hills Covenant Church

7-98



RECEIVED
JUN 30 2005
WATER RIGHTS
PROGRAM

Permit No. 6553-3
Big Sioux River - Water District

Report of Examination of Works and/or Application of Water to Beneficial Use

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

I have this day, June 28, 2006, made a thorough examination of the water use system constructed by Prairie Hills Covenant Church of 2500 S Powderhouse Rd, Sioux Falls SD 57110 holder of Permit No. 6553-3, bearing the priority of December 13, 2004 authorizing the diversion of 0.067 cu. ft. per second of the waters of Sioux Quartzite Aquifer for irrigation purposes, in Minnehaha County.

Inspection contact & relationship to permit holder, if applicable: **Glen VanBochove (605)332-9019 hm 231-1622 cell**
Bob Larson (605) 338-6821 or 366-7023 cell

A. Works used to divert the water:

Well Information:

- 1) Well Drilling Firm: Dave Putzke Well Drilling Inc.
- 2) No. of Wells 1
- 3) Depth(s) 400 feet
- 4) Well log is available yes
- 5) Comment:

Casing:

- 1) Diameter 6 inches
- 2) Length 50 feet
- 3) Type steel

Screen:

- 1) Type granite
- 2) Length 350 feet
- 3) Static water level 70 feet

Pump:

- 1) Make Grunfos submersible
- 2) Model
- 3) Size
- 4) Capacity 25 GPM

Motor:

- 1) Make Franklin submersible
- 2) Model No.
- 3) Horsepower rating 5 hp

B. Works used to transport water to place of use: Sprinkler system

- 1) Type pvc
- 2) Size 2.5 inches

C. Works used to apply water to beneficial use:

Sprinkler system:

- 1) Make Rainbird
- 2) Number of zones 16
- 3) Capacity per zone 25 GPM

D. Compliance with Permit Requirements:

- 1) Permit qualifications being abided by yes
- 2) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period yes
- 3) Exceptions to compliance are: none

The system is in good condition with the point(s) of diversion located as follows: 250' E and 2000' S of the NW corner Section 30, T101N, R48W(43.523932/-96.650827). The works are capable of diverting and conveying to the place of use 0.056 cu. ft. per second of water which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:

Section 30-T101N-R48W:


SW $\frac{1}{4}$ NW $\frac{1}{4}$ 4 acres

comprising a total of 4 acres of land and the license should be issued for 0.056 cfs.

All structures, wells and lands on map yes

Comments or other permit(s) associated with the project:

Needs to be re-advertised for the correct legal description. Applied for and advertised as being located in T101N-R49W, actual location is T101N-R48W.


Lynn Beck

Natural Resources Engineer Specialist
DENR, Water Rights Program

Date report completed: September 5, 2006

**WATER RIGHT NO. 6553-3
PRAIRIE HILLS COVENANT CHURCH
September 5, 2006**

R48W

T101N




SCALE

0 330 660 1,320 1,980 2,640 Feet

Lynn Beck

Lynn Beck
Natural Resources Engineer
DENR - Water Rights Program
September 5, 2006



REPORT ON WATER PERMIT NO. 6553-3
PRAIRIE HILLS COVENANT CHURCH
September 12, 2006

Water Permit No. 6553-3 appropriates 0.067 cubic feet of water per second from one well completed into the Sioux Quartzite Aquifer located in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 30-T101N-R48W for watering around the facility. Readvertisement of this permit is necessary to correct the legal description of the well prior to issuance of the water license. This well was incorrectly advertised in the Argus Leader on January 12 and 19, 2005 as being located in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 30-T101N-R49W. This readvertisement does not authorize any increase in the developed water appropriation.

Conclusions

1. This is a readvertisement of the Notice of Water Permit No 6553-3.
2. This readvertisement is necessary to correct the legal description of the well prior to issuance of the water license.
3. The correct legal description of the well is the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 30-T101N-R48W.
4. The original priority date of December 13, 2004 will be retained.


Karen Schlaak
Environmental Scientist


Eric Gronlund
Natural Resources Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR READVERTISED WATER
PERMIT APPLICATION NO. 6553-3, Prairie Hills Covenant Church**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning readvertised Water Permit Application No. 6553-3, Prairie Hill Covenant Church, c/o Robert Larson, 2500 S. Powderhouse Road, Sioux Falls SD 57110.

The Chief Engineer is recommending APPROVAL of readvertised Application No. 6553-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion has been developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualification:

The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

See report on application for additional information.

Garland Erbele PE

Garland Erbele, Chief Engineer
September 13, 2006



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

September 14, 2006

Bob Larson
Prairie Hills Covenant Church
2500 S Powderhouse Rd
Sioux Falls SD 57110

Dear Mr. Larson:

The original notice of hearing for Water Permit No. 6553-3 was published with an error. Readvertisement of this permit is necessary to correct the legal description of the well prior to issuance of the water license. This well was incorrectly advertised in the Argus Leader on January 12 and 19, 2005 as being located in the SW ¼ NW ¼ Section 30-T101N-R49W. The correct location is Section 30-T101N-R48W.

Therefore, the notice of hearing has been sent to the Publisher of the Argus Leader. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the readvertisement are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

The cost of publication of this notice will be paid by the Water Rights Program. Please contact us if you have any questions.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

September 14, 2006

Argus Leader
PO Box 5034
Sioux Falls SD 57117-5034

ATTENTION: Legal Public Notice

Enclosed is a Notice on Application No. 6553-3 to Appropriate Water to be published twice. Please publish the first notice on September 20, 2006 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

Please BILL Water Rights Program, Foss Building, 523 E Capitol, Pierre SD (PH# 605-773-3352) for the cost of publication.

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, please send us an affidavit or use the enclosed Proof of Publication form.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 6553-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____
We are in receipt of your letter of September 14, 2006 enclosing Notice to Appropriate Water by Application No. 6553-3 which was first published in our issue of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper

Instruction to Newspaper - Publish first Notice on September 20, 2006 with the second publication 7 days later.

READVERTISEMENT OF NOTICE OF WATER PERMIT NO. 6553-3 to Appropriate Water

Notice is given for readvertisement of Water Permit No. 6553-3 held by Prairie Hills Covenant Church, 2500 S Powderhouse Rd, Sioux Falls SD 57110. Water Permit No. 6553-3 appropriates 0.067 cubic feet of water per second from one well completed into the Sioux Quartzite Aquifer located in the SW ¼ NW ¼ Section 30-T101N-R48W for watering around the facility. Readvertisement of this permit is necessary to correct the legal description of the well prior to issuance of the water license. This well was incorrectly advertised on January 12 and 19, 2005 as being located in the SW ¼ NW ¼ Section 30-T101N-R49W. This readvertisement does not authorize any increase in the developed water appropriation.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Readvertised Water Permit No. 6553-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by October 9, 2006.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

AFFIDAVIT OF PUBLICATION-

Customer Number: **078340**

Invoice Number: **971181**

Water Rights Program

Argus Leader **AFFIDAVIT OF PUBLICATION**

STATE OF SOUTH DAKOTA

COUNTY OF MINNEHAHA } ss

Betty Jones being duly sworn, says: That The Argus Leader is, and during all the times hereinafter mentioned was, a daily legal newspaper as defined by SDCL 17-2-21, as amended published at Sioux Falls, Minnehaha County, South Dakota; that affiant is and during all of said times, was an employee of the publisher of such newspaper and has personal knowledge of the facts stated in this affidavit; that the notice, order or advertisement, a printed copy of which is hereto attached, was published in said newspaper upon

Wednesday, the 20 day of September 2006 ,
Wednesday, the 27 day of September 2006 ,
 _____, the _____ day of _____ 2006 ,
 _____, the _____ day of _____ 2006 ,
 _____, the _____ day of _____ 2006 ,
 _____, the _____ day of _____ 2006 ,
 _____, the _____ day of _____ 2006 ,

and that \$118.00 was charged for publishing the same

Betty Jones

Subscribed and sworn to before me 9/27/2006

JACQUELINE ZIMMERMAN



NOTARY PUBLIC
SOUTH DAKOTA



J. Zimmerman

Notary Public, South Dakota

My Commission expires December 22, 2009

State Notices

012
 READVISEMENT OF NOTICE OF WATER PERMIT NO. 6553-3 to Appropriate Water

Notice is given for readvertisement of Water Permit No. 6553-3 held by Prairie Hills Covenant Church, 2500 S. Powderhouse Rd., Sioux Falls, SD 57110. Water Permit No. 6553-3 appropriates 0.067 cubic feet of water per second from one well completed into the Sioux Quartzite Aquifer located in the SW 1/4 NW 1/4 Section 30-T101N-R49W for watering around the facility. Readvertisement of this permit is necessary to correct the legal description of the well prior to issuance of the water license. This well was incorrectly advertised on January 12 and 19, 2005 as being located in the SW 1/4 NW 1/4 Section 30-T101N-R49W. This readvertisement does not authorize any increase in the developed water appropriation.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Readvised Water Permit No. 6553-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application.

Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E. Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by October 9, 2006.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel. If legal counsel is obtained, contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources. 971181 Sept. 20 & 27, 2006

RECEIVED
SEP 29 2006
WATER RIGHTS PROGRAM

PAYMENT REQUEST FORM

PAYEE: Argus Leader
PO Box 5034
Sioux Falls, SD 57117-5034

FROM: Water Rights Program
523 E. Capitol
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Notice of Application No. 6553-3

AMOUNT: \$118.00

FUNDING SOURCE:

GENERAL: X

FEDERAL:

COMMENTS:

AUTHORIZATION:

Barbari Call 10/02/04

I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOV 01 2008

6553-3

Bob Larson
Prairie Hills Covenant Church
2500 S Powderhouse Rd
Sioux Falls SD 57110

Dear Mr. Larson:

Enclosed is Water License No. 6553-3. This is the final water right document completing your process of obtaining a Water Right.

As long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 6553-3

(1) Prairie Hills Covenant Church, 2500 S Powderhouse Rd, Sioux Falls SD 57110 made Application No. 6553-3, December 13, 2004 for a water permit to divert 0.067 cubic feet of water per second from groundwater (one well), Minnehaha County, South Dakota for irrigation purposes. Permit No. 6553-3, with a priority date of December 13, 2004 was approved January 31, 2005 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before January 31, 2010 and for the application to beneficial use of water on or before January 31, 2014.

The permit holder submitted a *Notice of Completion of Works and Application of Water to Beneficial Use* on June 30, 2005. The *Notice* stated the diversion system was completed August, 2004 and the water placed to beneficial use on September, 2004.

The permit was readvertised on September 20 and 27, 2006 to correct an error on the original notice in the legal description of the well location. The readvertisement of the original notice did not authorize an increase in the developed diversion rate.

(2) The water supply system has been completed and water applied to beneficial use in accordance with South Dakota State Law. Pursuant to South Dakota Codified Law 46-5-30.1, the holder and/or owner of Water Right No. 6553-3 is issued a license, bearing a priority date of December 13, 2004 to appropriate 0.056 cubic feet of water per second from groundwater (one well) to irrigate four acres of landscaping around the facility.

The diversion point is located: 250 feet east and 2,000 feet south of the northwest corner of Section 30-T101N-R48W (SW ¼ NW ¼). The acres authorized for irrigation are as follows:

Section 30-T101N-R48W SW ¼ NW ¼ 4 acres

(3) This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Permit No. 6553-3 including the following now applicable qualifications:

- The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

Garland Erbele

Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

NOV 01 2006

date





**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

August 7, 2025

6553-3

Prairie Hills Covenant Church
6000 E 33rd St
Sioux Falls SD 57110

To whom it may concern:

I am writing today regarding Water Right No. 6553-3, held by Prairie Hills Covenant Church, for the irrigation of 4 acres (SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 30-T101N-R48W) from a single well completed into the Sioux Quartzite Aquifer. The water right was issued to the church in 2006, allowing for irrigation of lawns and watering of gardens.

During a review of water use from the Sioux Quartzite Aquifer, it was found that annual irrigation questionnaires have never been sent to Prairie Hills Covenant Church for reporting of annual water use.

Please be advised that in October 2025, the Water Rights Program will be mailing a form asking you to report any irrigation practices from the well, as authorized by Water Right No. 6553-3, for the 2025 calendar year. If you receive the form and have any questions, please call or email me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us



6553-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2026

NOTICE

TO: PRAIRIE HILLS COVENANT CHURCH, 6000 E 33RD ST, SIOUX FALLS, SD 57110

FROM: Ron Duvall, Engineer III
for Adam Mathiowetz, PE, Acting Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2025 Irrigation Questionnaire(s)

Our records indicate your 2025 Irrigation Questionnaire has not been submitted for Permit No(s) 6553-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 8, 2025. The Water Management Board has directed owners of water permits who have not submitted the 2025 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held on **Wednesday, March 4, 2026 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 6553-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2026** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Shannon Konst at (605) 773-3352 or email at shannon.konst@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: FHAYBM**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 6, 2026

NOTICE OF AMENDMENT OF WATER RIGHT

TO: Prairie Hills Covenant Church, 6000 E 33rd St, Sioux Falls SD 57110

FROM: Adam Mathiowetz, PE, Acting Chief Engineer
DANR - Water Rights Program

SUBJECT: Amendment to Water Right No. 6553-3

On March 4, 2026, the South Dakota Water Management Board amended Water Right No. 6553-3 to add the following qualification:

"This Water Right is subject to the Irrigation Water Use Questionnaire being submitted each year."

This action was taken by the Board for failure to return the 2025 irrigation questionnaire. The addition of this qualification means that failure to submit the irrigation questionnaire in the future could result in suspension or cancellation of the Water Right.

Please contact Amanda Dewell, Water Rights Permitting Administrator, with any questions (605) 773-3352.

U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only	
For delivery information, visit our website at www.usps.com ®.	
OFFICIAL USE	
Certified Mail Fee	\$
Extra Services & Fees (check box, add fee as appropriate)	
☐ Return Receipt (hardcopy)	\$
☐ Return Receipt (electronic)	\$
☐ Certified Mail Restricted Delivery	\$
☐ Adult Signature Required	\$
☐ Adult Signature Restricted Delivery	\$
Postage	
Postmark Here	
Prairie Hills Covenant Church 6000 E 33rd St Sioux Falls SD 57110	

CERTIFICATION

The undersigned hereby certifies under the penalty of perjury that I have personally mailed a true and correct NOTICE OF AMENDMENT OF WATER RIGHT dated March 6, 2026, via certified mail to the following parties.

Blake Wollman
733 Burr Dr
Rock Springs, Wy 82901

Bonnie Wirt
27813 454th Ave
Parker, SD 57053

Leroy Wetz
14164 Wetz Rd
Vale, SD 57788

Randy Wirt
27811 455th Ave
Parker, SD 57053

John or Richard Vasgaard
28746 462nd Ave
Centerville, SD 57104

Kory Standy
PO Box 114
Platte, SD 57369

Prairie Hills Covenant Church
6000 E 33rd St
Sioux Falls, SD 57110

Bluffs Townhomes Assoc.
2806 Ridgeview Way
Sioux Falls, SD 57105

Donald Goetz
PO Box 43
Akasaka, SD 57420

Louann Soukup
40229 County Rd 2
Wagner, SD 57380

Richard Bollman
2425 Taylor Dr
Sheboygan, WI 53081


Jacob Rausch
16080 Low Spring Creek Rd
Hermosa, SD 57744


Alyce McGhee
Senior Secretary-Water Rights

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 6th day of March, 20 26


Rachel Rodriguez Notary Public
My Commission expires May 16, 2029



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

COMPLETE THIS SECTION ON DELIVERY**A. Signature****X****B. Received by (Printed Name)**☐ Agent☐ Addressee**C. Date of Delivery**

delivery address different from item 1? ☐ Yes
/ES, enter delivery address below: ☐ No

Prairie Hills Covenant Church
5000 E 33rd St
Sioux Falls SD 57110



9590 9402 6392 0303 3262 63

2. Article Number (Transfer from service label)

7021 1970 0000 9489 8643

3. Service Type

- ☐ Adult Signature
- ☐ Adult Signature Restricted Delivery
- ☒ Certified Mail®
- ☐ Certified Mail Restricted Delivery
- ☐ Collect on Delivery
- ☐ Collect on Delivery Restricted Delivery
- ☐ Insured Mail
- ☐ Insured Mail Restricted Delivery (over \$500)

- ☐ Priority Mail Express®
- ☐ Registered Mail™
- ☐ Registered Mail Restricted Delivery
- ☐ Signature Confirmation™
- ☐ Signature Confirmation Restricted Delivery

USPS TRACKING #



OMAHA NE 680

17 MAR 2026 PM 4 L



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

9590 9402 6392 0303 3262 63

United States
Postal Service

RECEIVED

MAR 23 2026

OFFICE OF
WATER

• Sender: Please print your name, address, and ZIP+4® in this box•

DANR WATER RIGHTS PROGRAM
523 E CAPITOL AVE
PIERRE SD 57501

1-316290

