

WATER PERMIT NO. 6605-3

Name of Applicant: **Robert Streeter**

Address: **1305 N Thompson Dr, Madison WI 53704**

Phone: **608 246-4301**

Amount of Water Claimed: **4.57 cfs**

Total Acres: **320 acres**

Source of Water Supply: **groundwater**

Water to be used for: **irrigation**

County: **Campbell**

Type of Waste Disposal System:

Location: **½ mile southwest of Pollock**

PRIORITY

Date Received: **3-10-05**

Application/License Fee: **\$375**


Corrected Application Received: **3-♣-05**

Period of Annual Use: **May 1 – November 1**

Remarks: **Water Right No. 5736-3 authorizes irrigation of the same acreage from the Missouri River**

Diversion Point: **on quarter line between SW ¼
NW ¼ and NW ¼ SW ¼ Sec 20-T128N-R78W**

Land to be Irrigated: **W ½ Sec 20-T128N-R78W**



Depth of Well: **225 feet deep**

Well Driller: **Manikowski Well Drilling**

Remarks:

Type of Map: **aerial**

Prepared by: **Paul Drayton, Campbell Co NRCS**

Reviewed and the Number Assigned on: **3-♣-05**

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____

Mail to:
Water Rights Program
Joe Foss Building
523 E. Capitol
Pierre, SD 57501-3181
(605) 773-3352

(office use only)
No. 6605-3 Hydrologic Unit 10130102
Basin Missouri River
Newspaper Prairie Pioneer, Pollock

RECEIVED
MAR 10 2005
WATER RIGHTS
PROGRAM

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
(Use predates Mar 2, 1955) 5736-3

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

Applicant holds SD Water Permit #2570-3B to divert water from Lake Oahe to irrigate the same crop land. He is seeking a new permit to develop a secondary ground well supply when the Lake level is to low to access.

1. Name of Applicant Robert R. Streter Streeter Phone (608) 246-4301
(check one) ☒ Owner ☐ Tenant/lessee
Mailing Address 1305 N. Thompson Dr. Madison State WI 53704
(Street, RR, or Box and City) (Zip Code)

2. Amount of water claimed 4.57 *CFS or 640.0 **GPM 640.0 ***AF Total Acreage 320
(*Cubic Feet per Second) (**Gallons per Minute) (***) Acre Feet - storage capacity of dam/dugout or annual use if applicable)

3. Source of water supply New proposed ground well on applicants' property

4. Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) County Campbell
Most western point on common border of NW1/4 and SW 1/4 of the NW1/4 of Section 20, T128N, R78W

5. County or counties where water will be used Campbell

6. Annual period during which water is to be used Normal crop season May 1 - Nov 1

7. List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
NW1/4, NW1/4, Sec 20, T128N, R78W	40	NW1/4, SW1/4, Sec 20, T128N, R78W	40
SW1/4, NW1/4, Sec 20, T128N, R78W	40	SW1/4, SW1/4, Sec 20, T128N, R78W	40
SE1/4, NW1/4, Sec 20, T128N, R78W	40	SE1/4, SW1/4, Sec 20, T128N, R78W	40
NE1/4, NW1/4, Sec 20, T128N, R78W	40	NE1/4, SW1/4, Sec 20, T128N, R78W	40

8. Give a description of the project. (Attach sheet if more space is needed) 5736-3

Applicant holds SD Water Permit #2570-3B to divert water from Lake Oahe to irrigate the same crop land. He is seeking a new permit to develop a secondary ground well supply when the Lake level is to low to access. He is requesting that both permits, Lake water and well water, be approved for beneficial use, as dictated by nature.


STATE OF ~~SOUTH DAKOTA~~ WI
County of Dane SS

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, Robert Streter, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature Robert Streter

Subscribed and sworn to before me this 7th day of March 20 05



Notary Public signature

**SOUTH DAKOTA
WATER PERMIT NO. 6605-3**

Date of first receipt of application March 10, 2005.

Date of return to applicant for corrections, amendments or changes March 11, 2005.

Date of receipt of corrected application March 17, 2005.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 6605-3 to Robert R Streeter, 1305 N Thompson Dr, Madison WI 53704 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6605-3 appropriates 4.57 cubic feet of water per second from one well to be completed into the Grand Aquifer (approximately 216 feet deep) located on the quarter line between the SW ¼ NW ¼ and the NW ¼ SW ¼ Section 20 to irrigate 320 acres located in the W ½ Section 20; all in T128N-R78W. Water Right No. 5736-3 authorizes irrigation of the same acreage from the Missouri River.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 – November 1.
3. The date from which applicant may claim right is March 10, 2005.
4. The date of approval of Permit No. 6605-3 is May 23, 2005.
5. One-fifth of the construction is to be completed on or before November 23, 2007.
6. All construction is to be completed on or before May 23, 2010.
7. Water is to be put to beneficial use on or before May 23, 2014.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 6605-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. The diversion rate from Water Right No. 5736-3 and Permit No. 6605-3, combined, shall not exceed the statutory limit of 1 cfs per 70 acres and 2 acre feet per acre annually.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele
Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUL 11 2005
date



RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date March 10, 2005

RECEIVED OF Robert Streater, 1305 N Thompson Dr, Madison WI 53704

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>60605-3</u> to Appropriate Water, to construct and to put water to beneficial use	325	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>60605-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	375.00

No.

00370

By


Darland White
Chief Engineer
gm

MAP NOT TO SCALE
THIS IS NOT AN OFFICIAL WETLAND MAP.

128-78

$\frac{114.4}{3}$

51.4



Paul Drayton

SOUTH DAKOTA WATER WELL COMPLETION REPORT

07-92


Location NW 1/4 SW 1/4 Sec 20 Twp 128N Rg 78WCounty Campbell North

Please mark well location with an "X"

W

E

Well Completion Date

3-3-05

LOCATION:

Distance from nearest potential pollution source (septic tank, abandoned well, feed lot, etc.) 2500 ft. from septic tank (identify source).

PROPOSED USE:

☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

Forward RotaryCASING DATA: ☐ Steel ☒ Plastic ☐ Other

If other describe _____

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
<u>2 3/8</u> LB/FT	<u>4</u> IN	<u>0</u> FT	<u>196</u> FT	<u>6 7/8</u> IN
<u>2 3/8</u> LB/FT	<u>4</u> IN	<u>0</u> FT	<u>196</u> FT	<u>6 7/8</u> IN
<u>2 3/8</u> LB/FT	<u>4</u> IN	<u>0</u> FT	<u>196</u> FT	<u>6 7/8</u> IN

GROUTING DATA

Grout Type	No. of Sacks	Grout Weight	From	To
<u>barite grout</u>	<u>6</u>	<u>10.14</u> lb./gal	<u>0</u> ft	<u>146</u> ft
		lb./gal	ft	ft

Describe grouting procedure Pressure grouted thru screen line pump grout from bottom of hole upwardSCREEN: ☐ Perforated pipe ☒ ManufacturedDiameter 4" IN Length 20 FEETMaterial PVCSlot Size 1040 Set From 196 Feet to 216 Feet

Other information _____

WAS A PACKER OR SEAL USED? ☐ YES ☒ NO

If so, what material? _____

Describe packer(s) and location? _____

DISINFECTION: Was well disinfected upon completion?

☒ YES, How: chlorine☐ NO, Why Not? backflushed

Laboratory sent to for water quality analysis

SDSUWell Owner: Robert Streeter

Business Name: _____

Address: 1305 N Thompson Drive
Madison, Wisconsin 53704

WELL LOG:

DEPTH

FORMATION	FROM	TO
Top So. l	0	2
yellow sandy clay	2	14
oxidized medium sand	14	30
Blue clay	30	146
fine sand	146	165
medium to coarse sand	165	180
fine sand some medium	180	190
medium sand some coarse	190	210
coarse gravel	210	216
blue clay	216	225

STATIC WATER LEVEL 57'-3" Feet

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other _____

Reduced Flowrate _____ GPM

Can well be completely shut in? _____

WELL TEST DATA:

☒ Pumped Describe: pumped with Schmencke pump
☐ Bailed
☐ Other

Pumping Level Below Land Surface

59'3" ft. After 3 Hrs. pumped 37.5 GPM

_____ ft. After _____ Hrs. pumped _____ GPM

If pump installed, pump rate _____ GPM

REMARKS

Test well drilled for aquifer information and water quality test.This well was drilled under license # 508

And this report is true and accurate.

Drilling firm Water Smith / MankowskiSignature of License Representative: Thant ThandalSignature of Well Owner or Equitable Property Holder: Ken MooreDate: 3-3-05

RECEIVED

MAR 11 2005

WATER RIGHTS PROGRAM

RECEIVED

MAR 10 2005

WATER RIGHTS
PROGRAM

March 7, 2005

Robert R. Streeter
1305 N. Thompson Dr.
Madison, WI 53704

Mr. Eric Gronlund
Water Rights Program
Joe Foss Building
523 E. Capitol
Pierre, SD 57501-3181

Re: Application for Water Permit

Dear Mr. Gronlund:

Enclosed is my signed and notarized Application For Permit to Appropriate Water for Irrigation. Also enclosed is my draft in the amount of \$375.00, \$325.00 as fees for 640 acre-feet of water and \$50.00 for inspection fee.

A licensed well driller has developed a test well and he reports adequate flow to serve my irrigation system, which consists of two center pivots on adjoining quarters, just West of Pollock in Campbell County, South Dakota. The water sample has been sent to the Brookings lab for testing. The NRCS office in Mound City is also forwarding a soils map of the subject quarters to the Brookings lab for a compatibility analysis with the well water sample.


My well driller will submit the well logs and other required information directly to your office.

The NRSC Office in Mound City will mail you a signed soils map noting the well location.

I have notified the Prairie Pioneer in Pollock to publish the public notice at my expense.

Please know that I certainly appreciate any effort your office can make to expedite this request, hopefully, in time for this crop season's beneficial use.

Sincerely yours;


Robert R. Streeter

Enc.



March 11, 2005

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

Robert R Streeter
1305 N Thompson Dr.
Madison WI 53704

Dear Mr. Streeter:

Thank you for submitting the *Application for a Permit to Appropriate Water* for irrigation in Campbell County. We have received all the necessary information to complete your application.

We are returning the aerial photo map. On the map, please mark the proposed location of the well with an "X".

(See Enclosed map)

Upon return of the map, further processing of your application will continue. If you have any questions, please contact me.

Sincerely,

Karen Schlaak
Karen Schlaak
Water Rights Program
605 773-3352
karen.schlaak@state.sd.us

RECEIVED
MAR 17 2005
WATER RIGHTS
PROGRAM

enclosure

COPY

RECEIVED

MAR 14 2005

WATER RIGHTS
PROGRAM

March 8, 2005

Robert Streeter
1305 N. Thompson Dr.
Madison, WI 53704-7814

Prairie Pioneer
PO Box 218
Pollock, SD 57648-0218

RECEIVED

MAR 13 2005

WATER RIGHTS
PROGRAM

Dear Alan,

Enclosed please find my renewal payment in the amount of \$38.00.

Please also accept this order to publish in the Prairie Pioneer for two consecutive weeks a public notice that you will receive separately from the South Dakota Water Rights notifying the public of my request for constructing a new ground well to provide a secondary source of water for irrigating 320 acres of crop land, specifically, the NW1/4 and SW1/4 of Section 20, T128W, R78N, in Campbell County, SD.

Please send the invoice for the notice to myself at the above address for prompt payment.

Sincerely yours,

Robert Streeter

CC: South Dakota Water Rights ✓
Enc.

REPORT ON WATER PERMIT APPLICATION NO. 6605-3

For Robert R. Streeter

April 22, 2005

Application No. 6605-3 proposes to appropriate 4.57 cfs (2006 gpm) from one well approximately 216 feet deep located near the west quarter corner of section 20 to irrigate 320 acres located in the W ½ of section 20; all in T128N R78W in Campbell County. These same lands are already irrigated by Water Right No. 5736-3 with the Missouri River as a water source.

AQUIFER – GRAND (G)

The Grand aquifer consists of a buried outwash (sand and gravel) and alluvium from the ancient Grand River (Koch, 1970). The aquifer underlies 97,900 acres and contains an estimated 1.5 million acre-feet of recoverable water in storage in Campbell County (Hedges, 1982). The aquifer is under artesian conditions at this site however, the behavior is more like a water table situation. Ground water movement is from northwest to southwest and toward the Missouri River (Koch, 1970). Koch also reported significant rises in water levels in the Grand aquifer due to filling of Oahe Reservoir. What happened was that as the reservoir filled and the aquifer continued to discharge that direction the reservoir water level acted like a dam causing the ground water levels to back up or rise.

The test well log filed with the application indicates topsoil from 0 to 2 feet, yellow sandy clay from 2 to 14 feet, oxidized medium sand from 14 to 30 feet, clay from 30 to 160 feet, fine sand from 146 to 165 feet, medium to coarse sand from 165 to 180 feet, fine to medium sand from 180 to 190 feet, mediums sand from 190 to 210 feet and coarse gravel from 210 to 216 feet all below land surface. The completed well had a water level of about 57 feet below land surface. Koch reported results from an aquifer test located about two miles east of this site. This aquifer test indicated a specific capacity of about 28 gpm/ft of drawdown. Using this test data and the observation well log and water level as a guide a production well at this site would yield 2,000 gpm with a pumping level of about 130 feet.

The Water Rights Program monitors an observation well CA-80A located about two miles west of this application. Water levels for this well show good response to climatic conditions, that is, rising water levels during dry years (recharge) and gradually declining water levels during dry years. Some effects of pumping are apparent but mostly it appears the rise and fall of Lake Oahe has an overall effect on the water levels (Water Rights, 2005). A hydrograph of this observation well is included with this report.


REVIEW OF EXISTING WATER PERMITS/RIGHTS

Water Right No. 6012-3 for 0.035 cfs is located about one mile west of this application and Water Right No. 5366-3 for 0.78 cfs is located about one and one-half miles east of this application. Interference is not expected to be a concern. Drawdown will be created

by pumping but this should not have any adverse effect at this distance between wells. The observation well record reinforces this conclusion.

CONCLUSIONS

1. Water is available from the Grand aquifer.
2. The aquifer is under artesian conditions at this site. However, the close proximity to Lake Oahe apparently affects the water levels. With the continued decline in lake levels it would be expected that the ground water level would also decline. Interference is not expected to be a concern.
3. This well must be constructed in accordance with SD Well Construction Standards.
4. The applicant needs to use ground water because of the falling lake level. It is apparently prohibitive to get at the lake. This well will allow irrigation from the ground water until such time as the lake level recovers. The combined diversion rate from both the surface and ground water cannot exceed two acre feet per acre.



James A Goodman
Natural Resources Engineer


BIBLIOGRAPHY

Hedges, L.S. and others, 1982, Evaluation of Ground-Water Resources Eastern SD and Upper Big Sioux River, SD and Iowa, for US Army Corps of Engineers, SD DENR, SDGS, Vermillion, SD, 57069.

Koch, N.C., 1970, Geology and Water Resources of Campbell County, South Dakota, Bulletin 20, Part II Water Resources, SD DENR, SDGS, Vermillion, SD, 57069.

Water Rights, 2005, Unpublished Observation Well Records for Campbell County, SD DENR, DES, Water Rights Program, Pierre, SD, 57501.

WATER RIGHTS' OBSERVATION WELL CA-80A





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6605-3, Robert R. Streeter**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6605-3, Robert R. Streeter, 1305 N Thompson Drive, Madison WI 53704.

The Chief Engineer is recommending APPROVAL of Application No. 6605-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 6605-3 shall be constructed by a license well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. The diversion rate from Water Right No. 5736-3 and Permit No. 6605-3, combined, shall not exceed the statutory limit of 1 cfs per 70 acres and 2 acre feet per acre annually.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
April 26, 2005

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
 County of Campbell) SS

I, Leah Burke

certify that the attached printed Notice was taken

from the Prarie Pioneer

printed and published in Pollock

County of Campbell and

state of South Dakota. The notice was published

in the newspaper on the following two dates:

May 5, 2005

May 12, 2005

Cost of Printing \$39⁷⁶

Leah Burke
 (Signature)

publisher
 (Title)

5/12/05
 (Date Signed)

Notice of Application No. 6605-3 to Appropriate Water

Notice is given that Robert R Streeter, 1305 N Thompson Drive, Madison WI 53704 has filed an application for a water permit to appropriate 4.57 cubic feet of water per second from one well to be completed into the Grand Aquifer (approximately 216 feet deep) located on the quarter line between the SW $\frac{1}{4}$ NW $\frac{1}{4}$ and the NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 20 to irrigate 320 acres located in the W $\frac{1}{2}$ Section 20; all in T128N-R78W. Water Right No. 5736-3 authorizes irrigation of the same acreage from the Missouri River.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6605-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by May 23, 2005.

The petition may be informal, but must include a statement describing the petitioner's interest in the

application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application.

Steven M. Pirner
 Secretary
 Department of
 Environment and Natural
 Resources

18-19

RECEIVED
 MAY 16 2005
 WATER RIGHTS
 PROGRAM

Instruction to Newspaper - Publish first Notice on May 5, 2005 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 6605-3 to Appropriate Water

Notice is given that Robert R Streeter, 1305 N Thompson Drive, Madison WI 53704 has filed an application for a water permit to appropriate 4.57 cubic feet of water per second from one well to be completed into the Grand Aquifer (approximately 216 feet deep) located on the quarter line between the SW $\frac{1}{4}$ NW $\frac{1}{4}$ and the NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 20 to irrigate 320 acres located in the W $\frac{1}{2}$ Section 20; all in T128N-R78W. Water Right No. 5736-3 authorizes irrigation of the same acreage from the Missouri River.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6605-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by May 23, 2005.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

April 27, 2005

Prairie Pioneer
PO Box 218
Pollock SD 57648-0218

ATTENTION: Legal Public Notice

Enclosed is a Notice on Application No. 6605-3 to Appropriate Water to be published twice. Please publish the first notice on May 5, 2005 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Robert R Streeter, 1305 N Thompson Dr., Madison WI 53704 (Ph # 608-246-4301).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 6605-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of April 27, 2005 enclosing Notice to Appropriate Water by Application No. 6605-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.**

April 27, 2005

Robert R Streeter
1305 N Thompson Dr
Madison WI 53704

Dear Mr. Streeter:

Water Permit Application No. 6605-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Prairie Pioneer printed at Pollock, SD (Ph # 605-889-2320). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

JUL 11 2005

Robert R Streeter
1305 N Thompson Dr
Madison WI 53704

Dear Mr. Streeter:

Enclosed is Water Permit No. 6605-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USE

Date 7-21-05

TO: Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

FROM:

ROBERT STREETER
(name)
E 2191 STATE HIGHWAY 82
(address)
De Soto WI 54624-6415
(city, state, zip)

NOTE
New Address
Phone
608-648-3028
(phone)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 6605-3 states that the water use system is to be constructed by

MAY 23, 2016 (date), and water is to be put to beneficial use by MAY 23, 2014 (date).


The water use system was completed on JUNE 10, 2005 (date).

Applying the water to beneficial use was completed on JULY 18, 2005 (date).

You may schedule an investigation so that the water license may be issued.


Robert Streeter
(signature)

RECEIVED
JUL 25 2005
WATER RIGHTS
PROGRAM



7-98 Please contact OPERATOR, KEN MOSER,
Cell 701-321-2254 - Home 701-336-2634
TO complete INVESTIGATION

SOUTH DAKOTA WATER WELL COMPLETION REPORT

6605-3
10-85Location NW 1/4 SW 1/4 Sec 20 Twp 128N Rg 78WCounty CampbellPlease mark well
location with
an "X"Well Completion Date 4-26-05

PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Stock

Method of Drilling:

Forward Rotary

CASING DATA:

☐ Steel ☒ Plastic ☐ Other

If other describe _____

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
<u>class 200</u> LB/FT	<u>12</u> IN	<u>0</u> FT	<u>196</u> FT	<u>14 1/2</u> IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN

GROUT:

Was the well grouted? ☒ YES ☐ NOTo what depth? 150 FEETWhat is grouting material? High solids bentonite groutIf cement, number of sacks? 30 Sacks of GroutDescribe grouting procedure pumped mixed grout from 150' to Top of hole then a 2" tremie lineWhat was grout weight? 8.8 LB/GALSCREEN: ☐ Perforated pipe ☒ ManufacturedDiameter 12 IN Length 20 FEETMaterial stainless steelSlot Size 060 Set From 196 Feet To 218 Feet

Slot Size _____ Set From _____ Feet To _____ Feet

Slot Size _____ Set From _____ Feet To _____ Feet

Other information _____

Was a packer or seal used? ☐ YES ☒ NO

If so, what material? _____

Describe packer(s) and location? _____

Was well disinfected upon completion? ☒ YES ☐ NOExplain chlorinated water washed backBacteriological analysis ☐ YES ☒ NO

Laboratory sent to _____

Well Owner:

Name Robert StreetenAddress 1305 N Thompson DriveMadison, Wisconsin 53704

Well Log:

Depth

Formation	From	To
Top Soil	0	2
yellow sand clay	2	14
oxidized medium sand	24	30
Blue clay	30	146
Fine sand	146	165
medium to coarse sand	165	180
Fine to medium sand	180	190
medium to coarse sand	190	210
coarse sand & gravel	210	216
Blue clay	216	

STATIC WATER LEVEL 54' 3" Feet

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

If other; specify _____

Can well be completely shut in? _____

WELL TEST DATA:

☐ PumpedAir Compressor☐ Bailed

Describe: _____

☒ Other _____

Pumping Level Below Land Surface

160 ft. After 3 Hrs. pumped 800 GPM

_____ ft. After _____ Hrs. pumped _____ GPM

_____ ft. After _____ Hrs. pumped _____ GPM

REMARKS:

This well was drilled under license # 2285

And this report is true and accurate.

Drilling firm WATER SMITH / PLANNING & DRILLING

Signature of License Representative:

R. Stuart Juanda / Bryan W. Smith

Signature of Well Owner:

Date _____

RECEIVED

APR 10 2006

WATER RIGHTS
PR

1-17-06

Water Permit No. 6605-3

Missouri River - Water District

Report of Examination of Works and/or Application of Water to Beneficial Use

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

I have this day, **September 14, 2016**, made a thorough examination of the water use system constructed by **Robert Streeter** of **E 2191 State Hwy 82, De Soto, WI 54624-6415** holder of Permit No. **6605-3**, bearing the priority of **March 10, 2005** authorizing the diversion of **4.57** cu. ft. per second of water from the **Grand Aquifer** for **Irrigation** purposes, in **Campbell** County.

Inspection contact & relationship **Ed Van Beek (renter, 889-2836)**
to permit holder, if applicable:

A. Works used to divert the water:

Well Information:

- 1) Well Drilling Firm: **Water Smith / Manikowski Drilling**
- 2) No. of Wells **1**
- 3) Depth(s) **216** feet
- 4) Well log is available **Y**

Casing:

- 1) Diameter **12** inches
- 2) Length **196** feet
- 3) Type **Plastic**

Screen:

- 1) Type **Stainless Steel**
- 2) Length **20** feet
- 3) Static water level **57' 3"**

Pump:

- 1) Make **Grundfos**
- 2) Model **800S-750**
- 3) Size **75 hp**
- 4) Capacity **800** GPM

B. Works used to transport water to place of use:

- 1) Type **Buried Pipe**

C. Works used to apply water to beneficial use:

Center pivot:

- 1) Make (2) Valley
- 2) Number of towers 7 and 8
- 3) End gun Y
- 4) High or low pressure Low
- 5) Capacity 900 GPM

Chemigation Equipment:

- 1) Does chemigate N

D. Compliance with Permit Requirements:

- 1) Permit qualifications being abided by Y
- 2) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y
- 3) Exceptions to compliance are: None

The system is in Good condition with the point(s) of diversion located as follows:

Well: Approximately 2,545 feet north and 30 feet east of the SW corner of Section 20-T128N-R78W (N 45.89138, W -100.31725) (NW ¼ SW ¼)

The works are capable of diverting and conveying to the place of use 1.78 cu. ft. per second of water which is to be used for Irrigation use. Water has been put to beneficial use to the maximum extent as follows:

Section 20-T128N-R78W

NE ¼ NW ¼ - 32 acres

NE ¼ SW ¼ - 32 acres

NW ¼ NW ¼ - 32 acres

NW ¼ SW ¼ - 32 acres

SE ¼ NW ¼ - 32 acres

SE ¼ SW ¼ - 32 acres


SW ¼ NW ¼ - 32 acres

SW ¼ SW ¼ - 32 acres

comprising a total of 256 acres of land and the license should be issued for 1.78 cfs.

All structures, wells and lands on map Y

Comments or other permit(s) associated with the project:



Mike DeFea

Natural Resources Engineer II
DENR, Water Rights Program

Date report completed: December 2, 2016

Robert Streeter

Water Permit No. 6605-3



Mike DeFea
Mike DeFea
Natural Resources Engineer
DENR, Water Rights Program
December 1, 2016



South Dakota
Department of Environment
& Natural Resources
Protecting SD's Tomorrow... Today

**STATE OF SOUTH DAKOTA
WATER LICENSE NO. 6605-3**

(1) Robert R Streeter, E 2101 State Hwy 82, DeSoto, WI 54624-6415 made Application No. 6605-3, March 10, 2005 for a water permit to divert 4.57 cubic feet of water per second from ground water, one well (Grand Aquifer), Campbell County, South Dakota for irrigation purposes. Permit No. 6605-3, with a priority date of March 10, 2005 was approved May 23, 2005 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before May 23, 2010 and for the application to beneficial use of said water on or before May 23, 2014.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.78 cubic feet of water per second for beneficial use. The location of the diversion point is approximately 2,545 feet north and 30 feet east of the SW corner of Section 20, T128N, R78W (NW ¼ SW ¼).

(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 20, T128N, R78W			
NE ¼ NW ¼	32 acres	NE ¼ SW ¼	32 acres
NW ¼ NW ¼	32 acres	NW ¼ SW ¼	32 acres
SE ¼ NW ¼	32 acres	SE ¼ SW ¼	32 acres
SW ¼ NW ¼	32 acres	SW ¼ SW ¼	32 acres
Total 256 acres			

The above acreage is also authorized for irrigation from the Missouri River (Water Right No. 5736-3)


(4) Pursuant to South Dakota Water Law 46-5-30.1 Robert R Streeter, E 2101 State Hwy 82, DeSoto, WI 54624-6415 the holder and/or owner of Water Right No. 6605-3 is issued a license to appropriate water, the right to use 1.78 cubic feet of water per second from ground water, one well (Grand Aquifer) with a priority date of March 10, 2005 from the location specified in (2) of this license for irrigation purposes.

This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Right No. 6605-3 and subject to the following qualifications:

- The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
- The well authorized by Permit No. 6605-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with the Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28. ***The well was completed in April, 2005 by Water Smith/Manikowski Drilling. A copy of the well completion report is on file with the Water Rights Program.***
- The diversion rate from Water Right No. 5736-3 and Water Right No. 6605-3, combined, shall not exceed the statutory limit of 1 cfs per 70 acres and 2 acre feet per acre annually.

continued

- This Permit is approved subject to the irrigation water use questionnaire being submitted each year.



Jeanne Goodman, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

MAR 08 2017

date





DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

MAR 08 2017

6605-3

Robert R Streeter
E 2191 State Hwy 82
De Soto WI 54624-6415

Dear Mr. Streeter:

Enclosed is Water License No. 6605-3. This is the final water right document completing your process of obtaining a Water Right. Included with your license is a map prepared by the staff engineer who conducted the field investigation.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 6605-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Jeanne Goodman, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 8, 2024

5736-3
6605-3

Steeter Family Trust
c/o Rob Streeter
867 Arbogast
Shoreview MN 55126

Dear Mr. Streeter:

I have received your "Notice of Transfer of Ownership" forms and the required fees. Enclosed are receipts of payment for your records.

Water Right Nos. 5736-3 & 6605-3 previously owned by Robert R Streeter, are now listed under the Streeter Family Trust. I have also updated your contact information in our system.

As a reminder, so long as you use the water beneficially, as stated in the Water Rights, State Water Laws provide that you have a continuing right to use the water. Should the water not be put to beneficial use for a period longer than 3 consecutive years, without legal excuse, the water rights will be subject to cancellation.

If you have any questions, please contact me.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

enclosures

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DANR
523 E. Capitol
Pierre, SD 57501-3181

No. 6605-3

Date: 2-9-24

I/We request that Water Right No. 6605-3

formerly owned by: Robert R Steeter; E 2191 Sate HWY 8, Desoto WI 54624

be transferred to: (name & address) Streeter Family Trust c/o Rob Streeter
867 Arbogast, Shoreview MN 55126

Telephone No. 651.955.9535

Title to the following described land(s)/property has been transferred as described above:


256 acres - W 1/2 Section 20 T128N-R78W

I/We understand that the validity of Water Right No. 6605-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We STREETER Family Trust, the new owner, certify that the above information is true and correct.


(Signed by new owner)

NOTE: Water permits may be cancelled for non-construction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Agriculture and Natural Resources

Date February 8, 2024

RECEIVED OF Rob Streeter 867 Arbogast St., Shoreview MN 55126

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	\$ _____
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$ _____
Fee to retain Future Use Permit No. _____ after period of seven years.	\$ _____
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	\$ _____
Fee for Filing Transfer Form <u>6605-3</u>	<u>\$50.00</u>
Fee for _____	\$ _____
Fee for Issuing New Well Driller's License No. _____	\$ _____
Fee for Renewal of Well Driller's License No. _____	\$ _____
Fee for Issuing Well Pump Installer's License No. _____	\$ _____
Fee for Renewal of Well Pump Installer's License No. _____	\$ _____
(Any Other Work Provided by Law)	
TOTAL	<u>\$50.00</u>

By Eric Gronlund
Chief Engineer
me

Dewell, Amanda

From: Rob Streeter <robstreeter1970@gmail.com>
Sent: Thursday, February 8, 2024 3:38 PM
To: Dewell, Amanda
Subject: Re: [EXT] Water Right Ownership

Rob Streeter
867 Arbogast St, Shoreview, MN 55126
651-955-9535

On Thu, Feb 8, 2024 at 3:13 PM Dewell, Amanda <Amanda.Dewell@state.sd.us> wrote:

Thank you Rob.

Can you send me the mailing address and contact phone number you would like to have on file?

Amanda Dewell

DANR - Water Rights Program

Main Phone: 605 773-3352

Website: danr.sd.gov



From: Rob Streeter <robstreeter1970@gmail.com>
Sent: Thursday, February 8, 2024 2:25 PM
To: Dewell, Amanda <Amanda.Dewell@state.sd.us>
Subject: Re: [EXT] Water Right Ownership

Here you go let me know if you need anything else.

I paid Megan over the phone:)

New owner is Streeter Family Trust

Thanks

===== ORDER INFORMATION =====

Invoice :

Description : Transfer of Ownership - Streeter Family Trust Amount : 102.50 (USD) Payment Method: Visa xxxx8998

Transaction Type: Authorization and Capture

On Thu, Feb 8, 2024 at 8:27 AM Dewell, Amanda <Amanda.Dewell@state.sd.us> wrote:

Mr. Streeter,

Please find attached two partially completed "Notice of Transfer of Ownership" and corresponding licenses for Water Right Nos. 5736-3 & 6605-3.

These Water Rights cover the same land, for irrigation from two locations. One authorizes diversion of water from a well completed into the Grand Aquifer, while the other authorizes the use of Missouri River waters. Statute does allow for one diversion point to be maintained as a backup for the primary.

The fee for each transfer is \$50, totally \$100 for the two. Please return the completed forms with a check in that amount, made payable to "SD Water Rights Program", or pay over the phone by calling our Fiscal Office at 605.773.4216.

If you have any questions, I'd be happy to help.

Amanda Dewell

DANR - Water Rights Program

Main Phone: 605 773-3352

Website: danr.sd.gov



5736-3 4605-3

Konst, Shannon

From: Konst, Shannon
Sent: Tuesday, February 24, 2026 8:28 AM
To: VanbeekHarvesting@live.com
Cc: Dewell, Amanda
Subject: Transfer of Ownership forms
Attachments: DOC022426-02242026060508.pdf; DOC022426-02242026060520.pdf

Hello, Amanda Dewell had asked that I please send you these 2 documents, see 2 attached Transfer of Ownership forms for #5736-3(Missouri River) & #6605-3(Well).
Please return the forms with a check for \$100.00 (\$50.00) for each License, made payable to "SD Water Rights Program" to cover the transfer fee. If you would prefer to pay by card, you may call our Fiscal Office at 605-773-5559. This form will still need to be returned even if you are submitting payment over the phone.
Please let me know if you have any questions.
Thank you



Shannon Konst
Program Assistant I
Water Rights Program
Department of Agriculture and Natural Resources
523 E. Capitol Ave. Pierre SD, 57501
605.773.8204
danr.sd.gov

RECEIVED

MAR - 2 2026

OFFICE OF
WATER

PAID

MAR 02 2026

Ck# 14048

Rec't#

NOTICE OF TRANSFER OF OWNERSHIP

For assistance call (605) 773-3352

Mail to: SD DANR, Water Rights Program
523 E Capitol Ave
Pierre, SD 57501-3182

Water Right/Permit No. 6605-3

Date: 2/25/26

I/We request that Water Right/Permit No. 6605-3 formerly owned by:
Streeter Family Trust C/O Rob Streeter be transferred to:New Owner Name: Ed Van Beek
Address: P.O. Box 416 mobile: 605-848-1080
City, State, Zip: Pollack SD 57648 email: vanbeekharvesting@live.com

Title to the following described land(s)/property has been transferred as described above:

Section 20-T128N-R78W	
NE1/4 NW1/4 - 32 acres	NE1/4 SW1/4 - 32 acres
NW1/4 NW1/4 - 32 acres	NW1/4 SW1/4 - 32 acres
SE1/4 NW 1/4 - 32 acres	SE1/4 SW1/4 - 32 acres
SW1/4 NW1/4 - 32 acres	SW1/4 SW1/4 - 32 acres
Total - 256 acres	

☒ I understand that the validity of Water Right/Permit No. 6605-3 has not been determined by this transfer action. If I have any questions on validity, I understand that only the Water Management Board has the authority to determine if a water right/permit is valid (see note below).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is included to cover the filing fee as required by SDCL 46-2-13.

I, Ed Van Beek, the new owner, certify that the above information is true and correct.

Ed Van Beek
(signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five-year construction period has expired. Once a water permit is developed, an inspection is conducted to issue a water right license for the project as developed. A water permit/right may be cancelled for one or more of the following reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three-year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT


WATER RIGHTS PROGRAM South Dakota Department of Agriculture and Natural Resources

Date March 02, 2026

RECEIVED OF Ed Van Beek PO Box 416 Pollack, SD 57648

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	\$ _____
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$ _____
Fee to retain Future Use Permit No. _____ after period of seven years.	\$ _____
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	\$ _____
Fee for Filing Transfer Form #6605-3 _____	\$ <u>50.00</u>
Fee for _____	\$ _____
Fee for Issuing New Well Driller's License No. _____	\$ _____
Fee for Renewal of Well Driller's License No. _____	\$ _____
Fee for Issuing Well Pump Installer's License No. _____	\$ _____
Fee for Renewal of Well Pump Installer's License No. _____	\$ _____
(Any Other Work Provided by Law)	TOTAL
	\$ <u>50.00</u>

By  Chief Engineer



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 2, 2026

6605-3, 5736-3

Ed Van Beek
PO Box 416
Pollock, SD 57648

Dear Mr. Van Beek,

The South Dakota Water Rights Program is in receipt of the "Notice of Transfer of Ownership" forms and the required fees you submitted for Water Permit Nos. 6605-3 & 5736-3. Enclosed are receipt of payments for your records.

Water Permit Nos. 6605-3 & 5736-3, previously held by Streeter Family Trust C/O Rob Streeter, are now listed under your name. I have also updated your contact information in our system.

As a reminder, so long as you use the water beneficially, as stated in the Licenses (copy's enclosed), State Water Laws provide that you have a continuing right to use the water. Should the water not be put to beneficial use for a period longer than 3 consecutive years, without legal excuse, the licenses will be subject to cancellation.

If you have any questions, please contact me.

Sincerely,

Shannon Konst
Water Rights Program
605 773-3352
Shannon.konst@state.sd.us

NOTE: The validity of Water Right Nos. 6605-3 & 5736-3 has not been determined by this transfer action. Only the Water Management Board has the authority to determine if a water permit/right is valid.

enclosures