

WATER PERMIT NO. 6607-3

Name of Applicant: **Duane E Auch**

Address: **29896 463rd Ave, Centerville SD 57014**

Phone: **605 563-2092**

Amount of Water Claimed: **0.02 cfs (10 gpm)** Total Acres: **1 acres**

Source of Water Supply: **groundwater (one well)**

Water to be used for: **irrigation** County: **Clay**

Type of Waste Disposal System:

Location: **18 miles north of Vermillion**

PRIORITY

Date Received: **3-21-05**

Application/License Fee: **\$100**


Corrected Application Received:

Period of Annual Use: **June 1 – September 30**

Remarks: **agronomic research plots**

Diversion Point: **SW ¼ SW ¼ Sec 12-T95N-R52W**

Land to be Irrigated: **SW ¼ SW ¼ Sec 12-T95N-R52W**



Depth of Well: **20**

Well Driller:

Remarks:

Type of Map: **aerial**

Prepared by: **Larry ?**

Reviewed and the Number Assigned on: **3-21-05**

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____

FORM 2: Application for irrigation in South Dakota
(type or print)

Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	No. <u>6607-3</u> (office use only)	Hydrologic Unit <u>10170102</u>
	Basin <u>Vermillion River</u>	
	Newspaper <u>Plain Talk</u> <u>Vermillion</u>	

RECEIVED
MAR 21 2005
WATER RIGHTS
PROGRAM

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____

(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.) _____

- Name of Applicant Duane E. Auch Phone 605-563-2092
(check one) ☒ Owner ☐ Tenant/lessee
Mailing Address 29896 463rd Ave, Centerville State SD 57014
(Street, RR, or Box and City) (Zip Code)
- Amount of water claimed 0.02 *CFS or approx. 10 **GPM ***AF Total Acreage 1.5
(*Cubic Feet per Second) (**Gallons per Minute) (***) Acre Feet - storage capacity of dam/dugout or annual use if applicable
- Source of water supply small domestic well
- Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) 1 well in S1/2, W1/2, SW1/4
Section 12, T-95-N, R-52-W (SW1/4 SW1/4) County Clay
- County or counties where water will be used Clay
- Annual period during which water is to be used June 1 to September 30
- List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
<u>W1/2, SW1/4, Section 12, T-95-N, R-52-W</u>	<u>1.5</u>		

8. Give a description of the project. (Attach sheet if more space is needed)

Approximately 1.0 acres of agronomic research plots will be irrigated with a tow-line sprinkler system. Water will be pumped from a small domestic well to a holding pit. An irrigation pump will draw water from the holding for application to the field.

STATE OF SOUTH DAKOTA)

SS

County of Turner

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, Duane E. Auch, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature Duane E Auch

Subscribed and sworn to before me this 17th day of March 2005

[Signature]
Notary Public signature

My Commission Expires: 7-28-2005

SOUTH DAKOTA
WATER PERMIT NO. 6607-3

Date of first receipt of application March 21, 2005.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 6607-3 to Duane E Auch, 29896 463rd Ave, Centerville SD 57014 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6607-3 appropriates 0.02 cubic feet of water per second (10 gpm) from one well to be completed into the Parker Centerville Aquifer (approximately 20 feet deep) located in the SW ¼ SW ¼ Section 12 to irrigate a 1.5 acre agronomic research plot located in the SW ¼ SW ¼ Section 12; all in T95N-R52W. Water may be diverted to a small holding pond (less than 1.0 acre feet) prior to being applied to the research plots.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: June 1 – September 30.
3. The date from which applicant may claim right is March 21, 2005.
4. The date of approval of Permit No. 6607-3 is June 6, 2005.
5. One-fifth of the construction is to be completed on or before December 6, 2007.
6. All construction is to be completed on or before June 6, 2010.
7. Water is to be put to beneficial use on or before June 6, 2014.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.
3. The temporary permit issued for this research plot is cancelled.

WATER MANAGEMENT BOARD

By: Garland Erbele

Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUN 20 2005
date



Supplemental Information

(type or print in ink)

*Existing well***1. Well Information - ~~Proposed Construction~~**

- a) Drill Hole Diameter _____ Depth 20 feet
- b) Casing Type steel Diameter 4 inches Thickness _____
- c) Screen Type _____ Diameter _____ Thickness _____
- d) Gravel Pack _____ Length of Gravel Pack _____
- e) Depth to Top of Water Bearing Material _____
- f) Depth to Water (ground surface to water level) _____
- g) Distance to nearest existing domestic well:

On applicants property no other wellsOn property owned by others 3/4 mile**2. Wastewater Disposal System Information**

- a) Type of System (i.e. septic tank, drain field) _____
- b) System Capacity (gallons) _____ Year Constructed _____
- c) Connected to the City of _____ Sanitary System _____


3. Dugout Information

- a) Surface Dimensions 30 feet by 50 feet Depth 6 feet
- b) Depth to water (ground surface to water level) 20 feet

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:



- b) Freeboard _____
- c) Crest Width _____
 Crest Length _____
- d) Height _____
- e) Primary Outlet Capacity _____
 If pipe, diameter _____
- f) Secondary Spillway Capacity _____
 Spillway Width _____
- g) X & Y Slope _____
 Upstream _____
 Downstream _____
- h) Surface Area of Impoundment _____
- i) Storage _____ Acre Feet
- j) Drainage Area Above Dam _____ Acres

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date March 21, 20 05

RECEIVED OF Duane Auch, 29896 463rd Ave, Centerville SD 57014-6103

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>66607-3</u> to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>66607-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	100.00

No.

001-09

By

Darlene E. White
Chief Engineer


Duane Auch
29896 463rd Avenue, Centuryville, SD 57014
w $\frac{1}{2}$, SW $\frac{1}{4}$ Section 12, T95-N, R-52-W



0 200m

0 200yd

6607-3





DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

TEMPORARY PERMIT TO USE PUBLIC WATERS
FOR TESTING PURPOSES

This temporary permit to use public waters for testing purposes is issued to Duane Auch, 29896 463rd Ave, Centerville SD 57014 authorizing withdrawal of 350,000 gallons of water at a maximum rate of 21,000 gallons per day from ground water (one well – approximately 20' deep) located in the SW ¼ Section 12, T95N, R52W, Clay County. The water will be used for irrigation of one to two acres of research plots.


This temporary permit becomes effective May 1, 2005 and expires on September 1, 2005.

An appropriate water permit has been received for this project. This temporary permit will expire on approval of the new permit if the new permit is approved prior to September 2, 2005.

This permit does not provide necessary right-of-way. Such arrangements should be made with the proper land owner.

Issued: March 21, 2005

Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program
605 773-3352



REPORT ON WATER PERMIT APPLICATION NO. 6607-3

For Duane E Auch

April 28, 2005

Application No. 6607-3 proposes to appropriate 0.02 cfs (10 gpm) from one well approximately 20 feet deep located in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of section 12 to irrigate one and one-half acres of agronomic research plot located in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of section 12; all in T95N R52W in Clay County. The water will be diverted from the well to a small holding pond (less than 1.0 acre-feet) prior to being applied to the research plots.

AQUIFER – PARKER-CENTERVILLE (PAC)

The Parker-Centerville aquifer is a shallow surficial outwash (sand and gravel) that is under water table conditions in this area. The aquifer underlies 3,700 acres and contains an estimated 81,000 acre-feet of recoverable water in storage in Clay County (Hedges, 1982). The aquifer extends into Turner County to the north, blends into the Lower Vermillion Missouri just to the south and is hydraulically connected to the Vermillion River. Ground water movement is basically from northeast to southwest with locally movement toward the Vermillion River (Christensen, 1967). The river can be either a recharge or discharge boundary but throughout most of the year would be a discharge zone for ground water.

No test well or completion report for this well was submitted with this application. There appears to be sufficient information available from area domestic and irrigation well logs, the county study and observation well drilling to evaluate this application. A test well drilled by the SDGS and located just to the west of this site shows sand and gravel from the surface to at least 145 feet below land surface. Also there is published record of a 3 inch diameter cased well, 30 feet deep with a 21 feet deep water level for H Nelson (Christensen, 1970). This is close to the description on the Form 2A with the application but not quite the same.


The Water Rights Program monitors an observation well CL-80K located about one mile northeast of this application. Even though this well is located at a higher elevation it is completed into the same aquifer. Water levels for this well show good response to climatic conditions, that is, rising water levels during wet years (recharge) and gradually declining water levels during dry years. In general, the water level indicates that the aquifer is capable of sustaining additional withdrawals (Water Rights, 2005). A hydrograph for the observation well is included with this report.

REVIEW OF EXISTING WATER PERMITS/RIGHTS

There are some existing water rights/permits in the area to the west of this application. The nearest irrigation wells are located about one mile to the northwest or one mile to the southwest. Interference is not a concern. This request is only for 10 gpm and will not affect any other diversion.

CONCLUSIONS

1. Water is available from the Parker-Centerville aquifer.
2. The aquifer is under water table conditions in this area and apparently much thicker than the existing well depth. Interference is not a concern.
3. This seems like a very small rate to pump for irrigation even for this small area. Also, the pond may leak and may be difficult to fill unless it is lined. I assume the pond is used to allow pumping at a greater rate for irrigation. It would seem to me that drilling a well near the irrigated area and pumping at a greater rate from that new well would be more efficient.
4. The Water Right Program issued a Temporary Permit for this facility. Approval of this application will cancel that permit.




James A Goodman
Natural Resources Engineer

BIBLIOGRAPHY

- Christensen, C.M., J.C. Stephen, 1967, Geology and Water Resources of Clay County, South Dakota, Bulletin 19, Part II Water Resources, SD DENR, SDGS, Vermillion, SD, 57069.
- Christensen, C.M., J.C. Stephens, 1970, Geology and Water Resources of Clay County, South Dakota, Bulletin 19, Part III Basic Data, SD DENR, SDGS, Vermillion, SD, 57069.
- Hedges, L.S., and others, 1982, Evaluation of Ground-Water Resources Eastern South Dakota and Upper Big Sioux River, South Dakota and Iowa, for US Army Corps of Engineers, SD DENR, SDGS, Vermillion, SD, 57609.
- Water Rights, 2005, Unpublished Observation Well Data for Clay County, SD DENR, DES, Water Rights Program, Pierre, SD, 57501.

WATER RIGHTS' OBSERVATION WELL
CL-80K





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6607-3, Duane E Auch**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6607-3, Duane E. Auch, 29896 463rd Avenue, Centerville SD 57014.

The Chief Engineer is recommending APPROVAL of Application No. 6607-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.
3. The temporary permit issued for this research plot is cancelled.

See report on application for additional information.

Garland Erbele, Chief Engineer
May 12, 2005

AFFIDAVIT OF PUBLICATION

State of South Dakota, County of Clay, ss.

Shani Bonner

Being first duly sworn, deposes and says: That he/she is a resident of the County of Clay and State of South Dakota; that

THE PLAIN TALK

is a legal newspaper of general circulation, printed and published in Vermillion, in said County and State, by Broadcaster Press, Inc., and is now and has been such newspaper continuously during all the times hereinafter mentioned; that affiant is and was during all the time hereinafter mentioned in charge of the advertising department thereof, and has personal knowledge of all the facts stated in this affidavit: and that the notice and advertisement headed:

NOTICE OF APPLICATION NO. 6607-3 TO APPROPRIATE

WATER: DUANE E AUCH

a printed copy of which is hereunto attached and made a part hereof, was printed and published in the said newspaper at least once in each week

for 2 successive weeks; that said newspaper at the time of the first publication of said notice hereinafter stated, had, and still has, a bona fide circulation of over two-hundred paid copies weekly, and had been published in the said county of Clay for more than one year immediately prior to the date of the said publication of said notice, and that said newspaper during said times, was, and is, printed in part in an office maintained at said city of Vermillion, the said place of publication; that the first publication of said notice in said newspaper as aforesaid

was on Friday, the 20th day of May, 20 05, and that the succeeding publications were severally

on Friday, the 27th day of May, 20 05,

on Friday, the _____ day of _____, 20 _____,

on Friday, the _____ day of _____, 20 _____,

on Friday, the _____ day of _____, 20 _____,

that the fees charged for the printing and publication of the said notice and advertisement in said newspaper as aforesaid were

Thirty-nine dollars and 87 cents

and that said fees for the printing and publishing of said notice and advertisement have been fully paid; that the full amount of the fee charged for the publishing of the said attached annexed notice and advertisement inures to the benefit of the publisher of the said newspaper, that no agreement or understanding for the division thereof has been made with any other person and that no part thereof has been agreed to be paid to any other person whomsoever.

Shani Bonner

Subscribed and sworn to before me

this 27th day of May, 20 05

JOAN E. WILLROTH



NOTARY PUBLIC
SOUTH DAKOTA



Notary Public

My Commission Expires 04/17/2011

NOTICE OF APPLICATION NO. 6607-3 to Appropriate Water

Notice is given that Duane E. Auch, 29896 463rd Ave., Centerville, SD 57014 has filed an application for a water permit to appropriate 0.02 cubic feet of water per second (10 gpm) from one well to be completed into the Parker Centerville Aquifer (approximately 20 feet deep) located in the SW 1/4 SW 1/4 Section 12 to irrigate a 1.5 acre agronomic research plot located in the SW 1/4 SW 1/4 Section 12; all in T95N-R52W. Water may be diverted to a small holding pond (less than 1.0 acre feet) prior to being applied to the research plots.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6607-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Pds Building, 523 E Capitol, Pierre, SD 57501 (605-773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 6, 2005.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

Publish: May 26 & 27, 2005

RECEIVED

JUN 13 2005

WATER RIGHTS
PROGRAM



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

May 13, 2005


Duane E Auch
29896 463rd Ave
Centerville SD 57014

Dear Mr. Auch:

Water Permit Application No. 6607-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Plain Talk printed at Vermillion, SD (Ph # 605-624-2695). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,


Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

May 13, 2005

Plain Talk
PO Box 256
Vermillion SD 57069-0256

ATTENTION: Legal Public Notice


Enclosed is a Notice on Application No. 6607-3 to Appropriate Water to be published twice. Please publish the first notice on May 20, 2005 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Duane E Auch, 29896 463rd Ave., Centerville SD (Ph # 605-563-2092).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,


Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 6607-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of May 13, 2005 enclosing Notice to Appropriate Water by Application No. 6607-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper

Instruction to Newspaper - Publish first Notice on May 20, 2005 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 6607-3 to Appropriate Water

Notice is given that Duane E Auch, 29896 463rd Ave, Centerville SD 57014 has filed an application for a water permit to appropriate 0.02 cubic feet of water per second (10 gpm) from one well to be completed into the Parker Centerville Aquifer (approximately 20 feet deep) located in the SW ¼ SW ¼ Section 12 to irrigate a 1.5 acre agronomic research plot located in the SW ¼ SW ¼ Section 12; all in T95N-R52W. Water may be diverted to a small holding pond (less than 1.0 acre feet) prior to being applied to the research plots.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6607-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 6, 2005.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

JUN 20 2005

Duane E Auch
29896 463rd Ave
Centerville SD 57014

Dear Mr. Auch:

Enclosed is Water Permit No. 6607-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

6607-3

**NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USE**

Date 9-26-05

TO: Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

RECEIVED
SEP 30 2005

WATER RIGHTS
PROGRAM

FROM: Duane E. Auch
(name)

29896 463rd Avenue
(address)

Centerville, SD 57014
(city, state, zip)

605-563-2092
(phone)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.


Water Permit No. 6607-3 states that the water use system is to be constructed by
12-6-07, and water is to be put to beneficial use by 6-6-14.
(date) (date)

The water use system was completed on 7-21-05.
(date)

Applying the water to beneficial use was completed on 9-2-05.
(date)

You may schedule an investigation so that the water license may be issued.

Duane E. Auch
(signature)





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2006

NOTICE

TO: DUANE E AUCH, 29896 463 AVE, CENTERVILLE, SD 57014

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2005 Irrigation Questionnaire(s)

Our records indicate that the 2005 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6607-3. The request for the Questionnaire was dated October 28, 2005. The Water Management Board has directed that owners of water permits who have not submitted the 2005 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6607-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 2, 2006 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6607-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **February 24, 2006**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



Track & Confirm

Current Status

You entered 2303 2160 0000 0799 4664

Your item was delivered at 10:01 am on January 25, 2006 in CENTERVILLE, SD 57014. The item was signed for by D AUCH.

[Shipment Details >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

Notification Options

▶ Track & Confirm by email

[What is this?](#)

[Go >](#)

▶ Request Proof of Delivery

[What is this?](#)

[Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0799 4664		DUANE E AUCH 29896 463 AVE CENTERVILLE SD 57014		mailing.
Waiver of Signature ☐ YES ☐ NO		POSTAL CUSTOMER: Keep this receipt. For Inquiries: Access internet web site at www.usps.com® or call 1-800-222-1811		
Postmark Here		☐ Priority Mail™ Service ☐ First-Class Mail® parcel ☐ Package Services parcel		



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2006

6607-3

Duane E Auch
29896 463rd Ave
Centerville SD 57014

Dear Mr. Auch:

I am writing to acknowledge receipt of your 2005 irrigation questionnaire. You may disregard the January 24, 2006, "Notice" concerning reporting requirements for Water Permit No. 6607-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



6607-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2007

NOTICE

TO: DUANE E AUCH, 29896 463 AVE, CENTERVILLE, SD 57014

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2006 Irrigation Questionnaire(s)

Our records indicate that the 2006 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6607-3. The request for the Questionnaire was dated October 20, 2006. The Water Management Board has directed that owners of water permits who have not submitted the 2006 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6607-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 7, 2007 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6607-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 2007, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V5-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

[Home](#) | [Help](#)

6607-3

Track & Confirm

Track & Confirm

Search Results

Label/Receipt Number: **2301 3460 0000 8516 2319**
Status: **Delivered**

Your item was delivered at 10:13 AM on January 27, 2007 in
CENTERVILLE, SD 57014. The item was signed for by D AUCH.

[Additional Details >](#)[Return to USPS.com Home >](#)

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#)[contact us](#)[government services](#)[jobs](#)[National & Premier Accounts](#)

Copyright © 1999-2004 USPS. All Rights Reserved. Terms of Use Privacy Policy

Postal Service Signature Confirmation Receipt	
SIGNATURE CONFIRMATION NUMBER: 2301 3460 0000 8516 2319	DUANE E AUCH 29896 463 AVE CENTERVILLE SD 57014
	Waiver of Signature ☐ YES ☐ NO
	Postmark Here
	POSTAL CUSTOMER: Keep this receipt. For Inquiries: Access internet web site at www.usps.com or call 1-800-222-1811
	☐ Priority Mail® ☐ Package Services



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 2, 2007

6607-3

Duane E Auch
29896 463rd Ave
Centerville SD 57014

Dear Mr. Auch:

I am writing to acknowledge receipt of your 2006 irrigation questionnaire. You may disregard the January 26, 2007, "Notice" concerning reporting requirements for Water Permit No. 6607-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

Vermillion River - Water District**Report Of Examination Of Works And/Or Application Of Water To Beneficial Use**

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

I have this day, July 24, 2012, made a thorough examination of the water use system constructed by Duane Auch of 29896 463rd Ave, Centerville, SD 57014 holder of Water Permit No. 6607-3, bearing the priority of March 21, 2005 authorizing the diversion of 0.02 cu. ft. per second from the Parker-Centerville aquifer for irrigation purposes, in Clay County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

One well is in place using a 0.02 cfs (10 gpm) piston pump powered by electricity.

B. Works used to transport water to place of use:

The well head is 500 ft southeast of the storage pond. Water is conveyed to the pond through a flexible 4 inch diameter hose. From the pond, water is pumped to through a turbine pump capable of a maximum of 80 gpm through 500 feet of flexible hose to the irrigation system. The pond pump is run by a 10 hp Mitsubishi motor.

C. Works used to apply water to beneficial use:

Primarily a High-Boy sprayer frame with 10 Rain Bird impact sprinklers set to 5 gpm flow. May also use a big gun, which has a maximum capacity of 80 gpm. Has also used a towline with sprinklers. The system is dependent on the specific needs of the crop being grown.

The system is in the following condition excellent. The point of diversion is located specifically at Lat/Lon N43.055 W -96.941, which referenced from the SW corner of Section 12, T95N-R52W is 210 feet north and 630 feet east. The works are capable of diverting and conveying to the place of use 0.02 cfs from the well to the pond and 0.18 cfs from the pond to the irrigation system which is to be used for irrigation of agronomic plots. Water has been put to beneficial use to the maximum extent as follows: SW ¼ SW ¼ Section 12, T95N-R52W comprising a total of 1.5 acres of land and the license should be issued for 0.02 cfs

Applicable permit qualifications have been complied with: **Yes**

Exceptions to compliance are: None

Date Report Completed: May 22, 2013



Adam Mathiowetz

DENR-Water Rights Program

REPORT ON INSPECTION OF PERMIT NO. 6607-3

DATE: 7/24/12

DIVERIONS POINT LEGAL LOCATION: Measurements made from the SW corner of Sec 12
T95N-R52W: 210 ft. north and 630 ft. east

WELL INFORMATION:

- 1) Well Drilling Firm:
- 2) No. of Wells **1**
- 3) Depth(s), feet **Approximately 30 feet**
- 4) Well Log is available **Y/N** **N**
- 5) Comments: **Well was the existing domestic well when Mr. Auch purchased the property, more than 21 years ago.**

Casing:

- 1) Diameter, inches: **4**
- 2) Length, feet: **approximately 30 feet**
- 3) Type: **Steel**

Screen:

- 1) Type: **Steel**
- 2) Length, feet:
- 3) Static water level, feet: **approximately 20 feet**

Well Pump:

- 1) Make:
- 2) Model: **piston type pump**
- 3) Capacity, GPM: **10**

DISTRIBUTION LINES OR CANALS:

From Well to Storage Pond

- 1) Type: **Moveable, Flexible hose**
- 2) Size (inches): **4 inch**
- 3) Length (feet): **500 ft.**

From Storage Pond to Irrigation System

- 1) Type: **Moveable, Flexible hose**
- 2) Size (inches): **4 inch**
- 3) Length (feet): **500 ft.**

SYSTEM TYPE:

Comment: Water is pumped from a storage pond to moveable sprinklers, which are his primary system, but due to nature of small scale agronomic test crops he has used a tow line and a big gun in the past.

Storage Pond Pump:

- 1) Make: **Northstar**
- 2) Model: **turbine**
- 3) Size: **3.5 in inlet; 2 in outlet**
- 4) Capacity, GPM: **maximum, 80 gpm**

Storage Pond Motor:

- 1) Make: **Mistubishi**
- 2) Model No.:
- 3) Horsepower rating, hp: **10**

Moveable Sprinklers:

- 1) Make: **Rain Bird**
- 2) Type: **Impact**
- 3) Wetted Radius per sprinkler: **50 feet**
- 4) Capacity per sprinkler: **set to 5 gpm**
- 5) No. of sprinklers: **crop dependent, 5 to 10 usually**
- 6) Method of movement: **Mounted on an old High-Boy sprayer frame**

Big Gun:

- 1) Capacity GPM: **80 gpm**
- 2) Wetted radius: **125 feet**

STORAGE POND INFORMATION:

- 1) Dimensions: **30 feet by 50 feet by 6 feet deep**
- 2) Capacity: **9,000 cubic feet (0.207 ac-ft); less than 1 ac-ft**

CHEMIGATION EQUIPMENT:

- 1) Does chemigate Y/N N

PERMIT QUALIFICATIONS AND REGULATIONS:

- 1) Soil and water permit lands agree with lands being irrigated and land listed on permit Y/N Y
- 2) Special qualifications to permit being abided by Y/N Y
- 3) All structures, wells and lands on map Y/N Y
- 4) Irrigation Questionnaires check to determine if permit owner started irrigation by the end of construction period Y/N Y

Duane Auch
29896 463rd Ave
Centerville, SD - Clay County
Water Permit No. 6607-3




0 0.1 0.2 0.4 Miles

W Well
Holding Pond

Adam Mathiowetz

Adam Mathiowetz
DENR Water Rights Program
May 22, 2013





DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

JUN 21 2013

6607-3

Duane Auch
29896 463rd Ave
Centerville SD 57014

Dear Mr. Auch:

Enclosed is Water License No. 6607-3. This is the final water right document completing your process of obtaining a Water Right. Included with your license is a map prepared by the staff engineer who conducted the field investigation.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 6607-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Jeanne Goodman, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 6607-3

(1) Duane Auch, 29896 463rd Ave., Centerville SD 57014 made Application No. 6607-3, March 21, 2005 for a water permit to divert 0.02 cubic feet of water per second (cfs) from ground water (one well – Parker Centerville Aquifer), Clay County, South Dakota for irrigation purposes. Permit No. 6607-3, with a priority date of March 21, 2005 was approved June 6, 2005 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before June 6, 2010 and for the application to beneficial use of said water on or before June 6 2014.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 0.02 cubic feet of water per second for beneficial use. Water is diverted from the well to a small holding pond (less than and 1.0 acre foot) at a rate of 0.02 cfs and applied from the pond to the irrigation system at a rate of 0.18 cfs.

The location of the diversion point (well) is 210 feet north and 630 feet east of the SW ¼ corner Section 12, T95N, R52W (SW ¼ SW ¼).


(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 12, T95N, R52W SW ¼ SW ¼ 1.5 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Duane Auch, 29896 463rd Ave., Centerville SD 57014 the holder and/or owner of Water Right No. 6607-3 is issued a license to appropriate water, the right to use 0.02 cubic feet of water per second from ground water (one well – Parker Centerville Aquifer) with a priority date of March 21, 2005 from the location specified in (2) of this license for irrigation purposes.

This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Right No. 6607-3 and subject to the following applicable qualifications:

- The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
- This Permit is approved subject to the irrigation water use questionnaire being submitted each year.


Jeanne Goodman, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUN 21 2013
date





6607-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2017

NOTICE

TO: DUANE E AUCH, 29896 463 AVE, CENTERVILLE, SD 57014

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2016 Irrigation Questionnaire(s)

Our records indicate your 2016 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6607-3 & 7750-3. The request for the Questionnaire was dated October 21, 2016. The Water Management Board has directed that owners of water permits who have not submitted the 2016 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6607-3 & 7750-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 1, 2017 at 11:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6607-3 & 7750-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 1, 2017** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



6607-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

January 31, 2017

6607-3
7750-3

Duane E Auch
29896 463rd Ave
Centerville SD 567104

Dear Mr. Auch:

I am writing to acknowledge receipt of your 2016 irrigation questionnaires.

You may disregard the January 20, 2017, "Notice" concerning reporting requirements for Water Right No. 6607-3 and Water Permit No. 7750-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: DUANE E AUCH, 29896 463 AVE, CENTERVILLE, SD 57014

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaire(s)

Our records indicate your 2024 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6607-3 & 7750-3. The request for the Questionnaire was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6607-3 & 7750-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6607-3 & 7750-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: IFWDLF**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 19, 2025

6607-3

7750-3

Duane Auch
29896 463rd Ave
Centerville SD 57014

Dear Mr. Auch:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 6607-3 & 7750-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us