

WATER PERMIT NO. 6742-3

Name of Applicant: **Flandreau Public Schools**

Address: 600 W Community Dr, Flandreau SD 57028

Phone: **605 997-3263**

Amount of Water Claimed: **0.22 cfs**

Total Acres: **2 acres**

Source of Water Supply: groundwater (one well)

Water to be used for: irrigation

County: Moody

Type of Waste Disposal System:

Location:

PRIORITY Date Received: 6-14-06

Application/License Fee: **\$200**

Corrected Application Received: 7-13-06

Period of Annual Use: **June 1 – September 30**

Remarks: water two football fields


Diversion Point: SW ¼ SW ¼ Sec 21-T107N-
R49W

Land to be Irrigated: **S ½ SW ¼ Sec 21-T107N-**

R45W

R48W

AT



Depth of Well: 19 feet deep

Well Driller: **Lacey Well Drilling**

Remarks:

Type of Map: aerialPrepared by: **Joel Curran, NRCS**

Reviewed and the Number Assigned on: 7-17-06

By: Karen Schlaak

Notice of Hearing - date to intervene:

Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	No. <u>6742-3</u>	(office use only) Hydrologic Unit <u>10170203</u>
	Basin <u>Sioux River</u>	
	Newspaper <u>Moody Co. Enterprise</u>	

RECEIVED
JUN 14 2006
WATER RIGHTS
PROGRAM

RECEIVED
JUL 13 2006
WATER RIGHTS
PROGRAM

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

- Name of Applicant Flandreau Public Schools Phone 605-997-3263
(check one) ☐ Owner ☐ Tenant/lessee
Mailing Address 600 West Community Drive State S.D. 57022
(Street, RR, or Box and City) (Zip Code)
- Amount of water claimed 0.22 *CFS or 100 **GPM ***AF Total Acreage 2
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable
- Source of water supply groundwater (one well)
- Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) County Moody
SW1/4 SW1/4 Sec 21-T107N-R48W
- County or counties where water will be used Moody
- Annual period during which water is to be used June 1 July August Sept. 30
- List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
<u>2- Football Fields</u>	<u>2</u>		
<u>S1/2 SW1/4 Sec 21-T107N-R48W</u>			

8. Give a description of the project. (Attach sheet if more space is needed)
Sprinkler system for two football fields with timers for
night use only any questions please call Rick Weber
Flandreau Public Schools
605-997-3263

STATE OF SOUTH DAKOTA)
County of Moody SS

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, David D Ahlers, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature David D Ahlers

Subscribed and sworn to before me this 12th day of June 2006

Risa Sanderson
Notary Public signature

**SOUTH DAKOTA
WATER PERMIT NO. 6742-3**

Date of first receipt of application June 14, 2006.

Date of return to applicant for corrections, amendments or changes June 14, 2006.

Date of receipt of corrected application July 13, 2006.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 6742-3 to Flandreau Public Schools, 600 W Community Drive, Flandreau SD 57028 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6742-3 appropriates 0.22 cubic feet of water per second (cfs) from one well to be completed into the Big Sioux:Moody Aquifer (approximately 19 feet deep) located in the SW ¼ SW ¼ Section 21 to irrigate approximately 2 acres of the football fields located in the S ½ SW ¼ Section 21; all in T107N-R48W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: June 1 – September 30.
3. The date from which applicant may claim right is June 14, 2006.
4. The date of approval of Permit No. 6742-3 is September 11, 2006.
5. One-fifth of the construction is to be completed on or before March 11, 2009.
6. All construction is to be completed on or before September 11, 2011.
7. Water is to be put to beneficial use on or before September 11, 2015.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. Pursuant to SDCL 46-5-6 which allows a greater diversion rate if the method of irrigation, time constraints, or type of soils so requires, Permit No. 6742-3, authorizes a maximum diversion rate of 0.22 cfs for the irrigation of 2.0 acres with an annual volume not to exceed 2 acre feet of water per acre per year.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele

Garland Erbele, Chief Engineer

Water Rights Program

Department of Environment and Natural Resources

NOV 03 2008

date



(type or print in ink)

1. Well Information - Proposed Construction

- a) Drill Hole Diameter 12" Depth 26 ft
- b) Casing Type Plastic Diameter 8" Thickness $\frac{1}{2}$ "
- c) Screen Type Stainless Diameter 4" Thickness $\frac{1}{8}$ "
- d) Gravel Pack 19' Length of Gravel Pack _____
- e) Depth to Top of Water Bearing Material 7'
- f) Depth to Water (ground surface to water level) 8'
- g) Distance to nearest existing domestic well: _____

On applicants property None

On property owned by others 1.5 miles

2. Wastewater Disposal System Information

- a) Type of System (i.e. septic tank, drain field) _____
- b) System Capacity (gallons) _____ Year Constructed _____
- c) Connected to the City of _____ Sanitary System


3. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:



- b) Freeboard _____
- c) Crest Width _____
Crest Length _____
- d) Height _____
- e) Primary Outlet Capacity _____
If pipe, diameter _____
- f) Secondary Spillway Capacity _____
Spillway Width _____
- g) X & Y Slope _____
Upstream _____
Downstream _____
- h) Surface Area of Impoundment _____
- i) Storage _____ Acre Feet
- j) Drainage Area Above Dam _____ Acres

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date July 10, 20 06

RECEIVED OF Flandreau School District No. 50-3, 600 West 1st Avenue, Flandreau SD 57028

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>6742-3</u> to Appropriate Water, to construct and to put water to beneficial use	150	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>6742-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	200.00

No.

02577

By

Darland Erbe
Chief Engineer *gm*

Conservation Plan Map

Date: 6/16/2006

Customer(s): CITY OF FLANDREAU

District: MOODY COUNTY CONSERVATION DISTRICT

Field Office: FLANDREAU SERVICE CENTER

Agency: USDA NRCS

*Joel Cunn - DC
NRCS*

SECTION 21 T107N R48W S 1/2 SW 1/4



200 0 200 400 600 800 Feet

Legend

-  well
-  track



Image: DOQ



Joel Cunn Biologist USDA-NRCS

Conservation Plan Map

Date: 6/16/2006

Customer(s): CITY OF FLANDREAU

Field Office: FLANDREAU SERVICE CENTER

District: MOODY COUNTY CONSERVATION DISTRICT

Agency: USDA NRCS

Legal Description: S1/2, SW1/4, Sec.21-107N-49W



670 0 670 1,340 2,010 2,680 Feet

Legend

-  well
-  track
-  sections



Image: DOQ



07-92

F/Andrea Noak, 57028

Date: 6-28-06



June 14, 2006

Flandreau Public Schools
David D Ahlers
600 West Community Drive
Flandreau SD 57028

Dear Mr. Ahlers:

Thank you for submitting the *Application for a Permit to Appropriate Water* for irrigation of the football fields. In order to complete the application the following is required.

- Enclosed is the application. Please complete Item No. 4, Location of point of diversion (legal description - quarter, section, township and range).
- A map showing the location of the well in relation to a government section corner or quarter corner by direction and distance is required. On the map clearly mark the location of the well. Please outline the land to be irrigated. The map must be signed by one of the following: Registered Land Surveyor, Registered Professional Engineer or by any other government employee who normally prepares maps as a part of his assigned duties.
- Our suggestion is obtain an aerial photo map from the Moody County Natural Resources Conservation Service. A representative from that office would be qualified to locate the well, outline the acreage to be irrigated and sign the map.
- If available, please submit a well log or test hole log signed by a licensed South Dakota well driller.
- The application/license filing fee will be \$200.00.

If you have any questions, please contact me.

Sincerely,

Karen Schlaak
Water Rights Program
605 773-3352
karen.schlaak@state.sd.us

enclosure

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

June 22, 2006

Flandreau Public Schools
David D Ahlers
600 West Community Drive
Flandreau SD 57028

Dear Mr. Ahlers:

Regarding your *Application for a Permit to Appropriate Water*, enclosed is the aerial photo map which you submitted. The map identifies the well location and outlines the land to be irrigated as requested, but the map also needs to reference a government section corner or quarter corner, section, township and range.

As stated in my letter dated June 14, 2006, the map must be signed by one of the following: Registered Land Surveyor, Registered Professional Engineer or by any other government employee who normally prepares maps as a part of his assigned duties.

Is a well log or test hole log signed by a licensed South Dakota well driller available? If yes, please submit a copy of it.

The application/license filing fee will be \$200.00.

If you have any questions, please contact me.

Sincerely,

Karen Schlaak
Water Rights Program
605 773-3352
karen.schlaak@state.sd.us

enclosure



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

July 10, 2006

Flandreau Public Schools
David D Ahlers
600 West Community Drive
Flandreau SD 57028

RECEIVED

JUL 13 2006

WATER RIGHTS
PROGRAM

Dear Mr. Ahlers:

We have received the additional information for your *Application for a Permit to Appropriate Water* for irrigation of the football fields.

Enclosed is the aerial photo map. The map is being returned because location of a government section corner or quarter corner needs to be identified on the map. I realize the location is somewhere in Section 21-T107N-R48W. For purposes of public notice which we prepare for the local newspaper, the location of the well and irrigated acreage is listed by quarter-quarter, section, township and range (i.e. SW $\frac{1}{4}$ SW $\frac{1}{4}$).

If you have any questions, please contact me.

Sincerely,

Karen Schlaak

Karen Schlaak
Water Rights Program
605 773-3352
karen.schlaak@state.sd.us

enclosure

*Check was sent
earlier -
Rick Weber*

REPORT ON WATER PERMIT APPLICATION NO. 6742-3
For Flandreau Public Schools
August 9, 2006

Application No. 6742-3 proposes to appropriate 0.22 cubic feet of water per second (cfs) from one well to be completed into the Big Sioux Moody Aquifer (approximately 19 feet deep) located in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 21 to irrigate approximately 2 acres of the football fields located in the S $\frac{1}{2}$ SW $\frac{1}{4}$ Section 21; all in T107N-R48W in Moody County. The applicant is requesting a diversion rate greater than the statutory limit of 1 cfs per 70 acres, however, pursuant to SDCL 46-5-6 this may be allowed if the method of irrigation, time constraints on the diversion of water, or the type of soil so requires.

AQUIFER – BIG SIOUX MOODY (BS-M)

The Big Sioux Moody is composed of alluvium and glacial deposits ranging from fine sand to very coarse gravel. The aquifer represents an unconfined condition with water table characteristics in the area of this application. The aquifer underlies 33,100 acres and contains an estimated 124,130 acre-feet of water in storage in Moody County (Hedges 1982). Ground water movement is from probably from north to south and locally toward the Big Sioux River in the area of this application (Hansen, 1986). The aquifer is almost exclusively limited to the area underlying the floodplain of the Big Sioux River and has an average thickness of 22 feet.

Well information filed with the application by Lacey Well Drilling indicates river silt from surface to a depth of 8 feet with course gravel and rocks from 8 to 19 feet. The well had a static water level of 9½ feet below land surface. Test pumping information indicates 6.5 feet of drawdown after 12 hours, pumped at 60 gallons per minute (GPM). This would equate to a specific capacity of 9.2 gpm/ft of drawdown.

The Water Rights Program monitors an observation well MY-63DR located one mile to the southwest of this application. Water levels for this well show good response to climatic conditions, that is, rising water levels during wet years (recharge) and gradually declining water levels during dry years. The water level record indicates that recharge is taking place and is sufficient enough to maintain additional diversions. The water level record indicates that the aquifer is capable of sustaining additional withdrawals (Water Rights, 2006).




Figure 1 Hydrograph of observation well MY-63DR.

REVIEW OF EXISTING WATER PERMITS/RIGHTS

There are several existing Water Rights appropriating ground water within a two mile radius of this application. A list of the permits is included with this report labeled as Table 1. The nearest water right/permit from the Big Sioux Moody aquifer is located approximately 1 mile south of this application. This well is for Water Right No. 6495-3 (1.78 cfs for irrigation). There are a few irrigation wells in the area and drawdown measured in the observation wells is not significant. This particular well is located near the Big Sioux River, under water table conditions, and interference should not be a problem.


Table 1 Table identifying water rights within a two mile radius of this application.

PERMIT NO	LAST NAME	AQUIFER	USE	CFS
1182-3	FLANDREAU	BS:M	MUN	3.42
1340-3	ELVERUD	BS:M	IRR	1.36
5086-3	DUNCAN	BS:M	IRR	1.11
6495-3	SUTTON	BS:M	IRR	1.78
6549-3	AILSBY	BS:M	COM	0.17

CONCLUSIONS


1. Water is available from the Big Sioux Moody aquifer.

2. The aquifer is under water table conditions in this area. Water level records indicate drawdown should not be a concern. Interference should not be a problem.
3. This well is an existing well and appears to be constructed in accordance with SD Well Construction Standards.
4. The applicant is requesting a diversion rate greater than the statutory limit of 1 cfs per 70 acres, however, pursuant to SDCL 46-5-6 this may be allowed if the method of irrigation, time constraints on the diversion of water, or the type of soil so requires.



Aaron R. Tieman
Natural Resources Engineer

Approved by



James A. Goodman, P.E.
Natural Resources Engineering Director

BIBLIOGRAPHY

Hansen, D.S., 1986, Water Resources of the Lake and Moody Counties, South Dakota, Water-Resources Investigations 84-4209, USGS, Huron, SD, 57350.

Hedges, L.S., 1982, Evaluation of Ground-Water Resources Eastern SD and Upper Big Sioux River, SD and Iowa, for US Army Corps of Engineers, SD DWR, SDGS, Vermillion, SD, 57069.

Water Rights, 2006, Unpublished Observation Well Records, SD DENR, DES, Water Rights Program, Pierre, SD, 57501.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6742-3, Flandreau Public Schools**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6742-3, Flandreau Public Schools, c/o David D. Ahlers, 600 West Community Drive, Flandreau SD 57028.

The Chief Engineer is recommending APPROVAL of Application No. 6742-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. Pursuant to SDCL 46-5-6 which allows a greater diversion rate if the method of irrigation, time constraints, or type of soils so requires, Permit No. 6742-3, authorizes a maximum diversion rate of 0.22 cfs for the irrigation of 2.0 acres with an annual volume not to exceed 2 acre feet of water per acre per year.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
August 15, 2006

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)

County of Moody) SSI, Angela Nibbelink

certify that the attached printed Notice was taken

from the Moody County
Enterpriseprinted and published in FlandreauCounty of Moody and

state of South Dakota. The notice was published

in the newspaper on the following two dates:

Aug. 23, 2006Aug. 30, 2006Cost of Printing \$46.80Angela Nibbelink
(Signature)Bookkeeper
(Title)Aug. 30, 2006
(Date Signed)**NOTICE OF APPLICATION NO. 6742-3
to Appropriate Water**

Notice is given that Flandreau Public Schools, 600 W. Community Dr., Flandreau, SD 57028 has filed an application for a water permit to appropriate 0.22 cubic feet of water per second (cfs) from one well to be completed into the Big Sioux: Moody Aquifer (approximately 19 feet deep) located in the SW 1/4 SW 1/4 Section 21 to irrigate approximately 2 acres of the football field located in the S 1/2 SW 1/4 Section 21; all in T107N-R48W. The applicant is requesting a diversion rate greater than the statutory limit of 1 cfs per 70 acres.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6742-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre, SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by September 11, 2006.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pimer, Secretary
Department of Environment and Natural Resources

(Aug. 23 & 30, 2006)

RECEIVED
SEP - 1 2006
WATER RIGHTS
PROGRAM



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

August 16, 2006

Flandreau Public Schools
% David D Ahlers
600 West Community Drive
Flandreau SD 57028

Dear Mr. Ahlers:

Water Permit Application No. 6742-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Moody Co Enterprise printed at Flandreau, SD (Ph # 605-997-3725). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

Instruction to Newspaper - Publish first Notice on August 23, 2006 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 6742-3 to Appropriate Water

Notice is given that Flandreau Public Schools, 600 W Community Dr, Flandreau SD 57028 has filed an application for a water permit to appropriate 0.22 cubic feet of water per second (cfs) from one well to be completed into the Big Sioux:Moody Aquifer (approximately 19 feet deep) located in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 21 to irrigate approximately 2 acres of the football fields located in the S $\frac{1}{2}$ SW $\frac{1}{4}$ Section 21; all in T107N-R48W. The applicant is requesting a diversion rate greater than the statutory limit of 1 cfs per 70 acres.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6742-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by September 11, 2006.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

August 16, 2006

Moody Co Enterprise
PO Box 71
Flandreau SD 57028-0071

ATTENTION: Legal Public Notice

Enclosed is a Notice on Application No. 6742-3 to Appropriate Water to be published twice. Please publish the first notice on August 23, 2006 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

Please BILL the APPLICANT for the cost of publication. The APPLICANT is Flandreau Public Schools, % David D Ahlers, 600 West Community Dr, Flandreau SD (Ph # 605-997-3263).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, please send us an affidavit or use the enclosed Proof of Publication form. The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 6742-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of August 16, 2006 enclosing Notice to Appropriate Water by Application No. 6742-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOV 03 2003

Flandreau Public Schools
600 W Community Dr
Flandreau SD 57028

Dear Sir:

Enclosed is Water Permit No. 6742-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

**NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USE**

Date 11-06-06

TO: Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

RECEIVED**NOV - 9 2006****WATER RIGHTS
PROGRAM**

FROM: Ilandrean Public Schools
(name)

600 W 1st Ave
(address)

Ilandrean, S. Dak. 57028
(city, state, zip)

(605) 997-2455
(phone)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 6742-3 states that the water use system is to be constructed by


9-11-2011 (date), and water is to be put to beneficial use by 9-11-2015 (date).

The water use system was completed on August 5, 2006 (date).

Applying the water to beneficial use was completed on August 7, 2006 (date).

You may schedule an investigation so that the water license may be issued.


(signature)



6742-3



JAN 27 2009

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

7033-3

Flandreau Public Schools
Rick Weber
600 W Community Dr
Flandreau SD 57028

Dear Mr. Weber:

Enclosed is Water Permit and Water License No. 7033-3. This is the final water right document completing your process of obtaining a Water Right. Also, included with your license is a map prepared by the staff engineer who conducted the investigation.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 7033-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

Note: The applicable portions of No. 6742-3 are incorporated into Water License No. 7033-3.

enclosures