

WATER PERMIT NO. 6832-3

Name of Applicant: **Robert Fredrickson**

Address: **20083 459th Ave, Arlington SD 57212**

Phone: **605 627-9277**

Amount of Water Claimed: **1.78 cfs**

Total Acres: **160**

Source of Water Supply: **groundwater (one well)**

Water to be used for: **irrigation**

County: **Brookings**

Type of Waste Disposal System:

Location: **8 miles northwest of Arlington**

PRIORITY

Date Received: **3-16-07**

Application/License Fee: **\$300**

Corrected Application Received:


Period of Annual Use: **May 1 – Sept 30**

Remarks:

Diversion Point: **approximate center NW ¼ Sec**

35-T1112N-R52W

Land to be Irrigated: **NW ¼ Sec 35-T112N-R52W**



Depth of Well: **124 feet deep**

Well Driller: : **Kaiser Well Drilling**

Remarks:

Type of Map: **aerial**

Prepared by: **Darrel D Grosz, Brookings Co FSA**

Reviewed and the Number Assigned on: **3-16-07**

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____

FORM 2: Application for irrigation in South Dakota
(type or print)

Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	No. <u>60832-3</u> (office use only)	Hydrologic Unit <u>10170202</u>
	Basin <u>Big Sioux River</u>	
	Newspaper <u>Brookings Register PO Box 177</u>	
	<u>605-692-6271</u> <u>57006</u>	

RECEIVED
MAR 16 2007
WATER RIGHTS
PROGRAM

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

- Name of Applicant Robert Fredrickson Phone 605-622-9277
(check one) ☒ Owner ☐ Tenant/lessee
- Mailing Address 20083 459th Av. Arlington State S.D. 57212
(Street, RR, or Box and City) (Zip Code)
- Amount of water claimed 1.78*CFS or 800 **GPM ***AF Total Acreage 160A
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable
- Source of water supply Well
- Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) County Brookings
approximate center NW 1/4 Sec 35 T 112 N R 52 W
- County or counties where water will be used Brookings
- Annual period during which water is to be used May 1 - Sept 30
- List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
NW 1/4 of NW 1/4 Sec 35 - 112 N - 52 W	40		
NE 1/4 NW 1/4 of NW 1/4 Sec 35 - 112 N - 52 W	40		
SW 1/4 NW 1/4 of NW 1/4 Sec 35 - 112 N - 52 W	40		
SE 1/4 NW 1/4 of NW 1/4 Sec 35 - 112 N - 52 W	40		

- Give a description of the project. (Attach sheet if more space is needed)

STATE OF SOUTH DAKOTA) SS
County of Brookings

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, Robert Fredrickson, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature

Robert Fredrickson

Subscribed and sworn to before me this

14th

day of

March 2007

Karen Langland

Notary Public signature

**SOUTH DAKOTA
WATER PERMIT NO. 6832-3**

Date of first receipt of application March 16, 2007.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 6832-3 to Robert Fredrickson, 20083 459th Ave, Arlington SD 57212 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6832-3 appropriates 1.78 cubic feet of water per second from one well to be completed into the Ramona Aquifer (124 feet deep) located in the approximate center of the NW 1/4 Section 35 to irrigate 160 acres located in the NW 1/4 Section 35; all in T112N-R52W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 – September 30.
3. The date from which applicant may claim right is March 16, 2007.
4. The date of approval of Permit No. 6832-3 is June 11, 2007.
5. One-fifth of the construction is to be completed on or before December 11, 2009.
6. All construction is to be completed on or before June 11, 2012.
7. Water is to be put to beneficial use on or before June 11, 2016.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 6832-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: _____

Garland Erbele
Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

AUG 03 2007

date



(type or print in ink)

1. Well Information - Proposed Construction

- a) Drill Hole Diameter 17 3/4 Depth 124
- b) Casing Type Sch 40 Diameter 12 Thickness 3/8
- c) Screen Type Stainless steel Diameter 12 Thickness 3/16
- d) Gravel Pack 1/4" x 3/8" Length of Gravel Pack 25
- e) Depth to Top of Water Bearing Material 100
- f) Depth to Water (ground surface to water level) 10
- g) Distance to nearest existing domestic well:
On applicants property 5200 On property owned by others 2600

2. Wastewater Disposal System Information

- a) Type of System (i.e. septic tank, drain field) _____
- b) System Capacity (gallons) _____ Year Constructed _____
- c) Connected to the City of _____ Sanitary System _____


3. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:



- b) Freeboard _____
- c) Crest Width _____
Crest Length _____
- d) Height _____
- e) Primary Outlet Capacity _____
If pipe, diameter _____
- f) Secondary Spillway Capacity _____
Spillway Width _____
- g) X & Y Slope _____
Upstream _____
Downstream _____
- h) Surface Area of Impoundment _____
- i) Storage _____ Acre Feet
- j) Drainage Area Above Dam _____ Acres




USDA U.S. Dept. of Agriculture
Farm Service Agency

Bob Fredrickson
Drigation

-  Tract Boundary
-  CRP Field Boundary
-  CLU Field Boundary
-  Rangeland
-  Easements

35-112N-52W



September 15, 2005

SOUTH DAKOTA WATER WELL COMPLETION REPORT

07-92

Location NW 1/4 Sec 35 Twp 112 Rg 52

County

North

Brookings


Please mark well location with an "X"

W

E

Well Completion Date

3-10-07



LOCATION:

Distance from nearest potential pollution source (septic tank, abandoned well, feed lot, etc.)? 2600 ft. from well 11014 IRY (identify source)

PROPOSED USE:

- ☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test Holes
☐ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

Pneumatic Rotary

CASING DATA: ☐ Steel ☒ Plastic ☐ Other

If other describe

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
Sub 40 LB/FT	3 IN	34 1/2 FT	104 FT	6 IN
LB/FT	IN	FT	FT	IN
LB/FT	IN	FT	FT	IN

GROUTING DATA

Grout Type	No. of Sacks	Grout Weight	From	To
Portland Cement	10	94 lb./gal	0 ft	90 ft
		lb./gal	ft	ft

Describe grouting procedure pressure grouting method

SCREEN: ☐ Perforated pipe ☒ Manufactured

Diameter 3 IN Length 20 FEET

Material plastic

Slot Size 0.35 Set From 104 Feet to 124 Feet

Other information

WAS A PACKER OR SEAL USED? ☐ YES ☐ NO

If so, what material?

Describe packer(s) and location?

DISINFECTION: Was well disinfected upon completion?

YES, How:

Laboratory sent to for water quality analysis

NO, Why Not?

Well Owner:

Business Name: Robert Fredrickson

Address: 20053 459th Ave.
Archieville S.D. 57212

WELL LOG:

DEPTH

FORMATION

FROM

TO

Top Soil	0	1
yellow sandy clay	1	4
yellow green (Iron) murex	4	16
yellow clay	16	22
Blue clay	22	62
yellow green mixed with blue	62	77
Blue clay	77	100
Shrimp Angulus murex	100	102
medium yellow green murex	102	108

STATIC WATER LEVEL

10

Feet

If flowing: closed in pressure

PSI

GPM flow through

inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

Reduced Flowrate

GPM

Can well be completely shut in?

WELL TEST DATA:

☒ Pumped

Describe: Air lift

☐ Bailed☐ Other

Pumping Level Below Land Surface

20 ft. After 2 Hrs. pumped 50+ GPM

20 ft. After 4 Hrs. pumped 50+ GPM

If pump installed, pump rate GPM

REMARKS

Medium to coarse well 11014/108-120
fine sand
yellow clay
120-124
124-130

This well was drilled under license # 689

And this report is true and accurate.

Drilling firm Prairie Well Drilling

Signature of License Representative:

Signature of Well Owner or Equitable Property Holder:

Robert Fredrickson

Date: 3-10-07

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 3/16/, 20 07

RECEIVED OF FREDRICKSON DAIRY 20083 459TH AVE ARLINGTON SD 57212

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>6832-3</u> to Appropriate Water, to construct and to put water to beneficial use	250	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>6832-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	300 00

No.

02998

By

Lindsey Erbe

Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6832-3, Robert Fredrickson**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6832-3, Robert Fredrickson, 20083 459th Avenue, Arlington SD 57212.

The Chief Engineer is recommending APPROVAL of Application No. 6832-3 because; 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 6832-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
May 11, 2007

NOTE: Please review the report prepared by Jim Goodman carefully. The report indicates a well will need to be tested to determine if the aquifer will be a reliable source at this site. In addition, testing should be conducted to determine if the water is compatible with the soils to be irrigated.

REPORT ON WATER PERMIT APPLICATION NO. 6832-3
For Robert Fredrickson
April 26, 2007

Application No. 6832-3 proposes to appropriate 1.78 cfs from one well approximately 124 feet deep located in the approximate center of the NW ¼ of section 35 to irrigate 160 acres located in the NW ¼ of section 35; all in T112N R52W in Brookings County.

AQUIFER – RAMONA (RAM)

The Ramona aquifer is a buried outwash (sand and gravel) that is under confined or artesian at this site. The aquifer underlies 410 square miles of western Brookings and eastern Kingsbury Counties and contains an estimated 1.0 million acre-feet of water in storage (Hamilton, 1989). The aquifer extends into Hamlin County to the north and into Lake and Miner Counties to the south. Ground water movement appears to be from the north to the south. Hamilton reports that water quality is marginal to unsuitable for irrigation from the Ramona aquifer depending upon soil texture and permeability.

The test well filed with the application indicates gravel and sand beginning at a depth of about 100 feet and extending to a total depth of 124 feet. This test well had a static water level of about 10 feet below the surface and was capable of producing over 50 gpm using air to develop. This information fits reasonably well with the data from the county study describing the aquifer.

The Water Rights Program does monitor an observation well BG-80A located about one mile west of this application and apparently completed into the same aquifer. Water levels for this well show good response to climatic conditions. Water levels rise during wet years (recharge) and gradually declining water levels during dry years. A hydrograph for this observation well is included with this report. In general, the water level record indicates that the aquifer is capable of sustaining additional withdrawals (Water Rights, 2007).

REVIEW OF EXISTING WATER PERMITS/RIGHTS

There are no other nearby existing water permits/rights that obtain water from this source. The closest existing water right is located over three miles away and that right is completed into the Big Sioux Brookings aquifer. Interference is not a concern.

CONCLUSIONS

1. Water is available from the Ramona aquifer.
2. The aquifer is under artesian conditions at this site. Drawdown will be created by pumping. Drawdown is not expected to be significant and interference is not a concern.
3. There are no other irrigation wells completed into this aquifer. Therefore there is no historical information available. A well will need to be completed and tested at this site to determine if the aquifer will be a reliable source of ground water.
4. Hamilton reported the water quality for this aquifer is marginal for irrigation. The applicant should test the water and determine if it is compatible with the soil in this area.
5. The well authorized by this application must be constructed in accordance with SD Well Construction Standards.



James A Goodman
Natural Resources Engineer

BIBLIOGRAPHY

Hamilton, L.J., 1989, Water Resources of Brookings and Kingsbury Counties, South Dakota, Water-Resources Investigations Report 88-4185, USGS, Huron, SD, 57350.

Water Rights, 2007, Unpublished Observation Well Data for Brookings County, SD DENR, DES, Water Rights Program, Pierre, SD, 57501.

WATER RIGHTS' OBSERVATION WELL
BG-80A



Affidavit of Publication

RECEIVED

State of South Dakota

JUN - 7 2007

County of Brookings

SS

**WATER RIGHTS
PROGRAM**

Amy B. Larsen of said county, first duly sworn, on oath, says: That she is the office clerk of THE BROOKINGS REGISTER, a daily newspaper, printed and published in the City of Brookings, in said County of Brookings, and State of South Dakota; that she has full and personal knowledge of the facts herein stated; that said newspaper is a legal newspaper and has a bona fide circulation of at least two hundred copies of each issue daily; that said newspaper has been published within the said County of Brookings and State of South Dakota, for more than one year prior to the first publication of Exhibit "A," hereto attached and herein mentioned, and was and is printed

Legal 774, 2x, 5/23,30
NOTICE OF APPLICA-
TION NO. 6832-3 to
Appropriate Water
Notice is given that
Robert Fredrickson,
20083 459th Ave,
Arlington SD 57212 has

filed an application for a water permit to appropriate 1.78 cubic feet of water per second from one well to be completed into the Ramona Aquifer (124 feet deep) located in the approximate center of the NW 1/4 Section 35 to irrigate 160 acres located in the NW 1/4 Section 35; all in T112N-R52W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6832-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on these applications, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendations must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 11, 2007.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources

that the

Legal #774 "Robert Fredrickson"

a printed copy of which, taken from the paper in which the same was published, is hereto attached marked Exhibit


said newspaper for _____ 2 times, to-wit:

May 23, 2007

May 30, 2007

said Exhibit "A" inures to the sole benefit for the publishers of said newspaper; that no agreement or understanding for the division thereof has been made with any other person, and that no part thereof has been agreed to be paid to any person whomsoever; that the fees charged for the publication thereof are:

Forty dollars and sixty-six cents. \$40.66




Subscribed and sworn to before me this

31st day of

May

2007



Notary Public in and for the County of Brookings, South Dakota.

My Commission expires April 27, 2012



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

May 16, 2007

BROOKINGS REGISTER
PO BOX 177
BROOKINGS SD 57006

ATTENTION: Legal Public Notice

Enclosed is a Notice on Application No. 6832-3 to Appropriate Water to be published twice. Please publish the first notice on May 23, 2007 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Robert Fredrickson, 20083 459th Ave, Arlington SD 57212 (Ph # 605-627-9277).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,


Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 6832-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of May 16, 2007 enclosing Notice to Appropriate Water by Application No. 6832-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

May 16, 2007

ROBERT FREDRICKSON
20083 459TH AVE
ARLINGTON SD 57212

Dear Mr. Fredrickson:

Water Permit Application No. 6832-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Brookings Register printed at Brookings SD (Ph # 605-692-6271). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendations of the Chief Engineer and reports on the applications are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the applications.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

Instruction to Newspaper - Publish first Notice on May 23, 2007 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 6832-3 to Appropriate Water

Notice is given that Robert Fredrickson, 20083 459th Ave, Arlington SD 57212 has filed an application for a water permit to appropriate 1.78 cubic feet of water per second from one well to be completed into the Ramona Aquifer (124 feet deep) located in the approximate center of the NW ¼ Section 35 to irrigate 160 acres located in the NW ¼ Section 35; all in T112N-R52W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6832-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on these applications, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendations must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 11, 2007.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

AUG 03 2007

Robert Fredrickson
20083 459th Ave
Arlington SD 57212

Dear Mr. Fredrickson:

Enclosed is Water Permit No. 6832-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet ? *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

0832-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

December 7, 2006

Robert Fredrickson
20083 459th Ave
Arlington SD 57212

Dear Mr. Fredrickson:

I am contacting you in follow-up to our telephone conversation of December 6th. My understanding is that you purchased some land in Hamlin County and are looking into putting up an irrigation system.

The area we discussed used to have an irrigation permit on it. Water Permit No. 4510-3 had authorized diversion of ground water to irrigate the W ½ of Section 35, T112N, R52W. Once a permit is issued, the holder has five years in which to construct a system and another four years to put water to beneficial use. No. 4510-3 was cancelled due to non-construction.

Enclosed are application forms and an instruction sheet for your use in filing an application to appropriate water for irrigation purposes. I have included a copy of the old cancelled permit to give you an idea of what was originally on file. The copies are scanned images of old documents and unfortunately are not the greatest as far as legibility.

During our conversation you requested information on any aquifer maps we may have for your area. I visited with our ground water staff and they indicated that we really do not have aquifer maps however the US Geological Survey would have publications that would assist you. If you have internet access, go to: <http://pubs.er.usgs.gov/usgspubs/wri/wri844069> If you do not, you can contact them and ask for the Water-Resources Investigations Report titled "Water Resources of Deuel and Hamlin counties, South Dakota". For more information or ordering assistance, call 1-888-ASK-USGS (1-888-275-8747), visit <http://ask.usgs.gov>, contact any USGS Earth Science Information Center (ESIC), or write: **USGS Information Services**, Box 25286, Denver, CO 80225.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



6832-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2009

NOTICE

TO: ROBERT FREDRICKSON, 20083 459TH AVE, ARLINGTON, SD 57212

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2008 Irrigation Questionnaire(s)

Our records indicate that the 2008 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6832-3. The request for the Questionnaire was dated October 24, 2008. The Water Management Board has directed that owners of water permits who have not submitted the 2008 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6832-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2009** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6832-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 6, 2009**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V7-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

6:33:22

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 6685

Status: **Delivered**

Your item was delivered at 7:46 AM on January 24, 2009 in ARLINGTON, SD 57212. The item was signed for by R FREDRICKSON.

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)[Site Map](#)[Contact Us](#)[Forms](#)[Gov't Services](#)[Jobs](#)[Privacy Policy](#)[Terms of Use](#)[National & Premier Accounts](#)

Copyright© 1999-2007 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

SIGNATURE CONFIRMATION NUMBER:
2303 2160 0000 0802 6685

ROBERT FREDRICKSON
20083 459TH AVE
ARLINGTON SD 57212


Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:
Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel

pre mailing.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 29, 2009

6832-3

Robert Fredrickson
20083 459th Ave
Arlington SD 57212

Dear Mr. Fredrickson:

I am writing to acknowledge receipt of your 2008 irrigation questionnaire. You may disregard the January 23, 2009, "Notice" concerning reporting requirements for Water Permit No. 6832-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2010

NOTICE

TO: ROBERT FREDRICKSON, 20083 459TH AVE, ARLINGTON, SD 57212

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2009 Irrigation Questionnaire(s)

Our records indicate that the 2009 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6832-3. The request for the Questionnaire was dated October 16, 2009. The Water Management Board has directed that owners of water permits who have not submitted the 2009 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6832-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 10, 2010** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6832-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 5, 2010**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq/aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



6832-3

[Home](#) | [Help](#) | [Sign In](#)[Track & Confirm](#)[FAQs](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 8887

Service(s): **Signature Confirmation™**Status: **Delivered**

Your item was delivered at 8:00 AM on January 23, 2010 in ARLINGTON, SD 57212. The item was signed for by R FREDRICKSON.

Track & Confirm

Enter Label/Receipt Number.

[Go >](#)

Detailed Results:

- Delivered, January 23, 2010, 8:00 am, ARLINGTON, SD 57212
- Arrival at Post Office, January 23, 2010, 6:59 am, ARLINGTON, SD 57212

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email.

[Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)[Site Map](#)[Customer Service](#)[Forms](#)[Gov't Services](#)[Careers](#)[Privacy Policy](#)[Terms of Use](#)[Business Customer Gateway](#)

Copyright© 2010 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

U.S. POSTAL SERVICE

for mailing.

ROBERT FREDRICKSON
20083 459TH AVE
ARLINGTON SD 57212

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

SIGNATURE CONFIRMATION NUMBER:
2303 2160 0000 0802 8887

POSTAL CUSTOMER:
Keep this receipt. For inquiries:
Access internet web site at
www.usps.com®
or call 1-800-222-1811

☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 27, 2010

6832-3

Robert Fredrickson
20083 459th Ave
Arlington SD 57212

Dear Mt. Fredrickson:

I am writing to acknowledge receipt of your 2009 irrigation questionnaire. You may disregard the January 22, 2010, "Notice" concerning reporting requirements for Water Right No. 6832-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



6832-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2012

NOTICE

TO: ROBERT FREDRICKSON, 20083 459TH AVE, ARLINGTON, SD 57212
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2011 Irrigation Questionnaire(s)

Our records indicate that the 2011 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6832-3. The request for the Questionnaire was dated October 14, 2011. The Water Management Board has directed that owners of water permits who have not submitted the 2011 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6832-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 7, 2012** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6832-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 2, 2012**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 30, 2012

6832-3

Robert Fredrickson
20083 459th Ave
Arlington SD 57212

Dear Mr. Fredrickson:

I am writing to acknowledge receipt of your 2011 irrigation questionnaire.

You may disregard the January 24, 2012, "Notice" concerning reporting requirements for Water Permit No. 6832-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

Permit No. 6832-3
Sioux River - Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

I have this day, **September 15, 2011**, made a thorough examination of the water use system constructed by **Robert Fredrickson, 20083 459th Avenue, Arlington SD 57212** holder of Permit No. **6832-3**, bearing the priority of **March 16, 2007** authorizing the diversion of **1.78 cu. ft. per second** from the **Ramona Aquifer** for **irrigation** purposes, in **Brookings** County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

One well is in place each with a submersible pump

B. Works used to transport water to place of use:

One well head located approximately 1,320 feet southwest of the pivot center.

C. Works used to apply water to beneficial use:

A 7 tower Valley 7000 center pivot

The system is in the following condition **excellent**. The point of diversion (well) is **located specifically - Lat 44.46338 Lon -97.04458 --- approx. 800' east of W 1/4 corner of Section 35, T112N, R52W (SW 1/4 NW 1/4)**. The works are capable of diverting a total of **1.78 cfs from the well** which is to be used for **irrigation**. Water has been put to beneficial use to the maximum extent as follows:

All in Section 35, T112N, R52W

NW 1/4 NW 1/4	33.5 acres
NE 1/4 NW 1/4	33.5 acres
SW 1/4 NW 1/4	33.5 acres
SE 1/4 NW 1/4	33.5 acres

This breakdown of acres is a best estimate based on) viewing the
 2010 FSA aerial using ArcMap,

comprising a total of **134** acres of land and the license should be issued for **1.78 cfs** based on the capacity of the one well.

Applicable permit qualifications have been complied with: **Yes**

Exceptions to compliance are: none

Date Report Completed: **May 22, 2012**



Eric Gronlund

Natural Resources Engineer

DENR, Water Rights Program

FIELD INVESTIGATION REPORT FOR PERMIT NO. 6832-3

DATE OF INVESTIGATION:	September 15, 2011
NAME & ADDRESS OF PERMIT HOLDER	Robert Fredrickson 20083 459 th Avenue Arlington SD 57212
NAME & ADDRESS OF INVESTIGATION CONTACT/ RELATIONSHIP TO PERMIT HOLDER, IF APPLICABLE	Mr. Fredrickson gave permission for me to conduct on-site investigation
DIVERSION POINT LEGAL LOCATIONS	<u>located specifically - Lat 44.46338 Lon -</u> <u>97.04458 --- approx. 800' east of W 1/4 corner</u> <u>of Section 35, T112N, R52W (SW ¼ NW ¼)</u>

WELL INFORMATION:

- 1) Well Drilling Firm: **Kaiser Well Drilling**
- 2) No. of Wells 1
- 3) Depth(s) approx. 124
- 4) Well log is available no
- 5) Comment: Kaiser Well Drilling did not submit logs but have not yet.

Casing:

- 1) Diameter 12 inches
- 2) Length 104 feet
- 3) Type plastic

Screen:

- 1) Type plastic
- 2) Length 20 feet
- 3) Static water level est. 10 feet

Pump: no real pump information available

- 1) Make
- 2) Model
- 3) Size
- 4) Capacity 700 GPM

Motor:

- 1) Make
- 2) Model No.
- 3) Horsepower rating hp

SYSTEM TYPE:

Center pivot:

- 1) Make Valley 7000
- 2) Overall length approx. 1303 feet
- 3) Number of towers 7 tower
- 4) Distance between towers _____ feet
- 5) End gun Yes (approx. 103)
- 6) High or low pressure low
- 7) Capacity 700 GPM

CHEMIGATION EQUIPMENT: No

PERMIT QUALIFICATIONS:

- 1) Special qualifications to permit being abided by Yes
- 2) All structures, wells and lands on map Yes
- 3) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Yes – irrigation began in 2008 according to questionnaires

COMMENTS:

- Talked with Mr. Fredrickson by phone. He did not accompany me but gave me permission to look at the irrigation system.
- Kaiser well drilling was the driller. There is a completion report for irrigation in the file for Permit No. 6832-3 but upon review it appears to be a test hole since it only was a 3" bore hole. For some reason they did not file a completion report for this well.
- At the time of the on-site inspection it was obvious that wet conditions in the past year prohibited the center pivot from making full rotation. Mr. Fredrickson reports 120 acres but under drier climatic conditions, the pivot is able to complete full rotation of 134 acres. Therefore the benefit is given to the permit holder in licensing for 134 acres.
- The well was proposed for the approximate center of the NW ¼ Section 35, T112N, R52W. It was actually completed 1,320 feet to the southwest of the center. Although it may not be necessary for licensing, included with the report is a change of diversion point report.
- No Form 10 completion report is on file. However, the system is completed and the five year period is up June 11, 2012. By the time the license is signed and issued, this time will be past.



0 600 1,200 2,400 3,600 4,800 Feet

Well - Lat 44.46338 Lon -97.04458 --- approx. 800' east of W 1/4 corner of Section 35, T112N, R52W



Eric Gronlund

Eric Gronlund
Water Rights Program, DENR
License Inspection - September 15, 2011

Approval of a Change of Diversion Point

NAME: Robert Fredrickson

ADDRESS: 20083 459th Avenue, Arlington SD 57212

DATE: May 31, 2012 **COUNTY:** Brookings **TELEPHONE:**

BACKGROUND:

Water Permit No. 6832-3 appropriates 1.78 cubic feet of water per second from one well to be completed into the Ramona Aquifer located in the approximate center of the NW ¼ Section 35, to irrigate 160 acres in the NW ¼ Section 35, T112N, R52W.

An inspection for the purpose of licensing Permit No. 6832-3 was conducted September 15, 2011. The actual well location as developed was found to be in the SW ¼ NW ¼ of Section 35. It is approximately 1,320 feet to the southwest of the location shown on the map filed with the application.

AUTHORITY:

Pursuant to SDCL 46-5-13.1, the location of a diversion point may be changed or additional diversion points may be licensed provided the following conditions are met and the potential for interference with other existing diversions is not increased:

- **Developed water source same as permitted source and no additional water appropriated**

The water source authorized by Water Permit No. 6832-3 is the Ramona Aquifer. This is based on a test hole log. The driller was contacted but did not file the well completion report.

No additional appropriation of water is authorized. The water permit appropriates 1.78 cfs which matches the diversion rate listed on the submitted irrigation questionnaires.

- **Review of Existing Diversions**

The well completion report database was reviewed and the nearest domestic wells on file are located 2,000 feet west, 1.4 miles northwest and 1.75 miles east of the well supplying this irrigation system. These are the only 3 wells found on the Water Rights database within a two mile radius of the irrigation well. The well to the east is for geothermal purposes while the other two are domestic wells.

The water right database was reviewed for existing water rights from the Ramona Aquifer in the area. There are no water rights from groundwater within a two mile radius.

The staff report prepared on this application concludes that interference is not expected to be a concern. This change of diversion location does not change that conclusion

CONCLUSION

- The change in well location does not appropriate additional water.
- The well is completed into the Ramona Aquifer.
- Interference is not expected to be a concern.
- Existing domestic wells should not be adversely impacted by authorizing this change.
- This change is a result of a licensing investigation that found the well located in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 35, T112N, R52W.

RECOMMENDED ACTION


Based on the above criteria, it is recommended that the change of diversion point location be authorized under Water Permit No. 6832-3.



Eric Gronlund
Water Rights Program

The Chief Engineer makes a finding pursuant SDCL 46-5-13.1 and ARSD 74:02:01:14.01 that:

This change in the diversion point does not increase the potential for adverse effects to existing diversions.



Garland Erbele, Chief Engineer
Water Rights Program



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

JUN 20 2012

6832-3

Robert Fredrickson
20083 459th Ave
Arlington SD 57212

Dear Mr. Fredrickson:

Enclosed is Water License No. 6832-3. This is the final water right document completing your process of obtaining a Water Right. Included with your license is a map prepared by the staff engineer who conducted the field investigation.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 6832-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

**STATE OF SOUTH DAKOTA
WATER LICENSE NO. 6832-3**

(1) Robert Fredrickson, 20083 459th Ave., Arlington SD 57212 made Application No. 6832-3, March 16, 2007 for a water permit to divert 1.78 cubic feet of water per second from ground water (one well – Ramona Aquifer), Brookings County, South Dakota for irrigation purposes. Permit No. 6832-3, with a priority date of March 16, 2007 was approved June 11, 2007 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before June 11, 2012 and for the application to beneficial use of said water on or before June 11, 2016.

An investigation found the well was drilled in a different location than permitted. Pursuant to SDCL 46-5-13.1, the location of a diversion point may be changed provided the developed water source is the same as the permitted source and no additional water is appropriated. The Chief Engineer makes a finding pursuant SDCL 46-5-13.1 and ARSD 74:02:01:14.01 that the change in location of the diversion point does not increase the potential for adverse effects to existing diversions.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.78 cubic feet of water per second for beneficial use.

The location of the diversion point is 800' east of the W ¼ corner of Section 35, T112N, R52W (SW ¼ NW ¼).

(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 35, T112N, R52W	NW ¼ NW ¼	33.5 acres
	NE ¼ NW ¼	33.5 acres
	SW ¼ NW ¼	33.5 acres
	SE ¼ NW ¼	<u>33.5 acres</u>
	Total	134.0 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Robert Fredrickson, 20083 459th Ave., Arlington SD 57212 the holder and/or owner of Water Right No. 6832-3 is issued a license to appropriate water, the right to use 1.78 cubic feet of water per second from ground water (one well – Ramona Aquifer) with a priority date of March 16, 2007 from the location specified in (2) of this license for irrigation purposes.

This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Right No. 6832-3 and subject to the following qualifications:

- The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
- The well authorized by Permit No. 6832-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with the Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
- This Permit is approved subject to the irrigation water use questionnaire being submitted each year.


Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUN 20 2012
date





6822-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2013

NOTICE

TO: ROBERT FREDRICKSON, 20083 459TH AVE, ARLINGTON, SD 57212

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2012 Irrigation Questionnaire(s)

Our records indicate that the 2012 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6832-3. The request for the Questionnaire was dated October 12, 2012. The Water Management Board has directed that owners of water permits who have not submitted the 2012 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6832-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **8:30 am, March 7, 2013** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6832-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 4, 2013**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 30, 2013

6832-3

Robert Fredrickson
20083 459th Ave
Arlington SD 57212

Dear Mr. Fredrickson:

I am writing to acknowledge receipt of your 2012 irrigation questionnaire.

You may disregard the January 18, 2013, "Notice" concerning reporting requirements for Water Right No. 6832-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2014

NOTICE

TO: ROBERT FREDRICKSON, 20083 459TH AVE, ARLINGTON, SD 57212

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2013 Irrigation Questionnaire(s)

Our records indicate that the 2013 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6832-3. The request for the Questionnaire was dated October 18, 2013. The Water Management Board has directed that owners of water permits who have not submitted the 2013 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6832-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **9:00 am, March 6, 2014** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6832-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 3, 2014**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 30, 2014

6832-3

Robert Fredrickson
20083 459th Ave
Arlington SD 57212

Dear Mr. Fredrickson:

I am writing to acknowledge receipt of your 2013 irrigation questionnaire.

You may disregard the January 24, 2014, "Notice" concerning reporting requirements for Water Permit No. 6832-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



6832-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 15, 2016

NOTICE

TO: ROBERT FREDRICKSON, 20083 459TH AVE, ARLINGTON, SD 57212

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2015 Irrigation Questionnaire(s)

Our records indicate your 2015 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6832-3. The request for the Questionnaire was dated October 23, 2015. The Water Management Board has directed that owners of water permits who have not submitted the 2015 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6832-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Thursday, March 3, 2016 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6832-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2016** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

January 25, 2016

6832-3

Robert Fredrickson
20083 459th Ave
Arlington SD 57212

Dear Mr. Fredrickson:

I am writing to acknowledge receipt of your 2015 irrigation questionnaire.

You may disregard the January 15, 2016, "Notice" concerning reporting requirements for Water Right No. 6832-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

October 27, 2017

6832-3

Robert Fredrickson
20003 459th Ave
Arlington SD 57212-5027

Dear Mr. Fredrickson:

Enclosed is a "Notice" dated October 20, 2017 concerning the 2017 irrigation questionnaire.

The notice was originally mailed to 20083 459th Ave, Arlington SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



6832-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2018

NOTICE

TO: ROBERT FREDRICKSON, 20003 459TH AVE, ARLINGTON, SD 57212 5027
FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2017 Irrigation Questionnaire(s)

Our records indicate your 2017 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6832-3. The request for the Questionnaire was dated October 20, 2017. The Water Management Board has directed that owners of water permits who have not submitted the 2017 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6832-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."


The hearing will be held at **Wednesday, March 7, 2018 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6832-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 7, 2018** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 8, 2018

6832-3

Robert Fredrickson
20003 459th Ave
Arlington SD 57212-5027

Dear Mr. Fredrickson:

I am writing to acknowledge receipt of your 2017 irrigation questionnaire.

You may disregard the January 26, 2018, "Notice" concerning reporting requirements for Water Right No. 6832-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



6832-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2020

NOTICE

TO: ROBERT FREDRICKSON, 20003 459TH AVE, ARLINGTON, SD 57212 5027

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2019 Irrigation Questionnaire(s)

Our records indicate your 2019 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6832-3. The request for the Questionnaire was dated October 18, 2019. The Water Management Board has directed that owners of water permits who have not submitted the 2019 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6832-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, February 26, 2020 at 8:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6832-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **February 26, 2020** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: SHXWUK**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

6832-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 31, 2020

6832-3

Robert Fredrickson
20003 459th Ave
Arlington SD 57212-5027

Dear Mr. Fredrickson:

I am writing to acknowledge receipt of your 2019 irrigation questionnaire.

You may disregard the January 23, 2020, "Notice" concerning reporting requirements for Water Right No. 6832-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

January 22, 2021

NOTICE

TO: ROBERT FREDRICKSON, 20003 459TH AVE, ARLINGTON, SD 57212 5027

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2020 Irrigation Questionnaire(s)

Our records indicate your 2020 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6832-3. The request for the Questionnaire was dated October 23, 2020. The Water Management Board has directed that owners of water permits who have not submitted the 2020 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6832-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 3, 2021 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6832-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2021** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: LCGKOV**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

6832-3



DENR
SOUTH DAKOTA

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

February 4, 2021

6832-3

Robert Fredrickson
20003 459th Ave
Arlington SD 57212-5027

Dear Mr. Fredrickson:

I am writing to acknowledge receipt of your 2020 irrigation questionnaire.

You may disregard the January 22, 2021, "Notice" concerning reporting requirements for Water Right No. 6832-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script, appearing to read "Genny McMath".

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

6832-3



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2022

NOTICE

TO: ROBERT FREDRICKSON, 20003 459TH AVE, ARLINGTON, SD 57212 5027
FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2021 Irrigation Questionnaire(s)

Our records indicate your 2021 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6832-3. The request for the Questionnaire was dated October 22, 2021. The Water Management Board has directed that owners of water permits who have not submitted the 2021 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6832-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 2, 2022 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6832-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 2, 2022** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: FJEPZL**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 26, 2022

6832-3

Robert Fredrickson
20003 459th Ave
Arlington SD 57212 5027

Dear Mr. Fredrickson:

I am writing to acknowledge receipt of your 2021 irrigation questionnaire.

You may disregard the January 20, 2022, "Notice" concerning reporting requirements for Water Right No. 6832-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 19, 2024

NOTICE

TO: ROBERT FREDRICKSON, 20003 459TH AVE, ARLINGTON, SD 57212 5027
FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2023 Irrigation Questionnaire(s)

Our records indicate your 2023 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6832-3. The request for the Questionnaire was dated October 20, 2023. The Water Management Board has directed owners of water permits who have not submitted the 2023 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6832-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 6, 2024 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6832-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 6, 2024** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: HXZIIJ**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

6832-3

January 29, 2024

6832-3

Robert Fredrickson
20003 459th Ave
Arlington SD 57212

Dear Mr. Fredrickson:

I am writing to acknowledge the receipt of your 2023 irrigation questionnaire(s).

You may disregard the January 19, 2024, "Notice" concerning the reporting requirements for Water Permit No(s). 6832-3. The information was received prior to the March 6, 2024, Water Management Board meeting and this permit number has been removed from the agenda.

If you have any questions, please contact me.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: ROBERT FREDRICKSON, 20003 459TH AVE, ARLINGTON, SD 57212 5027

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaire(s)

Our records indicate your 2024 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6832-3. The request for the Questionnaire was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6832-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6832-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: WMHIGH**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 17, 2025

6832-3

Robert Fredrickson
20003 459th Ave
Arlington SD 57212

Dear Mr. Fredrickson:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 6832-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us