

WATER PERMIT NO. 6833-3

Name of Applicant: Longacre Farms, Inc.

Address: 46029 239th St, Wentworth SD 57075

Phone: 605 489-2230

Amount of Water Claimed: 1.11 cfs

Total Acres: 90

Source of Water Supply: groundwater (one well)

Water to be used for: irrigation

County: Lake

Type of Waste Disposal System:

Location: 8 miles southwest of Madison

PRIORITY

Date Received: 3-19-07

Application/License Fee: \$275

Corrected Application Received:

Period of Annual Use: May 1 – Sept 30

Remarks:

Diversion Point: SW ¼ SW ¼ Sec 5- T105N-R51W

Land to be Irrigated: SW ¼ Sec 5-T105N-R51W

Depth of Well: ⁹⁵~~10~~ feet deep

Well Driller: : Thein Well

Remarks:


Type of Map: aerial

Prepared by: Lana Molskness, Lake Co FSA

Reviewed and the Number Assigned on: 3-20-07

By: Karen Schlaak

Notice of Hearing - date to intervene: _____



FORM 2: Application for irrigation in South Dakota
(type or print)RECEIVED
MAR 19 2007
WATER RIGHTS
PROGRAM

Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	No. <u>6833-3</u> (office use only) Hydrologic Unit <u>10170203</u>
	Basin <u>Sioux River</u>
	Newspaper <u>Daily Leader Madison</u>
	<u>605-256-4555</u> <u>PO Box 348 SD 57042</u>

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

1. Name of Applicant Longacre Farms, Inc. Phone (605) 489-2230
(check one) ☐ Owner ☒ Tenant/lessee
- Mailing Address 46029 239th St Wentworth State SD 57075
(Street, RR, or Box and City) (Zip Code)
2. Amount of water claimed 1.11 *CFS or 500 **GPM ***AF Total Acreage 90
(*Cubic Feet per Second) (**Gallons per Minute) (***) Acre Feet - storage capacity of dam/dugout or annual use if applicable)
3. Source of water supply Well
4. Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) County Lake
1 well in SW 1/4 of Section 5-105N-51W
SW 1/4
5. County or counties where water will be used Lake
6. Annual period during which water is to be used May- Sep 30
7. List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)


Land Description	Acres	Land Description	Acres
SW 1/4 of SW 1/4 5-105N-51W	40		
SE 1/4 of SW 1/4 5-105N-51W	25		
NW 1/4 of SW 1/4 5-105-51W	25		

8. Give a description of the project. (Attach sheet if more space is needed)

Center pivot irrigation system

STATE OF SOUTH DAKOTA) SS
County of Lake

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, Longacre Farms, Inc., the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.Applicant's signature Longacre Farms, Inc. & Dan DelSubscribed and sworn to before me this 15 day of March 2007

Lana Molskness
Notary Public signature
my Commission Expires 11/22/07

**SOUTH DAKOTA
WATER PERMIT NO. 6833-3**

Date of first receipt of application March 19, 2007.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 6833-3 to Longacre Farms, Inc., 46029 239th St, Wentworth SD 57075 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6833-3 appropriates 1.11 cubic feet of water per second from one well to be completed into the Big Sioux:Northern Skunk Creek Aquifer (approximately 95 feet deep) located in the SW ¼ SW ¼ Section 5 to irrigate 90 Acres located in the S ½ SW ¼, NW ¼ SW ¼ Section 5; all in T105N-R51W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 – September 30.
3. The date from which applicant may claim right is March 19, 2007.
4. The date of approval of Permit No. 6833-3 is June 11, 2007.
5. One-fifth of the construction is to be completed on or before December 11, 2009.
6. All construction is to be completed on or before June 11, 2012.
7. Water is to be put to beneficial use on or before June 11, 2016.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 6833-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele

Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUN 19 2007
date



(type or print in ink)

1. Well Information - Proposed Construction

- a) Drill Hole Diameter 18" Depth 110'
- b) Casing Type Steel Diameter 12" Thickness 1/2"
- c) Screen Type Stainless Steel Diameter 12" Thickness 1/4"
- d) Gravel Pack #40 Length of Gravel Pack 15'
- e) Depth to Top of Water Bearing Material 48'
- f) Depth to Water (ground surface to water level) 48'
- g) Distance to nearest existing domestic well:
 On applicants property 1500' On property owned by others 2000'

2. Wastewater Disposal System Information

- a) Type of System (i.e. septic tank, drain field) _____
- b) System Capacity (gallons) _____ Year Constructed _____
- c) Connected to the City of _____ Sanitary System


3. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:



- b) Freeboard _____
- c) Crest Width _____
Crest Length _____
- d) Height _____
- e) Primary Outlet Capacity _____
If pipe, diameter _____
- f) Secondary Spillway Capacity _____
Spillway Width _____
- g) X & Y Slope _____
Upstream _____
Downstream _____
- h) Surface Area of Impoundment _____
- i) Storage _____ Acre Feet
- j) Drainage Area Above Dam _____ Acres




Since 1893

www.theinwell.com • E-mail: theinwell@ids.net


www.thealnwall
Wentworth

[illegible]**Driller:**MEMBER
A WWA

Street Atlas UAE © 2008



Data use subject to license.
© 2005 DeLorme. Street Atlas USA® 2005.
www.delorme.com



RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 3/20/ 20 07

RECEIVED OF Bonghtz FARMS INC 46029 239TH ST WENTWORTH SD 57075

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>6833-3</u> to Appropriate Water, to construct and to put water to beneficial use	225	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>6833-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	275 00

No.

03002

By

Garland Erbe
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6833-3, Longacre Farms, Inc.**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6833-3, Longacre Farms, Inc. 46029 239th Street, Wentworth SD 57075.

The Chief Engineer is recommending APPROVAL of Application No. 6833-3 because; 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualification:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 6833-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
May 11, 2007

REPORT ON WATER PERMIT APPLICATION NO. 6833-3
For Longacre Farms, Inc.
May 7, 2007

Application No. 6833-3 proposes to appropriate 1.11 cfs (500 gpm) from one well approximately 95 feet deep located in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of section 5 to irrigate 90 acres located in the S $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$ of section 5; all in T105N R51W in Lake County.

AQUIFER – BIG SIOUX NORTHERN SKUNK CREEK (BS-NSC)

The aquifer is a mostly surficial outwash (sand and gravel) in Lake County. The aquifer underlies 48 square miles and contains an estimated 196,000 acre-feet of water in storage in Lake and Moody Counties (Hansen, 1986). Ground water movement appears to be from north to south in the area of this application (Hansen, 1986). The aquifer is hydraulically connected to area lakes (Madison and Brant) and also the Skunk Creek. Average annual recharge has been estimated at 3.1 inches per year (about 8,000 acre-feet per year) and could range from 2.0 to 5.6 inches per year (Hedges, 1983). Water use from the aquifer reportedly was 3,280 acre-feet in 2003 and 3,630 acre-feet in 2004. There is also a total of 1,818 acre-feet of future use permits remaining to be developed from the aquifer with 600 acre-feet of additional future use development proposed by Water Permit Application No. 6834-3.

According to the drillers test well log filed with the application sand and gravel was encountered from 4 to 48 feet below land surface and sand and gravel from 52 to 95 feet below land surface. Technically the aquifer appears to be under confined or artesian conditions at this site. However, the surficial sand is also part of the aquifer over most of the area and at this site there is only four feet of clay separating the two layers so for practical purposes this should be a water table situation.


The Water Rights Program monitors an observation wells located about one mile east of this application. This is observation well LK-79A. Water levels for these wells show good response to climatic conditions rising during wet periods (recharge) and gradually declining water levels during dry periods. The record also shows the pumping impacts of a rural water system well located within a few hundred feet of this observation well. In general the water level record indicates that the aquifer is capable of sustaining additional withdrawals (Water Rights, 2007). A hydrograph for this observation well is included with this report.

REVIEW OF EXISING WATER PERMITS/RIGHTS

There is an existing irrigation Water Right No. 4453-3 within a one-half mile radius of this application. This proposed well would be approximately one-half mile west of the existing well under Water Right No. 4453-3 (1.44 cfs, 144 acres). At this distance between wells drawdown is not expected to be significant. Interference is not a concern.

CONCLUSIONS

1. Water is available from the Big Sioux Northern Skunk Creek aquifer.
2. The well authorized by this application must be constructed in accordance with SD Well Construction Standards.
3. The aquifer should respond as if it is under water table conditions in this area. Drawdown at the distance between wells is not expected to be significant. Interference is not a concern.


James A Goodman
Natural Resources Engineer

BIBLIOGRAPHY

Hansen, D.S., 1986, Water Resources of Lake and Moody Counties, South Dakota, Water-Resources Investigations Report 84-4209, USGS, Huron, SD, 57350.

Hedges, L.S., and others, 1982, Evaluation of Ground-Water Resources Eastern SD and Upper Big Sioux River, SD and Iowa, for US Army Corps of Engineers, SD DENR, SDGS, Vermillion, SD, 57069.

Water Rights, 2007, Unpublished Observation Well Data for Lake County, SD, DENR, DES, Water Rights Program, Pierre, SD, 57501.

The graph displays water level data over time. The y-axis is labeled 'WATER LEVEL (FT. TOP OF CASIMO)' and ranges from -27.3 to -2.3. The x-axis shows dates: 04/07/1979, 09/27/1984, 03/20/1990, 09/10/1995, 03/02/2001, and 08/23/2006. The data points are connected by a dashed line, showing a general downward trend with significant fluctuations. Notable features include a sharp drop around 1984 and a recovery followed by another drop around 2001.



RECEIVED

JUN - 4 2007

WATER RIGHTS
PROGRAM

Form 8

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
) SS
County of Lake)

I, Deanna D. Bergheim

certify that the attached printed Notice was
taken

from the Madison Daily Leader

printed and published in Madison, SD

County of Lake and

state of South Dakota. The notice was
published

in the newspaper on the following two dates:

Wednesday, May 23, 2007

Wednesday, May 30, 2007

Cost of Printing 43.09

Deanna D. Bergheim
(Signature)

Secretary
(Title)

May 30, 2007
(Date Signed)

Wed., May 23, 2007

NOTICE OF APPLICATION NO.

6833-3 to Appropriate Water

Notice is given that Longacre Farms, Inc. 46029 239th St. Wentworth, SD 57075 has filed an application for a water permit to appropriate 1.11 cubic feet of water per second from one well to be completed into the Big Sioux: Northern Skunk Creek Aquifer (approximately 95 feet deep) located in the SW 1/4 SW 1/4 Section 5 to irrigate 90 Acres located in the S 1/2 SW 1/4, NW 1/4 SW 1/4 Section 5; all in T105N-R51W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6833-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on these applications, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendations must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E. Capitol, Pierre, SD 578501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 11, 2007.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application.

STEVEN M. PIRNER

Secretary

Department of Environment
and Natural Resources



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

May 16, 2007

DAILY LEADER
PO BOX 348
MADISON SD 57042-0348

ATTENTION: Legal Public Notice

Enclosed is a Notice on Application No. 6833-3 to Appropriate Water to be published twice. Please publish the first notice on May 23, 2007 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Longacre Farms, Inc., 46029 239TH St, Wentworth SD 57075 (Ph # 605-489-2230).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,


Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 6833-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of May 16, 2007 enclosing Notice to Appropriate Water by Application No. 6833-3 which was first published in our issue of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

May 16, 2007

LONGACRE FARMS INC
WILLIAM DANIEL JR
46029 239TH ST
WENTWORTH SD 57075

Dear Mr. Daniel:

Water Permit Application No. 6833-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Daily Leader printed at Madison SD (Ph # 605-256-4555). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendations of the Chief Engineer and reports on the applications are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the applications.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

Instruction to Newspaper - Publish first Notice on May 23, 2007 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 6833-3 to Appropriate Water

Notice is given that Longacre Farms, Inc., 46029 239th St, Wentworth SD 57075 has filed an application for a water permit to appropriate 1.11 cubic feet of water per second from one well to be completed into the Big Sioux:Northern Skunk Creek Aquifer (approximately 95 feet deep) located in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 5 to irrigate 90 Acres located in the S $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 5; all in T105N-R51W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 6833-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on these applications, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendations must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 11, 2007.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

JUN 19 2007

Longacre Farms Inc
46029 239th St
Wentworth SD 57075

Dear Sir:

Enclosed is Water Permit No. 6833-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet ? *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

RECEIVED

MAR 13 2008

WATER RIGHTS
PROGRAMNOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USEDate 3/10/08

TO: Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

FROM: Longacre Farms, Inc.
(name)
46029 239th St.
(address)
Wentworth, SD 57075 605 489-2230
(city, state, zip) (phone)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.


Water Permit No. 6833-3 states that the water use system is to be constructed by 6/11/2012, and water is to be put to beneficial use by 6/11/2016.
(date) (date)

The water use system was completed on 7/25/07.
(date)

Applying the water to beneficial use was completed on 7/25/07.
(date)

You may schedule an investigation so that the water license may be issued.

Longacre Farms, Inc.
11 Dan Del
(signature)





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 18, 2008

6833-3

Dave Daniel
Longacre Farms Inc
46029 239th St
Wentworth SD 57075

Dear Mr. Daniel:

I am writing to acknowledge receipt of the "Notice of Completion of Works" form that you sent in to let us know that you are completed with your irrigation system.

The system is now ready for inspection. Inspections are done on a county-by-county basis as staff time permits. You have done everything you need to do and the intervening time between the completion of your project and the staff inspection has no bearing on your water permit.

Someone from our office will contact you prior to the inspection to set up a time that is convenient for you. If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2010

NOTICE

TO: LONGACRE FARMS INC, DAVE DANIEL, 46029 239TH ST, WENTWORTH, SD 57075

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2009 Irrigation Questionnaire(s)

Our records indicate that the 2009 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6833-3. The request for the Questionnaire was dated October 16, 2009. The Water Management Board has directed that owners of water permits who have not submitted the 2009 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6833-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 10, 2010** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6833-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 5, 2010**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq/asp>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

6833-3

[Home](#) | [Help](#) | [Sign In](#)[Track & Confirm](#)[FAQs](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 9204

Service(s): **Signature Confirmation™**Status: **Delivered**

Your item was delivered at 12:00 PM on January 23, 2010 in WENTWORTH, SD 57075. The item was signed for by D DANIEL.

Track & Confirm

Enter Label/Receipt Number.

[Go >](#)

Detailed Results:

- Delivered, January 23, 2010, 12:00 pm, WENTWORTH, SD 57075
- Out for Delivery or Available at PO Box, January 23, 2010, 8:27 am, WENTWORTH, SD 57075
- Sorting Complete, January 23, 2010, 7:57 am, WENTWORTH, SD 57075
- Arrival at Post Office, January 23, 2010, 7:31 am, WENTWORTH, SD 57075

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)[Site Map](#)[Customer Service](#)[Forms](#)[Gov't Services](#)[Careers](#)[Privacy Policy](#)[Terms of Use](#)[Business Customer Gateway](#)

Copyright© 2010 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

U.S. POSTAL SERVICE

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0802 9204

LONGACRE FARMS INC
DAVE DANIEL
46029 239TH ST
WENTWORTH SD 57075

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:
Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com®
or call 1-800-222-1811

☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 29, 2010

6833-3

Dave Daniel
Longacre Farms Inc
46029 239th St
Wentworth SD 57075

Dear Mr. Daniel:

I am writing to acknowledge receipt of your 2009 irrigation questionnaire. You may disregard the January 22, 2010, "Notice" concerning reporting requirements for Water Permit No. 6833-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



6833-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 21, 2011

NOTICE

TO: LONGACRE FARMS INC, DAVE DANIEL, 46029 239TH ST, WENTWORTH, SD 57075
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2010 Irrigation Questionnaire(s)

Our records indicate that the 2010 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6833-3. The request for the Questionnaire was dated October 15, 2010. The Water Management Board has directed that owners of water permits who have not submitted the 2010 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6833-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 9, 2011** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6833-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 4, 2011**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

6833-3

[Home](#) | [Help](#) |
[Sign In](#)[Track & Confirm](#)[FAQs](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 0331

Service(s): **Signature Confirmation™**Status: **Delivered**

Your item was delivered at 11:32 am on January 22, 2011 in WENTWORTH, SD 57075. The item was signed for by D OANIEL.

Track & Confirm

Enter Label/Receipt Number.

[Go >](#)

Detailed Results:

- Delivered, January 22, 2011, 11:32 am, WENTWORTH, SD 57075
- Out for Delivery, January 22, 2011, 8:10 am, WENTWORTH, SD 57075
- Sorting Complete, January 22, 2011, 8:00 am, WENTWORTH, SD 57075
- Arrival at Post Office, January 22, 2011, 7:31 am, WENTWORTH, SD 57075
- Processed through Sort Facility, January 22, 2011, 3:52 am, SIOUX FALLS, SD 57104

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)[Site Map](#)[Customer Service](#)[Forms](#)[Gov't Services](#)[Careers](#)[Privacy Policy](#)[Terms of Use](#)[Business Customer Gateway](#)

Copyright© 2010 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0802 0331	LONGACRE FARMS INC DAVE DANIEL 46029 239TH ST WENTWORTH SD 57075	
	ing.	
Waiver of Signature ☐ YES ☐ NO		
Postmark Here		
POSTAL CUSTOMER: Keep this receipt. For Inquiries: Access internet web site at www.usps.com ® or call 1-800-222-1811		
☐ Priority Mail™ Service ☐ First-Class Mail® parcel ☐ Package Services parcel		



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 31, 2011

6833-3

Dave Daniel
Longacre Farms Inc
46029 239th St
Wentworth SD 57075

Dear Mr. Daniel:

I am writing to acknowledge receipt of your 2010 irrigation questionnaire.

You may disregard the January 21, 2011, "Notice" concerning reporting requirements for Water Permit No. 6833-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



6833-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 15, 2016

NOTICE

TO: LONGACRE FARMS INC, DAVE DANIEL, 46029 239TH ST, WENTWORTH, SD 57075
FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2015 Irrigation Questionnaire(s)

Our records indicate your 2015 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 6833-3. The request for the Questionnaire was dated October 23, 2015. The Water Management Board has directed that owners of water permits who have not submitted the 2015 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 6833-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Thursday, March 3, 2016 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6833-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2016** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 3, 2016

6833-3

Longacre Farms Inc
c/o Dave Daniel
46029 239th St
Wentworth SD 57075

Dear Mr. Daniel:

I am writing to acknowledge receipt of your 2015 irrigation questionnaire.

You may disregard the January 15, 2016, "Notice" concerning reporting requirements for Water Permit No. 6833-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

Report of Examination of Works and/or Application of Water to Beneficial Use For Permit No. 6833-3

I have this day, October 29, 2021, made a thorough examination of the water use system constructed by Longacre Farms, Inc, 46029 239th St, Wentworth, SD 57075 of Permit No. 6833-3, bearing the priority of March 19, 2007 authorizing the diversion of 1.11 cu. ft. per second of the waters of the Big Sioux: Northern Skunk Creek Aquifer for irrigation purposes, in Lake County.

A. Works used to divert the water:

Well Information:

- 1) Well Drilling Firm: Thein Well Co. Inc
- 2) No. of Wells 1
- 3) Depth 95 feet
- 4) Well log is available Yes (well drilled in 2007)

Casing:

- 1) Diameter 12 inches
- 2) Length 70 feet
- 3) Type steel

Screen:

- 1) Type Stainless steel
- 2) Length 25 feet
- 3) Static water level 29.5 feet

Pump:

- 1) Make NA
- 2) Model Submersible
- 3) Size NA
- 4) Capacity 500 GPM

Motor: unknown

B. Works used to transport water to place of use:

- 1) Type Aluminum
- 2) Size 6 inches
- 3) Length 100 feet

Comments: Above ground

C. Works used to apply water to beneficial use:

Center pivot:

- 1) Make Valley
- 2) Overall length 850 feet
- 3) Number of towers 5
- 4) End gun Y
- 5) Capacity 500 GPM

Chemigation Equipment: none

D. Compliance with Permit Requirements:

- 1) Permit qualifications being abided by Y
- 2) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y
- 3) Exceptions to compliance are: None

E. Condition and Location:

1. The system is in good condition with the point of diversion located as follows: From the SW corner Sec 5 T105N, R51W, 1020 ft N & 920 ft E, Lat 43.92344 Long -96.9856 (SW ¼ SW ¼ Sec 5).
2. The works are capable of diverting and conveying to the place of use 1.11 cu. ft. per second of water which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:

All irrigated land is in Sec 5 T105N R51W

NW ¼ SW ¼ –	14 acres
NE ¼ SW ¼ –	3 acres
SE ¼ SW ¼ –	12 acres
SW ¼ SW ¼ –	37 acres

comprising a total of 66 acres of land and the license should be issued for 0.94 cfs

3. All structures, wells and lands on map Y

F. Comments associated with the project:

The irrigated acreage was determined with the aid of FSA imagery and ArcMAP software.

The mailing address in the inspection materials is correct but the new telephone number is now 605/270-9562 for David Daniel.



Darrell W DeBoer
Water Rights Inspector
DANR, Water Rights Program

Date report completed: October 30, 2021

6835-3


SD EForm - 1621LD V1

SOUTH DAKOTA WATER WELL COMPLETION REPORT

11-02

Location SW ¼ SW ¼ Sec 5 Twp 105 Rg 51

County Lake

Please mark well
location with an "X"

Well Completion Date

6/21/2007

← 1 Mile →

Distance to nearest potential pollution source (septic tank, abandoned well, feed lot, etc.)?

1,200.0 ft. from feed lot (identify source)

PROPOSED USE:

☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test holes
☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

mud rotary

CASING DATA:

☒ Steel ☐ Plastic ☐ Other

If other describe

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
LB/FT	12.00 IN	0.0 FT	70.0 FT	17.50 IN
LB/FT	IN	FT	FT	IN
LB/FT	IN	FT	FT	IN

GROUTING DATA:

Grout Type	No. of Sacks	Grout Weight	From	To
Bentonite	24	Lb/gal	0.0 Ft	65.0 Ft
		Lb/gal	Ft	Ft

Describe grouting procedure
Tremmie Piped

SCREEN:

☐ Perforated pipe ☒ Manufactured

Diameter 12.00 Inches Length 25.0 Feet

Material Stainless Steel

Slot Size 0.50 Set From 70.0 Feet to 95.0 Feet

Other information

WAS A PACKER OR SEAL USED?

☐ Yes ☒ No

If so, what material?

Describe packer(s) and location

DISINFECTION: Was well disinfected upon completion?

☐ Yes, How?
☒ No, Why Not? Irrigation only
 Lab to which water quality sample sent for analysis

Well Owner: Dave Daniel

Business Name:

Address: 23853 461st Ave

City, State, Zip: Wentworth SD 57075

WELL LOG:

FORMATION	DEPTH	
	FROM	TO
Top Soil	0	4
Medium Sand To Gravel	4	48
Clay, blue	48	52
Medium to fine sand	52	95

STATIC WATER LEVEL 29.5 FEET

If flowing: closed in pressure PSI

GPM flow through Inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

Reduced flow rate GPM

Can well be completely shut in?

WELL TEST DATA:

☒ Pumped Describe:☐ Bailed☐ Other

Pumping Level Below Land Surface

43.0 Ft. After 10.0 Hrs. pumped 500.0 GPM

Ft. After Hrs. pumped GPM

If pump installed, pump rate: GPM

REMARKS

GPS N 43 55.403 W 96 59.132

This well was drilled under license # 475 and this report is true and accurate.

Drilling firm: THEIN WELL COMPANY, INC

Signature of License Representative:

Signature of Well Owner or Equitable Property Holder:

Date:

12" Irrigation Well

Dave Daniels
Wentworth SD
Chester Twnshp R 51 S 5

Legend

 Feature 1


n43 55.403 w96 59.132  12" Irrigation well - Dave Daniels 6/21/2007

Google Earth

239th St

1000 ft





Diversion Point Locations

From the SW corner of
Sec 5 T105N-R51W
Well
1020 ft N & 920 ft E
Lat 43.92344 Long -96.98561

Irrigated Land

Sec 33 T103N-R49W

NW1/4 SW1/4 - 14 ac
NE1/4 SW1/4 - 3 ac
SE1/4 SW1/4 - 12 ac
SW1/4 SW1/4 - 37 ac



0 750 1,500 3,000 4,500 6,000 Feet

Licensing of Acreage Outside of Permitted Area

NAME: Longacre Farms

ADDRESS: 46029 239th St, Wentworth SD 57075

DATE: February 7, 2022

COUNTY: Lake

TELEPHONE: 605-489-2230

AUTHORITY

Pursuant to SDCL 46-5-30.5, acreage developed for irrigation outside of the area described on the permit may be licensed provided the following conditions are met:

NO INCREASE IN PERMITTED ACREAGE OR WATER APPROPRIATED:

The acreage developed for irrigation is 66 acres as compared to 90 acres authorized by the permit.

UNPERMITTED ACREAGE:

- **Contiguous to Permitted Acreage**

The permit authorized the irrigation of 90 acres located in the SW ¼ SW ¼, NW ¼ SW ¼, SE ¼ SW ¼ of Sec 5 T05N-R51W. The permit holder developed 3 acres outside the permitted areas in the NE ¼ SW ¼ of Sec 5 T05N-R51W immediately adjacent to the authorized acres.

- **Owned by Same Property Owner**

- Longacre Farms owns all the property irrigated.

- **Developed Prior to Expiration of Construction Period**

Yes all of the irrigation was developed within the construction period.

RECOMMENDED ACTION

Based on the above criteria, it is recommended that the 3 acre area be included in the water license.



Mark D Rath, Natural Resources Engineer
Water Rights Program

The Chief Engineer makes a finding pursuant to SDCL 46-5-30.5 that:

This acreage change does not impair existing water rights and the overall project, as developed, is consistent with the original application. Licensing of the unpermitted acreage may occur without application or publication pursuant to SDCL 46-2A-4.



Eric Gronlund, Chief Engineer
Water Rights Program



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 14, 2022

6833-3

David Daniel
Longacre Farms Inc
46029 239th St
Wentworth SD 57075

Dear Mr. Daniel:

Enclosed is Water License No. 6833-3. This is the final water right document completing your process of obtaining a Water Right. Included with your license is a map prepared by the staff engineer who conducted the field investigation.

For your information SDCL 46-6-27 requires that if in the future, the owner of an existing well, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

NOTE: The investigation found your irrigation system is capable of diverting 1.11 cubic feet of water per second (cfs) which is equivalent to approximately 500 gallons per minute. The statutory limit for 66 acres is 0.94 cfs (equivalent to 422 gpm). Diversion of water under this water license is limited to 0.94 cfs.

STATE OF SOUTH DAKOTA
WATER LICENSE NO. 6833-3

(1) Longacre Farms Inc., 46029 239th St, Wentworth SD 57075 made Application No. 6833-3, March 19, 2007, for a water permit to divert 1.11 cubic feet of water per second from ground water, one well (Big Sioux Northern Skunk Creek Aquifer), Lake County, South Dakota for irrigation purposes. Permit No. 6833-3, with a priority date of March 19, 2007 was approved June 11, 2007 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before June 11, 2012 and for the application to beneficial use of said water on or before June 11, 2016.

The investigation of the water use system found three acres developed outside of the permitted area. The Chief Engineer made a finding pursuant to SDCL 46-5-30.5 that the change in acreage did not impair existing water rights and the overall project, as developed, was consistent with the original application.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 0.94 cubic feet of water per second for beneficial use. The location of the diversion point is:

- 1020'N and 920'E of the SW corner Section 5, T105N, R51W(SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 5).
Latitude 43.92344 Longitude -96.9856

(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 5, T105N, R51W	NW $\frac{1}{4}$ SW $\frac{1}{4}$	14 acres
	NE $\frac{1}{4}$ SW $\frac{1}{4}$	3 acres
	SE $\frac{1}{4}$ SW $\frac{1}{4}$	12 acres
	SW $\frac{1}{4}$ SW $\frac{1}{4}$	37 acres
Total		66 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Longacre Farms Inc., 46029 239th St, Wentworth SD 57075 the holder and/or owner of Water Right No. 6833-3 is issued a license to appropriate water, the right to use 0.94 cubic feet of water per second from ground water, one well (Big Sioux Northern Skunk Creek Aquifer) with a priority date of March 19, 2007 from the location specified in (2) of this license for irrigation purposes.

This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Right No. 6833-3 and subject to the following qualifications:

- The well approved under this water right will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this water right shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

continued

- The well authorized by Permit No. 6833-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with the Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28. *The well was drilled in June 2007 by Thein Well Company Inc. A copy of the well completion report is on file with the Water Rights Program.*
- This Water Right is approved subject to the irrigation water use questionnaire being submitted each year.

Eric Gronlund

Eric Gronlund, Chief Engineer
Water Rights Program
Department of Agriculture and Natural Resources

MAR 14 2022

date

