

WATER PERMIT NO. 6902-3

Name of Applicant: **David Ruppelt**

Address: **30703 413th Ave, Tyndall SD 57066** Phone: **605 589-3483**

Amount of Water Claimed: **1.4^{cu} cfs** Total Acres: **70**

Source of Water Supply: **groundwater (one well)**

Water to be used for: **irrigation** County: **Bon Homme**

Type of Waste Disposal System:

Location: **5 miles southwest of Tyndall**

PRIORITY Date Received: **9-27-07**

Application/License Fee: **\$275**

Corrected Application Received: **10-9-07**

Period of Annual Use: **May 1 – Sept 30**

Remarks: **Applicant requesting diversion rate greater than 1 cfs per 70 acres.**

Diversion Point: **SE ¼ SE ¼ Sec 28-T94N-R60W**

Land to be Irrigated: **SE ¼ Sec 28-T94N-R60W**

Depth of Well: **220 feet deep**

Well Driller:

Remarks:


Type of Map: **aerial**

Prepared by: **Ernie R Bures, BH Co FSA**

Reviewed and the Number Assigned on: **10-9-07**

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____



FORM 2: Application for irrigation in South Dakota
(type or print)

Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	No. <u>6902-3</u> (office use only) Hydrologic Unit <u>10170101</u>
	Basin <u>Missouri River</u>
	Newspaper <u>Tyndall Tribune & Register</u> PO Box 520 <u>605-589-3242 (Wed)</u> <u>Tyndall 57066</u>

RECEIVED
SEP 27 2007
WATER RIGHTS
PROGRAM

Application For Permit To Appropriate Water For Irrigation

Type of Application: X New Vested Right Amendment/Correction to Permit No.
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

1. Name of Applicant David Ruppelt Phone 605-589-3483
(check one) Owner Tenant/lessee
Mailing Address 30703 413th Ave Tyndall State SD 57066
(Street, RR, or Box and City) (Zip Code)
2. Amount of water claimed 1.0 *CFS or 500 **GPM ***AF Total Acreage 70
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable
3. Source of water supply Ground well aquifer Choteau Tyndall
4. Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) 1 well in
SE 1/4 of 28-94N-60W (SE 1/4 SE 1/4)
Albion Township County Bon Homme
5. County or counties where water will be used Bon Homme
6. Annual period during which water is to be used May 1 to Sept 30
7. List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
<u>SE 1/4 of 28-94N-60W</u>	<u>70</u>		
<u>Albion Township</u>			

8. Give a description of the project. (Attach sheet if more space is needed)

STATE OF SOUTH DAKOTA) SS

County of Bon Homme

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, David Ruppelt, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature David Ruppelt

Subscribed and sworn to before me this 24th day of September 20 07

E. R. B.

Notary Public signature

My Commission expires 10-15-2010

**SOUTH DAKOTA
WATER PERMIT NO. 6902-3**

Date of first receipt of application September 27, 2007.

Date of return to applicant for corrections, amendments or changes September 27, 2007.

Date of receipt of corrected application October 9, 2007.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 6902-3 to David Ruppelt, 30703 413th Ave, Tyndall SD 57066 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 6902-3 appropriates 1.00 cubic feet of water per second from one well to be completed into the Choteau-Tyndall Aquifer (approximately 220 feet deep) located in SE ¼ SE ¼ Section 28 to irrigate 70 acres located in the SE ¼ Section 28; all in T94N-R60W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 – September 30.
3. The date from which applicant may claim right is September 27, 2007.
4. The date of approval of Permit No. 6902-3 is December 10, 2007.
5. One-fifth of the construction is to be completed on or before June 10, 2010.
6. All construction is to be completed on or before December 10, 2012.
7. Water is to be put to beneficial use on or before December 10, 2016.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 6902-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele
Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JAN 23 2008
date



Acreage breakdown prepared by Eric Gronlund, Water Rights staff based on the representation of the irrigated acre on the map.

All in Section 28, T94N, R60W

NW $\frac{1}{4}$ SE $\frac{1}{4}$	10 acres
NE $\frac{1}{4}$ SE $\frac{1}{4}$	25 acres
SW $\frac{1}{4}$ SE $\frac{1}{4}$	10 acres
SE $\frac{1}{4}$ SE $\frac{1}{4}$	25 acres
Total	70 acres

Supplemental Information

(type or print in ink)

Christensen Wells &
Irrigation Inc.
88005 Hwy 57
Hartington Neb. 68739

1. Well Information - Proposed Construction

- a) Drill Hole Diameter 26 in. Depth 220 ft.
- b) Casing Type plastic Diameter 16 in. Thickness Sch. 40
- c) Screen Type plastic double slot Diameter 16 in. Thickness Sch. 40
- d) Gravel Pack road class Length of Gravel Pack 45 ft.
- e) Depth to Top of Water Bearing Material 80 ft.
- f) Depth to Water (ground surface to water level) 80 ft.
- g) Distance to nearest existing domestic well:
- On applicants property $\frac{3}{4}$ mi. N. On property owned by others $\frac{1}{4}$ S.W.

2. Wastewater Disposal System Information

- a) Type of System (i.e. septic tank, drain field) _____
- b) System Capacity (gallons) _____ Year Constructed _____
- c) Connected to the City of _____ Sanitary System _____


3. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:



- b) Freeboard _____
- c) Crest Width _____
Crest Length _____
- d) Height _____
- e) Primary Outlet Capacity _____
If pipe, diameter _____
- f) Secondary Spillway Capacity _____
Spillway Width _____
- g) X & Y Slope _____
Upstream _____
Downstream _____
- h) Surface Area of Impoundment _____
- i) Storage _____ Acre Feet
- j) Drainage Area Above Dam _____ Acres

North




USDA U.S. Dept. of Agriculture
Farm Service Agency

South Dakota

Bon Homme County

28-94N-60W

albion Township



Legend

- Wetlands
- Tract Boundaries
- Section-Township-Range
- Easements
- CRP
- Common Land Units
- /// Rangeland

USDA FSA maps are for FSA Program administration only. This map does not represent a legal survey or reflect actual ownership, rather it depicts the information provided directly from the producer and/or the 2004 ortho rectified imagery for South Dakota. The producer accepts the data "as is" and assumes all risks associated with its use. The USDA Farm Service Agency assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on this data outside of FSA Programs.

January 11, 2007

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 9/27, 20 07

RECEIVED OF David E. Ruppelt 30703 413th Ave Tyndall SD 57066

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>6902-3</u> to Appropriate Water, to construct and to put water to beneficial use	225	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>6902-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	275 00

No.

33172

By

Barclay Erbe

Chief Engineer



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

September 27, 2007

David Ruppelt
30703 413th Ave
Tyndall SD 57066

Dear Mr. Ruppelt:

Thank you for submitting the *Application for a Permit to Appropriate Water* for irrigation. In order to complete the application the following is required.

- Enclosed is the aerial photo map submitted with the application. The map must be signed by one of the following: Registered Land Surveyor, Registered Professional Engineer or by any other government employee who normally prepares maps as a part of his assigned duties (i.e. local USDA Farm Service Agency).
- Do you agree that that 70 acres to be irrigated are located in the $W \frac{1}{2} SE \frac{1}{4}$ and the proposed well is located in the $SE \frac{1}{4} SE \frac{1}{4}$; both in Sec 28-T94N-R60W? *yes*
- If available, please submit a well log or test hole log signed by a licensed South Dakota well driller.

If you have any questions, please contact me.

Sincerely,

Karen Schlaak

Karen Schlaak
Water Rights Program
605 773-3352
karen.schlaak@state.sd.us

*called 10/1/07
land is all in (70 acres)
SE 1/4 Sec 28*

enclosure



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

November 13, 2007

Robert Ruppelt
30774 412th Ave
Tyndall SD 57066

Dear Mr. Ruppelt:

We are enclosing copies of the Reports and Recommendations along with the Public Notice for Water Right Nos. 6902-3 and 6903-3 for your review as it is our understanding that you own portions of the land that these permits will be on.

If you have any questions, please call the Water Rights Program at 605-773-3352 and ask for Eric Gronlund.

Sincerely:


Eric Gronlund

enclosures



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 6902-3, David Ruppelt**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 6902-3, David Ruppelt, 30703 413th Avenue, Tyndall SD 57066.

The Chief Engineer is recommending APPROVAL of Application No. 6902-3 to 1.0 cubic feet of water per second (450 gallons per minute) because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 6902-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
November 13, 2007

NOTE: The Chief Engineer's recommendation limits the diversion rate to 1.0 cubic feet of water per second with is the statutory limit for the irrigation of 70 acres as set forth in water rights law.

REPORT FOR
WATER PERMIT APPLICATION NO. 6902-3
DAVID RUPPELT
NOVEMBER 1, 2007

Water Permit Application No. 6902-3 proposes to appropriate 1.11 cubic feet of water per second(cfs) from one well to be completed into the Choteau-Tyndall aquifer (approximately 220 feet deep) located in the SE¼ SE¼ Section 28, T94N-R60W to irrigate 70 acres located in the SE¼ Section 28, T94N-R60W, in Bon Homme County. The applicant is requesting a diversion rate greater than the statutory limit of one cfs per 70 acres.

AQUIFER: CHOTEAU-TYNDALL (CH-T)

The Tyndall Management Unit of the Choteau aquifer is a buried outwash deposit that fills a preglacial valley in central Bon Homme County. The top of the outwash is expected to be less than 50 feet below grade at this well site and the sand and gravel is expected to be around 150 feet thick. The aquifer is under unconfined conditions in this area and the static water level is expected to be around 90 feet below grade. Originally this outwash was named the Tyndall-Scotland aquifer (Jorgensen, 1971) and was thought to extend to the northeast, ultimately into Yankton and Hutchinson Counties. Hedges and others, (1982) separated the "Tyndall-Scotland" aquifer into the Choteau-Tyndall and the Scotland management unit of the Lower James Missouri aquifer to the northeast (see figure 1). Observation well data suggests groundwater movement from north to south in the Choteau-Tyndall and to the north in the Lower James Missouri-Scotland aquifer.




Figure 1. Choteau-Tyndall (CH-T) aquifer and the Lower James Missouri-Scotland aquifer (modified from Hedges and others, 1982), and the location the site of the well proposed by Water Permit Application No. 6902-3

The Choteau-Tyndall aquifer underlies 31,300 acres of Bon Homme County and contains an estimated 140,850 acre-feet of recoverable in the county (Hedges, 1982). The aquifer is mostly under confined conditions however, unconfined conditions exist locally.

Most of the recharge to the Choteau-Tyndall is from percolation of precipitation through the overlying till or alluvium (Jorgensen, 1971). The aquifer directly overlies the Niobrara aquifer in places and may be recharged from the bedrock aquifer. Recharge may also occur from Emanuel Creek where the outwash outcrops along the creek (T93N-R60W). In general, the Choteau-Tyndall aquifer discharges to Emanuel Creek along the lower reaches of the creek and the spring discharge constitutes most of the base flow to the creek (Jorgensen, 1971). Natural discharge from the Choteau-Tyndall also occurs through evapotranspiration, and seepage to bedrock aquifers.

Observation Well Data:

The Water Rights Program monitors eight observation wells completed into the Choteau-Tyndall aquifer. Hydrographs for the observation wells are shown in figures 2-9 below.




Figure 2. Hydrograph of Choteau-Tyndall aquifer observation well located approximately three-fourths of a mile northeast of the well proposed by Water Permit Application No. 6902-3




Figure 3. Hydrograph of Choteau-Tyndall aquifer observation well located approximately one mile southwest of the well proposed by Water Permit Application No. 6902-3




Figure 4. Hydrograph of Choteau-Tyndall aquifer observation well located approximately one and one-half miles northwest of the well proposed by Water Permit Application No. 6902-3




Figure 5. Hydrograph of Choteau-Tyndall aquifer observation well located approximately two and one quarter miles north-northeast of the well proposed by Water Permit Application No. 6902-3




Figure 6. Hydrograph of Choteau-Tyndall aquifer observation well located approximately two and one-half miles west-northwest of the well proposed by Water Permit Application No. 6902-3




Figure 7. Hydrograph of Choteau-Tyndall aquifer observation well located approximately two and three-fourths miles southwest of the well proposed by Water Permit Application No. 6902-3




Figure 8. Hydrograph of Choteau-Tyndall aquifer observation well located approximately three miles northeast of the well proposed by Water Permit Application No. 6902-3




Figure 9. Hydrograph of Choteau-Tyndall aquifer observation well located approximately four and one-half miles north-northeast of the well proposed by Water Permit Application No. 6902-3

The hydrographs document that in general, withdrawals have not exceeded recharge over the period of record and unappropriated water is available for this appropriation.

REVIEW OF EXISTING WATER RIGHTS/PERMITS

There are currently twenty four water rights/permits appropriating water from the Choteau-Tyndall aquifer. They are shown below in Table one. Future Use Permit No, 4839A-3 reserves 410 acre-feet of water annually for future use by the City of Tyndall. In addition, Water Permit Application No. 4674-3 was withdrawn/denied because of unfavorable test hole results.

PERMIT NO	NAME	USE	CFS	ACRES
4839A-3	CITY OF TYNDALL	FU		
1075-3	CITY OF TYNDALL	MUN	1.10	N/A
2587-3	MIKE HAJEK	IRR	1.80	126
2743-3	BON HOMME COUNTRY CLUB	IRR	0.57	40
3576-3	DONALD TJEERDSMA	IRR	2.00	155
3579-3	RICHARD & CARY HAJEK	IRR	2.36	188
3581-3	PERCY TJEERDSMA	IRR	1.78	126
3582A-3	DOUGLAS E & DARLA R VAN GERPEN	IRR	1.78	125
3583B-3	PRESTON BOCHMAN	IRR	2.07	145
3811-3	DONALD TJEERDSMA	IRR	2.00	168
4474-3	WAYNE SCHUURMANS	IRR	2.67	263
4650-3	CARY HAJEK	IRR	1.60	112
4727-3	VIRGIL TJEERDSMA	IRR	1.78	130
4839B-3	CITY OF TYNDALL	MUN	1.06	N/A
5060-3	SCOTT SCHUURMANS	IRR	2.23	252
5286-3	VINCENT BOESE	IRR	1.42	100
5424-3	LESLIE BOHLMANN	IRR	2.00	160
5513-3	RICHARD HAJEK	IRR	1.78	132
6465-3	DAVID RUPPELT	IRR	1.56	135
6496-3	MYRON BIEREMA	IRR	1.78	136
6372-3	VIRGIL TJEERDSMA	IRR	0.00	123
6413-3	PERCY TJEERDSMA	IRR	1.78	160
6454-3	DANIEL SCHUURMANS	IRR	1.71	120
6791-3	VIRGIL TJEERDSMA	IRR	1.21	85

Table one. Water Rights/Permits appropriating water from the Choteau-Tyndall aquifer

Water Use:

According to the survey conducted by the Office of Drinking Water in 2007, the City of Tyndall uses around 41 million gallons of water per year ($\cong 126$ acre-feet/yr). The water use from the Choteau-Tyndall aquifer for irrigation since 1979 is shown in table two

Choteau-Tyndall Aquifer Irrigation Use			
Year	No. of Permits	Appropriation (Ac-Ft)	Pumpage reported (Ac-Ft)
1979	17	8079	983
1980	17	7966	1943
1981	22	10210	1418
1982	19	8576	1564.67
1983	19	9043	996.66
1984	23	10710	1012.13
1985	21	9551	1056.16
1986	21	9551	1184.2
1987	21	9393	1645.7
1988	21	9393	2545.85
1989	22	9470	2173.9
1990	19	7604	1570.5
1991	19	7154	1961.5
1992	19	7154	489.25
1993	19	7154	61.2
1994	19	7523	633.66
1995	19	7523	1104.18
1996	19	7672	1034.76
1997	17	7179	964
1998	18	7179	708.2
1999	18	7179	939.23
2000	18	7179	1235.83
2001	18	7179	919.74
2002	17	6759	1613.71
2003	16	6138	1495.99
2004	20	7288	1680.06
2005	20	7288	2006.84
2006	20	7240	1693.26
2007	21	7410	?
Maximum	23	10710	2545.85
Minimum	16	6138	61.2
Average	19.28	7991.17	1308.40

Table one. Water Use data from the Choteau-Tyndall aquifer

There are six existing irrigation wells competed into the Choteau-Tyndall aquifer within approximately one mile of the well proposed by this application. The nearest exiting well (Water Right No. 5513-3) is located approximately 950 feet east of the well site proposed by this application. The next closest well supplying a water permit (Water Permit No. 6791-2) is located approximately 1,750 feet east of this proposed well site. Drawdown created by pumping does not appear to extend very far or significantly from an individual production well in this area.

LIMITATION OF THE AMOUNT OF WATER FOR IRRIGATION:

SDCL 46-5-6 requires that the amount of water allowed for irrigation may not be in excess of the rate of one cubic foot of water per second for each seventy acres of land to be irrigated. The statute allows the Water Management Board to approve a greater diversion rate if "the method of irrigation, any time constraints on diversion of water, or the type of soil so requires". This application does not include any rationale for a diversion rate over one cfs per 70 acres.


CONCLUSIONS:

1. Unappropriated water is available from the Choteau-Tyndall aquifer
2. The Choteau-Tyndall aquifer is under unconfined conditions in this area. Drawdown created by pumping is not expected to be significant and interference should not be a problem.
3. The well authorized by this permit must be constructed in accordance with the SD Well Construction Standards.
4. The diversion rate authorized by this permit should be limited to one cfs as required by SDCL 46-5-6.



KEN BUHLER
Natural Resources Engineer

approved by



JAMES GOODMAN, P.E.
Natural Resources Engineer

REFERENCES:

Hedges, L.S., Burch, S.L., Iles, D.L., Barari, R.A., and Schoon, R.A., 1982, Evaluation of Ground-Water Resources Eastern South Dakota and Upper Big Sioux River, South Dakota and Iowa: SD DENR-Geological Survey U.S. Army Corps of Engineers Contract DAWC 45-80-C-0185

Jorgensen, D.G., 1971, Geology and Water Resources of Bon Homme County, South Dakota, Bulletin 21, Part II: Water Resources, SD DENR-Geological Survey, Vermillion, SD 57609

Water Rights Program, 1979-2007, "Irrigation Summary By Aquifer", DENR-Water Rights Program, Joe Foss Building, Pierre, SD

Water Rights Program, 2007, "Water Right/Permit Files" DENR-Water Rights Program, Joe Foss Building, Pierre, SD 57501

Water Rights Program, 2007, "Observation Well Files" DENR-Water Rights Program, Joe Foss Building, Pierre, SD 57501

Affidavit of Publication

State of South Dakota }
County of Bon Homme } ss

Rebecca Tyck Being first duly sworn says that the **Tyndall Tribune & Register** is a legal weekly newspaper for publication of legal and other official notices as required by Chapter 298 of the Session Laws of South Dakota, 1939; that it has bona fide paid circulation of more than two hundred copies weekly; that it is published in English language in the City of Tyndall, Bon Homme County, South Dakota, and has been admitted to the United States mail under second class mailing privilege for more than one year prior to the first publication of the notice herein mentioned, and that it is printed in an office maintained at the place of publication at Tyndall, South Dakota, and that deponent is the publisher in charge of the advertising department of said newspaper; that the advertisement headed

Ruppelt
DENR

Notice of Application - No. 6902-3 & 6903-3
75237.2 + 80% X 1

a printed copy of which is hereto attached, was printed and published in said newspaper for two successive weeks, upon the following dates:

<u>Nov. 21</u>20 <u>07</u>	20.....
<u>Nov. 28</u>20 <u>07</u>	20.....
.....20.....	20.....
.....20.....	20.....

That the full amount of the fee charged for the publication of said notice, \$50.72....., inures to the benefit of the publisher of said newspaper, that no agreement or understanding for the division thereof has been made with any other person, and that no part has been agreed to be paid to any person whomsoever

Rebecca Tyck

Subscribed and sworn to before me this

PEGGY SCHELSKE

.....Nov. 20.....2007.....

Notary Public
SOUTH DAKOTA

Peggy Schelske

Notary Public, South Dakota

My Commission expires 10-24-2009.

NOTICE OF APPLICATION

NOS. 6902-3 and 6903-3
to Appropriate Water

Notice is given that David Ruppelt, 30703 413th Ave, Tyndall SD 57066 has filed the following applications for water permits.

Application No. 6902-3 proposes to appropriate 1.11 cubic feet of water per second (cfs) from one well to be completed into the Choteau: Tyndall Aquifer (approximately 220 feet deep) located in SE 1/4 SE 1/4 Section 28 to irrigate 70 acres located in the SE 1/4 Section 28; all in T94N-R60W. The applicant is requesting a diversion rate greater than the statutory limit of 1 cfs per 70 acres.

Application No. 6903-3 proposes to appropriate 1.56 cfs from one existing well completed into the Choteau: Tyndall Aquifer (214 feet deep) located in the SE 1/4 NE 1/4 Section 28 to irrigate 137 acres located in the SW 1/4, W 1/2 SE 1/4 Section 28; all in T94N-R60W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application Nos. 6902-3 for 1.0 cubic feet of water per second and No. 6903-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on these applications, as recommended, unless a petition is filed opposing the applications or the applicant files a petition contesting the Chief Engineer's recommendations. If a petition opposing the applications or contesting the recommendations is filed, then a hearing will be scheduled and the Water Management Board will consider the applications. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting these applications or recommendations must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by December 10, 2007.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel. If legal counsel is obtained, contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirmer, Secretary, Department of Environment and Natural Resources (Nov. 21 & 28)



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

November 13, 2007

Tyndall Tribune & Register
PO Box 520
Tyndall SD 57066

ATTENTION: Legal Public Notice

Enclosed is a Notice on Application Nos. 6902-3 & 6903-3 to Appropriate Water to be published twice. Please publish the first notice on November 21, 2007 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is David Ruppelt, 30703 413th Ave, Tyndall SD 57066 (Ph # 605-589-3483).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

Nos. 6902-3 & 6903-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of November 13, 2007 enclosing Notice to Appropriate Water by Application Nos. 6902-3 & 6903-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

November 13, 2007

David Ruppelt
30703 413th Ave
Tyndall SD 57066

Dear Mr. Ruppelt:

Water Permit Application Nos. 6902-3 & 6903-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Tyndall Tribune & Register printed at Tyndall SD (Ph # 605-589-3242). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendations of the Chief Engineer and reports on the applications are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notices and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the applications.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

Instruction to Newspaper - Publish first Notice on November 21, 2007 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NOS. 6902-3 and 6903-3 to Appropriate Water

Notice is given that David Ruppelt, 30703 413th Ave, Tyndall SD 57066 has filed the following applications for water permits.

Application No. 6902-3 proposes to appropriate 1.11 cubic feet of water per second (cfs) from one well to be completed into the Choteau:Tyndall Aquifer (approximately 220 feet deep) located in SE ¼ SE ¼ Section 28 to irrigate 70 acres located in the SE ¼ Section 28; all in T94N-R60W. The applicant is requesting a diversion rate greater than the statutory limit of 1 cfs per 70 acres.

Application No. 6903-3 proposes to appropriate 1.56 cfs from one existing well completed into the Choteau:Tyndall Aquifer (214 feet deep) located in the SE ¼ NE ¼ Section 28 to irrigate 137 acres located in the SW ¼, W1/2 SE ¼ Section 28; all in T94N-R60W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application Nos. 6902-3 for 1.0 cubic feet of water per second and No.6903-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on these applications, as recommended, unless a petition is filed opposing the applications or the applicant files a petition contesting the Chief Engineer's recommendations. If a petition opposing the applications or contesting the recommendations is filed, then a hearing will be scheduled and the Water Management Board will consider the applications. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting these applications or recommendations must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by December 10, 2007.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.



JAN 23 2000

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

David Ruppelt
30703 413th Ave
Tyndall SD 57066

Dear Mr. Ruppelt:

Enclosed are Water Permit Nos. 6902-3 and 6903-3 authorizing construction of your water diversion systems and beneficial use of the water, not exceeding the limits as specified in the Water Permits.

Form 10's, *Notice of Completion of Works and Application of Water to Beneficial Use*, are enclosed. Please return the completed forms after you have finished the systems and have put the water to beneficial use. An investigation can then be scheduled so the water licenses may be issued, thus completing the acquisition of a water right.

An informational sheet ? *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

SOUTH DAKOTA WATER WELL COMPLETION REPORT

6902-3


07-92

Location SE 1/4 SE 1/4 Sec 28 Twp 94N Rg 60W

County Don Homme

North

Please mark well location with an "X"



Well-Completion Date

5-20-08

Well Owner: Dave Ruppelt

Business Name:

Address: 30703 413 95
Syndell, SD 57066

WELL LOG:

FORMATION	DEPTH	
	FROM	TO
<u>bp + brown clay</u>	<u>0</u>	<u>58</u>
<u>med sand</u>	<u>58</u>	<u>161</u>
<u>coarse sand / full sand</u>	<u>161</u>	<u>193</u>
<u>shale</u>	<u>193</u>	<u>200</u>

LOCATION:

Distance from nearest potential pollution source (septic tank, abandoned well, feed lot, etc.)? 1500 ft. from septic tank (identify source).

PROPOSED USE:

- ☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

Reverse Rotary

CASING DATA: ☐ Steel ☒ Plastic ☐ Other

If other describe _____

PIPEWEIGHT 160 LB/FT DIAMETER 16 IN FROM 0 FT TO 140 FT HOLE DIAMETER 28 IN

GROUTING DATA

Grout Type Cement No. of Sacks 55 Grout Weight lb./gal From 0 ft To 20 ft

Describe grouting procedure pumped cement grout down tremie line

SCREEN: ☐ Perforated pipe ☒ Manufactured

Diameter 16 IN Length FEET

Material PVC
Slot Size .085 Set From 140 Feet to 200 Feet

Other information _____

WAS A PACKER OR SEAL USED? ☐ YES ☒ NO

If so, what material? _____

Describe packer(s) and location? _____

DISINFECTION: Was well disinfected upon completion?

☒ YES, How: chlorine

Laboratory sent to for water quality analysis NO, Why Not?

STATIC WATER LEVEL 95 Feet

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other _____

Reduced Flowrate _____ GPM

Can well be completely shut in? _____

WELL TEST DATA:

☒ Pumped Describe: pumped w/ turbine pump + engine
☐ Bailed
☐ Other

Pumping Level Below Land Surface

123 ft. After 2 Hrs. pumped 650 GPM

132 ft. After 2 Hrs. pumped 850 GPM

If pump installed, pump rate 650 GPM

REMARKS

RECEIVED

AUG - 7 2008

WATER RIGHTS PROGRAM

This well was drilled under license # 444

And this report is true and accurate.

Drilling firm Christensen Well & Foundation

Signature of License Representative: C. W. Christensen

Signature of Well Owner or Equitable Property Holder: _____

Date: _____

Report of Examination of Works and/or Application of Water to Beneficial Use For Permit No. 6902-3

I have this day, July 6, 2018, made a thorough examination of the water use system constructed by David Ruppelt, 30703 413th Ave., Tyndall, SD 57066, holder of Permit No. 6902-3, bearing the priority of September 27, 2007 authorizing the diversion of 1.0 cu. ft. per second of the waters of groundwater (Choteau: Tyndall Aquifer) for irrigation purposes, in Bon Homme County.

Inspection contact: David Ruppelt, Owner

A. Works used to divert the water:

Well Information:

- 1) Well Drilling Firm: Christensen Well
- 2) No. of Wells 1
- 3) Depth(s) 200 feet
- 4) Well log is available Yes

Casing:

- 1) Diameter 16 inches
- 2) Length 140 feet
- 3) Type Plastic

Screen:

- 1) Type PVC
- 2) Length 60 feet
- 3) Static water level 95 feet

Pump:

- 1) Make Goulds
- 2) Model 202457-08
- 3) Capacity 650 GPM

Motor:

- 1) Make US Motor
- 2) Model No. BF48A
- 3) Horsepower rating 40 hp

B. Works used to transport water to place of use:

- 1) Type Steel
- 2) Size 8 inches
- 3) Length 10 feet

C. Works used to apply water to beneficial use:

Center pivot:

- 1) Make Valley
- 2) Overall length 884 feet
- 3) Number of towers 5
- 4) End gun Yes
- 5) Capacity 650 GPM

Chemigation Equipment:

- 1) Does chemigate No

D. Compliance with Permit Requirements:

- 1) Permit qualifications being abided by: No, the pump rate is higher than authorized.
- 2) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Yes
- 3) Exceptions to compliance are: Pump rate.

E. Condition and Location:

1. The system is in good condition with the point(s) of diversion located as follows: Well: 935 feet west and 1,170 feet north of the southeast corner of Section 28-T94N-R60W (Latitude 42.92637, Longitude - 97.93490 – SE1/4SE1/4).
2. The works are capable of diverting and conveying to the place of use 1.45 cu. ft. per second of water which is to be used for irrigation purposes. Water has been put to beneficial use to the maximum extent as follows: all in Section 28-T94N-R60W

<u>NW1/4SE1/4</u>	<u>7 acres</u>
<u>NE1/4SE1/4</u>	<u>21 acres</u>
<u>SW1/4SE1/4</u>	<u>11 acres</u>
<u>SE1/4SE1/4</u>	<u>31 acres</u>

comprising a total of 70 acres of land and the license should be issued for 1.00 cfs.

3. All structures, wells and lands on map Yes



F. Comments or other permit(s) associated with the project: The well that was installed produces 650 gpm which is above the 450 gpm authorized by the permit. This water right irrigation system overlaps with the irrigation system for Water Right No. 6903-3 which is also owned by David Ruppelt. I assigned acreage for each system up to where they begin to overlap.



Keith DeJong
Water Rights Inspector
DENR, Water Rights Program

Date report completed: July 20, 2018

Water Right No. 6902-3



Keith DeJong
Keith DeJong, PE
Staff Engineer
July 20, 2018

6902-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

SEP 10 2018

6902-3
6903-3

David Ruppelt
30703 413th Ave
Tyndall SD 57066

Dear Mr. Ruppelt:

Enclosed are Water License Nos. 6902-3 and 6903-3. They are the final water right documents completing your process of obtaining Water Rights. Included with each license is a map prepared by the staff engineer who conducted the field investigation.

For your information SDCL 46-6-27 requires that if in the future, the owner of an existing well, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water Licenses, State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Jeanne Goodman, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

Note: With reference to Water Right No. 6902-3, the investigation found the system capable of diverting 1.45 cubic feet of water per second (cfs) which is 650 gpm. The statutory limit for 70 acres is 1.00 cfs which is 450 gpm. Diversion of water under Water License No. 6902-3 is limited to 1.00 cfs.

**STATE OF SOUTH DAKOTA
WATER LICENSE NO. 6902-3**

(1) David Ruppelt, 30703 413th Ave., Tyndall SD 57066 made Application No. 6902-3, September 27, 2007 for a water permit to divert 1.00 cubic feet of water per second from ground water, one well (Choteau: Tyndall Aquifer), Bon Homme County, South Dakota for irrigation purposes. Permit No. 6902-3, with a priority date of September 27, 2007 was approved December 10, 2007 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before December 10, 2012 and for the application to beneficial use of water on or before December 10, 2016.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.00 cubic feet of water per second for beneficial use. The location of the diversion point is:

- 935'W and 1,170'N of the SE corner of Section 28, T94N, R60W (SE ¼ SE ¼)
Latitude 42.92637, Longitude - 97.93490

(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 28, T94N, R60W	NW ¼ SE ¼	7 acres
	NE ¼ SE ¼	21 acres
	SW ¼ SE ¼	11 acres
	SE ¼ SE ¼	31 acres
	Total	70 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 David Ruppelt, 30703 413th Ave., Tyndall SD 57066 the holder and/or owner of Water Right No. 6902-3 is issued a license to appropriate water, the right to use 1.00 cubic feet of water per second from ground water, one well (Choteau: Tyndall Aquifer) with a priority date of September 27, 2007 from the location specified in (2) of this license for irrigation purposes.

This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Right No. 6902-3 and subject to the following qualifications:

- The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
- The well authorized by Permit No. 6902-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with the Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28. *The well was constructed in May, 2008 by Christensen Well & Irrigation. A copy of the well completion report is on file with the Water Rights Program.*
- This Permit is approved subject to the irrigation water use questionnaire being submitted each year.



Jeanne Goodman, Chief Engineer
Water Rights Program

Department of Environment and Natural Resources

SEP 10 2018

date





6902-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 4, 2023

6902-3

6903-3

Cody Tjeerdsma
41224 309th St
Springfield SD 57062

Dear Mr. Tjeerdsma:

We have received the transfer form and filing fee for Water Right No. 6465-3 (David Ruppelt). The separate page you submitted with the other parcel numbers and legal descriptions cover two additional water rights held by Mr. Ruppelt.

Enclosed are partially completed "Notice of Transfer of Ownership" forms for use in filing an ownership change on Water Right Nos. 6902-3 and 6903-3. Please review and complete as needed. Upon completion, please sign and return the forms to our office with a required filing fee of \$50 each (\$100 total). The check or money order for the fee can be made payable to the Water Rights Program.

If you have any questions, please let me know.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

enclosures

6902-3

RECEIPT**WATER RIGHTS PROGRAM**

South Dakota Department of Agriculture and Natural Resources

Date February 6, 2023RECEIVED OF Cody Tjeerdsma 41224 309th St., Springfield SD 57062

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	\$ _____
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$ _____
Fee to retain Future Use Permit No. _____ after period of seven years.	\$ _____
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	\$ _____
Fee for Filing Transfer Form <u>6902-3</u>	<u>\$50.000</u>
Fee for _____	\$ _____
Fee for Issuing New Well Driller's License No. _____	\$ _____
Fee for Renewal of Well Driller's License No. _____	\$ _____
Fee for Issuing Well Pump Installer's License No. _____	\$ _____
Fee for Renewal of Well Pump Installer's License No. _____	\$ _____
(Any Other Work Provided by Law)	
TOTAL	<u>\$50.00</u>

By *Eric Gronlund*
Chief Engineer *VM*

PAID

FEB 6 2023

Ck# 1926

Rec't#

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DANR
523 E. Capitol
Pierre, SD 57501-3181

No. 6902-3

Date:

I/We request that Water Right No. 6902-3

formerly owned by: David Ruppelt

be transferred to: (name & address) Cody Tjeerdsma

41224 309th St. Springfield, SD 57062

Telephone No. 605-464-0223

Title to the following described land(s)/property has been transferred as described above:

SE 1/4 Section 28, T94N, R60W

I/We understand that the validity of Water Right No. 6902-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We Cody Tjeerdsma, the new owner, certify that the above information is true and correct.

Cody Tjeerdsma

(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIVED

FEB 06 2023

OFFICE OF
WATER



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 7, 2023

6465-3
6902-3
6903-3

Cody Tjeerdsma
41224 309th St
Springfield SD 57062

Dear Mr. Tjeerdsma:

Thank you for following up on the ownership changes for Water Right Nos. 6465-3, 6902-3 and 6903-3.

The ownership changes have been completed. The water rights formerly held by David Ruppelt are now listed in your name.

Enclosed are receipts for the filing fees you paid. If you have any questions, please let me know.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

enclosures