

WATER PERMIT NO. 7010-3

Name of Applicant: **Gary Andersen**

Address: **30094 463rd Ave, Centerville SD 57014**

Phone: **605 563-2895**

Amount of Water Claimed: **0.48 cfs (215 gpm)**

Total Acres: **110.6**

Source of Water Supply: **groundwater (1 existing well)**

Water to be used for: **irrigation** County: **Clay**

Type of Waste Disposal System:

Location: **2 south of Centerville**

PRIORITY Date Received: **4-7-08**

Application/License Fee: **\$275**

Corrected Application Received:

Period of Annual Use: **April 1 – October 31**

Remarks: **Increase diversion rate and acreage authorized by Water Right No. 3175-3**

Diversion Point: **SE ¼ SW ¼ Sec 2-T95N-R52W**

Land to be Irrigated: **N ½ S ½ Sec 2-T95N-R52W**

Depth of Well: **43 feet deep**

Well Driller: : **Ed H Lacey & sons**

Remarks:


Type of Map: **aerial**

Prepared by: **Deron J Ruesch, Clay Co NRCS**

Reviewed and the Number Assigned on: **4-7-08**

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____



Mail to:
Water Rights Program
Joe Foss Building
523 E. Capitol
Pierre, SD 57501-3181
(605) 773-3352

(office use only)
No. 7010-3 Hydrologic Unit 10170102
Basin Vermillion River
Newspaper Plain Talk Po Box 256
605-624-2695 Vermillion 57069

RECEIVED

APR - 7 2008

WATER RIGHTS
PROGRAM

Application For Permit To Appropriate Water For Irrigation

Type of Application: New Vested Right Amendment/Correction to Permit No. 3157-3
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.) Applying for
incremental increase in diversion rate between existing
583 gpm to 800 gpm.

1. Name of Applicant Gary Andersen Phone 605-563-2895
(check one) Owner Tenant/lessee

Mailing Address 30094-463rd Ave. Centerville State S.D. 57014
(Street, RR, or Box and City) (Zip Code)

2. Amount of water claimed 0.48 *CFS or 800 **GPM 215 ~~*GPM~~ add 6 GPM Total Acreage 110.6
(*Cubic Feet per Second) (**Gallons per Minute) (***) Acre Feet - storage capacity of dam/dugout or annual use if applicable

3. Source of water supply existing well under WR No. 3157-3

4. Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) 1 well in
SW1/4 Sec 2 T95N-52W (SE1/4 SW1/4)
County Clay

5. County or counties where water will be used Clay

6. Annual period during which water is to be used April - Oct. 31

7. List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
<u>N1/2 of SW1/4 Sec 2 T95N-52W</u>	<u>2</u>	<u>see attached map.</u>	
<u>N1/2 of SE1/4 Sec 2 T95N-52W</u>	<u>3</u>		
<u>NW1/4 SW1/4</u>	<u>32</u>	<u>NW1/4 SE1/4</u>	<u>35</u>
<u>NE1/4 SW1/4</u>	<u>38</u>	<u>NE1/4 SE1/4</u>	<u>5.6</u>

8. Give a description of the project. (Attach sheet if more space is needed)

Applying for permit to irrigate additional acres from
existing well under Permit No. 3157-3. Charlene Wilkins
Land is Leased By me from 684 S. Lake Dr.
Watertown, S. Dak. 57201

STATE OF SOUTH DAKOTA) SS

County of Clay

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, Gary Andersen, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature

Gary Andersen

Subscribed and sworn to before me this 3 day of April 20 08

[Signature]

Notary Public signature

11-2-10

**SOUTH DAKOTA
WATER PERMIT NO. 7010-3**

Date of first receipt of application April 7, 2008.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 7010-3 to Gary Anderson, 30094 463rd Ave, Centerville SD 57014 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 7010-3 authorizes an additional 0.48 cubic feet of water per second (cfs) and to irrigate 110.6 additional acres to what is currently authorized by Water Right No. 3157-3. Water Right No. 3157-3 appropriates 1.3 cfs from one well completed into the Parker:Centerville Aquifer (43 feet deep) located in SE ¼ SW ¼ Section 2 to irrigate 105 acres located in the S ½ S ½ Section 2; all in T95N-R52W. This permit increases the water appropriation from 1.3 cfs to 1.78 cfs from the existing well to irrigate 110.9 additional acres located in the N ½ S ½ Section 2-T95N-R52W. This permit and Water Right No. 3157-3 will authorize a total diversion rate of 1.78 cfs for irrigation of 215.6 acres.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 – October 31.
3. The date from which applicant may claim right is April 7, 2008.
4. The date of approval of Permit No. 7010-3 is June 9, 2008.
5. One-fifth of the construction is to be completed on or before December 9, 2010.
6. All construction is to be completed on or before June 9, 2013.
7. Water is to be put to beneficial use on or before June 9, 2017.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele

Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUN 27 2008

date



Supplemental Information

(type or print in ink)

1. Well Information - Proposed Construction

*see well completion Report in sec. 11.
it should be in sec. 2*

- a) Drill Hole Diameter _____ Depth _____
- b) Casing Type _____ Diameter _____ Thickness _____
- c) Screen Type _____ Diameter _____ Thickness _____
- d) Gravel Pack _____ Length of Gravel Pack _____
- e) Depth to Top of Water Bearing Material _____
- f) Depth to Water (ground surface to water level) _____
- g) Distance to nearest existing domestic well: _____

On applicants property _____ On property owned by others _____

2. Wastewater Disposal System Information

- a) Type of System (i.e. septic tank, drain field) _____
- b) System Capacity (gallons) _____ Year Constructed _____
- c) Connected to the City of _____ Sanitary System _____


3. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:



- b) Freeboard _____
- c) Crest Width _____
Crest Length _____
- d) Height _____
- e) Primary Outlet Capacity _____
If pipe, diameter _____
- f) Secondary Spillway Capacity _____
Spillway Width _____
- g) X & Y Slope _____
Upstream _____
Downstream _____
- h) Surface Area of Impoundment _____
- i) Storage _____ Acre Feet
- j) Drainage Area Above Dam _____ Acres

Irrigation Map

Date: 4/1/2008

Customer(s): Charlene Wilkins

District: CLAY COUNTY CONSERVATION DISTRICT

Approximate Acres: 110.6 acres

Legal Description: N2 of SW4 2 - 95-52


Field Office: VERMILLION SERVICE CENTER

Agency: USDA-NRCS

Assisted By: Deron J Ruesch

State and County: SD, CLAY

Deron J Ruesch
DC, NRCS




Legend

- Pivot Point
- Well
- T1425_Irrigation
- End Gun
- Sections

RECEIVED

APR - 7 2008

WATER RIGHTS
PROGRAM



RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 4/7, 20 08

RECEIVED OF Gary Andersen 30094 463rd Ave Centerville SD 57014

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>7010-3</u> to Appropriate Water, to construct and to put water to beneficial use	225	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>7010-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	275 00

No.

03614

By

Gordon Erbe
Chief Engineer

Clay Co.

Permit # 3157-3

NOTICE OF WELL CONSTRUCTION

(1) WELL CONSTRUCTION

Location of well SW 1/4 NE 1/4 SW Section 2 Township 9.5 Range 52Well owner Vernon Anderson (Name) CENTERVILLE (Address)Date well drilling completed 10-9-76 Purpose of well Irrigation (domestic, irrigation, municipal, industrial, other)

WELL LOG

Layers, top to top in feet	Description of layer	Depth to top of water producing aquifer
<u>0-3</u>	<u>Topsoil</u>	<u>10'</u> ft.
<u>3-9</u>	<u>yellow clay</u>	Depth to static water level <u>10'</u> ft.
<u>9-18</u>	<u>Fine sand</u>	Name of producing aquifer (if known) _____
<u>18-45'6"</u>	<u>clean grey sand</u>	Total depth of drill hole <u>45'6"</u> ft.
		Depth to bottom of casing <u>45'6"</u> ft.
		Casing information: In the space below show kind, size, weight, lengths per diameter, etc., for production casing and surface casing, if used.
		<u>31' x 14" x 1/4" Steel casing</u>
		Screen information: In the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations.
		<u>15' x 14" x .100 Johnson</u>
		If a flowing well, flow of completed well _____ G.P.M.

Attach sheet if more space is needed

Ed H. Lacey & Sons
Name of Drilling Contractor

(2) PUMP INSTALLATION

Company name and size of pump Western Land Roller HP 60Type of pump Turbine Capacity of installed pump 650 G.P.M.Depth of pump placement 43' ft., Date of pump installation _____

(3) WATER SURFACE MEASURING TUBE

On some wells an air-tight water surface measuring tube is required: See Section 46.408 of Chapter 46.4, MINIMUM WELL CONSTRUCTION STANDARDS.

Show exact vertical length of water surface measuring tube, when installed _____ ft., tube diameter _____, tube material _____.

Ed H. Lacey & Sons
Name of Pump Installation Contractor



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 7010-3, Gary Anderson**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 7010-3, Gary Anderson, 30094 463rd Avenue, Centerville SD 57014.

The Chief Engineer is recommending APPROVAL of Application No. 7010-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
May 13, 2008

REPORT ON WATER PERMIT APPLICATION NO. 7010-3
For Gary Andersen
May 6, 2008

Application No. 7010-3 proposes to appropriate an additional 0.48 cfs and to irrigate an additional 110.6 acres to what is currently authorized by Water Right No. 3157-3. Water Right No. 3157-3 appropriates 1.3 cfs from one well approximately 43 feet deep and located in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of section 2 to irrigate 105 acres located in the S $\frac{1}{2}$ S $\frac{1}{2}$ of section 2; all in T95N R52W in Clay County. This application proposes to increase the water appropriation from 1.3 cfs to 1.78 cfs from the existing well to irrigate 110.9 acres located in the N $\frac{1}{2}$ S $\frac{1}{2}$ of section 2, T95N R52W. This application if approved and Water Right No. 3157-3 will authorize a total diversion rate of 1.78 cfs for irrigation of 215.6 acres.

AQUIFER – PARKER-CENTERVILLE (PAC)

The Parker Centerville aquifer is a surficial outwash (sand and gravel) that is under water table conditions in this area. The aquifer underlies 3,700 acres and contains an estimated 11,400 acres-feet of recoverable water in storage in Clay County (Hedges, 1982). The aquifer extends into and is much larger in Turner County (Lindgren, 1990) to the north and blends into the deeper and underlying Lower Vermillion Missouri aquifer to the south of this area. The aquifer system is very large in both Clay and Turner Counties. Ground water movement is probably from north to south in the area of this application and towards the Vermillion River. The aquifer is hydraulically connected to the Vermillion River (Christensen, 1967).

This is apparently an existing well that has been in place and used for many years. The well log indicates sand and gravel from nine feet to 45.5 feet below land surface. The well had a static water level of about 10 feet below land surface. At the time of installation the well was capable of producing 650 gpm. No other specific test data on the well is available.


The Water Rights Program monitors an observation well completed into the Parker Centerville aquifer located about one mile northwest of this site. This is observation well TU-77N. Water levels for this well show good response to climatic conditions. Water levels rise during wet periods (recharge) and gradually decline during droughts. In general, the water level record indicates the aquifer is capable of sustaining additional withdrawals (Water Rights, 2008). A hydrograph for this observation well is included with this report.

REVIEW OF EXISTING WATER PERMITS/RIGHTS

This area is surrounded by existing irrigation on all sides except the east side. The closest irrigation wells appear to be located about one-half mile to the southwest of the well for this application (Water Permit Nos. 5267-3 and 5844-3). At this distance drawdown created by pumping should not be a significant. This is also shown by the observation well hydrograph. Interference is not expected to be a concern.

CONCLUSIONS

1. Water is available from the Parker Centerville aquifer.
2. The aquifer is under water table conditions in this area.
3. Drawdown created by pumping should not be significant at the distance between wells. Interference is not a concern.
4. With the information available it can not be determined if the well was constructed in accordance with SD Well Construction Standards.




James A Goodman
Natural Resources Engineer

BIBLIOGRAPHY

- Christensen, C.M., J.C. Stephens, 1967, Geology and Hydrology of Clay County South Dakota, Part II Water Resources, Bulletin 19, SDGS, Vermillion, SD, 57069.
- Hedges, L.S., and others, 1982, Evaluation of Ground-Water Resources Eastern South Dakota and Upper Big Sioux River South Dakota and Iowa, for US Army Corps of Engineers, SD DENR, SDGS, Vermillion, SD, 57509.
- Water Rights, 2008, Unpublished Observation Well Data For Clay and Turner Counties, SD DENR, DES, Water Rights Program, Pierre, SD, 57501.

WATER RIGHTS' OBSERVATION WELL
TU-77N



AFFIDAVIT OF PUBLICATION

State of South Dakota, County of Clay, ss.

Penny Tucker

Being first duly sworn, deposes and says: That he/she is a resident of the County of Clay and State of South Dakota; that

THE PLAIN TALK

is a legal newspaper of general circulation, printed and published in Vermillion, in said County and State, by Broadcaster Press, Inc., and is now and has been such newspaper continuously during all the times hereinafter mentioned; that affiant is and was during all the time hereinafter mentioned in charge of the advertising department thereof, and has personal knowledge of all the facts stated in this affidavit; and that the notice and advertisement headed:

NOTICE OF APPLICATION NO. 7010-3 TO APPROPRIATE WATER

a printed copy of which is hereunto attached and made a part hereof, was printed and published in the said newspaper at least once in each week

for 2 successive weeks; that said newspaper at the time of the first publication of said notice hereinafter stated, had, and still has, a bona fide circulation of over two-hundred paid copies weekly, and had been published in the said county of Clay for more than one year immediately prior to the date of the said publication of said notice, and that said newspaper during said times, was, and is, printed in part in an office maintained at said city of Vermillion, the said place of publication; that the first publication of said notice in said newspaper as aforesaid

was on Friday, the 23rd day of May, 20 08, and that the succeeding publications were severally

on Friday, the 30th day of May, 20 08,

on Friday, the _____ day of _____, 20 _____,

on Friday, the _____ day of _____, 20 _____,

on Friday, the _____ day of _____, 20 _____,

that the fees charged for the printing and publication of the said notice and advertisement in said newspaper as aforesaid were

Forty-seven dollars and 66 cents

and that said fees for the printing and publishing of said notice and advertisement have been fully paid; that the full amount of the fee charged for the publishing of the said attached annexed notice and advertisement inures to the benefit of the publisher of the said newspaper, that no agreement or understanding for the division thereof has been made with any other person and that no part thereof has been agreed to be paid to any other person whomsoever

Penny Tucker

Subscribed and sworn to before me

this 30th day of May, 20 08

Mione J. Savoie

9-5-2013

RECEIVED Public

JUN - 2 2008

WATER RIGHTS
PROGRAM

NOTICE OF APPLICATION NO. 7010-3 to Appropriate Water

Notice is given that Gary Andersen, 30094 463rd Ave., Centerville, SD 57014 has filed an application for a water permit to appropriate an additional 0.48 cubic feet of water per second (cfs) and to irrigate 110.6 additional acres to what is currently authorized by Water Right No. 3157-3. Water Right No. 3157-3 appropriates 1.3 cfs from one well completed into the Parker-Centerville Aquifer (43 feet deep) located in SE1/4 SW1/4 Section 2 to irrigate 105 acres located in the S1/2 S1/2 Section 2; all in T95N-R52W. This application proposes to increase the water appropriation from 1.3 cfs to 1.78 cfs from the existing well to irrigate 110.9 additional acres located in the N1/2 S1/2 Section 2-T95N-R52W. This application, if approved and Water Right No. 3157-3 will authorize a total diversion rate of 1.78 cfs for irrigation of 215.6 acres.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 7010-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E. Capitol, Pierre, SD 57501 (605-773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant

must be filed by June 9, 2008.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

Publish: May 23 & 30, 2008



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

May 14, 2008

Plain Talk
PO Box 256
Vermillion SD 57069

ATTENTION: Legal Public Notice


Enclosed is a Notice on Application No. 7010-3 to Appropriate Water to be published twice. Please publish the first notice on May 23, 2008 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Gary Andersen, 30094 463rd Ave, Centerville SD 57014 (Ph # 605-563-2895).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,


Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 7010-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of May 14, 2008 enclosing Notice to Appropriate Water by Application No. 7010-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

May 14, 2008

Gary Andersen
30094 463rd Ave
Centerville SD 57014

Dear Mr. Andersen:

Water Permit Application No. 7010-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Plain Talk printed at Vermillion SD (Ph # 605-624-2695). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

Instruction to Newspaper - Publish first Notice on May 23, 2008 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 7010-3 to Appropriate Water

Notice is given that Gary Andersen, 30094 463rd Ave, Centerville SD 57014 has filed an application for a water permit to appropriate an additional 0.48 cubic feet of water per second (cfs) and to irrigate 110.6 additional acres to what is currently authorized by Water Right No. 3157-3. Water Right No. 3157-3 appropriates 1.3 cfs from one well completed into the Parker:Centerville Aquifer (43 feet deep) located in SE ¼ SW ¼ Section 2 to irrigate 105 acres located in the S ½ S ½ Section 2; all in T95N-R52W. This application proposes to increase the water appropriation from 1.3 cfs to 1.78 cfs from the existing well to irrigate 110.9 additional acres located in the N ½ S ½ Section 2-T95N-R52W. This application, if approved and Water Right No. 3157-3 will authorize a total diversion rate of 1.78 cfs for irrigation of 215.6 acres.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 7010-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 9, 2008.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

JUN 27 2008

Gary Anderson
30094 463rd Ave
Centerville SD 57014

Dear Mr. Anderson:

Enclosed is Water Permit No. 7010-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

**NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USE**

Date 6-30-08

TO: Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

RECEIVED

JUL - 2 2008

**WATER RIGHTS
PROGRAM**

FROM:

Gary Andersen
(name)

30094 - 463rd Ave
(address)

Centerville, S. Dak. 57014
(city, state, zip)

(phone)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 7010-3 states that the water use system is to be constructed by

6-9-2013
(date)


, and water is to be put to beneficial use by 6-9-2017
(date)

The water use system was completed on 6-15-08
(date)

Applying the water to beneficial use was completed on 6-15-08
(date)

You may schedule an investigation so that the water license may be issued.

Gary Andersen
(signature)





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

July 2, 2008

7010-3

Gary Andersen
30094 463rd Ave
Centerville SD 57014

Dear Mr. Andersen:

I am writing to acknowledge receipt of the "Notice of Completion of Works" form that you sent in to let us know that you are completed with your irrigation system.

The system is now ready for inspection. Inspections are done on a county-by-county basis as staff time permits. You have done everything you need to do and the intervening time between the completion of your project and the staff inspection has no bearing on your water permit.

Someone from our office will contact you prior to the inspection to set up a time that is convenient for you. If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING.
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2017

NOTICE

TO: GARY ANDERSEN, 30094 463RD AVE, CENTERVILLE, SD 57014

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2016 Irrigation Questionnaires

Our records indicate your 2016 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 21, 2016. The Water Management Board has directed that owners of water permits who have not submitted the 2016 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3157-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7010-3 & 7781-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 1, 2017 at 11:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7010-3 & 7781-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3157-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 1, 2017** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



7010-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 24, 2017

Gary Andersen
30094 463rd Ave
Centerville SD 57014

RE: Water Right No. 3157-3 and Water Permit Nos. 7010-3 & 7781-3

Dear Mr. Andersen:

I am writing to acknowledge receipt of your 2016 irrigation questionnaires.

You may disregard the January 20, 2017, "Notice" concerning reporting requirements for Water Right No. 3157-3 and Water Permit Nos. 7010-3 & 7781-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2023

NOTICE

TO: GARY ANDERSEN, 30094 463RD AVE, CENTERVILLE, SD 57014
FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2022 Irrigation Questionnaires

Our records indicate your 2022 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 21, 2022. The Water Management Board has directed owners of water permits who have not submitted the 2022 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3157-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7010-3 & 7781-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 8, 2023 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7010-3 & 7781-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3157-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 8, 2023** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: KPCHVD**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 7, 2023

3157-3
7010-3
7781-3

Gary Andersen
30094 463rd Ave
Centerville SD 57014

Dear Mr. Andersen:

I am writing to acknowledge receipt of your 2022 irrigation questionnaires.

You may disregard the January 20, 2023, "Notice" concerning reporting requirements for Water Permit or Right Nos. 3157-3, 7010-3 and 7781-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

7010-3



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 16, 2024

Gary Anderson
30094 463rd Ave
Centerville SD 57014

Dear Mr. Anderson:

Permit No. 7010-3 authorizes the irrigation of 110.9 additional acres to that authorized under Water Right No. 3157-3, for a total of 215.6 acres located in the S ½ Section 2 T95N-R52W.

A recent inspection was conducted by staff engineer, Keith DeJong, for the purpose of licensing the irrigation system. The inspection found 227 irrigated acres. 11.4 acres more than what had been authorized by Permit/Right Nos. 3167-3 & 7010-3. (see enclosed map)

Please find also enclosed, a partially completed irrigation permit application for the over developed acres, with no addition to the rate of diversion. Fees for this new application will be \$500.00. The inspection and licensing fee of \$200.00 will be waived, as it has already been paid. Checks can be made payable to the SD Water Rights Program.

Sincerely,

Amanda Dewell
Water Rights Program
Amanda.Dewell@state.sd.us

enclosure

**Report of Examination of Works and/or Application of Water to Beneficial Use
For Permit No. 7010-3**

I have this day, December 8, 2023, made a thorough examination of the water use systems owned by Gary Andersen, 30094 463rd Ave., Centerville, SD 57014, holder of Permit No. 7010-3, bearing the priority date of April 7, 2008. This permit authorizes an additional 0.48 cubic feet per second (cfs) to irrigate 110.6 additional acres to what is currently authorized by Water Right No. 3157-3. Water Right No. 3157-3 appropriates 1.3 cfs from one well completed into the Parker:Centerville Aquifer (43 feet deep) located in SE1/4 SW1/4 Section 2 to irrigate 105 acres located in the S1/2 S1/2 Section 2; all in T95N-R52W. This permit increases the water appropriation from 1.3 cfs to 1.78 cfs from the existing well to irrigate 110.9 additional acres located in the N1/2 S1/2 Section 2-T95N-R52W. This permit and Water Right No. 3157-3 will authorize a total diversion rate of 1.78 cfs for irrigation of 215.6 acres.

Inspection contacts: Gary Andersen

A. Works used to divert the water:

Well Information

- 1) Well Drilling Firm: Lacey Well Drilling, Inc.
- 2) No. of Wells: 1
- 3) Depth(s): 47 feet
- 4) Well log is available: Yes

Casing:

- 1) Diameter: 15 inches
- 2) Length: 37 feet
- 3) Type: Plastic

Screen:

- 1) Diameter: 15 inches
- 2) Length: 10 feet
- 3) Type: PVC
- 4) Static water level: 9'-6" feet

Pump:

- 1) Make: Western Land Roller
- 2) Model: 3 12KB H
- 3) Capacity: 800 gpm

Diesel Engine:

- 1) Make: Caterpillar
- 2) Model No.: 3208
- 3) Horsepower rating: 125 hp

Gear Drive

- 1) Make: Amarillo
- 2) Serial No.: S80 111166
- 3) Horsepower rating: 80 hp

B. Works used to transport water to place of use:

- 1) Type: PVC Size: 8 inches Length: 1,210 feet (Well to the West Pivot)
- 2) Type: PVC Size: 8 inches Length: 1,070 feet (Well to the East Pivot)

C. Works used to apply water to beneficial use:**Center Pivot: (West)**

- 1) Make: Zimmatic
- 2) Overall length: 1,235 feet
- 3) Number of towers: 8
- 4) End gun: Yes, 102 feet
- 5) Capacity: 800 GPM

Chemigation Equipment:

- 1) Does chemigate: No

Center Pivot: (East)

- 1) Make: Lockwood Pivot, Zimmatic Controls
- 2) Overall length: 1,278 feet
- 3) Number of towers: 10
- 4) End gun: Yes, 102 feet
- 5) Capacity: 800 GPM

D. Compliance with Permit Requirements:

- 1) Permit qualifications being abided by: No
- 2) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period: Yes
- 3) Exceptions to compliance are: More acres irrigated than permitted.

E. Condition and Location:

- 1) The system is in good condition with the point(s) of diversion located as follows:
The well is 750 feet north and 2,300 feet east of the southwest corner of Section 2-T95N-R52W (Latitude 43.07153, Longitude -96.95528- SE1/4 of the SW1/4).
- 2) The works are capable of diverting and conveying to the places of use 1.78 cu. ft. per second of water from the well which is to be used for irrigation purposes. Water has been put to beneficial use to the maximum extent as follows:

Section 2-T95N-R52W

<u>NW1/4SW1/4</u>	<u>32 acres</u>	<u>NW1/4SE1/4</u>	<u>39 acres</u>
<u>NE1/4SW1/4</u>	<u>37 acres</u>	<u>NE1/4SE1/4</u>	<u>6 acres</u>
<u>SW1/4SW1/4</u>	<u>31 acres</u>	<u>SW1/4SE1/4</u>	<u>38 acres</u>
<u>SE1/4SW1/4</u>	<u>37 acres</u>	<u>SE1/4SE1/4</u>	<u>7 acres</u>


comprising a total of 227 acres of land and the license should be issued for 1.78 cfs.

- 3) All structures, wells and lands on map: Yes

F. Comments or other permit(s) associated with the project: The thee pivots that were in place when Water Right No. 3157-3 was licensed have been replaced with two pivots that irrigate the total area authorized by Water Right No. 3157-3 and Water Permit No. 7010-3 combined. The property irrigated by these two pivots is shown on the attached map in yellow and is labeled as Water Permit No. 7010-3. The area originally irrigated is labeled as Water Right No. 3157-3 and is shown in purple. The two could be combined into one licensed water right.

The original well authorized by Water Right No. 3157-3 was replaced in 2012. The well log information from this well is noted above. This well supplies water to both of the pivots. The pump plate did not indicate a flow rate, but both pivots are nozzled for 800 gpm (1.78 cfs), so that is what I used for the estimated pump flow.



Also, the total irrigated area is 227 acres, which is more than what was authorized by the permit.



Keith DeJong, PE Ret.
Water Rights Inspector
DANR, Water Rights Program

Date report completed: December 15, 2023

Water Permit No. 7010-3



Keith DeJong
Keith DeJong, PE Ret.
Staff Engineer
December 8, 2023



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: GARY ANDERSEN, 30094 463RD AVE, CENTERVILLE, SD 57014

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaires

Our records indicate your 2024 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3157-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7010-3 & 7781-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7010-3 & 7781-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3157-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: FIMVEY**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 3, 2025

3157-3, 7010-3, 7781-3

Gary Andersen
30094 463rd Ave
Centerville SD 57014

Dear Mr. Andersen:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 3157-3, 7010-3 & 7781-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us



3157-3, 7010-3
7781-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2026

NOTICE

TO: GARY ANDERSEN, 30094 463RD AVE, CENTERVILLE, SD 57014

FROM: Ron Duvall, Engineer III
for Adam Mathiowetz, PE, Acting Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2025 Irrigation Questionnaires

Our records indicate your 2025 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 8, 2025. The Water Management Board has directed owners of water permits who have not submitted the 2025 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3157-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7010-3 & 7781-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 4, 2026 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7010-3 & 7781-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3157-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 4, 2026** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Shannon Konst at (605) 773-3352 or email at shannon.konst@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: IMWIAH**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 19, 2026

7781-3, 7010-3
3157-3

Gary Andersen
30094 463rd Ave
Centerville, SD 57014

Dear Mr. Andersen,

I am writing to acknowledge receipt of your 2025 irrigation questionnaire(s).

You may disregard the January 20, 2026, "Notice" concerning irrigation reporting requirements for your water permit/right(s). The information was received in our office prior to the Water Management Board meeting, and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Shannon Konst

Shannon Konst
Water Rights Program
605 773-8204
Shannon.konst@state.sd.us