

WATER PERMIT NO. 7011-3

Name of Applicant: **Steve & Mike Allard**

Address: **33073 477th Ave, Elk Point SD 57025-6812** Phone: **605 356-2064**

Amount of Water Claimed: **1.89 cfs** Total Acres: **130**

Source of Water Supply: **groundwater (one well)**

Water to be used for: **irrigation** County: **Union**

Type of Waste Disposal System:

Location: **6 miles southeast of Elk Point**

PRIORITY Date Received: **3-21-08**

Application/License Fee: **\$300**


Corrected Application Received: **4-7-08**

Period of Annual Use: **May 1 – August 31**

Remarks:

Diversion Point: **Center of NE ¼ Sec 21-T90N-R49W**

Land to be Irrigated: **NE ¼ Sec 21-T90N-R49W**



Depth of Well: **154 feet deep**

Well Driller:

Remarks:

Type of Map: **aerial**

Prepared by: **Larry D Wilcox, Union Co. FSA**

Reviewed and the Number Assigned on: **4-7-08**

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____

FORM 2: Application for irrigation in South Dakota
(type or print)

Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	No. <u>7011-3</u>	(office use only) Hydrologic Unit <u>10170101</u>
	Basin <u>Missouri River</u>	
	Newspaper <u>Southern Union Co. Leader-Courier</u>	
	<u>605-356-2632</u>	<u>PO Box 310 Elk Point 57025</u>

RECEIVED

MAR 21 2008

WATER RIGHTS
PROGRAM

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____

(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

- Name of Applicant STEVE + MIKE ALLARD Phone 605-356-2064
(check one) ☒ Owner ☐ Tenant/lessee
- Mailing Address 33073 477th AVE ELK POINT State S.D. 57025-6812
(Street, RR, or Box and City) (Zip Code)
- Amount of water claimed 1.89*CFS or 850**GPM ***AF Total Acreage 130 under pivot
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable)
- Source of water supply SAND + GRAVEL AQUIFER
- Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) County UNION
Approximate Center NE 1/4 Section 21-90-49
- County or counties where water will be used UNION
- Annual period during which water is to be used MAY 1 THRU AUGUST 31
- List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
<u>NE 1/4 Sec 21 T90N R49W</u>	<u>130</u>		
<u>SEE MAP</u>			

- Give a description of the project. (Attach sheet if more space is needed)

STATE OF SOUTH DAKOTA) SS
County of _____

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, MIKE ALLARD, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature Mike Allard

Subscribed and sworn to before me this 19th day of March 20 08

Ralph H. Mause
Notary Public signature

**SOUTH DAKOTA
WATER PERMIT NO. 7011-3**

Date of first receipt of application March 21, 2008.

Date of return to applicant for corrections, amendments or changes March 24, 2008.

Date of receipt of corrected application April 7, 2008.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 7011-3 to Steve & Mike Allard, 33073 477th Ave, Elk Point SD 57025 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 7011-3 appropriates 1.89 cubic feet of water per second from one well to be completed into the Missouri:Elk Point Aquifer (approximately 154 feet deep) located in the approximate center of the NE ¼ Section 21 to irrigate 130 acres located in the NE ¼ Section 21; all in T90N-R49W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 – August 31.
3. The date from which applicant may claim right is March 21, 2008.
4. The date of approval of Permit No. 7011-3 is June 9, 2008.
5. One-fifth of the construction is to be completed on or before December 9, 2010.
6. All construction is to be completed on or before June 9, 2013.
7. Water is to be put to beneficial use on or before June 9, 2017.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 7011-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele
Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUN 27 2008

date



(type or print in ink)

1. Well Information - Proposed Construction

- a) Drill Hole Diameter 17 1/2" Depth 154'
- b) Casing Type PVC Diameter 12" Thickness SCHEDULE 40
- c) Screen Type PVC Diameter 12" Thickness 3/8"
- d) Gravel Pack AKRON WELL PACK Length of Gravel Pack 70'
- e) Depth to Top of Water Bearing Material 89'
- f) Depth to Water (ground surface to water level) 21'
- g) Distance to nearest existing domestic well:
- On applicants property NONE On property owned by others 1520 ft.

2. Wastewater Disposal System Information

- a) Type of System (i.e. septic tank, drain field) _____
- b) System Capacity (gallons) _____ Year Constructed _____
- c) Connected to the City of _____ Sanitary System


3. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:



- b) Freeboard _____
- c) Crest Width _____
Crest Length _____
- d) Height _____
- e) Primary Outlet Capacity _____
If pipe, diameter _____
- f) Secondary Spillway Capacity _____
Spillway Width _____
- g) X & Y Slope _____
Upstream _____
Downstream _____
- h) Surface Area of Impoundment _____
- i) Storage _____ Acre Feet
- j) Drainage Area Above Dam _____ Acres

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 3/24, 20 08

RECEIVED OF Steve Allard 33071 477th Ave Elk Point SD 57025

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>7011-3</u> to Appropriate Water, to construct and to put water to beneficial use	250	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>7011-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law) TOTAL	300	00

No.

03595

By

David Erbe
Chief Engineer



March 24, 2008

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

RECEIVED

APR - 7 2008

WATER RIGHTS
PROGRAM

Steve & Mike Allard
33073 477th Ave
Elk Point SD 57025

Dear Sirs:

Thank you for submitting the *Application for a Permit to Appropriate Water* for irrigation in Union County. In order to complete the application the following is required.

- Enclosed is the aerial photo map submitted with the application. The map must be signed by one of the following: Registered Land Surveyor, Registered Professional Engineer or by any other government employee who normally prepares maps as a part of his assigned duties (i.e. local NRCS office).
- If available, please submit a well log or test hole log signed by a licensed South Dakota well driller.

If you have any questions, please contact me.

Sincerely,

Karen Schlaak

Karen Schlaak
Water Rights Program
605 773-3352
karen.schlaak@state.sd.us

enclosure

WELL LOG WAS
NOT AVAILABLE.

Mike Allard



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 7011-3, Steve and Mike Allard**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 7011-3, Steve and Mike Allard, 33073 477th Avenue, Elk Point SD 57025-6812.

The Chief Engineer is recommending APPROVAL of Application No. 7011-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 7011-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
May 13, 2008

REPORT ON WATER PERMIT APPLICATION NO. 7011-3
For Steve and Mike Allard
May 6, 2008

Application No. 7011-3 proposes to appropriate 1.89 cfs (850 gpm) from one well approximately 154 feet deep located in the center of the NE ¼ of section 21 to irrigate 130 acres located in the NE ¼ of section 21; all in T90N R49W in Union County.

AQUIFER – MISSOURI ELK POINT (M-EP)

The Missouri Elk Point is a surficial outwash (sand and gravel) under water table conditions in the area of this application. The aquifer can be buried and under artesian conditions at specific locations in Union County. The aquifer underlies 180 square miles and contains an estimated 1.5 million acre-feet of water in storage in Union County (Niehus, 1994). The Missouri aquifer as described by Niehus closely mirrors the Missouri Elk Point as described in the Hedges report (Hedges, 1982). The aquifer blends into the Lower Vermillion Missouri aquifer to the northwest, into the Big Sioux South aquifer to the northeast, extends into Clay County to the west and is hydraulically connected to both the Big Sioux and Missouri Rivers. Ground water movement is from northwest to southeast in the area of this application (Niehus, 1994).

No test wells were drilled for this application. However, information from nearby domestic wells, other irrigation wells, observation wells and data from the Union County study all indicate the likelihood that the aquifer underlies this site. The estimate of 154 feet for total well depth is more than sufficient to penetrate the entire thickness of the aquifer. More likely a total depth of 100 to 125 feet will be all that is penetrated at this site.


The Water Rights Program does monitor two observation wells within two miles of this site. These are observation well UN-77O which is located about one and one-half miles to the northwest and UN-99A which is located about one mile to the south, both from this site. Water levels for these wells show good response to climatic conditions. Water levels decline during dry years and rise during wet years (recharge). Overall the water level record indicates that the aquifer is capable of sustaining additional withdrawals (Water Rights, 2008). One interesting note from the water level data is the fact that water levels near the Missouri River appear to exhibit a slight decline over the period of record. This can be attributed to entrenching of the Missouri River creating a situation near the river where ground water levels are controlled by the level of the river. Since that head or level of the river is a little lower the ground water discharges to the river and consequently lowers the ground water level. The result over a long time period is the general downward trend in ground water levels near to the river. This trend is not readily apparent at farther distances from the river. Even though UN-77O is located within three miles of the Missouri River this trend is not readily apparent although there may be a slight decline. Hydrographs for these two observation wells are included with this report.

REVIEW OF EXISTING WATER PERMITS/RIGHTS

There are three existing Water Right Nos. 3870-3 (1.94 cfs, 136 acres), 3868-3 (2.14 cfs, 150 acres) and 3344-3 (1.9 cfs, 133 acres) located within a one-half mile radius of this application. The existing irrigation wells are each located about one-half mile from this proposed site. Interference is not a concern. Drawdown created by pumping is not significant in this area. This is shown by the observation well hydrographs included with this report.

CONCLUSIONS

1. Water is available from the Missouri Elk Point aquifer.
2. The aquifer should be under water table conditions at this site. Drawdown created by pumping is not expected to be significant. The distance between production wells is sufficient to minimize any potential impacts. Interference is not a concern.
3. The well authorized by this application must be constructed in accordance with SD Well Construction Standards.




James A Goodman
Natural Resources Engineer


BIBLIOGRAPHY

- Hedges, L.S., and others, 1982, Evaluation of Ground-Water Resources Eastern South Dakota and Upper Big Sioux River, South Dakota and Iowa, for US Army Corps of Engineers, SD DENR, SDGS, Vermillion, SD, 57069.
- Niehus, C.A., 1994, Water Resources of Lincoln and Union Counties, South Dakota, Water Resources Investigations Report 93-4195, USGS, Rapid City, SD, 57702.
- Water Rights, 2008, Unpublished Observation Well Records for Union County, SD DENR, DES, Water Rights Program, Pierre, SD, 57501.

WATER RIGHTS' OBSERVATION WELL UN-770



**WATER RIGHTS' OBSERVATION WELL
UN-99A**



RECEIVED

JUN - 2 2008

Form 8

WATER RIGHTS
PROGRAM

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)

County of Union) SS

I, Susan Odson

certify that the attached printed Notice was
taken

from the Leader-Courier

printed and published in Elk Point

County of Union and

state of South Dakota. The notice was
published

in the newspaper on the following two dates:

May 22, 2008

May 29, 2008

Cost of Printing \$46.20

Susan Odson
(Signature)

Affidavits Coordinator
(Title)

May 29, 2008
(Date Signed)

NOTICE OF APPLICATION NO. 7011-3 TO APPROPRIATE WATER

Notice is given that Steve and Mike Allard, 33073 477th Ave, Elk Point, SD 57025-6812 have filed an application for a water permit to appropriate 1.89 cubic feet of water per second from one well to be completed into the Missouri: Elk Point Aquifer (approximate 154 feet deep) located in the approximate center of the NE 1/4 Section 21 to irrigate 130 acres located in the NE 1/4 Section 21; all in T90N-R49W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 7011-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E. Capitol, Pierre, SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 9, 2008.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application.

Steven M. Pirner, Secretary,
Department of Environment and
Natural Resources.

Publish May 22 and 29, 2008
21-15



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

May 14, 2008

Southern Union Co Leader Courier
PO Box 310
Elk Point SD 57025

ATTENTION: Legal Public Notice


Enclosed is a Notice on Application No. 7011-3 to Appropriate Water to be published twice. Please publish the first notice on May 22, 2008 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Steve & Mike Allard, 33073 477th Ave, Elk Point SD 57025-6812 (Ph # 605-356-2064).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,


Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 7011-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of May 14, 2008 enclosing Notice to Appropriate Water by Application No. 7011-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

May 14, 2008

Steve & Mike Allard
33073 477th Ave
Elk Point SD 57025

Dear Messrs. Allard:

Water Permit Application No. 7011-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Southern Union Co. Leader Courier printed at Elk Point SD (Ph # 605-356-2632). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

Instruction to Newspaper - Publish first Notice on May 22, 2008 with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 7011-3 to Appropriate Water

Notice is given that Steve and Mike Allard, 33073 477th Ave, Elk Point SD 57025-6812 have filed an application for a water permit to appropriate 1.89 cubic feet of water per second from one well to be completed into the Missouri:Elk Point Aquifer (approximately 154 feet deep) located in the approximate center of the NE ¼ Section 21 to irrigate 130 acres located in the NE ¼ Section 21; all in T90N-R49W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 7011-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 9, 2008.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

JUN 27 2000

Steve & Mike Allard
33073 477th Ave
Elk Point SD 57025

Dear Mssrs. Allard:

Enclosed is Water Permit No. 7011-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures



7011-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

November 5, 2018

Mike & Steve Allard
33075 477th Ave
Elk Point SD 57025

RE: Address changes for Water Permit/Right Nos. 5369-3, 5992-3, 6047-3, 7011-3 & 7856-3

Dear Sirs:

Enclosed is a "Notice" dated October 30, 2018 concerning the 2018 irrigation questionnaires for the above referenced water permit and water rights.

The notice was originally mailed to 33073 477th Ave, Elk Point. The post office notified us that your address has changed and I will update our records accordingly.

One thing to note, Water Right No. 5369-3 is still listed as owned by Alfred Allard with you as the manager. Please let me know if this should be transferred and I can send you paperwork for that.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures