

WATER PERMIT NO. 7229-3

Name of Applicant: Gray Goose Irrigation District

Address: PO Box 1002, Pierre SD 57501 Phone: 224-7408

Amount of Water Claimed: 1.67 cfs Total Acres: 135 ac

Source of Water Supply: Missouri River

Water to be used for: irrigation County: Hughes

Type of Waste Disposal System:

Location: 7 miles north of Pierre

PRIORITY Date Received: 2-2-11

Application/License Fee: \$1050


Corrected Application Received: 2-7-11

Period of Annual Use: April 1 – October 31

Remarks: utilizing the diversion point authorized by Water Right No. 4116-3

Diversion Point: NW ¼ NE ¼ Sec 26-T112N-
R80W

Land to be Irrigated: NE ¼ Sec 22-T112N-R79W



Depth of Well: NA

Well Driller:

Remarks:

Type of Map: aerial

Prepared by: Eric Gronlund

Reviewed and the Number Assigned on: 2-7-11

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____

FORM 2: Application for irrigation in South Dakota
(type or print)

Mail to: PMB 2020 DENR - Water Rights 523 E Capitol Ave Pierre, SD 57501-3182 ph. (605) 773-3352	No. <u>7229-3</u> (office use only) Hydrologic Unit <u>10130105</u>
	Basin <u>Missouri River</u>
	Newspaper <u>Capital Journal PO Box 878</u>
	<u>605-224-7301</u> <u>Pierre 57501</u>

RECEIVED
FEB - 2 2011
WATER RIGHTS
PROGRAM

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

1. Name of Applicant Gray Goose Irrigation District Phone 224-7408
(check one) ☒ Owner ☐ Tenant/lessee
Mailing Address PO Box 1002 Pierre SD 57501
(Address) (City) (State) (Zip Code)

2. Amount of water claimed 1.67 *CFS or 750 **GPM ***AF Total Acreage 135
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable)

3. Source of water supply Missouri River

4. Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) County Hughes
NW 1/4 NE 1/4 Section 26, T112N, R80W (diversion works under WR No. 4116-3)

5. County or counties where water will be used Hughes

6. Annual period during which water is to be used April 1 - October 31

7. List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
NW 1/4 NE 1/4 Section 22, T112N, R79W	33.75		
NE 1/4 NE 1/4 Section 22, T112N, R79W	33.75		
SW 1/4 NE 1/4 Section 22, T112N, R79W	33.75		
SE 1/4 NE 1/4 Section 22, T112N, R79W	33.75		

8. Give a description of the project. (Attach sheet if more space is needed)
Construction a center pivot to irrigation an additional quarter section


STATE OF SOUTH DAKOTA)
County of Hughes)

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Also, attach map and any other technical information. (see instructions)

I, Tom Tveit, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature Gray Goose Irrig Dist by [Signature]

Subscribed and sworn to before me this 2nd day of February 20 11



Karen Schlaack

Notary Public signature

My commission expires 4/1/2013

**SOUTH DAKOTA
WATER PERMIT NO. 7229-3**

Date of first receipt of application February 2, 2011.

Date of receipt of corrected application February 7, 2011.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 7229-3 to Gray Goose Irrigation District, PO Box 1002, Pierre SD 57501 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 7229-3 appropriates 1.67 cubic feet of water per second from an existing Missouri River diversion point authorized by Water Right No. 4116-3 located in NW 1/4 NE 1/4 Section 26-T112N-R80W for irrigation of 135 acres located in the NE 1/4 Section 22-T112N-R79W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 – October 31.
3. The date from which applicant may claim right is February 2, 2011.
4. The date of approval of Permit No. 7229-3 is March 28, 2011.
5. One-fifth of the construction is to be completed on or before September 28, 2013.
6. All construction is to be completed on or before March 28, 2016.
7. Water is to be put to beneficial use on or before March 28, 2020.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATION


This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele
Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

APR 26 2011

date





Irrigation of 135 acres in the NE 1/4 Section 22, T112N, R79W


Diversion point location as authorized by Water Right No. 4116-3



Eric Gronlund
Eric Gronlund PE
Water Rights Program, DENR
Date Prepared - February 2, 2011
based on representation by Tom Tveit

WATER RIGHT NOS. 1988-3 and 4116-3 GRAY GOOSE IRRIGATION DISTRICT

c.p. #7	Kayser
c.p. #'s 8, 9, 11, 13, 14	Gray Goose Farms
c.p. #'s 10, 17, 21	J. Beastron
c.p. #'s 12, 19, 80	T. Tveit
c.p. #'s 15, 20	B. Beastron
c.p. # 16	M. Trautman



Lynn Beck
Lynn Beck
Natural Resources Engineer Specialist
DENR, Water Rights Program
June 20, 2002

SCALE
0.5 0 0.5 1 Miles



RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 2/7, 20 11

RECEIVED OF Gray Goose Irrigation Dist PO Box 1002 Pierre SD 57501

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>7229-3</u> to Appropriate Water, to construct and to put water to beneficial use	850	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>7229-3</u>	200	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	1050 00

No. **04930**

By Garland E. Eide
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 7229-3 Gray Goose Irrigation District**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 7229-3, Gray Goose Irrigation District, PO Box 1002, Pierre SD 57501.

The Chief Engineer is recommending APPROVAL of Application No. 7229-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use, and 4) it is in the public interest with the following qualification:

This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
February 28, 2011

REPORT ON WATER PERMIT APPLICATION NO. 7229-3
Gray Goose Irrigation District
February 16, 2011

Application No. 7229-3, Gray Goose Irrigation District, proposes to appropriate 1.67 cubic feet of water per second from an existing Missouri River diversion point authorized by Water Right No. 4116-3 located in NW ¼ NE ¼ Section 26-T112N-R80W for irrigation of 135 acres located in the NE ¼ Section 22-T112N-R79W. The proposed project is located approximately 7 miles north of Pierre in Hughes County.

Review of the Water Source

The water source for this application is from the natural flows of the Missouri River in the area upstream of Oahe Dam. The U.S. Army Corps of Engineers (USACE) constructed Oahe Dam in the 1950's and 1960's as part of a six reservoir Pick-Sloan project for the Missouri River. The six project dams; Ft Peck, Garrison, Oahe, Big Bend, Ft Randall and Gavins Point; are operated as a system providing storage and water releases for the Congressionally authorized purposes of which irrigation is included. Specifically Oahe Reservoir can impound up to 23.4 million acre-feet of water (MAF) when full. Water availability is not a concern when using the natural flows of the Missouri River as a source, but accessing water due to declining water levels and receding shore line as reservoir levels drop can become an issue.

Review of the Proposed Project and Existing Water Rights

There are 259 existing water rights/permits appropriating water from the natural flows of the Missouri River in South Dakota with a total authorized appropriation of 1267.79 cfs. Since water availability is not an issue, approval of this permit would not adversely affect these existing water rights.

The applicant holds Water Right No. 4116-3 authorizing the diversion of 25.0 cfs for the irrigation of 2040 acres. The applicant is now proposing to install a center pivot to irrigate an additional 135 acres utilizing the existing irrigation diversion point authorized by No. 4116-3. The proposed diversion rate for this project is 1.67 cfs.

Conclusions

1. This application proposes to appropriate 1.673 cubic feet of water per second from the Missouri River for irrigation purposes.
2. The applicant is proposing to utilize the existing diversion point for Water Right No. 4116-3.
3. Approval of this permit would not adversely affect existing water rights.




Mark D. Rath
Natural Resources Engineering Specialist

RECEIVED

MAR 29 2011

WATER RIGHTS
PROGRAM



Capital Journal

AFFIDAVIT OF PUBLICATION

State of South Dakota, County of Hughes

Ona Arnold of said county, being, first duly sworn, on oath, says: That he/she is the publisher or an employee of the publisher of the Capital Journal, a daily newspaper published in the City of Pierre in said County of Hughes and State of South Dakota; that he/she has full and personal knowledge of the facts herein stated, that said newspaper is a legal newspaper as defined in SDCL 17-2-2.1 through 17-2-2.4 inclusive, that said newspaper has been published within the said County of Hughes and State of South Dakota, for at least one year next prior to the first publication of the attached public notice, and that the legal display advertisement headed Notice of Application No. 7229-3 to
Appropriate Water - Gray Goose Irrigation Dist.
a printed copy of which, taken from the paper in which the same was published, and which is hereto attached and made a part of this affidavit, was published in said newspaper for two successive week(s) to wit:

<u>March 9</u>	<u>20</u>	<u>11</u>	<u>20</u>
<u>March 16</u>	<u>20</u>	<u>11</u>	<u>20</u>
	<u>20</u>		<u>20</u>
	<u>20</u>		<u>20</u>
	<u>20</u>		<u>20</u>

That the full amount of the fee charged for the publication of the attached public notice inures to the sole benefit of the publisher or publishers; that no agreement or understanding for the division thereof has been made with any other person, and that no part thereof has been agreed to be paid to any person whomsoever, that the fees charged for the publication thereof are: \$ 52.77.

Signed: Ona Arnold

subscribed and sworn to before me this 28 day of March 20 11

My L Baker

Notary Public in and for the County of Hughes, South Dakota.
My Commission expires 2-19, 20 15.

SNAXLP 11212

2ndly 3/9, 3/16

**NOTICE OF
APPLICATION
NO. 7229-3 to
Appropriate
Water**

Notice is given that Gray Goose Irrigation District, c/o Tom Tveit, PO Box 1002, Pierre SD 57501 has filed an application for a water permit to appropriate 1.67 cubic feet of water per second from an existing Missouri River diversion point authorized by Water Right No. 4116-3 located in NW 1/4 NE 1/4 Section 26-T112N-R80W for irrigation of 135 acres located in the NE 1/4 Section 22-T112N-R79W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 7229-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this ap-

plication. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by March 28, 2011.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

Published twice at the total approximate cost of \$52.77.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 1, 2011

Capital Journal
PO Box 878
Pierre SD 57501

ATTENTION: Legal Public Notice

Enclosed is a Notice on Application No. 7229-3 to Appropriate Water to be published twice. Please publish the first notice on March 9, 2011 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Gray Goose Irrigation District, c/o Tom Tveit, PO Box 1002, Pierre SD 57501 (Ph # 605-224-7408).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,


Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 7229-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of March 1, 2001 enclosing Notice to Appropriate Water by Application No. 7229-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name _____ Newspaper _____



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

March 1, 2011

Gray Goose Irrigation District
Tom Tveit
PO Box 1002
Pierre SD 57501

Dear Mr. Tveit:

Water Permit Application No. 7229-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Capital Journal printed at Pierre SD (Ph # 605-224-7301). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,


Eric Gronlund
Natural Resources Engineer
(605) 773-3352
eric.gronlund@state.sd.us

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

Instruction to Newspaper - Publish first Notice on March 9, 2011 with the second publication 7 days later. The applicant is responsible for payment. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352 or email: Karen.schlaak@state.sd.us.

NOTICE OF APPLICATION NO. 7229-3 to Appropriate Water

Notice is given that Gray Goose Irrigation District, c/o Tom Tveit, PO Box 1002, Pierre SD 57501 has filed an application for a water permit to appropriate 1.67 cubic feet of water per second from an existing Missouri River diversion point authorized by Water Right No. 4116-3 located in NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 26-T112N-R80W for irrigation of 135 acres located in the NE $\frac{1}{4}$ Section 22-T112N-R79W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 7229-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by March 28, 2011.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.
Published twice at the total approximate cost of _____.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

APR 26 2011

Gray Goose Irrigation District
Tom Tveit
PO Box 1002
Pierre SD 57501

Dear Mr. Tveit:

Enclosed is Water Permit No. 7229-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures



7229-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2012

NOTICE

TO: GRAY GOOSE IRRIGATION DISTRICT, TOM TVEIT, PO BOX 1002, PIERRE, SD 57501
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program
SUBJECT: Reporting Requirement for 2011 Irrigation Questionnaires

Our records indicate that the 2011 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 14, 2011. The Water Management Board has directed that owners of water permits who have not submitted the 2011 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 4116-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 6997-3 & 7229-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 7, 2012** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6997-3 & 7229-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 4116-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 2, 2012**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link:
<http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 8, 2012

Tom Tveit
19930 Grey Goose Rd
Pierre SD 57501

RE: Water Permit or Right Nos. 4116-3, 6997-3 & 7229-3, Gray Goose Irrigation District
Water Right No. 4521-3, Thomas & Mary Tveit

Dear Mr. Tveit:

I am writing to acknowledge receipt of the information for your 2011 irrigation questionnaires.

You may disregard the January 24, 2012, "Notice" concerning reporting requirements for the above listed water permits and rights. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Genny McMath'.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

7229-3

NOTICE OF COMPLETION OF WORKS AND APPLICATION OF WATER TO BENEFICIAL USE

Date 9-2-2015

TO: Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

FROM: Gray Goose Irrigation District
Tom Tveit Tregs
(name)

Box 1002
(address)

Pierre, SD 57501
(city, state, zip)

605-224-7408
(phone)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 7229-3 states that the water use system is to be constructed by

Mar 28 2016
(date)


, and water is to be put to beneficial use by

Mar 28 2020
(date)

The water use system was completed on Apr 1 2011
(date)

Applying the water to beneficial use was completed on Apr 1 2011
(date)

You may schedule an investigation so that the water license may be issued.



Permit No. 7229-3
Missouri River - Water District

Contact Person & Address: **Tom Tveit, PO Box 1002, Pierre SD 57501**

Report Of Examination Of Works

On, **September 2, 2015**, I made a thorough examination of the water use system constructed by **Gray Goose Irrigation District** holder of License No. **4116-3**, bearing the priority of **November 7, 1963** authorizing the diversion of **25.0** cu. ft. per second, Permit No. **6997-3**, bearing the priority of **March 11, 2008** authorizing the diversion of **8.34** cu. ft. per second, and Permit No. **7229-3**, bearing the priority of **February 2, 2011** authorizing the diversion of **1.67** cu. ft. per second of the waters of **surface water (Missouri River)** for **irrigation** purposes, in **Hughes** County.

The system is in the following condition **good**. The point of diversion is located **from the NE corner of Sec 26 T112N-R80W; 2500 ft west & 950 ft south**; with a latitude of **44.48729** and a longitude of **-100.42013** as determined using **GPS**. The works are capable of diverting and conveying to the place of use **35.01** cu. ft. per second of water which is to be used for **irrigation**. Water has been put to beneficial use to the maximum extent as follows:

Authorized by Water Right Permit No. 7229-3

Sec 22 T112N-R79W

NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 33 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac

Authorized by Water Right Permit No. 6997-3

Sec 22 T112N-R79W

NW ¼ NW ¼ - 34 ac NE ¼ NW ¼ - 34 ac SE ¼ NW ¼ - 34 ac SW ¼ NW ¼ - 34 ac
NW ¼ SE ¼ - 34 ac NE ¼ SE ¼ - 34 ac SE ¼ SE ¼ - 34 ac SW ¼ SE ¼ - 34 ac
NW ¼ SW ¼ - 34 ac NE ¼ SW ¼ - 34 ac SE ¼ SW ¼ - 34 ac SW ¼ SW ¼ - 34 ac

Sec 27 T112N-R79W

NW ¼ SW ¼ - 34 ac NE ¼ SW ¼ - 34 ac SE ¼ SW ¼ - 34 ac SW ¼ SW ¼ - 34 ac

Sec 28 T112N-R79W

NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 34 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac

Authorized by Water Right License No. 4116-3 (based upon previous June 19, 2002 inspection)

Sec 23 T112N-R79W

NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 34 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac
NW ¼ SE ¼ - 34 ac NE ¼ SE ¼ - 34 ac SE ¼ SE ¼ - 34 ac SW ¼ SE ¼ - 34 ac
NW ¼ SW ¼ - 34 ac NE ¼ SW ¼ - 34 ac SE ¼ SW ¼ - 34 ac SW ¼ SW ¼ - 34 ac

Sec 25 T112N-R79W

NW ¼ SE ¼ - 34 ac NE ¼ SE ¼ - 34 ac SE ¼ SE ¼ - 34 ac SW ¼ SE ¼ - 34 ac
NW ¼ SW ¼ - 34 ac NE ¼ SW ¼ - 34 ac SE ¼ SW ¼ - 34 ac SW ¼ SW ¼ - 34 ac

Sec 26 T112N-R79W

NW ¼ NW ¼ - 34 ac NE ¼ NW ¼ - 34 ac SE ¼ NW ¼ - 34 ac SW ¼ NW ¼ - 34 ac
NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 34 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac
NW ¼ SE ¼ - 34 ac NE ¼ SE ¼ - 34 ac SE ¼ SE ¼ - 34 ac SW ¼ SE ¼ - 34 ac
NW ¼ SW ¼ - 34 ac NE ¼ SW ¼ - 34 ac SE ¼ SW ¼ - 34 ac SW ¼ SW ¼ - 34 ac

Sec 27 T112N-R79W

NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 34 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac
NW ¼ SE ¼ - 34 ac NE ¼ SE ¼ - 34 ac SE ¼ SE ¼ - 34 ac SW ¼ SE ¼ - 34 ac

Sec 34 T112N-R79W

NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 34 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac

Sec 36 T112N-R79W

NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 34 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac

NW ¼ SE ¼ - 34 ac NE ¼ SE ¼ - 34 ac SE ¼ SE ¼ - 34 ac SW ¼ SE ¼ - 34 ac

NW ¼ SW ¼ - 34 ac NE ¼ SW ¼ - 34 ac SE ¼ SW ¼ - 34 ac SW ¼ SW ¼ - 34 ac

comprising a total of **2855** acres of land and the license should be issued for **35.01** cfs.

Review of Permit Qualifications And Regulations:

- 1) Special qualifications to permit being abided by **yes**
- 2) All structures, wells and lands on map **yes**
- 3) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period **yes.**
- 4) Exceptions to compliance are: **none**

Report On the Specifics of the System

Diversion Point Information:

Pump:#1

- 1) Make **Peabody Floway**
- 2) Model **MKM**
- 3) Size **16**
- 4) Capacity **2500-3300** GPM

Motor:#1

- 1) Make **US Electrical**
- 2) Model No. **DCC-9537-310**
- 3) Horsepower rating **350** hp

Pump:#2

- 1) Make **Peabody Floway**
- 2) Model **MKM**
- 3) Size **16**
- 4) Capacity **2500-3300** GPM

Motor:#2

- 1) Make **US Electrical**
- 2) Model No. **DCC-9537-310**
- 3) Horsepower rating **350** hp

Pump:#3

- 1) Make **Peabody Floway**
- 2) Model **MKM**
- 3) Size **16**
- 4) Capacity **2500-3300** GPM

Motor:#3

- 1) Make **US Electrical**
- 2) Model No. **DCC-9537-310**
- 3) Horsepower rating **350** hp

Pump:#4

- 1) Make **Peabody Floway**
- 2) Model **MKM**
- 3) Size **16**
- 4) Capacity **2500-3300** GPM

Motor:#5

- 1) Make **US Electrical**
- 2) Model No. **DCC-9537-310**
- 3) Horsepower rating **350** hp

Pump:#6

- 1) Make **Peabody Floway**
- 2) Model **MKM**
- 3) Size **16**
- 4) Capacity **2500-3300** GPM

Motor: #6

- 1) Make US Electrical 2) Model No. DCC-9537-310 3) Horsepower rating 350 hp

DISTRIBUTION LINES OR CANALS:

- 1) Type Varies 2) Size 36", 33", 27", 24" 15" & 8" inches 3) Length 83000 feet

SYSTEM TYPE:

Water Right No. 4116-3 from June 19, 2002 inspection;

15 low pressure center pivots each capable of irrigating 136 acres at with a capacity of 750 gallons per minute.

Center pivot: NE ¼ Section 22 T112N-R79W (No. 7229-3)

- | | |
|------------------------------------|------------------------------------|
| 1) Make <u>Valley</u> | 2) Overall length <u>1280</u> feet |
| 3) Number of towers <u>7</u> | 4) End gun <u>yes</u> |
| 5) High or low pressure <u>low</u> | 6) Capacity <u>750</u> GPM |

Center pivot: NW ¼ Section 22 T112N-R79W (No. 6997-3)

- | | |
|------------------------------------|------------------------------------|
| 1) Make <u>Valley</u> | 2) Overall length <u>1280</u> feet |
| 3) Number of towers <u>7</u> | 4) End gun <u>yes</u> |
| 5) High or low pressure <u>low</u> | 6) Capacity <u>750</u> GPM |

Center pivot: SW ¼ Section 22 T112N-R79W (No. 6997-3)

- | | |
|------------------------------------|------------------------------------|
| 1) Make <u>Valley</u> | 2) Overall length <u>1280</u> feet |
| 3) Number of towers <u>7</u> | 4) End gun <u>yes</u> |
| 5) High or low pressure <u>low</u> | 6) Capacity <u>750</u> GPM |

Center pivot: SE ¼ Section 22 T112N-R79W (No. 6997-3)

- | | |
|------------------------------------|------------------------------------|
| 1) Make <u>Valley</u> | 2) Overall length <u>1280</u> feet |
| 3) Number of towers <u>7</u> | 4) End gun <u>yes</u> |
| 5) High or low pressure <u>low</u> | 6) Capacity <u>750</u> GPM |

Center pivot: SW ¼ Section 27 T112N-R79W (No. 6997-3)

- | | |
|------------------------------------|------------------------------------|
| 1) Make <u>Valley</u> | 2) Overall length <u>1280</u> feet |
| 3) Number of towers <u>7</u> | 4) End gun <u>yes</u> |
| 5) High or low pressure <u>low</u> | 6) Capacity <u>750</u> GPM |


Center pivot: NE ¼ Section 28 T112N-R79W (No. 6997-3)

- | | |
|------------------------------------|------------------------------------|
| 1) Make <u>Valley</u> | 2) Overall length <u>1280</u> feet |
| 3) Number of towers <u>7</u> | 4) End gun <u>yes</u> |
| 5) High or low pressure <u>low</u> | 6) Capacity <u>750</u> GPM |

CHEMIGATION EQUIPMENT:

- 1) Does chemigate no


Comments : none



Mark D. Rath
Natural Resources Engineer III
DENR, Water Rights Program

9-10-15

Date



River Pump Site
Lat 44.48729
Long -100.42013



Bureau of Land Management and U.S. Forest Service

Mark D Rath 9-10-15
Mark D Rath
Natural Resource Engineer

Diversion Point

River pump site located from the NE corner of Sec 26 T112N-R80W; 2500 ft west & 950 ft south
 Latitude 44.48729 Longitude -100.42013

Authorized by Water Right Permit No. 7229-3**Sec 22 T112N-R79W**

NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 33 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac

Authorized by Water Right Permit No. 6997-3**Sec 22 T112N-R79W**

NW ¼ NW ¼ - 34 ac NE ¼ NW ¼ - 34 ac SE ¼ NW ¼ - 34 ac SW ¼ NW ¼ - 34 ac
 NW ¼ SE ¼ - 34 ac NE ¼ SE ¼ - 34 ac SE ¼ SE ¼ - 34 ac SW ¼ SE ¼ - 34 ac
 NW ¼ SW ¼ - 34 ac NE ¼ SW ¼ - 34 ac SE ¼ SW ¼ - 34 ac SW ¼ SW ¼ - 34 ac

Sec 27 T112N-R79W

NW ¼ SW ¼ - 34 ac NE ¼ SW ¼ - 34 ac SE ¼ SW ¼ - 34 ac SW ¼ SW ¼ - 34 ac

Sec 28 T112N-R79W

NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 34 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac

Authorized by Water Right License No. 4116-3**Sec 23 T112N-R79W**

NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 34 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac
 NW ¼ SE ¼ - 34 ac NE ¼ SE ¼ - 34 ac SE ¼ SE ¼ - 34 ac SW ¼ SE ¼ - 34 ac
 NW ¼ SW ¼ - 34 ac NE ¼ SW ¼ - 34 ac SE ¼ SW ¼ - 34 ac SW ¼ SW ¼ - 34 ac

Sec 25 T112N-R79W

NW ¼ SE ¼ - 34 ac NE ¼ SE ¼ - 34 ac SE ¼ SE ¼ - 34 ac SW ¼ SE ¼ - 34 ac
 NW ¼ SW ¼ - 34 ac NE ¼ SW ¼ - 34 ac SE ¼ SW ¼ - 34 ac SW ¼ SW ¼ - 34 ac

Sec 26 T112N-R79W

NW ¼ NW ¼ - 34 ac NE ¼ NW ¼ - 34 ac SE ¼ NW ¼ - 34 ac SW ¼ NW ¼ - 34 ac
 NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 34 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac
 NW ¼ SE ¼ - 34 ac NE ¼ SE ¼ - 34 ac SE ¼ SE ¼ - 34 ac SW ¼ SE ¼ - 34 ac
 NW ¼ SW ¼ - 34 ac NE ¼ SW ¼ - 34 ac SE ¼ SW ¼ - 34 ac SW ¼ SW ¼ - 34 ac

Sec 27 T112N-R79W

NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 34 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac
 NW ¼ SE ¼ - 34 ac NE ¼ SE ¼ - 34 ac SE ¼ SE ¼ - 34 ac SW ¼ SE ¼ - 34 ac

Sec 34 T112N-R79W

NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 34 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac

Sec 36 T112N-R79W

NW ¼ NE ¼ - 34 ac NE ¼ NE ¼ - 34 ac SE ¼ NE ¼ - 34 ac SW ¼ NE ¼ - 34 ac
 NW ¼ SE ¼ - 34 ac NE ¼ SE ¼ - 34 ac SE ¼ SE ¼ - 34 ac SW ¼ SE ¼ - 34 ac
 NW ¼ SW ¼ - 34 ac NE ¼ SW ¼ - 34 ac SE ¼ SW ¼ - 34 ac SW ¼ SW ¼ - 34 ac


 Mark D Rath
 Natural Resource Engineer

9-10-15

7229-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

SEP 29 2015

4116-3
6997-3
7229-3

Tom Tveit
Gray Goose Irrigation District
PO Box 1002
Pierre SD 57501

Dear Mr. Tveit:

Enclosed is Water License No. 7229-3. This is the final water right document completing the process of obtaining a Water Right. Included with the license is a map prepared by the staff engineer who conducted the field investigation.

Upon licensing, the applicable portions of Water Right No. 4116-3 and Water Permit No. 6997-3 were incorporated into Water License No. 7229-3. As long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water.

Sincerely,

Jeanne Goodman, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

**STATE OF SOUTH DAKOTA
WATER LICENSE NO. 7229-3**

(1) Gray Goose Irrigation District, PO Box 1002, Pierre SD 57501 made Application No. 7229-3, February 2, 2011 for a water permit to divert 1.67 cubic feet of water per second (cfs) from the Missouri River, Hughes County, South Dakota for irrigation purposes. Permit No. 7229-3, with a priority date of February 2, 2011 was approved March 28, 2011 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before March 28, 2016 and for the application to beneficial use of said water on or before March 28, 2020.

Land authorized under Water Right No. 4116-3, Water Permit Nos. 6997-3 and 7229-3 are irrigated from the same diversion point on the Missouri River. The applicable portions of Water Right No. 4116-3 and Water Permit No. 6997-3 are incorporated into Water License No. 7229-3. The priority dates established under each will be retained.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 35.01 cubic feet of water per second for beneficial use. The location of the diversion point is 2,500 feet west and 950 feet south of the NE corner of Section 26, T112N, R80W (NW ¼ NE ¼).

(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Priority date of February 2, 2011 – established under No. 7229-3 (135 acres):

Sec 22, T112N, R79W

NW ¼ NE ¼ 34 ac NE ¼ NE ¼ 33 ac SE ¼ NE ¼ 34 ac SW ¼ NE ¼ 34 ac

Priority date of March 8, 2008 – established under No. 6997-3 (680 acres):

Sec 22, T112N, R79W

NW ¼ NW ¼ 34 ac NE ¼ NW ¼ 34 ac SE ¼ NW ¼ 34 ac SW ¼ NW ¼ 34 ac
NW ¼ SE ¼ 34 ac NE ¼ SE ¼ 34 ac SE ¼ SE ¼ 34 ac SW ¼ SE ¼ 34 ac
NW ¼ SW ¼ 34 ac NE ¼ SW ¼ 34 ac SE ¼ SW ¼ 34 ac SW ¼ SW ¼ 34 ac

Sec 27, T112N, R79W

NW ¼ SW ¼ 34 ac NE ¼ SW ¼ 34 ac SE ¼ SW ¼ 34 ac SW ¼ SW ¼ 34 ac

Sec 28, T112N, R79W

NW ¼ NE ¼ 34 ac NE ¼ NE ¼ 34 ac SE ¼ NE ¼ 34 ac SW ¼ NE ¼ 34 ac

Priority date of November 7, 1963 – established under No. 4116-3 (2,040 acres):

Sec 23, T112N, R79W

NW ¼ NE ¼ 34 ac NE ¼ NE ¼ 34 ac SE ¼ NE ¼ 34 ac SW ¼ NE ¼ 34 ac
NW ¼ SE ¼ 34 ac NE ¼ SE ¼ 34 ac SE ¼ SE ¼ 34 ac SW ¼ SE ¼ 34 ac
NW ¼ SW ¼ 34 ac NE ¼ SW ¼ 34 ac SE ¼ SW ¼ 34 ac SW ¼ SW ¼ 34 ac

Sec 25, T112N, R79W

NW ¼ SE ¼ 34 ac NE ¼ SE ¼ 34 ac SE ¼ SE ¼ 34 ac SW ¼ SE ¼ 34 ac
NW ¼ SW ¼ 34 ac NE ¼ SW ¼ 34 ac SE ¼ SW ¼ 34 ac SW ¼ SW ¼ 34 ac

continued

Priority date of November 7, 1963 – established under No. 4116-3 (continued):

Sec 26, T112N, R79W

NW ¼ NW ¼	34 ac	NE ¼ NW ¼	34 ac	SE ¼ NW ¼	34 ac	SW ¼ NW ¼	34 ac
NW ¼ NE ¼	34 ac	NE ¼ NE ¼	34 ac	SE ¼ NE ¼	34 ac	SW ¼ NE ¼	34 ac
NW ¼ SE ¼	34 ac	NE ¼ SE ¼	34 ac	SE ¼ SE ¼	34 ac	SW ¼ SE ¼	34 ac
NW ¼ SW ¼	34 ac	NE ¼ SW ¼	34 ac	SE ¼ SW ¼	34 ac	SW ¼ SW ¼	34 ac

Sec 27, T112N, R79W

NW ¼ NE ¼	34 ac	NE ¼ NE ¼	34 ac	SE ¼ NE ¼	34 ac	SW ¼ NE ¼	34 ac
NW ¼ SE ¼	34 ac	NE ¼ SE ¼	34 ac	SE ¼ SE ¼	34 ac	SW ¼ SE ¼	34 ac

Sec 34, T112N, R79W

NW ¼ NE ¼	34 ac	NE ¼ NE ¼	34 ac	SE ¼ NE ¼	34 ac	SW ¼ NE ¼	34 ac
-----------	-------	-----------	-------	-----------	-------	-----------	-------

Sec 36, T112N, R79W


NW ¼ NE ¼	34 ac	NE ¼ NE ¼	34 ac	SE ¼ NE ¼	34 ac	SW ¼ NE ¼	34 ac
NW ¼ SE ¼	34 ac	NE ¼ SE ¼	34 ac	SE ¼ SE ¼	34 ac	SW ¼ SE ¼	34 ac
NW ¼ SW ¼	34 ac	NE ¼ SW ¼	34 ac	SE ¼ SW ¼	34 ac	SW ¼ SW ¼	34 ac

Total irrigated - 2,855 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Gray Goose Irrigation District, PO Box 1002, Pierre SD 57501 the holder and/or owner of incorporated Water Right No. 7229-3 is issued a license to appropriate water, the right to use 35.01 cubic feet of water per second from the Missouri River with priority dates of November 7, 1963 (25.0 cfs); March 8, 2008 (8.34 cfs) and February 2, 2011 (1.67 cfs) from the location specified in (2) of this license for irrigation purposes.

This license is subject to South Dakota Water Law, any limitations or conditions listed in Incorporated Water Right No. 7229-3 and subject to the following qualification:

- This Permit is approved subject to the irrigation water use questionnaire being submitted each year.


 Jeanne Goodman, Chief Engineer
 Water Rights Program
 Department of Environment and Natural Resources

SEP 29 2015
 date



McMath, Genny

From: RAHM, GREG <gwhrahm@nvc.net>
Sent: Thursday, December 22, 2016 9:03 AM
To: McMath, Genny
Subject: Re: 2016 Gray Goose Irrigation District water use

Hi Genny,

My address is; 40604 161st ST, Turton SD 57477
 Phone numbers; home (605) 897-6628 cell (605) 216-0255
 Could you please send me the info on what reports we will be
 doing and the dates these will need to be filed.

Thank you
 -----Greg Rahm

From: McMath, Genny
Sent: Thursday, December 22, 2016 8:25 AM
To: Greg Rahm
Subject: RE: 2016 Gray Goose Irrigation District water use

Greg,
 Can you send me your mailing address and phone # so I can up date our files for next year's mailing?
 Thank you in advance,

Genny McMath
Water Rights Program
 605.773.5455

From: Tom Tveit [<mailto:ttveit@mncomm.com>]
Sent: Tuesday, November 29, 2016 3:36 PM
To: McMath, Genny
Cc: Greg Rahm
Subject: 2016 Gray Goose Irrigation District water use

Genny – Attached is the water report for 2016. I have sold my land in the district and will no longer prepare this report. As I understand it, Greg Rahm will take over that responsibility. Contact him at the email above for any questions, changes of address, etc.

Tom Tveit

Gray Goose Irrigation District

2022 Water Use

Pivot #	Legal Description	Acres	2021 Crop	Water used Inches/Ac.	Water used Acre in.
1	NE 1/4 Sec 28-112-79	135	Corn	10.97	1481.1
2	SW 1/4 Sec 27-112-79	135	Corn	11.61	1567.8
3	NW 1/4 Sec 22-112-79	135	Corn	10.40	1404.0
4	NE 1/4 Sec 22-112-79	135	Soybeans	12.80	1727.6
5	SW 1/4 Sec 22-112-79	135	Corn	10.32	1393.7
6	SE 1/4 Sec 22-112-79	135	Corn	12.07	1629.9
7	NE 1/4 Sec 34-112-79	135	Corn	9.11	1229.3
8	SE 1/4 Sec 27-112-79	135	Soybeans	9.00	1215.4
9	NE 1/4 Sec 27-112-79	135	Soybeans	8.24	1112.2
10	SW 1/4 Sec 26-112-79	135	Corn	13.44	1814.8
11	NW 1/4 Sec 26-112-79	135	Soybeans	8.40	1134.5
12	NE 1/4 Sec 23-112-79	135	Soybeans	10.33	1394.2
13	SE 1/4 Sec 23-112-79	135	Soybeans	11.48	1550.2
14	NE 1/4 Sec 26-112-79	135	Corn	8.47	1143.4
15	SE 1/4 Sec 26-112-79	135	Corn	12.85	1735.3
16	SW 1/4 Sec 25-112-79	135	Soybeans	10.49	1416.1
17	SE 1/4 Sec 25-112-79	135	Soybeans	8.57	1156.4
19	NE 1/4 Sec 36-112-79	135	Soybeans	10.33	1394.1
20	SW 1/4 Sec 36-112-79	135	Corn	10.87	1467.6
21	SE 1/4 Sec 36-112-79	135	Soybeans	9.83	1327.5
23	SW 1/4 Sec 23-112-79	135	Soybeans	9.64	1301.2

2835

29596.1