

WATER PERMIT NO. 7237-3

Name of Applicant: David Ulvestad

Address: 46720 201st St, Bruce SD 57220

Phone: 605 690-5537

Amount of Water Claimed: 1.56 cfs

Total Acres: 120

Source of Water Supply: groundwater

Water to be used for: irrigation

County: Brookings

Type of Waste Disposal System: NA

Location: 6 miles northwest of Bruce

PRIORITY

Date Received: 3-7-2011

Application/License Fee: \$950

Corrected Application Received:

Period of Annual Use: May 1 – October 31

Remarks:

Diversion Point: SE ¼ Sec 31-T112N-R50W

Land to be Irrigated: SE ¼ Sec 31-T112N-R50W


Depth of Well: XX

Well Driller: Lacey Well Drilling

Remarks:

Type of Map: aerial

Prepared by: Ryan F, Brookings Co, DC



Reviewed and the Number Assigned on: 3-7-2011

By: Karen Schlaak

Notice of Hearing - date to intervene: _____

FORM 2: Application for irrigation in South Dakota

(type or print)

Mail to: PMB 2020 DENR - Water Rights 523 E Capitol Ave Pierre, SD 57501-3182 ph. (605) 773-3352	No. <u>7237-3</u> (office use only) Hydrologic Unit <u>10120202</u>
	Basin <u>Sioux River</u>
	Newspaper <u>Brookings Register</u>

RECEIVED

MAR - 7 2011

WATER RIGHTS
PROGRAM

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____

(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

1. Name of Applicant David Ulvestad Cell 605 690-5537
(check one) Owner ☐ Tenant/lessee ☐ Phone 605 627-5772
Mailing Address 46720 201st St Bruce SD 57220
(Address) (City) (State) (Zip Code)
2. Amount of water claimed 1.56 *CFS or 700 **GPM ***AF Total Acreage 120A
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable)
3. Source of water supply Well
4. Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) County Brookings
Center of the SE 1/4 of Section 31 112N-50W
5. County or counties where water will be used Brookings
6. Annual period during which water is to be used May 1 - Oct 31
7. List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
SE 1/4 of the SE 1/4 Sec 31 112N-50W	30		
NE 1/4 of the SE 1/4 Sec 31 112N-50W	30		
SW 1/4 of the SE 1/4 Sec 31 112N-50W	30		
NW 1/4 of the SE 1/4 Sec 31 112N-50W	30		

8. Give a description of the project. (Attach sheet if more space is needed)

STATE OF SOUTH DAKOTA)

County of Brookings) SS

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Also, attach map and any other technical information. (see instructions)

I, David Ulvestad, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.Applicant's signature David UlvestadSubscribed and sworn to before me this 4th day of March 20 11

Notary Public signature

Dennie he huf
my commission expires 6-27-2011

SOUTH DAKOTA
WATER PERMIT NO. 7237-3

Date of first receipt of application March 7, 2011.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 7237-3 to David Ulvestad, 46720 201st St, Bruce SD 57220 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 7237-3 appropriates 1.56 cubic feet of water per second (cfs) from one well to be completed into the Big Sioux:Brookings Aquifer (approximately 44 feet deep) located in the approximate center of the SE 1/4 Section 31 to irrigate 120 acres located in the SE 1/4 Section 31; all in T112N-R50W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 – October 31.
3. The date from which applicant may claim right is March 7, 2011.
4. The date of approval of Permit No. 7237-3 is May 16, 2011.
5. One-fifth of the construction is to be completed on or before November 16, 2013.
6. All construction is to be completed on or before May 16, 2016.
7. Water is to be put to beneficial use on or before May 16, 2020.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 7237-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. The combined diversion shall not exceed 2 acre feet of water per acre and 1 cfs per 70 acres for the acreage that is listed for irrigation on both Water Right No. 2126-3 and Water Permit No. 7237-3.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele

Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

SEP 01 2011

date



Supplemental Information

(type or print in ink)

1. Well Information - Proposed Construction

- a) Drill Hole Diameter 20" Depth 44'
- b) Casing Type Steel Diameter 12" Thickness Sch 40
- c) Screen Type Johnson SS Diameter 12" Thickness 3/16
- d) Gravel Pack northern Length of Gravel Pack varies with screen length
- e) Depth to Top of Water Bearing Material 8'
- f) Depth to Water (ground surface to water level) 6'
- g) Distance to nearest existing domestic well:
- On applicant's property 2600' On property owned by others 2300'

2. Wastewater Disposal System Information

- a) Type of System (i.e. septic tank, drain field) _____
- b) System Capacity (gallons) _____ Year Constructed _____
- c) Connected to the City of _____ Sanitary System


3. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:



- b) Freeboard _____
- c) Crest Width _____
Crest Length _____
- d) Height _____
- e) Primary Outlet Capacity _____
If pipe, diameter _____
- f) Secondary Spillway Capacity _____
Spillway Width _____
- g) X & Y Slope (e.g. 3 to 1 is a typical slope)
Upstream _____
Downstream _____
- h) Surface Area of Impoundment _____
- i) Storage _____ Acre Feet
- j) Drainage Area Above Dam _____ Acres



United States Department of Agriculture
Farm Service Agency

PLSS: 31_112N_50W
Farm: 2782

Brookings County, SD
1:8,017



November 17, 2010

Wetland Determination Identifiers

- Restricted Use
- ▽ Limited Restrictions
- Exempt from Conservation Compliance Provisions

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.

2010 Ortho-Photography - Not to Scale

RECEIVED

MAR -7 2011

**WATER RIGHTS
PROGRAM**

Common Land Units

Non Cropland

IN WATER SINCE 1946
LACEY WELL DRILLING, INC.
47582 240TH
DELL RAPIDS, S.D. 57022

RECEIVED
MAR - 7 2011
WATER RIGHTS
PROGRAM

ULVESTAD PROPERTY

3-2-11 (cold)

Approx CENTER of SE 4, 31 112-50
Brookings County, S.D.

0-4 SANDY TOPSOIL

4-8 CLAYEX SAND

8-44 GOOD GRAY GRAVEL SWL 6'

Jim
Lacey

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 3/7, 2011

RECEIVED OF Wesley Ulvestad 46889 201st St Bruce SD 57220

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>7287-3</u> to Appropriate Water, to construct and to put water to beneficial use	750 00
Fee for Application for Permit No. _____ to Appropriate Water for Future use	
Fee to retain Future Use Permit No. _____ after period of seven years.	
Fee for inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>7287-3</u>	200 00
Fee for Filing Transfer Form _____	
Fee for _____	
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____	
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____	
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____	
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____	
(Any Other Work Provided by Law)	
TOTAL	950 00

No. 04946

By

Garland Edwards
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 7237-3, David Ulvestad**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 7237-3, David Ulvestad, 46720 201st Street, Bruce SD 57220.

The Chief Engineer is recommending APPROVAL of Application No. 7237-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use, and 4) it is in the public interest with the following qualifications:

1. The well approved will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 7237-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. The combined diversion shall not exceed 2 acre feet of water per acre and 1 cfs per 70 acres for the acreage that is listed for irrigation on both Water Right No. 2126-3 and Water Permit No. 7237-3.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
April 20, 2011

Note: Water Right No. 2126-3 authorizes irrigation of 113 acres in the SW $\frac{1}{4}$ and 31 acres in the SE $\frac{1}{4}$ of Section 31. The annual irrigation questionnaires submitted show that in recent years only 70 to 76 acres have been being irrigated. The 2010 FSA aerial of this section also shows a center pivot of this size located entirely within the SW $\frac{1}{4}$ of this section. Based on these records, it appears the 31 acres in the SE $\frac{1}{4}$ authorized by Water Right No. 2126-3 have been forfeited and will be subject to cancellation. The pending application seeks to authorize a total of 120 acres in the SE $\frac{1}{4}$ with a new priority date.

REPORT ON WATER PERMIT APPLICATION NO. 7237-3

For David Ulvestad

April 7, 2011

Application No. 7237-3 proposes to appropriate 1.56 cfs (700 gpm) from one well approximately 44 feet deep located in the approximate center of the SE ¼ of section 31 to irrigate 120 acres located in the SE ¼ of section 31; all in T112N R50W in Brookings County.

AQUIFER – BIG SIOUX BROOKINGS (BS-B)

The Big Sioux Brookings is predominantly surficial outwash (sand and gravel) that is under water table conditions in the area of this application. The aquifer underlies 74,500 acres and contains an estimated 245,850 acre-feet of recoverable water in storage in Brookings County (Hedges, 1982). The aquifer extends into Kingsbury County to the west, Hamlin County to the north and Moody County to the south. Ground water movement is from northeast to southwest and towards the Big Sioux River in the area of this application (Hamilton, 1989). Hamilton mapped the Big Sioux Aquifer for the county study report and estimated the aquifer to underlie 540 square miles and contain an estimated 2.0 million acre-feet of water in storage in Brookings and Kingsbury Counties (Hamilton, 1989). The aquifer is hydraulically connected to area lakes, streams and the Big Sioux River. Generally ground water movement is towards these bodies of water which would act as discharge zones for the ground water. Recharge to the Big Sioux Aquifer in this area has been estimated at about 6.57 inches per year (Koch, 1980).

A test well drilled for the application by Lacey Drilling indicates sandy topsoil from 0 to 4 feet, clayey sand from 4 to 8 feet, coarse gray gravel from 8 to 44 feet with a static water level of 6 feet all below land surface. This test and area irrigation wells and other test wells in the area all indicate good potential for irrigation development.


The Water Rights Program monitors two observation wells within two miles of this application. Observation well BG-80C is located about one mile to the northeast and observation well BG-75I is located about one mile to the north both from this proposed well site. Water levels for these wells show good response to climatic conditions rising during periods of wet weather (recharge) and declines during droughts. In general the record indicates that the aquifer is capable of sustaining additional withdrawals (Water Rights, 2011). Hydrographs for these two observation wells are included with this report.

REVIEW OF EXISTING WATER PERMITS/RIGHTS

The nearest existing irrigation wells are located about one-half mile to the west (Water Right No. 2120-3) and one-half mile to the north (Water Right No. 2072-3). Interference is not expected to be a problem. Drawdown created by pumping does not extend very far from a production well and this distance between wells should be sufficient to minimize any potential effects.

CONCLUSIONS

1. Water is available from the Big Sioux Brookings aquifer.
2. The aquifer is under water table conditions in this area. Drawdown created by pumping is not expected to be significant at the distance between high capacity wells. Interference is not adverse or a concern.
3. The well(s) authorized by this permit if approved must be constructed in accordance with SD Well Construction Standards.
4. A portion of the lands applied for with this application are still covered under Water Right No. 2126-3. There are 24 acres in the NW SE and 7 acres in the SW SE 31 that will be covered under both permits. The combined diversions can not exceed 2 acre-feet per acre and during licensing of this application the license of Permit No. 2126-3 can be altered to reflect the actual conditions at the site.



James A Goodman
Natural Resources Engineer

BIBLIOGRAPHY


Hamilton, L.J., 1989, Water Resources of Brookings and Kingsbury Counties, South Dakota, Water-Resources Investigations Report 88-4185, USGS, Huron, SD, 57350.

Hedges, L.S., and others, 1982, Evaluation of Ground-Water Resources Eastern South Dakota and Upper Big Sioux River South Dakota and Iowa, for US Army Corps of Engineers, SD DENR, SDGS, Vermillion, SD, 57069.


Koch, N.C., 1980, Appraisal of the Water Resources of the Big Sioux Aquifer, Brookings, Deuel, and Hamlin Counties, South Dakota, Water-Resources Investigations Report 80-100, USGS, Huron, SD, 57350.

Water Rights, 2011, Unpublished Observation Well Data for Brookings County, SD DENR, DES, Water Rights Program, Pierre, SD, 57501.

WATER RIGHTS' OBSERVATION WELL
BG-80C



WATER RIGHTS' OBSERVATION WELL
BG-75I



RECEIVED

MAY - 9 2011

WATER RIGHTS
PROGRAM

Affidavit of Publication

State of South Dakota

ss

County of Brookings

Laura Johnson of said county, first duly sworn, on oath, says: That she is the office clerk of THE BROOKINGS REGISTER, a daily newspaper, printed and published in the City of Brookings, in said County of Brookings, and State of South Dakota; that she has full and personal knowledge of the facts herein stated; that said newspaper is a legal newspaper and has a bona fide circulation of at least two hundred copies of each issue daily; that said newspaper has been published within the said County of Brookings and State of South Dakota, for more than one year prior to the first publication of Exhibit "A," hereto attached and herein mentioned, and was and is printed that the

Leg# 781 David Ulvestad

same was published, is hereto attached marked Exhibit said newspaper for _____ 2 times, to-wit:

April 26, 2011

May 3, 2011

said Exhibit "A" inures to the sole benefit for the publishers of said newspaper; that no agreement or understanding for the division thereof has been made with any other person, and that no part thereof has been agreed to be paid to any person whomsoever; that the fees charged for the publication thereof are:

Forty-eight dollars and twenty cents \$48.20



Subscribed and sworn to before me this

4th

day of

May

2011

Katie Cobb

Notary Public in and for the County of Brookings, South Dakota.

My Commission expires July 14, 2015

Legal 781, 2x, 4/26, 5/3
NOTICE OF APPLICA-
TION NOS. 7236-3 and
7237-3 to Appropriate
Water

Notice is given that David Ulvestad, 46720 201st St, Bruce SD 57220 has filed the following applications for a water permit.

Application No. 7236-3 proposes to appropriate 1.78 cubic feet of water per second (cfs) from two wells to be completed into the Big Sioux-Brookings Aquifer (approximately 36 feet deep) located in approximate center of the SW 1/4 Section 24 for irrigation of 160 acres located in the SW 1/4 Section 24; all in T11N-R51W.

Application No. 7237-3 proposes to appropriate 1.56 cfs from one well to be completed into the Big Sioux-Brookings Aquifer (approximately 44 feet deep) located in the approximate center of the SE 1/4 Section 31 to irrigate 120 acres located in the SE 1/4 Section 31; all in T112N-R50W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application Nos. 7236-3 and 7237-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on these applications, as recommended, unless a petition is filed opposing the applications or the applicant files a petition contesting the Chief Engineer's recommendations. If a petition opposing the applications or contesting the recommendations is filed, then a hearing will be scheduled and the Water Management Board will consider these applications. Notice of the hearing will be given to the applicant and any person filing a petition. Any person interested in opposing or supporting these applications or recommendations must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendations. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mail-

ing address is given above. A petition filed by either an interested person or the applicant must be filed by May 16, 2011.

The petition may be informal, but must include a statement describing the petitioner's interest in the applications, the petitioner's reasons for opposing or supporting the applications, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to these

applications. Steven M. Pirner, Secretary, Department of Environment and Natural Resources. Published twice at the total approximate cost of \$48.20



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

April 21, 2011

Brookings Register
PO Box 177
Brookings SD 57006

ATTENTION: Legal Public Notice

Enclosed is a Notice on Application Nos. 7236-3 and 7237-3 to Appropriate Water to be published twice. Please publish the first notice on April 29, 2011 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is David Ulvestad, 46720 201st St., Bruce SD 57220 (Ph # 605-690-5537).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,


Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

Nos. 7236-3 & 7237-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of April 21, 2011 enclosing Notice to Appropriate Water by Application Nos. 7236-3 & 7237-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

April 21, 2011

David Ulvestad
46720 201st St
Bruce SD 57220

Dear Mr. Ulvestad:

Water Permit Application Nos. 7236-3 & 7237-3 for irrigation use have been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Brookings Register printed at Brookings SD (Ph # 605-692-6271). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendations of the Chief Engineer and reports on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352
eric.gronlund@state.sd.us

cc: Dave Gullickson, Farmer's Implement & Irrigation, PO Box 29, Brookings SD 57006
enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendations, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the applications.

Instruction to Newspaper - Publish first Notice on April 29, 2011 with the second publication 7 days later. The applicant is responsible for payment. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352 or email: Karen.schlaak@state.sd.us.

NOTICE OF APPLICATION NOS. 7236-3 and 7237-3 to Appropriate Water

Notice is given that David Ulvestad, 46720 201st St, Bruce SD 57220 has filed the following applications for a water permit.

Application No. 7236-3 proposes to appropriate 1.78 cubic feet of water per second (cfs) from two wells to be completed into the Big Sioux:Brookings Aquifer (approximately 36 feet deep) located in approximate center of the SW ¼ Section 24 for irrigation of 160 acres located in the SW ¼ Section 24; all in T111N-R51W.

Application No. 7237-3 proposes to appropriate 1.56 cfs from one well to be completed into the Big Sioux:Brookings Aquifer (approximately 44 feet deep) located in the approximate center of the SE ¼ Section 31 to irrigate 120 acres located in the SE ¼ Section 31; all in T112N-R50W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application Nos. 7236-3 and 7237-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on these applications, as recommended, unless a petition is filed opposing the applications or the applicant files a petition contesting the Chief Engineer's recommendations. If a petition opposing the applications or contesting the recommendations is filed, then a hearing will be scheduled and the Water Management Board will consider these applications. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting these applications or recommendations must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendations. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by May 16, 2011.

The petition may be informal, but must include a statement describing the petitioner's interest in the applications, the petitioner's reasons for opposing or supporting the applications, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to these applications. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

Published twice at the total approximate cost of _____.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/dennr

SEP 01 2011

David Ulvestad
46720 201st St
Bruce SD 57220

Dear Mr. Ulvestad:

Enclosed are Water Permit Nos. 7236-3 & 7237-3 authorizing construction of your water diversion systems and beneficial use of the water, not exceeding the limits as specified in the Water Permits.

Form 10's, *Notice of Completion of Works and Application of Water to Beneficial Use*, are enclosed. Please return the completed forms after you have finished the systems and have put the water to beneficial use. An investigation can then be scheduled so the water licenses may be issued, thus completing the acquisition of a water right.

An informational sheet ? *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

7237-3
RECEIVED

DEC 12 2011

WATER RIGHTS
PROGRAMNOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USEDate 12/9/11TO: Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

FROM:

David Ulvestad
(name)46720 201ST ST
(address)Bruce, S.D. 57220
(city, state, zip)605-627-5772
(phone)


I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 7237-3 states that the water use system is to be constructed by 5/16/16, and water is to be put to beneficial use by 5/16/20.
(date) (date)

The water use system was completed on 8/1/11.
(date)

Applying the water to beneficial use was completed on 8/1/11.
(date)

You may schedule an investigation so that the water license may be issued.

David Ulvestad
(signature)



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

December 13, 2011

2126-3
7237-3

David Ulvestad
46720 201st St
Bruce SD 57220

Dear Mr. Ulvestad:

I am writing to acknowledge receipt of the "Notice of Completion of Works" form that you sent in to let us know that you are completed with your irrigation system.

The system is now ready for inspection. Inspections are done on a county-by-county basis as staff time permits. You have done everything you need to do and the intervening time between the completion of your project and the staff inspection has no bearing on your water permit. Someone from our office will contact you prior to the inspection to set up a time that is convenient for you.

On a side note in reference to the irrigation questionnaire you submitted as operator for Water Right No. 2126-3, we show that record in the name of Wesley Ulvestad. The water right covers irrigation in portions of the S ½ Section 31, T112N, R50W. I have a note in that file indicating the water right may need to be transferred. If it does, please let me know and I can send out a transfer form and instructions for changing ownership of the water right.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

SOUTH DAKOTA WATER WELL COMPLETION REPORT

7237-3

07-92

Location NE 1/4 SE 1/4 Sec 31 Twp 41-2 Rg 50-W

County

North

Brookings


Please mark well location with an "X"

W

E

Well Completion Date

8-10-11



Well Owner: David Ulvestad

Business Name:

Address: 4677D 2nd St.

Bruce S. Dr. 57220

WELL LOG:

DEPTH

FORMATION

FROM

TO

Black Gumbo

0

2

Sandy

2

4

Good Gravel

4

41

LOCATION:

Distance from nearest potential pollution source (septic tank, abandoned well, feed lot, etc.)? 1/4 mile ft. from Farm side (identify source).

PROPOSED USE:

- ☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

Bucket - fake casing

CASING DATA:

- ☐ Steel ☒ Plastic ☐ Other

If other describe

PIPEWEIGHT DIAMETER FROM TO HOLE DIAMETER
20 LB/FT 1 1/2 IN 2 FT 21 FT 20 IN
 _____ LB/FT _____ IN _____ FT _____ FT _____ IN
 _____ LB/FT _____ IN _____ FT _____ FT _____ IN

GROUTING DATA

Grout Type No. of Sacks Grout Weight From To
Pembrite 10 _____ lb./gal 0 ft. 2 ft.
 _____ lb./gal _____ ft. _____ ft.

Describe grouting procedure

SCREEN:

- ☐ Perforated pipe ☒ Manufactured

Diameter 1 1/2 IN Length 20 FEET

Material PVC CLASS 160

Slot Size 100 Set From 21 Feet to 41 Feet

Other information

WAS A PACKER OR SEAL USED?

- ☐ YES ☒ NO

If so, what material?

Describe packer(s) and location?

DISINFECTION: Was well disinfected upon completion?

- ☒ YES, How: Chlorine packets
☐ NO, Why Not? Irrigation

Laboratory sent to for water quality analysis

STATIC WATER LEVEL

2'

Feet

If flowing: closed in pressure

PSI

GPM flow through

inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

Reduced Flowrate

GPM

Can well be completely shut in?

WELL TEST DATA:

- ☒ Pumped

Describe:

- ☐ Bailed

- ☐ Other

Pumping Level Below Land Surface

15' ft. After 1 Hrs. pumped 1000 GPM

_____ ft. After _____ Hrs. pumped _____ GPM

If pump installed, pump rate

GPM

REMARKS

Good well

RECEIVED

DEC 14 2011

WATER RIGHTS PROGRAM

This well was drilled under license # 1111

And this report is true and accurate.

Drilling firm

Lacey Well Drilling Inc.

Signature of License Representative:

Jean Peddala

Signature of Well Owner or Equitable Property Holder:

David Ulvestad Ulvestad

Date:

12/9/11

10/9/11

7237-3
RECEIVED

DEC 12 2011

WATER RIGHTS
PROGRAMNOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USEDate 12/9/11TO: Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

FROM:

David Ulvestad
(name)46720 201ST ST
(address)Bruce, S.D. 57220
(city, state, zip)605-627-5772
(phone)


I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 7237-3 states that the water use system is to be constructed by 5/16/16, and water is to be put to beneficial use by 5/16/20.
(date) (date)

The water use system was completed on 8/1/11.
(date)

Applying the water to beneficial use was completed on 8/1/11.
(date)

You may schedule an investigation so that the water license may be issued.

David Ulvestad
(signature)



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

December 13, 2011

2126-3
7237-3

David Ulvestad
46720 201st St
Bruce SD 57220

Dear Mr. Ulvestad:

I am writing to acknowledge receipt of the "Notice of Completion of Works" form that you sent in to let us know that you are completed with your irrigation system.

The system is now ready for inspection. Inspections are done on a county-by-county basis as staff time permits. You have done everything you need to do and the intervening time between the completion of your project and the staff inspection has no bearing on your water permit. Someone from our office will contact you prior to the inspection to set up a time that is convenient for you.

On a side note in reference to the irrigation questionnaire you submitted as operator for Water Right No. 2126-3, we show that record in the name of Wesley Ulvestad. The water right covers irrigation in portions of the S ½ Section 31, T112N, R50W. I have a note in that file indicating the water right may need to be transferred. If it does, please let me know and I can send out a transfer form and instructions for changing ownership of the water right.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



7237-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 18, 2013

NOTICE

TO: DAVID ULVESTAD, 46720 201st ST, BRUCE, SD 57220

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2012 Irrigation Questionnaires

Our records indicate that the 2012 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 12, 2012. The Water Management Board has directed that owners of water permits who have not submitted the 2012 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2072-3, 2126-3 & 3204-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7236-3 & 7237-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **8:30 am, March 7, 2013** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7236-3 & 7237-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2072-3, 2126-3 & 3204-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 4, 2013**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link:

<http://denr.sd.gov/iq.aspx>

c: DARWIN ULVESTAD, 46679 201ST ST, BRUCE SD 57220

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

March 8, 2013

7236-3, 7237-3, 2072-3, 2126-3 & 3204-3

DAVID ULVESTAD
46720 201st ST
BRUCE, SD 57220

Dear Mr. Ulvestad:

I am writing to acknowledge receipt of your 2012 irrigation questionnaires.

You may disregard the January 18, 2013, "Notice" concerning reporting requirements for Water Permit Nos. 7236-3, 7237-3, 2072-3, 2126-3 & 3204-3. The information was received in our office prior to the Water Management Board meeting and your name was deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

7237-3

NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

FEB 27 2013

WATER RIGHTS
PROGRAM

Date

2/26/13

TO: Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

FROM:

David Ulvestad

(name)

46720 201st ST

(address)

Bruce, S.D. 57220

(city, state, zip)

605-690-5537

605-627-5772

(phone)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 7237-3 states that the water use system is to be constructed by May 16, 2016, and water is to be put to beneficial use by May 16, 2020.
(date) (date)

The water use system was completed on

5/1/2012

(date)


Applying the water to beneficial use was completed on

6/20/2012

(date)

You may schedule an investigation so that the water license may be issued.

David Ulvestad
(signature)





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

March 27, 2013

7236-3
7237-3

David Ulvestad
46720 201st St
Bruce SD 57220

Dear Mr. Ulvestad:

I am writing to acknowledge receipt of the "Notice of Completion of Works" forms that you sent in to let us know that you are completed with the irrigation systems authorized under Water Permit Nos. 7236-3 and 7237-3.

The systems are now ready for inspection. Inspections are done on a county-by-county basis as staff time permits. You have done everything you need to do and the intervening time between the completion of your project and the staff inspection has no bearing on your water permits.

Someone from our office will contact you prior to the inspection to set up a time that is convenient for you. If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



7237-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2014

NOTICE

TO: DAVID ULVESTAD, 46720 201st ST, BRUCE, SD 57220

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2013 Irrigation Questionnaires

Our records indicate that the 2013 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 12, 2013. The Water Management Board has directed that owners of water permits who have not submitted the 2013 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2072-3, 2126-3 & 3204-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7236-3 & 7237-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **9:00 am, March 6, 2014** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:


1. Suspend or cancel Permit No(s) 7236-3 & 7237-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2072-3, 2126-3 & 3204-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 3, 2014**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

DARWIN ULVESTAD, 46679 201ST ST, BRUCE SD 57220

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

March 5, 2014

David Ulvestad
46720 201st St
Bruce SD 57220

RE: Water Right or Permit Nos. 2072-3, 2126-3, 3204-3, 7236-3 and 7237-3

Dear Mr. Ulvestad:

I am writing to acknowledge receipt of your 2013 irrigation questionnaires.

You may disregard the January 24, 2014, "Notice" concerning reporting requirements for Water Right or Permit Nos. 2072-3, 2126-3, 3204-3, 7236-3 and 7237-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

c: Darwin Ulvestad



7237-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 16, 2015

NOTICE

TO: DAVID ULVESTAD, 46720 201st ST, BRUCE, SD 57220

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2014 Irrigation Questionnaires

Our records indicate your 2014 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 17, 2014. The Water Management Board has directed that owners of water permits who have not submitted the 2014 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2072-3, 2126-3 & 3204-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7236-3 & 7237-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 4, 2015** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7236-3 & 7237-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2072-3, 2126-3 & 3204-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2015** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

c: DARWIN ULVESTAD, 46679 201ST ST, BRUCE SD 57220

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

7237-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182

March 2, 2015

David Ulvestad
46720 201st St
Bruce SD 57220

RE: Water Permit or Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 and 7237-3

Dear Mr. Ulvestad:

I am writing to acknowledge receipt of your 2014 irrigation questionnaires.

You may disregard the January 16, 2015, "Notice" concerning reporting requirements for the above listed water permits and rights. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

I note from the files that two of the water rights we have you listed as the operator. Water Right No. 2126-3 is listed in the name of Wesley Ulvestad and Water Right No. 3204-3 is listed in the name of Warren Ulvestad. Please let me know if these need to be changed and I can send you the appropriate forms.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

Report of Examination of Works and/or Application of Water to Beneficial Use For Permit No. 7237-3

I have this day, 28 October 2014, made a thorough examination of the water use system constructed by David Ulvestad, 46720 201st St., Bruce, SD 57220 holder of Permit No. 7237-3, bearing the priority of 7 March 2011 authorizing the diversion of 1.56 cu. ft. per second of the waters of Big Sioux: Brookings aquifer for irrigation purposes, in Brookings County.

Inspection contact & relationship to permit holder, if applicable: **Heather Ulvestad, daughter**

A. Works used to divert the water:

Well Information:

- 1) Well Drilling Firm: Lacey Well Drilling
- 2) No. of Wells one
- 3) Depth(s) 41 feet
- 4) Well log is available Yes

Casing:

- 1) Diameter 16 inches
- 2) Length 21 feet
- 3) Type PVC

Screen:

- 1) Type PVC
- 2) Length 20 feet
- 3) Static water level 2 feet (10 August 2014)

Pump:

- 1) Make Goulds (submersible)
- 2) Model 10RJC
- 3) Size 10
- 4) Horsepower rating 25 hp
- 5) Capacity 700 GPM

B. Works used to transport water to place of use:

- 1) Type Aluminum
- 2) Size 6 inches
- 3) Length 20 feet

Comments: **Above ground**

C. Works used to apply water to beneficial use:

Center pivot:

- 1) Make Valley
- 2) Overall length 1156 feet
- 3) Number of towers 6
- 4) End gun Nelson 100
- 5) Capacity 700 GPM

Chemigation Equipment:

- 1) Does chemigate Yes
- 2) Main line check valve Yes
- 3) Inspection port/air relief Yes
- 4) Low pressure drain Yes
- 5) Discharge is 20' from source Yes
- 6) Interlock type electrical
- 7) Injection pump type piston
- 8) Injection check valve Yes
- 9) Injection line check valve or positive displacement pump Yes

Comments: na

D. Compliance with Permit Requirements:

- 1) Permit qualifications being abided by Yes

If no, describe: na

- 2) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Yes

List any extended period of nonuse: na

- 3) Exceptions to compliance are: na

E. Condition and Location:

1. The system is in good condition with the point(s) of diversion located as follows: 1535 feet north and 1170 feet west of the SE corner of Sec. 31, T112N-R50W, Lat/Lon: 44.46054/-96.87230 (SW¼SW¼NE¼SE¼ Sec.31, T112N-R50W).
2. The works are capable of diverting and conveying to the place of use 1.56 cu. ft. per second of water which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:

NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 31, 112N-R50W: 37.5 acres
NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 31, T112N-R50W: 28.4 acres
SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 31, T112N-R50W: 17.7 acres
SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 31, T112N-R50W: 25.4 acres

comprising a total of 109 acres of land and the license should be issued for 1.56.

3. All structures, wells and lands on map Yes

If no, describe: na

F. Comments or other permit(s) associated with the project:



Ken Buhler
DENR, Water Rights Program

Date report completed: 23 November 2014

Legend

- Section Boundaries - PLSS
- Well
- Irrigated acreage





DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

JUN 11 2015

7237-3

David Ulvestad
46720 201st St
Bruce SD 57220

Dear Mr. Ulvestad:

Enclosed is Water License No. 7237-3. This is the final water right document completing your process of obtaining a Water Right. Included with your license is a map prepared by the staff engineer who conducted the field investigation.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 7237-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

A handwritten signature in cursive script that reads 'Jeanne Goodman'.

Jeanne Goodman, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

**STATE OF SOUTH DAKOTA
WATER LICENSE NO. 7237-3**

(1) David Ulvestad, 46720 201st St., Bruce SD 57220 made Application No. 7237-3, March 7, 2011 for a water permit to divert 1.56 cubic feet of water per second from ground water (one well, Big Sioux Brookings Aquifer), Brookings County, South Dakota for irrigation purposes. Permit No. 7237-3, with a priority date of March 7, 2011 was approved May 16, 2011 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before May 16, 2016 and for the application to beneficial use of said water on or before May 16, 2020.

The Permit holder submitted a "*Notice of Completion of Works and Application of Water to Beneficial Use*" on December 12, 2011. The "*Notice*" stated the water use system was completed and water placed to beneficial use on August 1, 2011.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.56 cubic feet of water per second for beneficial use. The location of the diversion point is 1,535 feet N and 1,170 feet W of the SE corner of Section 31, T112N, R50W (NE ¼ SE ¼).


(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 31, T112N, R50W	NE ¼ SE ¼	37.5 acres
	NW ¼ SE ¼	28.4 acres
	SW ¼ SE ¼	17.7 acres
	SE ¼ SE ¼	25.4 acres
	Total	109.0 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 David Ulvestad, 46720 201st St., Bruce SD 57220 the holder and/or owner of Water Right No. 7237-3 is issued a license to appropriate water, the right to use 1.56 cubic feet of water per second from ground water (one well, Big Sioux Brookings Aquifer) with a priority date of March 7, 2011 from the location specified in (2) of this license for irrigation purposes.

This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Right No. 7237-3 and subject to the following qualifications:

- The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
- The well authorized by Permit No. 7237-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with the Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28. *Well completed in August, 2011 by Lacey Well Drilling Inc. A copy of the log is on file with the Water Rights Program.*
- The combined diversion shall not exceed 2 acre feet of water per acre and 1 cfs per 70 acres for the acreage that is listed for irrigation on both Water Right No. 2126-3 and Water Permit No. 7237-3.
- This Permit is approved subject to the irrigation water use questionnaire being submitted each year.


Jeanne Goodman, Chief Engineer

Water Rights Program

Department of Environment and Natural Resources

JUN 11 2015

date





7237-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 15, 2016

NOTICE

TO: DAVID ULVESTAD, 46720 201st ST, BRUCE, SD 57220

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2015 Irrigation Questionnaires

Our records indicate your 2015 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 23, 2015. The Water Management Board has directed that owners of water permits who have not submitted the 2015 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2072-3, 2126-3 & 3204-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7236-3 & 7237-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Thursday, March 3, 2016 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7236-3 & 7237-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2072-3, 2126-3 & 3204-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2016** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

c: DARWIN ULVESTAD, 46679 201ST ST, BRUCE SD 57220

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 26, 2016

2072-3
2126-3
3204-3
7236-3
7237-3

David Ulvestad
46720 201st St
Bruce SD 57220

Dear Mr. Ulvestad:

I am writing to acknowledge receipt of your 2015 irrigation questionnaires.

You may disregard the January 15, 2016, "Notice" concerning reporting requirements for Water Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 and 7237-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

c: Darwin Ulvestad, 46679 201st St, Bruce SD 57220



7237-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2018

NOTICE

TO: DAVID ULVESTAD, 46720 201st ST, BRUCE, SD 57220

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2017 Irrigation Questionnaires

Our records indicate your 2017 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 20, 2017. The Water Management Board has directed that owners of water permits who have not submitted the 2017 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2072-3, 2126-3 & 3204-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7236-3 & 7237-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 7, 2018 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7236-3 & 7237-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2072-3, 2126-3 & 3204-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 7, 2018** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

c: DARWIN ULVESTAD, 46679 201ST ST, BRUCE SD 57220

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



7237-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 23, 2018

David Ulvestad
46720 201st St
Bruce SD 57220

RE: Water Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3

Dear Mr. Ulvestad:

I am writing to acknowledge receipt of your 2017 irrigation questionnaires.

You may disregard the January 26, 2018, "Notice" concerning reporting requirements for Water Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

c: Darwin Ulvestad



7237-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 25, 2019

NOTICE

TO: DAVID ULVESTAD, 46720 201st ST, BRUCE, SD 57220

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2018 Irrigation Questionnaires

Our records indicate your 2018 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 30, 2018. The Water Management Board has directed that owners of water permits who have not submitted the 2018 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2072-3, 2126-3 & 3204-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7236-3 & 7237-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 6, 2019 at 10:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7236-3 & 7237-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2072-3, 2126-3 & 3204-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 6, 2019** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

c: DARWIN ULVESTAD, 46679 201ST ST, BRUCE SD 57220

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

7237-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 28, 2019

David Ulvestad
46720 201st St
Bruce SD 57220

RE: Water Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3

Dear Mr. Ulvestad:

I am writing to acknowledge receipt of your 2018 irrigation questionnaires.

You may disregard the January 25, 2019, "Notice" concerning reporting requirements for Water Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

c: Darwin Ulvestad, 46679 201st St, Bruce SD 57220



7237-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2020

NOTICE

TO: DAVID ULVESTAD, 46720 201st ST, BRUCE, SD 57220

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2019 Irrigation Questionnaires

Our records indicate your 2019 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 18, 2019. The Water Management Board has directed that owners of water permits who have not submitted the 2019 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2072-3, 2126-3 & 3204-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7236-3 & 7237-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, February 26, 2020 at 8:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:


1. Suspend or cancel Permit No(s) 7236-3 & 7237-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2072-3, 2126-3 & 3204-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **February 26, 2020** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: NANPUU**

c: DARWIN ULVESTAD, 46679 201ST ST, BRUCE SD 57220

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 27, 2020

David Ulvestad
46720 201st St
Bruce SD 57220

RE: Water Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3

Dear Mr. Ulvestad:

I am writing to acknowledge receipt of your 2019 irrigation questionnaires.

You may disregard the January 23, 2020, "Notice" concerning reporting requirements for Water Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

c: Darwin Ulvestad



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

January 22, 2021

NOTICE

TO: DAVID ULVESTAD, 46720 201st ST, BRUCE, SD 57220

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2020 Irrigation Questionnaires

Our records indicate your 2020 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 23, 2020. The Water Management Board has directed that owners of water permits who have not submitted the 2020 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2072-3, 2126-3 & 3204-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7236-3 & 7237-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 3, 2021 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:


1. Suspend or cancel Permit No(s) 7236-3 & 7237-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2072-3, 2126-3 & 3204-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 3, 2021** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: FCWSHB**

C: DARWIN ULVESTAD, 46679 201ST ST, BRUCE SD 57220

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

February 10, 2021

David Ulvestad
46720 201st St
Bruce SD 57220

RE: Water Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3

Dear Mr. Ulvestad:

I am writing to acknowledge receipt of your 2020 irrigation questionnaires.

You may disregard the January 22, 2021, "Notice" concerning reporting requirements for the above listed water rights. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script, reading "Genny McMath".

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2022

NOTICE

TO: DAVID ULVESTAD, 46720 201st ST, BRUCE, SD 57220
FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2021 Irrigation Questionnaires

Our records indicate your 2021 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 22, 2021. The Water Management Board has directed that owners of water permits who have not submitted the 2021 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2072-3, 2126-3 & 3204-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7236-3 & 7237-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 2, 2022 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7236-3 & 7237-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2072-3, 2126-3 & 3204-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 2, 2022** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: KYLJLM**

c: DARWIN ULVESTAD, 46679 201ST ST, BRUCE SD 57220

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

7237-3

Microsoft Bing

usps tracking

Sign in

200



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

MORE

Get the Wallpaper App

Also try: [usps service tracking](#) · [my usps tracking](#)

27,597,258 Results

Open links in new tab



Track USPS package



See more

7018 0040 0000 3802 4814

Track

 USPS package #70180040000038024814
www.usps.com

Delivered: Sat, Jan 22, 12:22 PM

Processed

In transit

Delivered



DATE	TIME	LOCATION	STATUS
Jan 22	12:22 PM	Bruce, SD, United States	Delivered, left with individual
Jan 22	12:16 PM	Bruce, SD, United States	Notice left (no authorized recipient available)
Jan 21	9:19 PM	Huron Sd Distribution Center	Departed USPS regional facility
Jan 21	12:00 AM		In transit to next facility
Jan 20	10:20 PM	Huron Sd Distribution Center	Arrived at USPS regional facility

Data from usps.com

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
 Domestic Mail Only

For delivery information, visit our website at www.usps.com.

OFFICIAL USE

Certified Mail Fee \$

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy)	\$
☐ Return Receipt (electronic)	\$
☐ Certified Mail Restricted Delivery	\$
☐ Adult Signature Required	\$
☐ Adult Signature Restricted Delivery	\$

Postmark Here

DAVID ULVESTAD
 46720 201st ST
 BRUCE SD 57220

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

Mail @ 9205
 n Delivery
 00 000 00

verytrack.net
 ls.usps.com
 ls.usps.com
 usps.com
 sttrack.com

Shipping and
 IP Code, and

Tracking · ZIP Code Lookup · Hold Mail · Sign In · Calculate a Price · Careers

USPS.com® - USPS Tracking®

<https://tools.usps.com/go/TrackConfirmAction?tLabels=>

USPS.com® - USPS Tracking®

News about USPS Tracking

bing.com/newsStill Waiting? Here Are
Two Ways to Track Your
Tax Refund

7237-3



Also try: [usp service tracking](#) · [my usps tracking](#)

27,597,258 Results

Open links in new tab



Track USPS package

7018 0040 0000 3802 4852

Track



See more

USPS package #70180040000038024852
www.usps.com

Delivered: Sat, Jan 22, 12:22 PM

Processed

In transit

Delivered

DATE	TIME	LOCATION	STATUS
Jan 22	12:22 PM	Bruce, SD, United States	Delivered, left with individual
Jan 21	9:20 PM	Huron Sd Distribution Center	Departed USPS regional facility
Jan 21	12:00 AM		In transit to next facility
Jan 20	10:23 PM	Huron Sd Distribution Center	Arrived at USPS regional facility

Data from usps.com

7018 0040 0000 3802 4852

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee
\$

Extra Services & Fees (check box, add fee as appropriate)
☐ Return Receipt (hardcopy) \$
☐ Return Receipt (electronic) \$
☐ Certified Mail Restricted Delivery \$
☐ Adult Signature Required \$
☐ Adult Signature Restricted Delivery \$

Delivered
1-22-2022

Postmark
Here

Mail @ 9205
n Delivery
10 000 00

verytrack.net
s.usps.com
s.usps.com
sps.com
ttrack.com

DARWIN ULVESTAD
46679 201ST ST.
BRUCE SD 57220

City, State, ZIP+4®

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

Shipping and mailing services. Use our quick tools to find locations, calculate prices, look up a ZIP Code, and get **Track** & Confirm info.

[Tracking](#) · [ZIP Code Lookup](#) · [Hold Mail](#) · [Sign In](#) · [Calculate a Price](#) · [Careers](#)

USPS.com® - USPS Tracking®

<https://tools.usps.com/go/TrackConfirmAction?tLabels=>

USPS.com® - USPS Tracking®

News about USPS Tracking

bing.com/news



Still Waiting? Here Are
Two Ways to Track Your
Tax Refund

Instead of just blindly
waiting for this year's tax



7237-3
**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 3, 2022

**NOTICE OF ENTRY OF ORDER
FOR AMENDMENT AND ONE YEAR SUSPENSION**

TO: David Ulvestad, 46720 201st St., Bruce SD 57220
Darwin Ulvestad, 46679 201st St, Bruce SD 57220

FROM: Eric Gronlund, Chief Engineer *Eric Gronlund*
Water Rights Program

SUBJECT: Amendment of Water Right Nos 2072-3, 2126-3, 3204-3 and One Year Suspension of Water Right Nos. 7236-3 & 7237-3

On March 2, 2022, the Water Management Board took the following actions on Water Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3:

The Board amended Water Right Nos 2072-3, 2126-3 and 3204-3 to add the following qualification effective immediately:

"This water right is subject to the Irrigation Water Use Questionnaire being submitted each year."

The Board also ordered:

Effective April 4, 2022, Water Right Nos. 7236-3 and 7237-3 be suspended for the 2022 irrigation season for failure to submit the 2021 irrigation questionnaires.

If the 2021 irrigation questionnaires are received prior to April 4, 2022, the suspensions will not take effect.

Suspension of a water right means water may not be pumped during the 2022 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2022 unless the 2021 irrigation questionnaires are submitted by April 4, 2022.

After April 4, 2022, you may petition the Water Management Board to rescind the suspensions. You will need to submit the 2021 irrigation questionnaires and a letter to our office requesting time on the agenda for the next Water Management Board meeting scheduled for May 4-5, 2022, in Pierre, SD. The letter should include your reasons for not completing the 2021 irrigation questionnaires. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Water Rights Staff will conduct compliance checks of suspended water rights this summer to determine if irrigation is taking place. Please contact Genny McMath (605) 773-3352, if you have any questions.



7237-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 8, 2022

7236-3
7237-3

David Ulvestad
46720 201st St
Bruce SD 57220

Dear Mr. Ulvestad:

On March 2, 2022, the Water Management Board ordered Water Right Nos. 7236-3 and 7237-3 be suspended if the 2021 irrigation questionnaires were not received prior to April 4, 2022. Water Right Nos. 2072-3, 2126-3, 3204-3 were amended at the hearing.

Your irrigation questionnaires were received today. Since the irrigation questionnaires are on file, no violations have occurred, and no suspensions will take place. You may irrigate during the 2022 irrigation season.

If you have any questions, please contact us.

Sincerely,

Ron Duvall
Water Rights Permitting Administrator
Water Rights Program
(605) 773-3352



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2023

NOTICE

TO: DAVID ULVESTAD, 46720 201st ST, BRUCE, SD 57220

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2022 Irrigation Questionnaire(s)

Our records indicate your 2022 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3. The request for the Questionnaire was dated October 21, 2022. The Water Management Board has directed owners of water permits who have not submitted the 2022 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 8, 2023 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 8, 2023** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: KPSONK**

c: DARWIN ULVESTAD, 46679 201ST ST, BRUCE SD 57220

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

[FAQs >](#)

USPS Tracking®

[Remove X](#)

Tracking Number:

70201810000098486235

Copy Add to Informed Delivery (<https://informedelivery.usps.com/>)

Latest Update

Your item was delivered to an individual at the address at 1:18 pm on January 27, 2023 in BRUCE, SD 57220.

[Feedback](#)

Get More Out of USPS Tracking:

USPS Tracking Plus®

Delivered

Delivered, Left with Individual

BRUCE, SD 57220

January 27, 2023, 1:18 pm

[See All Tracking History](#)

[Text & Email Updates](#)





**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 8, 2023

NOTICE OF ENTRY OF ORDER FOR ONE YEAR SUSPENSION OF WATER RIGHTS

TO: David Ulvestad, 46720 201st St., Bruce SD 57220
Darwin Ulvestad, 46679 201st St, Bruce SD 57220

FROM: Eric Gronlund, Chief Engineer *Eric Gronlund*
Water Rights Program

SUBJECT: One Year Suspension of Water Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3

On March 8, 2023, the Water Management Board ordered:

Effective April 8, 2023, Water Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3 be suspended for the 2023 irrigation season for failure to submit the 2022 irrigation questionnaires.

If the 2022 irrigation questionnaires are received prior to April 8, 2023, the suspensions will not take effect.

Suspension of a water permit or right means water may not be pumped during the 2023 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2023 unless the 2022 irrigation questionnaires are submitted by April 8, 2023.

After April 8th, you may petition the Water Management Board to rescind the suspensions. You will need to submit the 2022 irrigation questionnaires and a letter to our office requesting time on the agenda for the next Water Management Board meeting scheduled for May 3-4, 2023, in Pierre, SD. The letter should include your reasons for not completing the 2022 irrigation questionnaires. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Water Rights Staff will conduct compliance checks of suspended water rights this summer to determine if irrigation is taking place.

Please contact Genny McMath (605) 773-3352, if you have any questions.

CERTIFICATION

I hereby certify that on March 8, 2023, I have personally deposited with the United States mail at Pierre, South Dakota, a first-class postage prepaid envelopes containing a "Notice" dated March 8, 2023, concerning Board action to amend, suspend or cancel water rights/permits to the following:

One-year suspensions:

1970-1: Russ Grover, Supt., Boulder Canyon Country Club, PO Box 305, Sturgis SD 57785
 3487-3: Dave Hanson, 31489 455th Ave., Meckling SD 57069
 1994-3: Albert Hattum, 21862 W Bend Rd, Harrold SD 57536

2072-3, 2126-3, 3204-3, 7236-3 & 7237-3:
David Ulvestad, 46720 201st St., Bruce SD 57220
Darwin Ulvestad, 46679 201st St, Bruce SD 57220

1252-1: Robert or Jennifer Weyrich, 6545 Dunsmore Rd, Rapid City SD 57702-7027

Three-year suspensions:

577-1: Max & Brenda Bowen, 17600 Kentucky Pl, Mud Butte SD 57758

6291-3: Jason Ramsdell, 23086 SD Hwy 13, Flandreau SD 57028
Flandreau Park Golf Club, 48250 230th St, Flandreau SD 57028

1692A-2: Ed McMahon, 23805 S Hwy 79, Hermosa SD 57744

Cancellations:

495-2: Harlan Eisenbraun, PO Box 416, Wall SD 57790
618-2: Joel Soderquist, Soderquist Family Ranch Limited Partnership, 17965 Baseline Rd,
Wasta SD 57791 6001

Amendment:

1014-2: Donn Paulson, 30121 323rd Ave., Colome SD 57528

Gerry McOrath


Genny McMath
Water Rights Program

[illegible]

Sworn to, before me, this 9th day of March, 2023.

Karen Schlaak

Karen Schlaak
Notary Public
My Commission expires April 1, 2025





**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 14, 2023

David Ulvestad
46720 201st St
Bruce SD 57220

RE: Water Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3

Dear Mr. Ulvestad:

On March 8th the Water Management Board ordered Water Right Nos. 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3 suspended for one year if the 2022 irrigation questionnaires were not received prior to April 8, 2023. The questionnaires for your water rights were received on March 10, 2023.

Since the irrigation questionnaires are on file, no violations have occurred, and no suspensions will take place. You may irrigate during the 2023 irrigation season.

The 2023 irrigation questionnaires will be sent out in October 2023 and will be due back in the office the first week in December.

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program
605 773-3352

c: Darwin Ulvestad, 46679 201st St, Bruce SD 57220



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 19, 2024

NOTICE

TO: DAVID ULVESTAD, 46720 201ST ST, BRUCE, SD 57220

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2023 Irrigation Questionnaire(s)

Our records indicate your 2023 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3. The request for the Questionnaire was dated October 20, 2023. The Water Management Board has directed owners of water permits who have not submitted the 2023 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 6, 2024 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 6, 2024** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: IOKQVO**

DARWIN ULVESTAD, 46679 201ST ST, BRUCE SD 57220

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 5, 2024

2072-3, 2126-3
3204-3, 7236-3 & 7237-3

David & Darwin Ulvestad
46720 201st St
Bruce SD 57220

Dear Mr. Ulvestad:

I am writing to acknowledge the receipt of your 2023 irrigation questionnaire(s).

You may disregard the January 19, 2024, "Notice" concerning the reporting requirements for Water Permit No(s). 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3. The information was received prior to the March 6, 2024, Water Management Board meeting and these permit numbers have been removed from the agenda.

If you have any questions, please contact me.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: DAVID ULVESTAD, 46720 201ST ST, BRUCE, SD 57220

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaire(s)

Our records indicate your 2024 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3. The request for the Questionnaire was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:


1. Suspend or cancel Permit No(s) 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: ZKMGYT**

cc: DARWIN ULVESTAD, 46679 201ST ST, BRUCE SD 57220

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 27, 2025

2072-3, 2126-3, 3204-3
7236-3 & 7237-3

David Ulvestad
46720 201st St
Bruce SD 57220

Dear Mr. Ulvestad:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

July 16, 2025

Nos. 2126-3 & 7237-3

David Ulvestad
46720 201st St
Bruce, SD 57220

Dear. Mr. Ulvestad:

I'm writing to you today in reference to Water Right Nos. 2126-3 & 7237-3.

Water Right No. 2126-3 authorizes the irrigation of 113 acres in the SW $\frac{1}{4}$ and 31 acres in the SE $\frac{1}{4}$; all in Section 31, T112N, R50W.

Water Right No. 7237-3 authorizes the irrigation of 109 acres in the SE $\frac{1}{4}$ Section 31, T112N, R50W.

Additional permitting will be required if more acres are being irrigated.

I have enclosed copies of both Water Licenses. If you'd like to highlight portions or include acres that you think have changed, please do so and mail back in the postage paid envelope I have provided.

Sincerely,

Miranda Smith
Water Rights Program
605 773-6514
Miranda.Smith@state.sd.us

enclosure



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 9, 2026

2072-3, 2126-3, 3204-3, 7236-3, 7237-3

David Ulvestad
46720 201st St
Bruce, SD 57220

Dear David,

I am writing to acknowledge receipt of your 2025 irrigation questionnaire(s).

You may disregard the January 20, 2026, "Notice" concerning irrigation reporting requirements for your water permit/right(s). The information was received in our office prior to the Water Management Board meeting, and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Shannon Konst
Water Rights Program
605 773-8204
Shannon.konst@state.sd.us

2072-3, 2126-3, 3204-3
7236-3, 7237-3



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2026

NOTICE

TO: DAVID ULVESTAD, 46720 201ST ST, BRUCE, SD 57220

FROM: Ron Duvall, Engineer III
for Adam Mathiowetz, PE, Acting Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2025 Irrigation Questionnaire(s)

Our records indicate your 2025 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3. The request for the Questionnaire was dated October 8, 2025. The Water Management Board has directed owners of water permits who have not submitted the 2025 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 4, 2026 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2026** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Shannon Konst at (605) 773-3352 or email at shannon.konst@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: TPHNTH**

DARWIN ULVESTAD, 46679 201ST ST, BRUCE SD 57220

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.