

WATER PERMIT NO. 7350-3

Name of Applicant: **Richard E Schmit**

Address: **45924 179th St, Castlewood SD 57223**

Phone: **605 793-2451**

Amount of Water Claimed: **1.56 cfs**

Total Acres: **120**

Source of Water Supply: **Sioux River**

Water to be used for: **irrigation**

County: **Hamlin**

Type of Waste Disposal System:

Location: **5 miles north of Castlewood**

PRIORITY

Date Received: **4-16-2012**

Application/License Fee: **\$ 950**

Corrected Application Received:

Period of Annual Use: **May 1 – September 30**

Remarks:

Diversion Point: **W ½ NW ¼ Sec 3-T115N-R52W**

Land to be Irrigated: **NW ¼ Sec 3-T115N-R52W**


Depth of Well: **NA**

Well Driller:

Remarks:

Type of Map: **aerial**

Prepared by: **Craig Olsen**



Reviewed and the Number Assigned on: **4-16-12**

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____

FORM 2: Application for irrigation in South Dakota

(type or print)

Mail to: Water Rights Program Joe Foss Building 523 E. Capitol Pierre, SD 57501-3181 (605) 773-3352	<table style="width: 100%;"> <tr> <td style="width: 30%;">No. <u>7350-3</u></td> <td style="width: 40%; text-align: center;">(office use only)</td> <td style="width: 30%;">Hydrologic Unit <u>10170202</u></td> </tr> <tr> <td colspan="3">Basin <u>Sioux River</u></td> </tr> <tr> <td colspan="3">Newspaper <u>Hamlin Co. Republican PO Box 50</u></td> </tr> <tr> <td><u>605-793-2293</u></td> <td><u>Castlewood</u></td> <td><u>57223</u></td> </tr> </table>	No. <u>7350-3</u>	(office use only)	Hydrologic Unit <u>10170202</u>	Basin <u>Sioux River</u>			Newspaper <u>Hamlin Co. Republican PO Box 50</u>			<u>605-793-2293</u>	<u>Castlewood</u>	<u>57223</u>
No. <u>7350-3</u>	(office use only)	Hydrologic Unit <u>10170202</u>											
Basin <u>Sioux River</u>													
Newspaper <u>Hamlin Co. Republican PO Box 50</u>													
<u>605-793-2293</u>	<u>Castlewood</u>	<u>57223</u>											

RECEIVED
APR 16 2012
WATER RIGHTS PROGRAM

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
 (Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.) _____

1. Name of Applicant Richard E. Schmit Phone 605-793-2451
 (check one) ☒ Owner ☐ Tenant/lessee
 Mailing Address 45924 179th St Castlewood State SD 57223
 (Street, RR, or Box and City) (Zip Code)
2. Amount of water claimed 1.56 *CFS or 700 **GPM ***AF Total Acreage 120
 (*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable)
3. Source of water supply Sioux River
4. Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) West side of the
NW 1/4 section 3 115N 52W Center North-South
(NW 1/2 NW 1/4) County _____
5. County or counties where water will be used Hamlin
6. Annual period during which water is to be used May 1 - September 30
7. List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
 (Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
NW 1/4 of the NW 1/4 Sec 3 115N R52W	30		
NW 1/4 of the SW 1/4 Sec 3 115N R52W	30		
NW 1/4 of the SE 1/4 Sec 3 115N R52W	30		
NW 1/4 of the NE 1/4 Sec 3 115N R52W	30		

8. Give a description of the project. (Attach sheet if more space is needed)

STATE OF SOUTH DAKOTA SS
 County of Codington

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach map and any other technical information. (see instructions)

I, Richard Schmit, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature Richard Schmit

Subscribed and sworn to before me this 13th day of April 2012

Ryan Schmit
 Notary Public signature

My Comm. expires: 5/22/2013

**SOUTH DAKOTA
WATER PERMIT NO. 7350-3**

Date of first receipt of application April 16, 2012.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 7350-3 to Richard E Schmit, 45924 179th St, Castlewood SD 57223 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 7350-3 appropriates 1.56 cubic feet of water per second from the Big Sioux River located in W 1/2 NW 1/4 Section 3 for irrigation of 120 acres located in the NW 1/4 Section 3; all in T115N-R52W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 – September 30.
3. The date from which applicant may claim right is April 16, 2012.
4. The date of approval of Permit No. 7350-3 is June 25, 2012.
5. One-fifth of the construction is to be completed on or before December 25, 2014.
6. All construction is to be completed on or before June 25, 2017.
7. Water is to be put to beneficial use on or before June 25, 2021.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. Diversion of water under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
2. Diversions from the Big Sioux River are authorized only when the flow at the USGS Gaging Station No. 06479525 near Castlewood is at least 35 cfs while pumping under this permit.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele

Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUL 05 2012

date



Amendment to the qualifications contained in Water Permit No. 7350-3

Deleted Qualification:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 35 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer.

New Qualifications:

- Low flows as needed for downstream domestic use including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer. Prior to issuing any shut off orders, the Chief Engineer shall also take into consideration the flows at the USGS Gaging Station No. 06481000 near Dell Rapids and USGS Gaging Station No. 6482020 at North Cliff Avenue in Sioux Falls. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

May 22, 2018

NOTICE OF ENTRY OF ORDER

1437-3 7350-3

Jim Czech, Operator
45767 177th St
Watertown SD 57201

Dear Czech:

I am writing in response to action taken by the Water Management Board on May 3, 2018, regarding the Hearing to Amend the Bypass Qualifications on Big Sioux River water rights.

Attached is the qualification that was deleted from your water right and the new qualifications.

This amendment designates a US Geological Survey gaging station as the measuring point to determine if pumping is allowed. The gaging station has real time flow information that can be accessed online at <https://waterdata.usgs.gov/sd/nwis/rt>. However, the water right is also subject to written orders of the Chief Engineer regardless of the bypass criteria.

If you have questions concerning the Board action or your water right(s), please contact Mark Rath with our program at 605 773-3352 or mark.rath @state.sd.us.

Sincerely,

Jeanne Goodman, Chief Engineer
Water Rights Program

enclosure



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

May 22, 2018

NOTICE OF ENTRY OF ORDER

1437-3 7350-3

Marvin & Maxine Czech
45848 176th St
Watertown SD 57201

Dear Mr. & Mrs. Czech:

I am writing in response to action taken by the Water Management Board on May 3, 2018, regarding the Hearing to Amend the Bypass Qualifications on Big Sioux River water rights.

Attached is the qualification that was deleted from your water right and the new qualifications.

This amendment designates a US Geological Survey gaging station as the measuring point to determine if pumping is allowed. The gaging station has real time flow information that can be accessed online at <https://waterdata.usgs.gov/sd/nwis/rt>. However, the water right is also subject to written orders of the Chief Engineer regardless of the bypass criteria.

If you have questions concerning the Board action or your water right(s), please contact Mark Rath with our program at 605 773-3352 or mark.rath@state.sd.us.

Sincerely,

Jeanne Goodman, Chief Engineer
Water Rights Program

enclosure

CERTIFICATION

I hereby certify that on May 22, 2018, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice of Entry of Order dated May 22, 2018 regarding amending bypass qualifications on Big Sioux River water rights addressed as stated below:


Elaine Ahlers, PO Box 186, Flandreau SD 57028
Adam Wiese, Operator, 22603 479th Ave, Flandreau SD 57028
Chad Anderson, 47880 244th St, Dell Rapids SD 57022
Ronnie J Boever, 47948 232nd St, Flandreau SD 57028
Brian Burkhart, 24482 482nd Ave, Dell Rapids SD 57022
Jim Czech, Operator, 45767 177th St, Watertown SD 57201
Marvin & Maxine Czech, 45848 176th St, Watertown SD 57201
Dell Rocky Run Golf Course, 47364 Golf View Drive, Dell Rapids SD 57022
Allen Fugere, Operator, 700 N Main, Estelline SD 57234
W J Sanderson & Alan Blum, 703 1st Ave S, Estherville IA 51334
Darren & Allison Hamilton, 22615 480th Ave, Flandreau SD 57028
Wayne Headrick, 47926 SD Hwy 32, Flandreau SD 57028
Mrs. Raymond D Jensen & Scott Jensen, Operator, 24348 478th Ave, Dell Rapids SD 57022
Larry J Jorgenson, 24048 477th Ave, Trent SD 57065
Ted Lacey, 24064 478th Ave, Trent SD 57065
Thomas A & Patricia K Munk Revocable Living Trust, 15683 State Hwy 105, Austin MN 55912
City of Sioux Falls, Greg Anderson, 224 W 9th St, Sioux Falls SD 57102
City of Sioux Falls, Kelby Mieras, 100 E 6th St, Sioux Falls SD 57104
Diane Best, Assistant City Attorney, City of Sioux Falls, PO Box 7402, Sioux Falls SD 57117-7402

Vickie Maberry
Vickie Maberry
Secretary/Water Rights

[illegible]

Sworn to, before me, this 22nd day of May, 2018.

Karen Schlaak
Karen Schlaak
Notary Public
My Commission expires April 1, 2019





United States Department of Agriculture
Farm Service Agency

PLSS: 3_115N_52W
Farm: 103

Hamlin County
1:8,287

10000 Rick All GR/NT
March 14, 2011



APR 16 2012

WATER RIGHTS
PROGRAM

Wetland Determination Identifiers
☒ Restricted Use
☐ Limited Restrictions
☐ Exempt from Conservation Compliance Provisions

Common Land Units
☒ Non Cropland

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area.
Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.

2010 Ortho-Photography - Not to Scale

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 4/16, 20 12

RECEIVED OF Rickrock Reg. Holsters R Schmit 45924 179th St Castlewood SD 57223

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>7350-3</u> to Appropriate Water, to construct and to put water to beneficial use	950	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>7350-3</u>	200	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	950 00

No. 05413

By [Signature]
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 7350-3, Richard E Schmit**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 7350-3, Richard E Schmit, 45924 179th Street, Castlewood SD 57223.

The Chief Engineer is recommending APPROVAL of Application No. 7350-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. Diversion of water under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
2. Diversions from the Big Sioux River are authorized only when the flow at the USGS Gaging Station No. 06479525 near Castlewood at least 35 cfs while pumping under this permit.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Garland Erbele, Chief Engineer
May 29, 2012

NOTE: The Big Sioux River may not be a reliable source of water, especially during periods of drought. As the permit holder you will need to limit your withdrawals so downstream prior rights are not impaired. The permit may be subject to periodic shut-off order issued by the Chief Engineer.

REPORT ON WATER PERMIT APPLICATION NO. 7350-3

Richard E. Schmit
45924 179th Street
Castlewood, SD 57223
May 29, 2009

Water Permit Application No. 7350-3, Richard Schmit, proposes to appropriate 1.56 cubic feet of water per second (cfs) from the Big Sioux River located in the W ½ NW ¼ Section 3 to irrigate 120 acres located in the NW ¼ Section 3; all in T115N-R52W.

The annual period of requested use is May 1st through September 30th.

Review of the Water Source and Existing Water Rights

The applicant proposes to irrigate 120 acres by diverting Big Sioux River water at a rate of 1.56 cfs. There is one existing water right (Water Right No. 1812-3) in Hamlin County authorized to divert 1 cfs for irrigation from the Big Sioux River approximately 20 miles downstream from the proposed diversion point.

The Water Rights Commission the predecessor of the Water Management Board approved Water Permit No. 1812-3 for irrigation with a diversion rate of 2.47 cfs from the Big Sioux River. This permit contains a qualification requiring a 35 cfs flow bypass past the diversion point. If approved, this permit should require a 35 cfs bypass at the Castlewood, SD gaging station to protect senior water rights including No. 1812-3. Since approval of the permit, Water Right No. 1812-3 has been licensed for only 1.0 cfs.

There are also two other Water Rights in Hamlin, County authorized to divert water from the Big Sioux River. These Water Rights, Nos. 28-3 and 119-3A are authorized to divert 500 and 1,500 cfs of water; however, they are only authorized to divert flood water for lake stabilization of Lake Poinsett and Dry Lake. The main diversion structure along the river has been removed; but, there is a gate in the diversion channel that can be made operational in an emergency situation.

The United States Geologic Survey (USGS) maintains several gaging stations on the Big Sioux River for monitoring flow. The river gaging station near Castlewood, SD is located approximately 6 miles downstream from this project. Table 1 shows the flow duration hydrograph data from this station based upon 33 years of record.

Table 1: Flow duration hydrograph data for the Big Sioux River near Castlewood, SD. (cfs)

Plot Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
90%	0	0	3	13	8	7	4	4	4	5	6	4
75%	1	1	19	23	21	24	12	7	7	8	10	7
50%	7	8	35	152	106	85	48	25	22	20	22	16
25%	19	24	167	441	269	171	107	65	47	59	58	30
10%	45	52	531	898	547	314	183	147	125	106	96	60

USGS historical data for the Big Sioux River near Castlewood, SD stream flow gage indicate there is a 50 percent probability that non-appropriated water is available in the Big Sioux River during May through July. There is a 75 percent and greater probability that non-appropriated water will not be available during the May through September annual requested period of use by the applicant. During mid-to-late summer and early fall months, the Big Sioux River cannot be considered a reliable source of water.

Under dry conditions, the availability of water for domestic use and senior water rights may be limited. During such conditions, the applicant may be required by the Chief Engineer to limit or stop diversions from the Big Sioux River in order to protect senior water rights and domestic use.

Conclusions

1. This application proposes to appropriate 1.56 cubic feet of water per second (cfs) from the Big Sioux River for irrigation of 120 acres.
2. The Water Rights Commission approved Water Permit No. 1812-3 with a 35 cfs bypass qualification flowing past the diversion point. Since approval of the permit, Permit No. 1812-3 has been licensed for only 1.0 cfs. If approved, this permit should contain a 35 cfs bypass qualification at the Castlewood, SD gaging station to protect domestic use and senior water rights including Permit No. 1812-3.
3. Under dry conditions, the availability of water for domestic use and senior water rights may be limited. During such conditions the applicant may be required by the Chief Engineer to limit or stop diversions from the Big Sioux River in order to protect senior water rights and domestic use.



Mike DeFea
Natural Resources Project Engineer
DENR, Water Rights Program

Reviewed by



Mark Rath
for Natural Resources Engineer Specialist
DENR, Water Rights Program

RECEIVED

JUN 26 2012

Form 8

WATER RIGHTS
PROGRAM

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County of Hamlin) SS

I, Lee Anne Dufek

certify that the attached printed Notice was
taken

from the Hamlin County
Republican

printed and published in Hamlin Castnewood

County of Hamlin and

state of South Dakota. The notice was
published

in the newspaper on the following two dates:

June 6, 2012

June 13, 2012

Cost of Printing \$ 38.61

Lee Anne Dufek
(Signature)

Owner
(Title)

6-25-2012
(Date Signed)

NOTICE OF APPLICATION NO.
7350-3 TO APPROPRIATE WATER

Notice is given that Richard E Schmit, 45924 179th St, Castlewood SD 57223 has filed an application for a water permit to appropriate 1.56 cubic feet of water per second from the Big Sioux River located in W 1/2 NW 1/4 Section 3 for irrigation of 120 acres located in the NW 1/4 Section 3; all in T115N-R52W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 7350-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 25, 2012.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

Published June 6 and 13, 2012, at total cost of \$38.61.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

May 30, 2012

Hamlin County Republican
PO Box 50
Castlewood SD 57223

ATTENTION: Legal Public Notice


Enclosed is a Notice on Application No. 7350-3 to Appropriate Water to be published twice. Please publish the first notice on June 6, 2012 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Richard E Schmit, 45924 179th St., Castlewood SD 57223 (Ph # 605-793-2451).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,


Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 7350-3

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of May 30, 2012 enclosing Notice to Appropriate Water by Application No. 7350-3 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

May 30, 2012


Richard E Schmit
45924 179th St
Castlewood SD 57223

Dear Mr. Schmit:

Water Permit Application No. 7350-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Hamlin County Republican printed at Castlewood SD (Ph # 605-793-2293). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the applications.

Sincerely,


Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

Instruction to Newspaper - Publish first Notice on June 6, 2012 with the second publication 7 days later. The applicant is responsible for payment. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352 or email: Karen.schlaak@state.sd.us.

NOTICE OF APPLICATION NO. 7350-3 to Appropriate Water

Notice is given that Richard E Schmit, 45924 179th St, Castlewood SD 57223 has filed an application for a water permit to appropriate 1.56 cubic feet of water per second from the Big Sioux River located in W ½ NW ¼ Section 3 for irrigation of 120 acres located in the NW ¼ Section 3; all in T115N-R52W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 7350-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 25, 2012

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

Published twice at the total approximate cost of _____.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

JUL 05 2012

Richard E Schmit
45924 179th St
Castlewood SD 57223

Dear Mr. Schmit:

Enclosed is Water Permit No. 7350-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *?Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

July 27, 2012

NOTICE OF SHUTOFF ORDER

TO: Richard Schmit
45924 179th Street
Castlewood SD 57223

FROM: GARLAND ERBELE, Chief Engineer
Water Rights Program

SUBJECT: Big Sioux River Shutoff Order

Shutoff Order for Water Right No 7350-3.

The flow in the Big Sioux River is below 35 cubic feet per second (cfs) at the USGS gaging station near Castlewood, SD. A qualification under Permit No. 7350-3 states that diversions from the Big Sioux River are authorized only when flow at the USGS gaging station near Castlewood is at least 35 cfs while pumping under this permit. Therefore, effective immediately, no diversion of water from the Big Sioux River is authorized under Water Permit No. 7350-3.

Flow in the Big Sioux River has dropped to the point where domestic use of water, which includes livestock watering from the river and diversions for senior water rights, have become a concern. This order will be rescinded as soon as conditions improve. If conditions do not improve, this order will remain in effect until the end of the calendar year.

I am asking for your cooperation in complying with this shutoff order. The ongoing drought is creating hardship for all the water right holders along the river. If you have any questions, please contact Lynn Beck or Mark Rath with the Water Rights Program at (605) 773-3352. Thank you.

CERTIFICATION

I hereby certify that on July 27, 2012, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelope(s) containing a Notice dated July 27, 2012 regarding shut off orders addressed as stated below:

Big Sioux River Shutoff Order Addresses:

Allen Fugere 1812-3
700 N Main
Estelline SD 57234

WJ Sanderson & Alan Blum 1812-3
703 1st Ave S
Estherville IA 51334

Kelby Mieras 5512-3 & 5698-3
Sioux Falls Parks & Rec Dept
100 E 6th Street
Sioux Falls SD 57103

Don Kearney 5512-3 & 5698-3
Sioux Falls Parks & Rec Dept
100 E 6th Street
Sioux Falls SD 57103

Richard Schmit 7350-3
45924 179th Street
Castlewood SD 57223



Gail Jacobson
Secretary/Water Rights


STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 31st day of July, 20 12.



Karen Schlaak
Notary Public

My Commission expires April 1, 2013





DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

June 24, 2016

NOTICE OF SHUTOFF ORDER

TO: Richard Schmit
45924 179th Street
Castlewood SD 57223

FROM: Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Big Sioux River Shutoff Order

Shutoff Order for Water Right No 7350-3.

The flow in the Big Sioux River is below 35 cubic feet per second (cfs) at the USGS gaging station near Castlewood, SD. A qualification under Permit No. 7350-3 states that diversions from the Big Sioux River are authorized only when flow at the USGS gaging station near Castlewood is at least 35 cfs while pumping under this permit. Therefore, effective immediately, no diversion of water from the Big Sioux River is authorized under Water Permit No. 7350-3.


Flow in the Big Sioux River has dropped to the point where domestic use of water, which includes livestock watering from the river and diversions for senior water rights, has become a concern. This order will be rescinded as soon as conditions improve. If conditions do not improve, this order will remain in effect until the end of the calendar year.

I am asking for your cooperation in complying with this shutoff order. If you have any questions, please contact Lynn Beck or Mark Rath with the Water Rights Program at (605) 773-3352. Thank you.

CERTIFICATION

I hereby certify that on June 24, 2016, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelope(s) containing a Notice dated June 24, 2016 regarding a shutoff notice addressed as stated below:


Water Right No. 7350-3 Richard Schmit, 45924 179th St, Castlewood SD 57223


Gail Jacobson
Secretary/Water Rights

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 27th day of June, 2016.


Karen Schlaak
Notary Public
My Commission expires April 1, 2019





7350-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2017

NOTICE

TO: RICHARD E SCHMIT, 45924 179TH ST, CASTLEWOOD, SD 57223

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2016 Irrigation Questionnaire(s)

Our records indicate your 2016 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 7350-3 & 7846-3. The request for the Questionnaire was dated October 21, 2016. The Water Management Board has directed that owners of water permits who have not submitted the 2016 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 7350-3 & 7846-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 1, 2017 at 11:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7350-3 & 7846-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 1, 2017** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



7350-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

January 30, 2017

7350-3
7846-3

Richard E Schmit
45924 179th St
Castlewood SD 57223

Dear Mr. Schmit:

I am writing to acknowledge receipt of your 2016 irrigation questionnaires.

You may disregard the January 20, 2017, "Notice" concerning reporting requirements for Water Permit Nos. 7350-3 and 7846-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

REPORT ON AMENDMENT TO THE QUALIFICATIONS ON WATER PERMIT NO. 7350-3

Richard Schmit

April 3, 2017

Introduction

Water Permit No. 7350-3 authorizes the diversion of 1.56 cubic feet per second of water from the Big Sioux River to irrigate 120 acres of land. The diversion point is located in the W½ NW¼ Section 3-T115N-R52W, five miles north of Castlewood in Hamlin County.

Currently Water Permit No. 7350-3 has a qualification that diversion of water from the Big Sioux River is authorized only when 35 cfs or greater is by-passing USGS Gaging Station No. 06479525 near Castlewood. This report suggests an amendment to the qualifications in order to clarify that the Chief Engineer has the ability to issue written orders in regard to management of Water Permit No. 7350-3.

Background

During the summer of 2016, Mr. Schmit ceased diversion when flows fell below 35 cfs at USGS Gaging Station No. 06479525 near Castlewood as required by qualification No. 2 on Permit No. 7350-3. USGS Gaging Station No. 06479770 near Bruce is located approximately 33 miles downstream. Due to inflow from contributing tributaries between the two gages the flow near Bruce was significantly higher.

During the primary irrigation months of June through August in 2016 the gaging stations recorded the following mean monthly discharge.

Gage	June	July	August
Castlewood	27.7 cfs	10 cfs	28.7 cfs
Bruce	126 cfs	59 cfs	99 cfs

Currently there are no water rights diverting from the Big Sioux River below the diversion point for Water Permit No. 7350-3 to the USGS gage near Castlewood. There are three water rights diverting water between the USGS gage near Castlewood and the USGS gage near Bruce. Water Right No. 1812-3 has a priority date of March 9, 1971, and appropriates 1.2 cfs of water from the Big Sioux River to irrigate 70 acres of land. This water right is currently enrolled in the Conservation Reserve Program until 2018. Water Right Nos. 23-3 and 119A-3 divert flood flow from the Big Sioux River for lake restoration. Diversions occur when flood flows on the river are sufficient to travel down a man-made ditch. Flow at the Castlewood gage would be well above 35 cfs when diversion under 28-3 and 119-3A would occur.

The Data from the two gages suggest there was sufficient water available for Mr. Schmit to irrigate, and prior water rights would not have been adversely impacted. Permit No. 7350-3 lacked the flexibility to allow the Chief Engineer to issue orders that allowed Mr. Schmit to continue irrigating as long as conditions resulted in sufficient flow past the diversion point. Amending the qualifications on Water Permit No. 7350-3 gives the Chief Engineer the flexibility to issue written orders to allow Mr. Schmit to continue diversion, for such time conditions warrant, so that water can be placed to its maximum beneficial use.

Authority

Water Permit No. 7350-3 is subject to SDCL 46-2-3.1, 46-2-17, and 46-2-18, as are all water permits/rights. These statutes give the Chief Engineer the ability to issue written orders within the context of authority granted under the statutes.

SDCL 46-1-14 provides the Water Management Board the authority to issue water permits subject to qualifications. Water rights issued by the board may be amended by the board with priority retained upon amendment. The board may alter terms, conditions, restrictions, qualifications or quantifications.

South Dakota Codified Law

46-1-14. Terms and conditions of permits and licenses--Amendment. The Water Management Board may issue any permit or license subject to terms, conditions, restrictions, qualifications, quantifications, or limitations on perpetuity consistent with this chapter which it considers necessary to protect the public interest and which are related to matters within the jurisdiction of the board. Water rights issued pursuant to this section may be amended by the board and priority is retained upon amendment. Upon amendment the board may alter terms, conditions, restrictions, qualifications, or quantifications consistent with this chapter.

46-2-3.1. Delegation of authority to chief engineer--Restrictions. The Water Management Board may delegate to the chief engineer authority to act on its behalf concerning the quasi-judicial functions of interpreting, applying, and enforcing existing rules and laws and ordering action or abatement of action. The board may not delegate any other quasi-judicial functions as defined in § 1-32-1, except as otherwise provided by law. The board may promulgate rules pursuant to chapter 1-26 to delegate to the chief engineer the authority to issue permits pursuant to § 46-1-14.

46-2-17. Chief engineer's general enforcement authority. The chief engineer may:

- 1) Investigate the use of the waters of the state and compliance with the provisions of water permits, licenses, rules, regulations, and laws relating to water rights;
- 2) Institute enforcement and other proceedings before the Water Management Board;
- 3) Enforce orders of the board; and
- 4) Perform other acts authorized by statute or regulation.

46-2-18. Chief engineer's authority to order discontinuance of water use. The provisions of chapter 1-26 notwithstanding, the chief engineer may, after appropriate investigation, issue an order to any person to shut off or limit the person's use of surface or groundwater, or to plug or otherwise control a well. The order may be issued only to protect another user who has higher or earlier priority or to cause a user of water to discontinue the use of water to which the user has no legal right. Upon a refusal to obey the order, the chief engineer may request a court of proper jurisdiction to issue a temporary restraining order or injunction to effectuate the provisions of the order.

Recommendation

The proposed amendment to the qualifications on Water Permit No. 7350-3 is to clarify that the permit is subject to senior water rights and any written orders by the Chief Engineer and that flow by-pass restrictions are also subject to written orders by the Chief Engineer.

It is recommended that the qualifications on Water Permit No. 7350-3 be amended as follows.

Delete: Qualification No. 1 and No. 2

1. Diversion of water under this permit shall be in accordance with any written orders issued by the Chief Engineer.
2. Diversions from the Big Sioux River are authorized only when the flow at the USGS Gaging Station No. 06479525 near Castlewood is at least 35 cfs while pumping under this permit.

Add: Qualification No. 1 and No. 2

1. Diversions under this Permit are subject to senior water rights and shall be in accordance with any written orders issued by the Chief Engineer.
2. Low flows as needed for domestic use, including livestock water and prior rights must be bypassed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 35 cfs is flowing at USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer.




Lynn Beck
Natural Resources Engineer III
DENR – Water Rights Program

Water Permit No. 7350-3 Amendment to Qualifications

Richard Schmit

April 3, 2017





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

**RECOMMENDATION OF CHIEF ENGINEER TO AMEND QUALIFICATION
NOS. 1 & 2 FOR WATER PERMIT NO. 7350-3, Richard Schmit**


The following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources qualification No. 1 concerning Water Permit No. 7350-3, Richard Schmit, c/o Roxan Schmit, 45924 179th Street, Castlewood SD 57223.

The Chief Engineer is recommending Qualification Nos. 1 and 2 on Water Permit No. 7350-3 be amended to read as follows:

1. Diversions under this Permit are subject to senior water rights and shall be in accordance with any written orders issued by the Chief Engineer.
2. Low flows as needed for domestic use, including livestock water and prior rights must be bypassed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 35 cfs is flowing at USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer.

See report for additional information.

Jeanne Goodman, Chief Engineer
April 12, 2017



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES


JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

May 3, 2017

denr.sd.gov

NOTICE

To: Roxan Schmit
45924 179th Street
Castlewood SD 57223

From: Jeanne Goodman, Chief Engineer
Water Rights Program 

Subject: Change to Hearing to Consider Amendment to Qualification No. 1& 2 on Water
Right No. 7350-3

Notice was sent April 17, 2017, scheduling a hearing before the Water Management Board to consider amendment to Qualification No. 1& 2 on Water Right No. 7350-3. Since the time of the public notice, the May 11th meeting has been changed to a telephone conference call.

Below is information for you to call if you choose to participate in the meeting. Your item is on the agenda at 11:00 AM on May 11th.

Start Time: 10:30 AM US/Central May 11, 2017

To join the conference Dial: 605-224-1125

Enter this access code: 0183360#

If you have trouble getting on the call, please contact the conference operator at 605-773-3011.

Applicable provisions of the notice dated April 17, 2017, still apply.

Enclosed is the Board agenda for the May 11th telephone conference call. If you have questions, please contact Eric Gronlund at (605) 773-3352.

enclosure

C: Ann Mines, Assistant Attorney General
Jim Czech, 45767 177th Street, Watertown SD 57201



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**


JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

April 17, 2017

NOTICE

To: Roxan Schmit
45924 179th Street
Castlewood SD 57223

From: Jeanne Goodman, Chief Engineer
Water Rights Program 

Subject: Schedule Hearing to Consider Amendment to Qualification No. 1& 2 on Water
Right No. 7350-3

Water Permit No. 7350-3 authorizes the diversion of 1.56 cubic feet per second (cfs) of water from the Big Sioux River to irrigate 120 acres of land. The diversion point is located in the W $\frac{1}{2}$ NW $\frac{1}{4}$ Section 3-T115N-R52W, five miles north of Castlewood in Hamlin County.

Qualification No. 2 on the water permit describes a bypass requirement of 35 cfs at the gaging station near Castlewood while pumping. During the 2016 irrigation season, flow at the Castlewood gage was below 35 cfs so that pumping under the water permit was not allowed. However, there was sufficient inflow from contributing tributaries downstream of the Castlewood gage to have allowed pumping without impairing existing rights or the resource. The qualification in its present form, however, did not allow the Chief Engineer to issue a written order to allow pumping.

Enclosed is the staff report and recommendation on the proposed amendment to qualification No. 2. The Chief Engineer's recommendation is to amend the qualification to allow the Chief Engineer to look at the flow information and allow diversion to continue if conditions downstream are favorable. Qualification No. 1 is also being amended to be clear the water permit is subject to senior water rights.

The Water Management Board will consider the request to amend Qualification Nos. 1& 2 on Water Permit No. 7350-3 at 11:00 AM, May 11, 2017 in the Floyd Matthew Training Center, Joe Foss Building, 523 E. Capitol Avenue, Pierre SD. The agenda time is an estimate and may be delayed as a result of prior agenda items.

Please be aware that Water Permit Nos. 7350-3 and 7846-3 are held in your husband's name. It is our understanding that he passed away a few years ago. Enclosed are transfer of ownership forms to transfer the permits into your name.

If you have any questions, please contact Eric Gronlund at (605) 773-3352.

C: Ann Mines, Assistant Attorney General
Jim Czech, 45767 177th Street, Watertown SD 57201

CERTIFICATION

I hereby certify that on April 17, 2017, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelope(s) containing a Notice dated April 17, 2017 regarding an amendment addressed as stated below:

Water Permit No. 7350-3

Roxan Schmit, 45924 179th St, Castlewood SD 57223

Jim Czech, 45767 177th St, Watertown SD 57201

Interoffice Mail

Ann Mines Bailey, Asst. Attorney General, Mickelson Bldg. 1302 US-14 #1, Pierre, SD 57501




Eric Gronlund
Water Rights Engineer

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 17th day of April, 20 17.



Karen Schlaak
Notary Public
My Commission expires April 1, 2019



**REISSUED
SOUTH DAKOTA
WATER PERMIT NO. 7350-3**

To reflect Water Management Board action taken on May 11, 2017 to amend Qualification Nos. 1 and 2, Water Permit No. 7350-3 is being reissued as follows:


The Chief Engineer, on behalf of the Water Management Board, approved Water Permit No. 7350-3 on June 25, 2012 to Richard E Schmit, c/o Roxan Schmidt, 45924 179th St, Castlewood SD 57223 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 7350-3 appropriates 1.56 cubic feet of water per second from the Big Sioux River located in W 1/2 NW 1/4 Section 3 for irrigation of 120 acres located in the NW 1/4 Section 3; all in T115N-R52W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 – September 30.
3. The date from which applicant may claim right is April 16, 2012.
4. One-fifth of the construction is to be completed on or before December 25, 2014.
5. All construction is to be completed on or before June 25, 2017.
6. Water is to be put to beneficial use on or before June 25, 2021.
7. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS


1. Diversions under this Permit are subject to senior water rights and shall be in accordance with any written orders issued by the Chief Engineer.
2. Low flows as needed for domestic use, including livestock water and prior rights must be bypassed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 35 cfs is flowing at USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: 
Jeanne Goodman, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

MAY 16 2017
date





DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

MAY 16 2017

Roxan Schmidt
45924 179th St
Castlewood SD 57223

Dear Ms. Schmidt:

Enclosed is Reissued Water Permit No. 7350-3. On May 11, 2017, the Water Management Board amended Qualification Nos. 1 and 2 on the water permit. The amended qualifications protect senior water rights and allow the Chief Engineer to look at the flow information and allow diversion of water to continue if conditions downstream are favorable.

This is also a reminder that we have not received the completed transfer of ownership forms for Water Permit Nos. 7350-3 and 7846-3 to transfer the water rights to your name.

If you have any questions, please contact Mark Rath.

Sincerely,

Jeanne Goodman, Chief Engineer
Water Rights Program
(605) 773-3352

enclosure

c: Jim Czech, 45767 177th St, Watertown SD 57201

NOTICE OF TRANSFER OF OWNERSHIP

RECEIVED

JUN 19 2017

WATER RIGHTS
PROGRAM

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 7350-3

Date: 6/15/17

I/We request that Water Permit No. 7350-3

formerly owned by: Richard E Schmit

be transferred to: (name & address) Roxan L Schmit

45924 179th Street

Castlewood, SD 57223

Telephone No. (605) 793-2451

Title to the following described land(s)/property has been transferred as described above:

120 acres - NW 1/4 Section 3, T115N, R52W (diversion from the Big Sioux River)

I/We understand that the validity of Water Permit No. 7350-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/we Roxan L Schmit, the new owner, certify that the above information is true and correct.

Roxan L Schmit
(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date June 19, 2017

RECEIVED OF Roxan Schmit 45924 179th St. Castlewood, SD

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>7350-3</u>		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	50.00

No. **08276**

By

Jeannie Goodman DM
Chief Engineer

7350-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

June 21, 2017

7350-3
7846-3

Roxan L Schmit
45924 179th St
Castlewood SD 57223

Dear Ms. Schmit:

I am writing to acknowledge receipt of the transfer forms and filing fees you submitted for changing ownership on Water Permit Nos. 7350-3 and 7846-3.

The ownership changes have been completed. The above listed permits formerly listed in the name of Richard E Schmit are now listed in your name.

Enclosed for your records are Receipt Nos. 08276 and 08277 in the amount of \$50 each. If I can answer any questions for you, please let me know.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

July 06, 2017

NOTICE OF SHUTOFF ORDER

TO: Roxan L. Schmit
45924 179th Street
Castlewood SD 57223

FROM: Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Big Sioux River Shutoff Order

Shutoff Order for Water Right No 7350-3.

The flow in the Big Sioux River is below 35 cubic feet per second (cfs) at the USGS gaging station near Castlewood, SD. A qualification under Permit No. 7350-3 states that diversions from the Big Sioux River are authorized only when flow at the USGS gaging station near Castlewood is at least 35 cfs while pumping under this permit. Therefore, effective immediately, no diversion of water from the Big Sioux River is authorized under Water Permit No. 7350-3.

Flow in the Big Sioux River has dropped to the point where domestic use of water, which includes livestock watering from the river and diversions for senior water rights, have become a concern. This order will be rescinded as soon as conditions improve. If conditions do not improve, this order will remain in effect until the end of the calendar year.

I am asking for your cooperation in complying with this shutoff order. If you have any questions, please contact Mark Rath or Aaron Tieman with the Water Rights Program at (605) 773-3352. Thank you.

c: Jim Czech

CERTIFICATION

I hereby certify that on July 6, 2017, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelope(s) containing a Notice dated July 6, 2017 regarding Notice of Shutoff Order for Water Right No. 7350-3 addressed as stated below:

Roxan L Schmit
45924 179th St
Castlewood SD 57223


Jim Czech
45767 177th St
Watertown SD 57201


Vickie Mayberry
Secretary/Water Rights

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 6th day of July, 2017.


Karen Schlaak
Notary Public
My Commission expires April 1, 2019



NOTICE OF TRANSFER OF OWNERSHIP

For assistance call (605) 773-3352

RECEIVED

JAN 04 2018

WATER RIGHTS
PROGRAM

Mail to: PMB 2020
DENR - Water Rights Program
523 E Capitol Ave
Pierre, SD 57501-3182

Water Right/Permit No. 463

7350-3

Date: November 15, 2017I/We request that Water Right/Permit No. 463 formerly owned by:Rich Schmit be transferred to:New Owner Name: Marvin Czech and Maxine CzechAddress: 45848 176th StCity, State, Zip Watertown SD 57201 Telephone No. 605-886-8191

Title to the following described land(s)/property has been transferred as described above:


NW 1/4 of Section 3, Township 115 North, Range 52 West of the 5th P.M., Hamlin County, South
Dakota.

☒ I understand that the validity of Water Right/Permit No. 463 has not been determined by this transfer action. If I have any questions on validity, I understand that only the Water Management Board has the authority to determine if a water right/permit is valid (see note below.)

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is included to cover the filing fee as required by SDCL 46-2-13.

I, Marvin Czech and Maxine Czech, the new owner, certify that the above information is true and correct.


Marvin Czech
(signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date January 4, 20 18

RECEIVED OF Marvin Czech 45848 176th St Watertown 57201

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>7350-3</u>		
Fee for _____	50	00
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	50 00

No. **08447**

By

Jeanne Goodman
Chief Engineer

vm

7350-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 24, 2018

7350-3
7846-3

Marvin & Maxine Czech
45848 176th St
Watertown SD 57201

Dear Mr. & Mrs. Czech:

I am writing to acknowledge receipt of the transfer form and filing fee you submitted for changing ownership on Water Permit No. 7350-3. The ownership change has been completed. Water Permit No. 7350-3, formerly held by Roxane Schmit is now listed in your names.

In follow-up to my phone conversation with Marvin, I am enclosing another transfer of ownership form for Water Permit No. 7846-3. Permit No. 7846-3 covers the same land as Permit No. 7350-3 but authorizes diversion from ground water. Since the permit covers the same land, it should also be transferred to you.

Please sign the enclosed form and return it to our office with a required filing fee of \$50. The check or money order for the fee can be made payable to the Water Rights Program.

As you requested, the annual irrigation questionnaires for all of your water permits will be directed to Jim Czech for completion.


If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Genny McMath". The signature is fluid and cursive, with a large, stylized initial "G".

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 31, 2018

1437-3 7350-3

JIM CZECH
45767 177TH ST
WATERTOWN SD 57201

Subject: Bypass Qualifications on Big Sioux River Water Rights

Dear MR CZECH,

I am writing to inform you of an effort the SD Dept. of Environment and Natural Resources Water Rights Program is undertaking to review and update a number of water right permits authorized to pump water from the Big Sioux River. When a number of these permits were issued, they contained a qualification requiring a minimum flow bypass before the user is able to pump water from the river. The bypass qualification was placed on these permits to protect the use of water by downstream senior priority water right holders and domestic water users, which includes livestock watering. The review found, with the passage of time, a number of senior water right permits have been cancelled due to abandonment or forfeiture. Consequently, it may be possible to lower the flow bypass limitation on the remaining permits. In other words, the amount of flow in the river can be lower and pumping will still be allowed. The review also found an inconsistency between permits on where the bypass flow is to be measured.

The intent of this effort is to standardize and make consistent the bypass requirements for the remaining water users. In most cases, the proposed changes will reduce the flow bypass requirement on the individual permits. To make the permits consistent, the bypass measuring point will also be designated at a United States Geological Survey (USGS) stream gaging station. The USGS maintains a real-time stream gaging network on the Big Sioux River. Current river flow information can be easily accessed from the internet at the following internet address:


<https://waterdata.usgs.gov/sd/nwis/rt>

In order to amend a qualification on an existing water right permit, formal action by the SD Water Management Board is needed. In the next few weeks, you can expect to receive official notification scheduling a hearing before the Water Management Board. If you wish to participate in the hearing you can, but you are not required to. There will be instructions with the notification on how to participate in the hearing if you so choose.

If you have any questions concerning this effort, please contact Mark Rath of the Water Rights Program at phone (605) 773-3352.

Sincerely,


for Jeanne Goodman, Chief Engineer
Water Rights Program



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 31, 2018

7350-3 1437-3

MARVIN & MAXINE CZECH
45848 176TH ST
WATERTOWN SD 57201

Subject: Bypass Qualifications on Big Sioux River Water Rights

Dear MR & MRS CZECH,

I am writing to inform you of an effort the SD Dept. of Environment and Natural Resources Water Rights Program is undertaking to review and update a number of water right permits authorized to pump water from the Big Sioux River. When a number of these permits were issued, they contained a qualification requiring a minimum flow bypass before the user is able to pump water from the river. The bypass qualification was placed on these permits to protect the use of water by downstream senior priority water right holders and domestic water users, which includes livestock watering. The review found, with the passage of time, a number of senior water right permits have been cancelled due to abandonment or forfeiture. Consequently, it may be possible to lower the flow bypass limitation on the remaining permits. In other words, the amount of flow in the river can be lower and pumping will still be allowed. The review also found an inconsistency between permits on where the bypass flow is to be measured.

The intent of this effort is to standardize and make consistent the bypass requirements for the remaining water users. In most cases, the proposed changes will reduce the flow bypass requirement on the individual permits. To make the permits consistent, the bypass measuring point will also be designated at a United States Geological Survey (USGS) stream gaging station. The USGS maintains a real-time stream gaging network on the Big Sioux River. Current river flow information can be easily accessed from the internet at the following internet address:

<https://waterdata.usgs.gov/sd/nwis/rt>

In order to amend a qualification on an existing water right permit, formal action by the SD Water Management Board is needed. In the next few weeks, you can expect to receive official notification scheduling a hearing before the Water Management Board. If you wish to participate in the hearing you can, but you are not required to. There will be instructions with the notification on how to participate in the hearing if you so choose.

If you have any questions concerning this effort, please contact Mark Rath of the Water Rights Program at phone (605) 773-3352.

Sincerely,

A handwritten signature in black ink, appearing to read "Jeanne Goodman". The signature is written in a cursive, flowing style.

for Jeanne Goodman, Chief Engineer
Water Rights Program



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 12, 2018

1437-3 7350-3

Jim Czech, Operator
45767 177th St
Watertown SD 57201

Subject: Bypass Qualifications on Big Sioux River Water Rights

Dear Mr. Czech:

The SD Department of Environment and Natural Resources has evaluated the minimum flow bypass condition on water rights that pump from the Big Sioux River. The Chief Engineer is recommending amending the bypass qualification on 21 Big Sioux water rights. The intent is to bring uniformity to the bypass requirement placed on water rights in past years. Water Right(s) that you own or operate are included in those proposed to be amended.

Attached is the qualification to be deleted from the water right(s) and the proposed new qualifications.

The proposed amendment to your water right will not impose a more restrictive condition than currently is in place on your water right. In some cases the bypass requirement remains the same but generally the proposed amendment decreases the minimum bypass that must exist before a user is able to pump water from the river. The amendment does designate a US Geological Survey gaging station as the measuring point to determine if pumping is allowed. The gaging station has real time flow information that can be accessed on-line at <https://waterdata.usgs.gov/sd/nwis/rt>. Many, but not all, water rights referenced the bypass being located at the pump site where there isn't real time flow information.

A hearing before the Water Management Board is scheduled at 11:30 AM, Wednesday, March 7, 2018 in the Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre SD. Enclosed is the notice to be published on or before February 15, 2018, in one newspaper from each of the seven counties that the Big Sioux River flows through. This notice provides information on filing a petition in either support or opposition to the propose amendment. The filing of a petition must be postmarked by February 26, 2018. Additionally filing a petition affords you the opportunity to participate in the March 7th hearing before the Board if you choose.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Mark Rath at 605 773-3352 or mark.rath@state.sd.us. If you have questions, please call. DENR is willing to work to answer any questions.

Sincerely,

Eric Gronlund
Water Rights Program, DENR
605 773-3352
Eric.gronlund@state.sd.us

enclosure

Proposed Qualification Revisions

In order to standardize the bypass qualifications for the two existing water rights/permits containing bypass qualifications in the Big Sioux River reach upstream from the USGS stream gaging station near Castlewood, the following changes are proposed.

Amendment to the qualifications contained in Water Permit No. 7350-3

Delete Qualification:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 35 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 12, 2018

1437-3 7350-3

Marvin & Maxine Czech
45848 176th St
Watertown SD 57201

Subject: Bypass Qualifications on Big Sioux River Water Rights

Dear Mr. & Mrs. Czech:

The SD Department of Environment and Natural Resources has evaluated the minimum flow bypass condition on water rights that pump from the Big Sioux River. The Chief Engineer is recommending amending the bypass qualification on 21 Big Sioux water rights. The intent is to bring uniformity to the bypass requirement placed on water rights in past years. Water Right(s) that you own or operate are included in those proposed to be amended.

Attached is the qualification to be deleted from the water right(s) and the proposed new qualifications.

The proposed amendment to your water right will not impose a more restrictive condition than currently is in place on your water right. In some cases the bypass requirement remains the same but generally the proposed amendment decreases the minimum bypass that must exist before a user is able to pump water from the river. The amendment does designate a US Geological Survey gaging station as the measuring point to determine if pumping is allowed. The gaging station has real time flow information that can be accessed on-line at <https://waterdata.usgs.gov/sd/nwis/rt>. Many, but not all, water rights referenced the bypass being located at the pump site where there isn't real time flow information.

A hearing before the Water Management Board is scheduled at 11:30 AM, Wednesday, March 7, 2018 in the Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre SD. Enclosed is the notice to be published on or before February 15, 2018, in one newspaper from each of the seven counties that the Big Sioux River flows through. This notice provides information on filing a petition in either support or opposition to the proposed amendment. The filing of a petition must be postmarked by February 26, 2018. Additionally filing a petition affords you the opportunity to participate in the March 7th hearing before the Board if you choose.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Mark Rath at 605 773-3352 or mark.rath@state.sd.us. If you have questions, please call. DENR is willing to work to answer any questions.

Sincerely,

A handwritten signature in black ink that reads "Eric Gronlund".

Eric Gronlund
Water Rights Program, DENR
605 773-3352
Eric.gronlund@state.sd.us

enclosure

Proposed Qualification Revisions

In order to standardize the bypass qualifications for the two existing water rights/permits containing bypass qualifications in the Big Sioux River reach upstream from the USGS stream gaging station near Castlewood, the following changes are proposed.

Amendment to the qualifications contained in Water Permit No. 7350-3

Delete Qualification:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 35 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Review of Big Sioux River Water Rights and Report on Proposed Amendments

February 13, 2018

Introduction

The Big Sioux River is a prairie stream with headwaters located in the northern prairie coteau in southern Roberts, eastern Day and eastern Clark counties, in northeastern South Dakota. The river drains glacial till and outwash plains as it runs southward to its junction with the Missouri River near Sioux City, Iowa. The Big Sioux River physical geography is characterized by glaciated terrain and rolling plains. Rivers commonly follow the valleys formed by glacial lobes, which were glaciated as recently as 14,000 years ago. Drainages in this region formed after retreat of glaciers and are therefore poorly established in parts of the watershed. The poorly established drainage patterns are accompanied by numerous areas of internal drainages, or “potholes,” and are commonly referred to as the “Prairie Pothole Region” (Hoogestrat and Stamm, 2015).

As is typical of prairie streams in South Dakota, the peak runoff occurs during the spring months due to plains snowpack melt and from runoff of larger rain events. Runoff tends to decrease in the late summer months going in to fall and winter.

Qualification Status

A review of Water Right Program files shows there have been 163 water right permits (water permits) issued for the Big Sioux River, some with priority dates going back to statehood. Many of these have been cancelled due to abandonment or forfeiture, some have been incorporated into other water permits and some remain active. An examination of water right files found the Water Resources Commission placed the first bypass qualification, 20 cubic feet per second (cfs) bypass at the diversion point, on a Big Sioux River water permit in Moody County in 1960 (Water Rights, 2018).

After the Water Resources Commission placed the first bypass qualification on a Big Sioux River water permit in 1960, it appears from then until the mid-1990’s, with the advent of real-time accessible stream gaging, the management of water permits from the Big Sioux River was primarily addressed on a river reach basis and the presence of senior priority water permits. Water permits issued in a similar reach with relatively similar priority dates would have the same bypass requirements. Later when water permits were issued, the bypass requirement would be incrementally increased to account for protection of the senior priority water permits (Water Rights, 2018).

The northern most river reach, from the headwaters in southern Roberts County to the Brookings – Moody county line, only has a hand full of permits issued since 1960. Bypass qualifications range from 5 cfs for those water permits issued in the mid-1960’s to 35 cfs for those issued more recently (Water Rights, 2018).

In the Big Sioux River reach from the northern border of Moody County to Dell Rapids, which has the most water permits issued, the 20 cfs bypass requirement was placed on Big Sioux River water permits from 1960 until 1966 when the bypass requirement was raised to 30 cfs for new permits issued. In 1968 the bypass requirement was raised to 35 cfs and was then incrementally increased to 50 cfs by 1976. Many of these water permits have subsequently been cancelled due to abandonment or forfeiture. The most recent water permits issued in this reach contained a 43 cfs bypass requirement (Water Rights, 2018).

In the Big Sioux River reach immediately to the south between Dell Rapids where the Big Sioux River crosses Cliff Avenue on the eastern side of Sioux Falls there have been multiple water permits issued. These contain a 20 cfs bypass requirement. Earlier issued water permits require a 20 cfs bypassed at the diversion point while the later issued ones require a 20 cfs bypass at the United States Geologic Survey (USGS) stream gaging station at North Cliff Avenue in Sioux Falls (Water Rights, 2018 and USGS, 2018).

The southernmost river reach from where the river crosses North Cliff Avenue in eastern Sioux Falls to the confluence with Missouri River in southern Union County does not have any water permits with bypass requirements. This reach, even during drier climatic conditions has sufficient flow exceeding demand. The additional flow is attributed to effluent discharge from the Sioux Falls waste water treatment plant and contributions from downstream tributaries such as Split Rock Creek near Brandon (Water Rights, 2018).

Currently there are 59 active water permits authorized for the Big Sioux River from the headwaters in Roberts County to the mouth in Union County, Figure 1. There have been 49 water permits issued since 1960, when the first bypass requirement was enacted, to present which have subsequently been cancelled due to abandonment or forfeiture. Currently 21 of the existing water permits contain some sort of flow bypass qualification. When the water permits were issued with bypass qualifications, it was done because the senior priority water permits were active and being used, so the amount of the bypass requirement placed on the water permit was based on a level to protect senior priority water use. Since there has been significant attrition in the number of active water permits using Big Sioux River water since 1960, with many of them being cancelled, this leaves a somewhat disjointed system of bypass requirements for the remaining water permits. In addition, the City of Sioux Falls holds two active future use permits with 1977 priority dates reserving 30,000 acre-feet of Big Sioux River water in the river reach between the Dell Rapids gage and the North Cliff Avenue gage (Water Rights, 2018 and USGS, 2018).




Figure 1. Area map of the Big Sioux River showing the locations of the active water rights/permits and USGS Big Sioux River stream flow gaging stations (Water Rights, 2018 and USGS, 2018).

It is proposed that the existing bypass qualifications for each of the active water permits be reviewed, taking into account the amount of bypass required, the presence of existing rights, the location of the diversions points, and the historical river flow conditions along the various reaches of the river. This review will determine if it is justified to recommend modifications of the existing bypass qualifications.

Authority

SDCL 46-1-14 gives the Water Management Board the authority to amend water right permits. Water permits issued by the board may be amended by the board with priority retained upon amendment. The board may alter terms, conditions, restrictions, qualifications or quantifications.

South Dakota Codified Law

46-1-14. Terms and conditions of permits and licenses--Amendment. The Water Management Board may issue any permit or license subject to terms, conditions, restrictions, qualifications, quantifications, or limitations on perpetuity consistent with this chapter which it considers necessary to protect the public interest and which are related to matters within the jurisdiction of the board. Water rights issued pursuant to this section may be amended by the board and priority is retained upon amendment. Upon amendment the board may alter terms, conditions, restrictions, qualifications, or quantifications consistent with this chapter.

46-2-3.1. Delegation of authority to chief engineer--Restrictions. The Water Management Board may delegate to the chief engineer authority to act on its behalf concerning the quasi-judicial functions of interpreting, applying, and enforcing existing rules and laws and ordering action or abatement of action. The board may not delegate any other quasi-judicial functions as defined in § 1-32-1, except as otherwise provided by law. The board may promulgate rules pursuant to chapter 1-26 to delegate to the chief engineer the authority to issue permits pursuant to § 46-1-14.

46-2-17. Chief engineer's general enforcement authority. The chief engineer may:

- 1) Investigate the use of the waters of the state and compliance with the provisions of water permits, licenses, rules, regulations, and laws relating to water rights;
- 2) Institute enforcement and other proceedings before the Water Management Board;
- 3) Enforce orders of the board; and
- 4) Perform other acts authorized by statute or regulation.

46-2-18. Chief engineer's authority to order discontinuance of water use. The provisions of chapter 1-26 notwithstanding, the chief engineer may, after appropriate investigation, issue an order to any person to shut off or limit the person's use of surface or groundwater, or to plug or otherwise control a well. The order may be issued only to protect another user who has higher or earlier priority or to cause a user of water to discontinue the use of water to which the user has no legal right. Upon a refusal to obey the order, the chief engineer may request a court of proper jurisdiction to issue a temporary restraining order or injunction to effectuate the provisions of the order.

The 21 remaining active water permits authorized to divert water from the Big Sioux River having bypass requirements are subject to SDCL 46-2-3.1, 46-2-17, and 46-2-18, as are all water permits. These statutes give the Chief Engineer the ability to issue written orders within the context of authority granted under the statutes. The remaining 37 active water permits without any bypass requirements authorized to use Big Sioux River water either have priority dates senior to 1960 or are located in the river reach between the North Cliff Avenue gage and the confluence with the Missouri River. There is no intent with this effort to place bypass qualifications on these 37 water permits that do not currently have bypass qualifications.

Evaluation of the Existing Flow Bypass Qualifications and River Reach

The active Big Sioux water permits containing bypass qualifications vary on where the flow bypass is to be measured. The ones with earlier priority dates require a minimum flow past the diversion point. Because it is

impractical for the water user to measure flow at their pump site the more recently issued permits contained bypass qualifications referenced to a nearby United States Geological Survey (USGS) stream flow gaging stations.

In the section of river from southern Codington County to a point where the Big Sioux River crosses North Cliff Avenue in eastern Sioux Falls, three of the USGS gaging stations allowing access to real-time stream flow information have been used as measuring points for bypass limits from the river. See Table 1 (USGS, 2018).

Station Number	Station Name	Years Operated
06479525	Big Sioux River near Castlewood SD	1977-2017
06481000	Big Sioux River near Dell Rapids SD	1949- 2017
06482020	Big Sioux River at North Cliff Ave at Sioux Falls SD	1972- 2017

Table 1. USGS Big Sioux River stream flow gaging stations located near Castlewood, near Dell Rapids and at North Cliff Avenue in Sioux Falls SD (USGS, 2018).

The USGS has collected daily flow data at these gaging stations over several years. The USGS maintains an archive of historical flow and statistical flow data for these gaging stations that can be accessed by the public. A major concern in setting bypass qualifications is to identify the times when the river is experiencing lower flows and also to identify when those lower flows occurred. A review will focus on events when a particular stream segment experiences the lower half of the daily flow. Median, otherwise referred to as 50 percentile (50%), is used to help understand the central tendency of a set of statistical results with the lower half of measured daily flow values being at or less than the 50% value. Based on the period of record for each gage site, the daily flow value or less would be expected to occur on average 10 out of 20 years. At the 25 percentile (25%) flow value, the daily flow would be expected to be at or below that value an average of 5 out of 20 years. At the 10 percentile (10%) flow value, the daily flow would be expected to be at or below that value an average of 2 out of 20 years, (USGS, 2018).

Analysis and Proposed Qualification Revisions

A fresh look was taken of the original bypass requirements to determine whether the original bypass levels would be effective limits for the existing active water rights. The review took into consideration the existing water rights, the qualifications, the authorized use, the location of the diversion points, the annual period of use, and historic stream flow data.

Based upon this review, the river was broken into four separate bypass management reaches. The upper most reach is from the headwaters down to the Castlewood gage. The next reach is from the Castlewood gage to the Dell Rapids gage. The third reach is from the Castlewood gage to the North Cliff Avenue gage at Sioux Falls, and the final reach is from the North Cliff Avenue gage to the confluence with the Missouri River at North Sioux City.

The bypass qualifications originally adopted in the 1960's by the Water Resources Commission of 5 cfs for the reach north of Castlewood and 20 cfs for the reach between Castlewood to Dell Rapids were based on Water Rights staff recommendations. The recommendations were based on water use and flow history for each of those reaches. The 20 cfs bypass requirement for the river reach between Dell Rapids and Sioux Falls was first placed on a water permit in 1989 by the Water Management Board, a successor to the Water Resources Commission, following a low flow analysis by Water Rights staff for the Big Sioux River in that reach (Water Rights, 2018).

Of the 21 existing water permits containing some sort of flow bypass qualification all but two are for irrigation use. The two permits not for irrigation are for municipal use and are held by the City of Sioux Falls. Since most of the water permits having bypass qualifications were issued for irrigation, the following discussion

references a typical crop irrigation season of May 1 to October 15. The analysis focused on the typical irrigation season because this is characteristically when water management actions, such as issuing of shutoff orders by the Chief Engineer, would occur.

The irrigation season for grasses, as would be grown on golf courses and parks, may extend outside the typical irrigation season and run from the early April through late October. Of the four existing water permits for irrigation one is for a golf course at Dell Rapids and three are for irrigating golf courses and soccer fields in Sioux Falls (Water Rights, 2018).

Headwaters to Castlewood Reach

On the upper Big Sioux River there are four existing water permits, two are for storage in lakes Pelican and Kampeska and the other two are for irrigation. The two irrigation water permits containing a bypass qualification both are located approximately five miles upstream from the USGS stream gaging station near Castlewood. The total current authorized diversion rate for this reach is 4.26 cfs. Figure 2 shows the total annual appropriated volume and reported usage volume for the years 1983 to 2016 (Water Rights, 2018).




Figure 2. Total irrigation allocation and reported use from the Big Sioux River for the river reach upstream from the USGS gaging station near Castlewood (Water Rights, 2018).

On November 8, 1967, the Water Resources Commission set the initial bypass limit of 5 cfs on a water permit located in the upper river reach north of the Castlewood gage. The application for this water permit had been opposed at a previous meeting so the Commission deferred action and directed staff to investigate. At that time, staff determined excess water was available most years May through July, sometimes available in August and seldom available in September and October. In 2012, a permit was issued in this reach with a 35 cfs bypass qualification. This bypass requirement was the same one

previously placed on a downstream senior priority water permit located in the Castlewood to Dell Rapids reach (Water Rights, 2018).

Figure 3, is a hydrograph for the Castlewood gage showing the 50, 25 and 10 percentile daily flows for the 41 year period of record, 1977 to 2017. In Figure 3, the 10 percentile curve is above the 5 cfs line from the beginning of the irrigation season until the last 10 days of July. The 25 percentile curve is greater than 5 cfs throughout the irrigation season.




Figure 3. Daily percentile flow hydrographs for the USGS Big Sioux River near Castlewood 1977-2017, contributing drainage area 579 mi² (USGS, 2018).

The frequency of low flow events in the upper most river reach was examined by considering how many actual days the average daily flow was less than 5 cfs during the typical irrigation season of May through mid-October over the 41 year period of record. During that time frame 9.2% of the days that had flow less than 5 cfs fell within the May to mid-October irrigation season (USGS, 2018).

Figure 4 shows for the period of record at the Castlewood gage, the total number of days each year the average daily flow in the Big Sioux River was less than 5 cfs. This figure indicates this reach experiences dry climatic conditions causing several day periods of low flow less than 5cfs. The figure also shows there are many more years when the 5 cfs threshold is not met.




Figure 4. Total number of days for each year during the period of record the average daily flow in the Big Sioux River measured at the USGS gaging station near Castlewood was less than 5 cfs (USGS, 2018).

In this reach it is proposed for both of the existing irrigation water permits, the existing bypass qualification be amended to:

- Low flows as needed for downstream domestic use including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

Castlewood to Dell Rapids Reach

The river reach between the Castlewood gage and the Dell Rapids gage contains 29 active water permits. One of existing water permits is for flood flow diversion, two are for storage in Poinsett and Dry lakes and two water permits are for instream storage in Flandreau Dam and Dell Rapids Dam. The remaining 24 existing water permits are for irrigation, with 14 water permits containing bypass qualifications. The total current authorized diversion rate for this reach is 31.86 cfs. Figure 5 shows the total annual appropriated volume and reported usage volume for the years 1983 to 2016 (Water Rights, 2018).

In this Big Sioux River reach the original 20 cfs bypass requirement was placed on Big Sioux River water permits in April of 1960 by the Water Resources Commission based upon Water Rights staff review and recommendation to set bypass levels on permits. The bypass requirement was raised in 1966 to 30 cfs and was incrementally increased to 50 cfs by 1976. As stated earlier, many of these water permits have subsequently been cancelled due to abandonment or forfeiture (Water Rights, 2018).




Figure 5. Total irrigation allocation and reported use from the Big Sioux River for the river reach between the USGS gaging stations near Castlewood to the gaging station near Dell Rapids (Water Rights, 2018).

The current bypass limits on existing water permits in this reach range from 20 cfs to 50 cfs with some of the limits set at the diversion point and some measured at the Dell Rapids gage. Using the original 20 cfs bypass as the benchmark, this bypass level was compared to the historic flow record for the Dell Rapids gage. Figure 6 shows the daily percentile flow hydrographs for a 68 year period of record dating back to 1948 for the USGS stream gaging station near Dell Rapids. The 10 percentile curve is above 20 cfs value from the beginning of the irrigation season until the last ten days of August (USGS, 2018).




Figure 6. Daily percentile flow hydrographs for the USGS Big Sioux River gage near Dell Rapids 1949-2017, contributing drainage area 3057 mi² (USGS, 2018).

The frequency of low flow events in this reach was examined by considering how many actual days the average daily flow was less than 20 cfs during the typical irrigation season of May through mid-October over the 69 year period of record. During that time frame 7.2% of the days had flow less than 20 cfs within May to mid-October irrigation season (USGS, 2018).

Figure 7 shows for period of record at the Dell Rapids gage the total number of days for each year the average daily flow in the Big Sioux River was less than 20 cfs. Similar to what is seen in the upstream reach, this reach also experiences dry climatic conditions causing several days of low flow less than 20 cfs. The figure also shows there are many more years when the 20 cfs threshold is exceeded.




Figure 7. Total number of days for each year during the period of record the average daily flow in the Big Sioux River measured at the USGS gaging station near Dell Rapids was less than 20 cfs (USGS, 2018).

In this reach it is proposed for the 14 existing irrigation water permits the existing bypass qualification be amended to:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

Dell Rapids to North Cliff Avenue at Sioux Falls Reach

In the river reach between the Dell Rapids gage and the North Cliff Avenue at Sioux Falls gage there are six existing water permits. The total current authorized diversion rate for this reach is 87.33 cfs. One right is for instream storage at Baltic Dam, two of the existing rights are for municipal use, and three are for irrigation. The bypass requirement for five existing rights with qualifications is 20 cfs. Three of the water permits require 20 cfs bypassing the diversion point and two requiring measurement of the flow bypass at the North Cliff Avenue gage. It should also be noted the City of Sioux Falls holds two future use permits located in this reach reserving up to 30,000 acre-feet from the Big Sioux River. The Water Management Board did a seven year status review of these permits in July of 2016. The Board ruled to allow these future use permits to remain in effect for the full 30,000 acre-feet for an additional seven years. Figure 8 shows the total annual appropriated volume and reported irrigation usage volume for the years 1983 to 2016, and Figure 9 shows the total annual appropriated volume and reported municipal usage volume for the years 1983 to 2016 in this reach (Water Rights, 2018).




Figure 8. Total irrigation allocation and reported use from the Big Sioux River for the river reach between the USGS gaging stations near Dell Rapids to the gaging station at North Cliff Avenue at Sioux Falls (Water Rights, 2018).




Figure 9. Total municipal allocation and reported use from the Big Sioux River for the river reach between the USGS gaging stations near Dell Rapids to the gaging station at North Cliff Avenue at Sioux Falls (Water Rights, 2018).

Figure 10 shows the daily percentile flow hydrographs for a 45 year period of record dating back to 1971 for the USGS stream gaging station at North Cliff Avenue at Sioux Falls. The 10 percentile curve is above 20 cfs value from the beginning of the irrigation season until the curve drops slightly below 20 cfs line for a few days the first part of September before rising above 20 cfs for the remainder of the irrigation season (USGS, 2018).




Figure 10. Daily percentile flow hydrographs for the USGS Big Sioux River gage at North Cliff Ave at Sioux Falls 1971-2017, contributing drainage area 3778 mi² (USGS, 2018).

The frequency of low flow events in this reach was examined by considering how many actual days the average daily flow was less than 20 cfs during the typical irrigation season of May through mid-October over the 45 year period of record. During that time frame 2.6% of the days had flow less than 20 cfs fell within May to mid-October irrigation season (USGS, 2018).

Figure 11 shows for period of record at the North Cliff Avenue gage the total number of days for each year the average daily flow in the Big Sioux River was less than 20 cfs. Similar to what was experienced in the upstream reaches, this reach can also experience during dry climatic conditions causing several day periods of low flow less than 20 cfs. The figure also shows there are many more years when the 20 cfs threshold is exceeded.




Figure 11. Total number of days for each year during the period of record the average daily flow in the Big Sioux River measured at the USGS gaging station at North Cliff Avenue at Sioux Falls was less than 20 cfs (USGS, 2018).

The five existing water permits in this Big Sioux River reach all contain a 20 cfs bypass requirement. The earlier issued water permits required 20 cfs bypassed at the diversion point while the later issued ones required a 20 cfs bypass at the USGS gaging station at North Cliff Avenue in Sioux Falls (Water Rights, 2018). In this reach it is proposed the existing bypass qualification on these five permits retain the 20 cfs bypass requirement but the qualification be amended to:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

North Cliff Avenue at Sioux Falls to the Missouri River Confluence Reach

The southern reach of the Big Sioux River from the North Cliff Gage to the confluence with the Missouri River in southern Union County does not have any active water permits having bypass qualifications. As shown in Figure 12, the 10 percentile curve is above 50 cfs value throughout the entire irrigation season. This reach has not historically experienced a water shortage, and the Chief Engineer has not had to issue shutoff orders for any of the existing water permits located in this reach. There is not a proposal to amend any of the existing water permits in this lower reach of the Big Sioux River (USGS, 2018).




Figure 12. Daily percentile flow hydrographs for the USGS Big Sioux River gage at Akron IA 1971-2017, contributing drainage area 6995 mi² (USGS, 2018).

Considering Future Water Use

Anticipating future water demands from the Big Sioux River and climatic conditions may change over time. Particularly with the City of Sioux Falls holding two future use permits bearing a 1977 priority date reserving up to 30,000 acre-feet of water. It is proposed the following qualification be placed on all of the water permits being amended:

- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

The existing water permits without bypass qualifications and not targeted to be amended by this effort, will continue to be managed based upon their individual priority dates and location along the river.

Specific Proposed Qualification Revisions by Water Permit

In order to standardize the bypass qualifications for the existing water permits containing bypass qualifications in the Big Sioux River reach upstream from the USGS stream gaging station near Castlewood, the following changes are proposed.

Amendment to the qualifications contained in Water Right No. 1437-3

Delete Qualification:

- Diversions of water under this permit can only be made when there is flow of 5 or more cubic feet per second of water flowing at the diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Permit No. 7350-3

Delete Qualification:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 35 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

To standardize the bypass qualifications for the 14 existing water rights/permits containing bypass qualifications in the Big Sioux River reach between the USGS stream gaging station near Castlewood downstream to the USGS stream gaging station near Dell Rapids, the following changes are proposed.

Amendment to the qualifications contained in Water Right No. 956-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This Permit is granted allowing withdrawals of water whenever 20 cfs or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1175-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This Permit is granted allowing withdrawals of water whenever 20 cfs or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1302-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This Permit is granted allowing withdrawals of water whenever 20 cfs or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1350-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This Permit is granted allowing withdrawals of water whenever 30 cfs or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids

when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1500-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This Permit is granted allowing withdrawals of water whenever 30 cfs or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1696-3

Delete Qualification:

- Natural flows in the Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This Sioux River portion of this permit is granted allowing withdrawals of water whenever 35 cfs of water or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1801-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This permit is granted allowing withdrawals of water whenever 35 cfs of water or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1812-3**Delete Qualification:**

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This permit is granted allowing withdrawals of water whenever 35 cfs of water or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 2065-3**Delete Qualification:**

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This permit is approved allowing withdrawals whenever 45 cfs of water or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 2952-3**Delete Qualification:**

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This permit is approved allowing withdrawals whenever 40 cfs of water or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 6042-3

Delete Qualification:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River unless at least 41 cfs is flowing past the Dell Rapids USGS Gaging Station, or unless written orders have been issued by the Chief Engineer. Diversions under this Permit are shall be in accordance with any written orders issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 6124-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This permit is approved allowing withdrawals whenever 50 cfs of water or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 7110-3

Delete Qualification:

- Low flows as needed for domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 43 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, or unless written orders have been issued by the Chief Engineer. Diversions under this permit are shall be in accordance with any written orders issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 8195-3

Delete Qualification:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 20 cfs is flowing at the North Cliff Avenue USGS Gaging Station No. 06482020 and 43 cfs is flowing at the Dell Rapids USGS Gaging Station No. 06481000, unless written orders have been issued by the Chief Engineer. Diversions under this Permit are shall be in accordance with any written orders issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

To standardize the qualifications for the 5 existing water rights/permits containing bypass qualifications in the Big Sioux River reach between the USGS stream gaging station near Dell Rapids downstream to the USGS stream gaging station at North Cliff Avenue at Sioux Falls, the following changes are proposed.

Amendment to the qualifications contained in Water Right No. 5431-3

Delete Qualification:

- Permit No. 5431-3 does not authorize pumping from the Big Sioux River unless at least 20 cfs can be bypassed when pumping.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 5512-3

Delete Qualification:

- Permit No. 5512-3 does not authorize pumping from the Big Sioux River unless at least 20 cfs is being bypassed when pumping.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 5698-3

Delete Qualification:

- Permit No. 5698-3 does not authorize pumping from the Big Sioux River unless at least 20 cfs is being bypassed when pumping.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 6210-3

Delete Qualification:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River,

when pumping, unless at least 20 cfs is flowing at the Cliff Avenue USGS Gaging Station, or unless written orders have been issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 6210A-3

Delete Qualification:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 20 cfs is flowing at the North Cliff Avenue USGS Gaging Station No. 06482020, or unless written orders have been issued by the Chief Engineer. Diversions under this Permit are subject to senior water rights and any written orders issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Conclusions

1. Currently there are 58 active water permits authorized for the Big Sioux River from the headwaters in Roberts County to the mouth in Union County. Currently 21 of the existing water permits contain some sort of flow bypass qualification.
2. Since many water permits have been cancelled over the years, the system of various bypass requirements on several existing Big Sioux water permits are not putting water to beneficial use to the highest extent possible for the current water permit holders. The system is also difficult to manage for the Water Rights Program.
3. A fresh look was taken of the original bypass requirements to determine whether the original bypass levels would be effective limits for the existing active water rights. The review was completed of the original bypass requirements taking into consideration the existing water rights, the qualifications placed on them, their authorized use, the location of their diversion points, their annual period of use and historic stream flow data.

4. Based upon this review, the river was broken into four separate bypass management reaches and standardized qualifications are proposed for each of these reaches.
5. Anticipating future water demands from the Big Sioux River and climatic conditions may change over time, the amendments to the water permits being amended should also contain a qualification allowing the Water Management Board to retain jurisdiction to address future issues if as necessary.
6. On the reach upstream from the Castlewood gaging station, for the two water permits containing bypass requirements replace those qualifications with:
 - Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
 - The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.
7. On the reach between the Castlewood gaging station and the Dell Rapids gaging station, for the 14 water permits containing bypass requirements replace those qualifications with:
 - Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
 - The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.
8. On the reach upstream from the Dell Rapids gaging station to the North Cliff Avenue gaging station, for the five water permits containing bypass requirements replace those qualifications with:
 - Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
 - The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

9. The existing water permits without bypass qualifications and not targeted to be amended by this effort, will continue to be managed based upon their individual priority dates and location along the river.



Mark D. Rath
Natural Resources Engineer III

References

Hoogestraat, G.K. and J. F. Stamm, 2015. Climate and Streamflow Characteristics for Selected Streamgages in Eastern South Dakota, Water Years 1945–2013. USGS Scientific Investigations Report 2015-5146.

USGS. 2018. United States Geological Survey, National Water Information System – Stream Gaging Station Network for South Dakota.

Water Rights. 2018. Water Right/Permit Files. SD DENR-Water Rights Program, Joe Foss Bldg., Pierre, South Dakota.

NOTICE OF HEARING ON CHIEF ENGINEER'S RECOMMENDATION FOR BIG SIOUX RIVER WATER RIGHTS

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among water rights from the river and the ability for the Chief Engineer to issue written orders to allow pumping to continue if climatic conditions are favorable. The amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights.

Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in order for pumping to occur. The Water Rights Program has reviewed all Big Sioux River water rights and determined that the conditions can be modified to a standard bypass at one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

1. River reach upstream from the USGS gaging station near Castlewood;
2. River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;
3. River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.

Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet of water per second (cfs) bypass requirement. Those water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water right.

The Chief Engineer recommends that the Water Management Board approve deletion of the existing bypass condition on applicable water rights and add the following qualifications specific to the bypass flow at a referenced gaging station depending on the location of the water right.

1. Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.
2. The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements.

Any interested person opposing or supporting the proposed amendment and intending to participate in the hearing shall file a petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided above.

The Water Management Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave. Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the time, date and location.

Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00 "or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board set forth above, you need to notify the Chief Engineer (Water Rights Program, 523 E Capitol Avenue, Pierre SD) by February 26, 2018.

Steven M. Pirner, Secretary, Department of Environment and Natural Resources. Published once at an approximate cost of_____.

Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:36 AM
To: allegals@argusleader.com
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 15, 2018.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:37 AM
To: mce6@mcisweb.com
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 14, 2018.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:35 AM
To: svn@siouxvalleynewsonline.com
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 15, 2018.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:34 AM
To: Hamlin County Publishing (hcp@itctel.com)
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 14, 2018 in the Hamlin County Republican, Castlewood SD.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:32 AM
To: legals@thepublicopinion.com
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 15, 2018.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:37 AM
To: registerclassifieds (registerclassifieds@brookingsregister.com)
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 15, 2018.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:38 AM
To: G5 (leader1@iw.net)
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 15, 2018.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



CUSTOMER NUMBER:	78306	Argus Leader P.O. Box 677349, Dallas, TX 75267-7349
INVOICE NUMBER:	2727212	
RUN DATES:	2/15, 2018	
		AMOUNT DUE: \$162.36

RECEIVED
FEB 20 2018
WATER RIGHTS PROGRAM

Attn: Karen Schlaak
 Water Rights Program
 523 E. Capital - Jose Foss Building
 Pierre, SD 57501-0000

DETACH THIS STUB AND RETURN WITH PAYMENT

PAYMENT DUE UPON RECEIPT

AFFIDAVIT OF PUBLICATION

Customer Number: 78306
 Invoice Number: 902065

523 E. Capital - Jose Foss Building

Argus Leader

AFFIDAVIT OF PUBLICATION

STATE OF SOUTH DAKOTA

COUNTY OF MINNEHAHA } ss

Sara Kruse being duly sworn, says: That The **Argus Leader** is, and during all the times hereinafter mentioned was, a daily legal newspaper as defined by SDCL 17-2-2.1, as amended published at Sioux Falls, Minnehaha County, South Dakota; that affiant is and during all of said times, was an employee of the publisher of such newspaper and has personal knowledge of the facts stated in this affidavit; that the notice, order or advertisement, a printed copy of which is hereto attached, was published in said newspaper upon

Thursday	the	15	day of	February	2018	,
	the		day of		2018	,
	the		day of		2018	,
	the		day of		2018	,
	the		day of		2018	,
	the		day of		2018	,
	the		day of		2018	,

and that \$162.36 was charged for publishing the same


Sara Kruse

Subscribed and sworn to before me 2/15/18

Betty Gates

Notary Public, South Dakota

My Commission expires March 14, 2023



amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights. Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in or near the water right. The Water Rights Program has reviewed all Big Sioux River water rights and determined that the conditions can be modified to a standard bypass of one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

1. River reach upstream from the USGS gaging station near Castlewood;
2. River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;
3. River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.

Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet per second (cfs) bypass requirement. Those water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water rights in South Dakota. The objective is to bring consistency among the Water Rights Program and the ability for the Chief Engineer to issue written condition orders to allow pumping to continue if climatic conditions are favorable. The referenced gaging station depending on the location of the water right.

1. Low flows as needed for downstream domestic use, including livestock water, and prior rights must be bypassed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer.
2. The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements. Any interested person opposing or supporting the proposed amendment and intending to participate in the hearing shall file a petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E. Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if the hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided above.

The Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave, Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to: 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts of the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting. The Chief Engineer's and personal notice will be provided to all petitioners regarding the time, date and location.

Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00 "or if a party's right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board, you need to notify the Chief Engineer (Water Rights Program, 523 E. Capitol Avenue, Pierre SD) by February 26, 2018.

Steven M. Pirner, Secretary, Department of Environment and Natural Resources. Published once on an approximate cost of \$162.36. 2727212 Feb 15, 2018

NOTICE OF HEARING ON CHIEF ENGINEER'S RECOMMENDATION FOR BIG SIOUX RIVER WATER RIGHTS
 Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 Big Sioux River water right E. Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among the Water Rights Program and the ability for the Chief Engineer to issue written condition orders to allow pumping to continue if climatic conditions are favorable. The

February 20, 2018

PAYMENT REQUEST FORM

PAYEE: Argus Leader
PO Box 677349
Dallas, TX

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Affidavit of Publication

AMOUNT: \$162.36

FUNDING SOURCE:


GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION:



I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

RECEIVED

MAR 07 2018

WATER RIGHTS
PROGRAM

Affidavit of Publication

State of South Dakota

Exhibit "A"

ss

County of Brookings

Katherine Foiles of said county, first duly sworn, on oath, says: That she is the office clerk of THE BROOKINGS REGISTER, a daily newspaper, printed and published in the City of Brookings, in said County of Brookings, and State of South Dakota; that she has full and personal knowledge of the facts herein stated; that said newspaper is a legal newspaper and has a bona fide circulation of at least two hundred copies of each issue daily; that said newspaper has been published within the said County of Brookings and State of South Dakota, for more than one year prior to the first publication of Exhibit "A," hereto attached and herein mentioned, and was and is printed that the


Leg#164 Notice on Hearing

same was published, is hereto attached marked Exhibit said newspaper for _____ 1 times, to-wit:

February 15, 2018

said Exhibit "A" inures to the sole benefit for the publishers of said newspaper; that no agreement or understanding for the division thereof has been made with any other person, and that no part thereof has been agreed to be paid to any person whomsoever; that the fees charged for the publication thereof are:

Sixty-Seven Dollars and Seventy-Three Cents \$67.73



KM Foiles

26 day of

February

2018

Notary Public in and for the County of Brookings, South Dakota.
My Commission expires February 22, 2020.

Legal 164, 1x, 2/15
NOTICE OF HEARING
ON CHIEF ENGINEER'S RECOMMENDATION FOR BIG SIOUX RIVER WATER RIGHTS

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among water rights from the river and the ability for the Chief Engineer to issue written orders to allow pumping to continue if climatic conditions are favorable. The amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights. Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in order for pumping to occur. The Water Rights Program has reviewed all Big Sioux River water rights and determined that the conditions can be modified to a standard bypass at one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

1. River reach upstream from the USGS gaging station near Castlewood;
 2. River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;
 3. River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.
- Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet of water per second (cfs) bypass requirement. Those water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.
- The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water right.
- The Chief Engineer recommends that the Water Management Board approve deletion of the existing bypass condition on applicable water rights and add the following qualifications specific to the bypass flow at a referenced gaging station depending on the location of the water right.
1. Low flows as needed for downstream domestic use, including livestock water, and prior rights must be bypassed. This water right does not authorize diversion of water from

the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.

2. The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements.

Any interested person opposing or supporting the proposed amendment and intending to participate in the hearing shall file a petition with the Chief Engineer.

The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided above.

The Water Management Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave. Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the time, date and location. Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605)

773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00 "or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board set forth above, you need to notify the Chief Engineer (Water Rights Program, 523 E Capitol Avenue, Pierre SD) by February 26, 2018. Steven M. Pirner, Secretary, Department of Environment and Natural Resources. Published once at the total approximate cost of \$67.73.

March 7, 2018

PAYMENT REQUEST FORM

PAYEE: Brookings Register
PO Box 177
Brookings, SD 57006-0177

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Notice of Hearing

AMOUNT: \$67.73

FUNDING SOURCE:


GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION:



I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

312 5TH ST
P.O. BOX 177
BROOKINGS, SD 57006-0177
Phone (605) 692-6271 Fax (605) 692-2979

WATER RIGHTS PROGRAM

CUSTOMER
NUMBER 106003

AMOUNT \$ _____
ENCLOSED _____

DOCUMENT	DATE	TYPE	REFERENCES	AMOUNT													
372411	02/15/18	INVOICE	Leg164 Notice on Hearing	67.73													
<table border="1"> <thead> <tr> <th rowspan="2">CURRENT</th> <th colspan="3">PAST DUE AMOUNTS</th> <th rowspan="2">AMOUNT DUE</th> </tr> <tr> <th>OVER 30 DAYS</th> <th>OVER 60 DAYS</th> <th>OVER 90 DAYS</th> </tr> </thead> <tbody> <tr> <td>67.73</td> <td>.00</td> <td>.00</td> <td>.00</td> <td>67.73</td> </tr> </tbody> </table>					CURRENT	PAST DUE AMOUNTS			AMOUNT DUE	OVER 30 DAYS	OVER 60 DAYS	OVER 90 DAYS	67.73	.00	.00	.00	67.73
CURRENT	PAST DUE AMOUNTS			AMOUNT DUE													
	OVER 30 DAYS	OVER 60 DAYS	OVER 90 DAYS														
67.73	.00	.00	.00	67.73													

Affidavit of Publication

STATE OF SOUTH DAKOTA
COUNTY OF MOODY) SS

MARY LYNN HEADRICK, of said county, being first duly sworn on oath says that she is the bookkeeper of the Moody County Enterprise, a weekly newspaper printed and published in said county of Moody and State of South Dakota, and has full and personal knowledge of all the facts herein stated; that said newspaper is a legal newspaper and has a bona fide circulation of at least 200 copies weekly, and has been published within said county for 52 consecutive weeks next prior to the publication of the notice herein mentioned, and was and is printed wholly or in part in an office maintained at said place of publication; that the advertisement headed:

Notice of hearing on Chief Engineer's Recommendation for Big Sioux River Water Rights

a printed copy of which, taken from the newspaper in which the same was published, is attached to this sheet and is made a part of this affidavit, was published in said newspaper at least once in each week for 1 successful weeks, on the day of each week on which said newspaper was regularly published, to wit:

2-14-18

that the full amount of the fee charged for the publication of said Notice inures to the benefit of the publisher of said newspaper; that no agreement or understanding for the division thereof has been made with any person, and that no part thereof has been agreed to be paid to any person whomsoever, and that the fees charged for the publication thereof are

\$ 75⁶²

M. Headrick bookkeeper
Subscribed and sworn to before me this

15th day of February AD 2018

Notary Public, County Moody, South Dakota
ROGER W. JANUSSEN

NOTARY PUBLIC
SOUTH DAKOTA

My commission expires 2/14/18

RECEIVED

FEB 28 2018

WATER RIGHTS
PROGRAM

NOTICE OF HEARING ON CHIEF ENGINEER'S RECOMMENDATION FOR BIG SIOUX RIVER WATER RIGHTS

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among water rights from the river and the ability for the Chief Engineer to issue written orders to allow pumping to continue if climatic conditions are favorable. The amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights.

Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in order for pumping to occur. The Water Rights Program has reviewed all Big Sioux River water rights and determined that the conditions can be modified to a standard bypass at one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

1. River reach upstream from the USGS gaging station near Castlewood;
2. River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;
3. River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.

Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet of water per second (cfs) bypass requirement. Those water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place

on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water right.

The Chief Engineer recommends that the Water Management Board approve deletion of the existing bypass condition on applicable water rights and add the following qualifications specific to the bypass flow at a referenced gaging station depending on the location of the water right.

1. Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.

2. The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements.

Any interested person opposing or supporting the proposed amendment and intending to participate in the hearing shall file a petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the

County of _____

AFFIDAVIT OF PUBLICATION

Filed in the office of _____

on the _____ day

Attorney for _____

Water Rights Program address provided above.

The Water Management Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave. Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the time, date and location.

Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00 "or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board set forth above, you need to notify the Chief Engineer (Water Rights Program, 523 E Capitol Avenue, Pierre SD) by February 26, 2018.

Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

Published once at approximate cost of \$76

March 2, 2018

PAYMENT REQUEST FORM

PAYEE: Moody County Enterprise
PO Box 71
Flandreau, SD 57028

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Notice of Hearing

AMOUNT: \$75.62

FUNDING SOURCE:

GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION: 

I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

Invoice
Moody County Enterprise
PO Box 71
Flandreau, SD 57028

Water Rights
523 E Capitol
Pierre SD 57501

Date	Item advertised	Rate
2-14-18	Notice of Hearing	75.62
Total		\$75.62

Payment can be sent to us at the above address.
Thank you

Affidavit of Publication

STATE OF SOUTH DAKOTA
COUNTY OF LINCOLN

ANDY WILCOX


being first duly sworn on his oath says; that the Sioux Valley News is a legal weekly newspaper of general circulation as required by South Dakota Code of Nineteen Hundred Thirty-Nine, and any acts amendatory thereto, printed and published by the Sioux Valley News, Inc., in Canton, in said county and State, and has been such legal newspaper during the time hereinafter mentioned; that he is and during all of said time was publisher of said newspaper and has personal knowledge of the facts stated in this affidavit; that the advertisement headed:

**DENR Water Rights Program
Notice of Hearing**


a printed copy of which is hereto attached, was printed and published in said newspaper for ONE successive week(s) upon the following dates, to-wit:

February 15, 2018

that the full amount of the fees charged for publishing the same to-wit: the sum of \$72.47 inures solely to the benefit of the publishers of said newspaper; that no agreement or understanding for any division of this sum has been made with any other person; and that no part of said sum has been agreed to be paid to any person whomsoever.




Ascribed and sworn to before me this 15th day of
February, 2018.



Notary Public, South Dakota

(Seal)



**NOTICE OF HEARING
ON CHIEF ENGINEER'S
RECOMMENDATION FOR BIG
SIOUX RIVER WATER RIGHTS**

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among water rights from the river and the ability for the Chief Engineer to issue written orders to allow pumping to continue if climatic conditions are favorable. The amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights.

Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in order for pumping to occur. The Water Rights Program has reviewed all Big Sioux River water rights and determined that the conditions can be modified to a standard bypass at one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

1. River reach upstream from the USGS gaging station near Castlewood;
2. River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;
3. River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.

Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet of water per second (cfs) bypass requirement. Those

water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water right.

The Chief Engineer recommends that the Water Management Board approve deletion of the existing bypass condition on applicable water rights and add the following qualifications specific to the bypass flow at a referenced gaging station depending on the location of the water right.

1. Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.

2. The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements.

Any interested person opposing or supporting the proposed amendment and intending to participate in the

My Commission Expires
December 9, 2020

RECEIVED

FEB 26 2018

**WATER RIGHTS
PROGRAM**

hearing shall file a petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided above.

The Water Management Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave. Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

* The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the time, date and location.

Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00 "or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board set forth above, you need to notify the Chief Engineer (Water Rights Program, 523 E Capitol Avenue, Pierre SD) by February 26, 2018.

Steven M. Pirner, Secretary,
Department of Environment and
Natural Resources.

Published in the Sioux Valley News
on February 15, 2018, at the total
approximate cost of \$72.47.

February 26, 2018

PAYMENT REQUEST FORM

PAYEE: Sioux Valley News Inc.
PO Box 255
Canton, SD

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Affidavit of Publication-Big Sioux River

AMOUNT: \$72.47

FUNDING SOURCE:

GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION: 

I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

Sioux Valley News Inc.
213 East 5th St P O Box 255
Canton SD 57013

Statement	2/22/2018	50
	DATE	NUMBER

Phone Number: (605) 764-2000
Please return yellow copy
with payment.

Next Closing Day March 29, 2018

ID# 541

Dept of Environment & Natural Resou
Attn: Karen Water Rights Program
523 East Capitol, Joe Foss Building
Pierre SD 57501

We now offer online Subscriptions!
www.SiouxValleyNewsOnline.com

Balance Due: 72.47

Date	Description	Units	Debit	Credit
02/15/2018	Legals		72.47	
	Big Sioux River Notice			
	Balance Due		72.47	

Current	30	60	90	90+
72.47	0.00	0.00	0.00	0.00

Service charge of 1-3/4% per month (21% per year) on accounts 30 days past due. Minimum charge \$30.
In addition, costs and reasonable attorney's fees for collection may be charged.

RECEIVED

FEB 22 2018

Form 8

WATER RIGHTS
PROGRAM

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)

County of Codington) SS

I, Jackie Wettstad

certify that the attached printed Notice was taken

from the Watertown

Public Opinion

printed and published in Watertown

County of Codington and

state of South Dakota. The notice was published

in the newspaper on the following date:

February 15, 2018

Cost of Printing \$131.01

Jackie Wettstad
(Signature)

Accounting Clerk
(Title)

2/19/18
(Date Signed)

DEPT OF ENVIRONMENT AND NATURAL RESOURCES

**NOTICE OF HEARING
ON CHIEF ENGINEER'S
RECOMMENDATION FOR BIG
SIOUX RIVER WATER RIGHTS**
Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among water rights from the river and the ability for the Chief Engineer to issue written orders to allow pumping to continue if climatic conditions are favorable. The amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights.

Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in order for pumping to occur. The Water Rights Program has reviewed all Big Sioux River water rights and determined that the conditions can be modified to a standard bypass at one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

1. River reach upstream from the USGS gaging station near Castlewood;
2. River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;
3. River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.

Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet of water per second (cfs) bypass requirement. Those water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water right.

The Chief Engineer recommends that the Water Management Board approve deletion of the existing bypass condition on applicable water rights and add the following qualifications specific to the bypass flow at a referenced gaging station depending on the location of the water right.

1. Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.

2. The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements.

Any interested person opposing or supporting the proposed amendment and intending to participate in the hearing shall file a petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided above.

The Water Management Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave, Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the time, date and location.

Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00 "or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board set forth above, you need to notify the Chief Engineer (Water Rights Program, 523 E Capitol Avenue, Pierre SD) by February 26, 2018. Steven M. Pinner, Secretary, Department of Environment and Natural Resources.

Published once at an approximate cost of \$126.01.
(February 15, 2018)

February 22, 2018

PAYMENT REQUEST FORM

PAYEE: Watertown Public Opinion
120 3rd Avenue NW
Watertown, SD

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Notice of Hearing-Big Sioux River

AMOUNT: \$131.01

FUNDING SOURCE:


GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION:

A handwritten signature in black ink, appearing to read "Hannah Goodman", is written over the "AUTHORIZATION:" label.

I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

FEB 20 2018

WATER RIGHTS
PROGRAM

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)

County of Hamlin) SSI, LeeAnne Dufek

certify that the attached printed Notice was taken

from the Hamlin County
Republicanprinted and published in CastlewoodCounty of Hamlin and

state of South Dakota. The notice was published

in the newspaper on the following date:

Feb 14, 2018Cost of Printing \$69.09LeeAnne Dufek
(Signature)Owner
(Title)2-14-2018
(Date Signed)NOTICE OF HEARING ON CHIEF
ENGINEER'S RECOMMENDA-
TION FOR BIG SIOUX RIVER
WATER RIGHTS

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among water rights from the river and the ability for the Chief Engineer to issue written orders to allow pumping to continue if climatic conditions are favorable. The amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights.

Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in order for pumping to occur. The Water Rights Program has reviewed all Big Sioux River water rights and determined that the conditions can be modified to a standard bypass at one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

River reach upstream from the USGS gaging station near Castlewood;

River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;

River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.

Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet of water per second (cfs) bypass requirement. Those water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water right.

The Chief Engineer recommends that the Water Management Board approve deletion of the existing bypass condition on applicable water rights and add the following qualifications specific to the bypass flow at a referenced gaging station depending on the location of the water right.

Low flows as needed for downstream domestic use, including live-stock water, and prior rights must be by-passed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.

The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements.

Any interested person opposing or supporting the proposed amendment and intending to participate in the hearing shall file a petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided above.

The Water Management Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave. Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the time, date and location.

Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00, "or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board set forth above, you need to notify the Chief Engineer (Water Rights Program, 523 E Capitol Avenue, Pierre SD) by February 26, 2018.

Steven M. Pimer, Secretary
Department of Environment and Natural Resources.

Published Feb. 14, 2018, at total cost of \$69.09.

February 20, 2018

PAYMENT REQUEST FORM

PAYEE: Hamlin County Publishing Inc.
PO Box 50
Castlewood, SD 57223

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Notice of Hearing Big Sioux River

AMOUNT: \$69.09

FUNDING SOURCE:

GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION:



I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

Statement

B 2 0 2018

Bill To

DENR

Teresa Williams
Air Quality Program
523 E. Capitol, Joe Foss Bldg.
Pierre, SD 57501

[illegible]

Current	1-30 Days Past Due	31-60 Days Past Due	61-90 Days Past Due	OVER 90 Days Past Due	Amount Due
\$69.09	\$0.00	\$0.00	\$0.00	\$0.00	\$69.09

AFFIDAVIT OF PUBLICATION

State of South Dakota)

:ss

County of Union)

Bruce L. Odson,

the publisher of the Leader-Courier, deposes and says that

The Leader-Courier

is a legal weekly newspaper of a general circulation, printed and published in Elk Point, County of Union, State of South Dakota, and has been such legal newspaper during the time hereinafter mentioned, and that affiant is and was during all the time hereinafter mentioned in charge of the advertising department thereof, and has personal knowledge of all the facts stated in this affidavit: and that the notice and advertisement headed:

Notice of Hearing

a printed copy of which is hereunto attached and made a part hereof, was printed and published in the said newspaper at least once in

each week for 1 successive weeks; that said newspaper at the time of the first publication of said notice hereinafter stated, had, and still has, a bona fide circulation of over two hundred paid copies weekly, and had been published in the said County of Union for more than one year immediately prior to the date of the said publication of said notice, and that said newspaper during said times, was, and is, printed in part in an office maintained at said city of Elk Point, the said place of publication; that the first publication of said notice in said newspaper was

on Thursday, the 15 day of February, 2018

and that the succeeding publications were

on Thursday, the _____ day of _____, _____

on Thursday, the _____ day of _____, _____

on Thursday, the _____ day of _____, _____

that the fees for the printing and publishing of said notice and advertisement in said newspaper as aforesaid were

\$ 70.99, that the full amount of the fee charged insures to the benefit of the publisher of the said newspaper, that no agreement or understanding for the division thereof has been made with any other person and that no part thereof has been agreed to be paid to any other person whomsoever.


Subscribed and sworn to before me

this 15 day of February, 2018

My commission expires 7-12-23

SUSAN ODSON
NOTARY PUBLIC
SOUTH DAKOTA

Notary Public

NOTICE OF HEARING ON CHIEF ENGINEER'S RECOMMENDATION FOR BIG SIOUX RIVER WATER RIGHTS

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among water rights from the river and the ability for the Chief Engineer to issue written orders to allow pumping to continue if climatic conditions are favorable. The amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights.

Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in order for pumping to occur. The Water Rights Program has reviewed all Big Sioux River

water rights and determined that the conditions can be modified to a standard bypass at one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

1. River reach upstream from the USGS gaging station near Castlewood;

2. River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;

3. River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.

Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet of water per second (cfs) bypass requirement. Those water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.

RECEIVED

FEB 20 2018

WATER RIGHTS
PROGRAM

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water right.

The Chief Engineer recommends that the Water Management Board approve deletion of the existing bypass condition on applicable water rights and add the following qualifications specific to the bypass flow at a referenced gaging station depending on the location of the water right.

1. Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.

2. The Water Management Board is retaining jurisdiction of this water right in the event additional information

shows that adjustments need to be made to the bypass requirements.

Any interested person opposing or supporting the proposed amendment and intending to participate in the hearing shall file a petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or

contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided above.

The Water Management Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave. Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the

time, date and location.

Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00 "or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board set forth above, you need to notify the Chief Engineer (Water Rights Program, 523 E Capitol Avenue, Pierre SD) by February 26, 2018.

Steven M. Pirner, Secretary, Department of Environment and Natural Resources.
Publish Feb. 15, 2018
Published once the total approximate cost of \$70.99
7-4-231

February 20, 2018

PAYMENT REQUEST FORM

PAYEE: Southern Union County Leader-Courier
PO Box 310
Elk Point, SD

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Notice of Hearing-Big Sioux River

AMOUNT: \$70.99

FUNDING SOURCE:


GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION:



I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

Southern Union County **LEADER-COURIER**

*The community newspaper of Dakota Dunes, Elk Point,
Jefferson, McCook Lake and North Sioux City.*

RECEIVED

FEB 20 2018

**WATER RIGHTS
PROGRAM**

**Water Rights Program
523 E Capitol Ave
Pierre, SD 57501**

2/15/18

DATE	INVOICE	DESCRIPTION	CHARGES	BALANCE
2/15/18	SJ073117	Notice of Hearing- Big Sioux River	\$70.99	\$70.99

Finance Charge \$0.00

AMOUNT DUE* \$70.99

*Includes finance charges on amounts more than 30 days past due.

**PO Box 310
Elk Point, SD 57025
Phone 605-356-2632
Fax 605-356-3626**

**PO Box 1457
North Sioux City, SD 57049
Phone 605-235-1914
Fax 605-232-3679**

FEB 26 2018

WATER RIGHTS
PROGRAMCity of
Sioux Falls

City Attorney

Providing a Better Quality of Life for You!

KAREN A. LEONARD
Deputy City Attorney
kleonard@siouxfalls.org

DANIEL J. BROWN
Assistant City Attorney
dbrown4@siouxfalls.org

RYAN J. SAGE
Assistant City Attorney
rsage@siouxfalls.org

100 S. Dakota Ave., Ste. 200
P.O. Box 7402
Sioux Falls, SD 57117-7402
605-367-8880

KEITH E. ALLENSTEIN, JR.
Assistant City Attorney
Police and Fire Legal Advisor
kallenstein@siouxfalls.org

(Law Enforcement Center)
320 W. Fourth Street
Sioux Falls, SD 57104-2413
605-367-8880

COLLEEN M. MORAN
Assistant City Attorney
ADA Coordinator
cmoran@siouxfalls.org

KATIE L. DUNN
Assistant City Attorney
Human Relations Legal Advisor
kdunn@siouxfalls.org

224 W. Ninth Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
605-367-8745

PAUL M. BENGFORD
Assistant City Attorney
Public Works Legal Advisor
pbengford@siouxfalls.org

DIANE P. BEST
Assistant City Attorney
Public Works Legal Advisor
dbest@siouxfalls.org

(Public Works Administration)
224 W. Ninth Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
605-367-8880

605-367-7039 TTY
605-367-7330 FAX
www.siouxfalls.org

February 23, 2018

SENT VIA U.S. MAIL AND EMAIL TO: DENRINTERNET@STATE.SD.US

Ms. Jeanne Goodman
Chief Engineer
Water Rights Program, DENR
523 E. Capitol Avenue,
Pierre, SD 57501

Re: Big Sioux River Recommendations

Dear Ms. Goodman,

Please consider this letter as the City of Sioux Falls' Petition to Intervene in the pending Big Sioux River Water Rights matter now scheduled for March 7, 2018.

The City of Sioux Falls ("*Sioux Falls*") appreciates the the Department of Environment & Natural Resources ("*DENR*") objective of bringing consistency to the water right permits and their administration along the Big Sioux River ("*BSR*"). Changing the qualifications to ensure they are all based on USGS river gages is a good thing. Sioux Falls does have some concerns that it would like to share with the South Dakota Water Management Board ("*Board*").

The proposed new qualifications for each stretch of the BSR would be based on the next USGS gage below the water permit involved. For example, irrigation above the Castlewood gage would be allowed so long as the Castlewood gage was at 5 cfs or more. As such, this qualification would tend to assure these upstream irrigators have the right to irrigate so long as the stream gage below them meets a particular criteria, without regard to what is happening to senior users further downstream. Under this scenario, a junior irrigator above the Castlewood gage could irrigate if the Castlewood gage was at 5 cfs regardless of whether the gages at Dell Rapids and Sioux Falls were below 20 cfs. At the same time, a senior appropriator would be constrained by the 20 cfs qualification at the downstream gages. While I understand these qualifications are intended to provide for flexibility by the Chief Engineer and as such, the Chief Engineer could seek cooperation among the upstream junior appropriators, the language of these qualifications seems to reduce the legal means for the senior water right holders to take action against junior water right holders that impair water rights downstream.

Ms. Jeanne Goodman
Page 2
February 23, 2018

Sioux Falls would suggest all downstream gage criteria be incorporated in the qualifications. For the two permits above Castlewood, we would propose the qualification state as follows:

Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids, and at least 20 cfs is flowing past USGS Gaging Station No. 6482020 at North Cliff Avenue in Sioux Falls, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

Similarly, for the 14 permits above Dell Rapids, we would propose the qualification state as follows:

Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids, and at least 20 cfs is flowing past USGS Gaging Station No. 6482020 at North Cliff Avenue in Sioux Falls, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.


We appreciate the fact that administering these diversions during severe drought will be a challenge. We would respectfully submit, however, that the qualifications, as stated above, would protect the senior water rights and also be a better means to protect the flows in the river for the entire stretch impacted.

We also reserve our right to address any other issues that may be presented by other intervenors or the Board at a hearing.

At the hearing Sioux Falls may also address the extent to which releases from the Sioux Falls Water Reclamation Plant augment other available flows in the BSR.

Due to scheduling constraints, Sioux Falls is exercising its right to automatically delay the hearing for at least twenty (20) days as provided by state law.

Sincerely,



Diane P. Best
Assistant City Attorney

DPB/amr

Sioux Falls Ordinances

§ 53.015 USE OF PUBLIC SEWERS REQUIRED.

(a) It shall be unlawful for any person to place, deposit or permit to be deposited in any unsanitary manner on public or private property within the city, or in any area under the jurisdiction of the city, any human or animal excrement, garbage or other objectionable waste.

(b) It shall be unlawful to discharge to any natural outlet within the city or in any area under the jurisdiction of the city any wastewater or other polluted waters, except where suitable treatment has been provided in accordance with this subchapter, or permitted by the DENR or EPA.

(c) Except as provided in this subchapter, it shall be unlawful to construct or maintain any privy, privy vault, septic tank, cesspool or other facility intended or used for the disposal of wastewater.

(d) The owner of each house, building or property used for human occupancy, employment, recreation or other purposes, in the city and abutting on any street, alley or right-of-way in which there is located or may be located a public sanitary sewer of the city, shall at the owner's expense install suitable toilet facilities therein, and connect the facilities directly with the proper public sewer in accordance with the provisions of this subchapter, within five years after the date of official notice to do so, provided that the public sewer is within 200 feet of the property line and reasonably accessible as determined by the city engineer.

(1992 Code, § 41-111) (Ord. 47-81, passed 6-1-1981; Ord. 57-93, passed 7-12-1993; Ord. 102-96, passed 9-3-1996; Ord. 48-03, passed 6-9-2003) Penalty, see § 53.999

§ 53.016 PRIVATE WASTEWATER DISPOSAL.

(a) Where a public sanitary sewer is not available under the provisions of § 53.015(d), the building sewer shall be connected to a private wastewater disposal system complying with the provisions of this subchapter and State of South Dakota Administrative Rules for individual and small on-site wastewater systems (ARSD Chapter 74:03:01).

(b) Before commencement of construction of a private wastewater disposal system, the owner shall first obtain a written permit signed by the city engineer. The application for the permit shall be made on a form furnished by the city which the applicant shall supplement by any plans, specifications and other information deemed necessary by the city. A permit and inspection fee established by ordinance shall be paid to the city when the application is filed.

(c) A permit for a private wastewater disposal system shall not become effective until the installation is completed to the satisfaction of the city engineer. The city engineer shall be allowed to inspect the work at any stage of construction, and in any event, the applicant for the permit shall notify the city engineer when the work is ready for final inspection, and before any underground portions are covered. The inspection shall be made within three hours of the receipt of notice by the city engineer.

(d) The type, capacity, location and layout of a private wastewater disposal system shall comply with all recommendations of the state department of health. For persons with a public water supply, no permit shall be issued for any private wastewater disposal system employing subsurface soil absorption facilities where the area of the lot is less than one-half acre. For persons with a private well, no permit shall be issued for any private wastewater disposal system employing subsurface soil absorption facilities where the area of the lot is less than one acre. No septic tank or cesspool shall be permitted to discharge to any natural outlet.

(e) When a public sewer becomes available to a property served by a private wastewater disposal system, as provided in § 53.015(d), a direct connection shall be made to the public sewer within five years in compliance with this subchapter, and any septic tanks, cesspools and similar private wastewater disposal facilities shall be cleaned of sludge and filled with suitable material.

(f) The owner shall operate and maintain the private wastewater disposal facilities in a sanitary manner at all times, at no expense to the city.

(g) No statement contained in this subchapter shall be construed to interfere with any additional requirements that may be imposed by a health officer.

(1992 Code, § 41-112) (Ord. 47-81, passed 6-1-1981; Ord. 19-82, passed 3-8-1982; Ord. 57-93, passed 7-12-1993; Ord. 102-96, passed 9-3-1996; Ord. 48-03, passed 6-9-2003)



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**


JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 27, 2018

NOTICE

TO: Diane Best
Assistant City Attorney
City of Sioux Falls
PO Box 7402
Sioux Falls SD 57117-7402

FROM: Jeanne Goodman, Chief Engineer
Water Rights Program 

SUBJECT: Automatic Delay of Hearing to Amend Conditions Placed on Many Big Sioux River
Water Rights

The city of Sioux Falls filed a petition to intervene in response to the public notice regarding the Water Management Board hearing to consider an amendment to the conditions on many Big Sioux River water rights. The city's petition included a request for an automatic delay of the March 7, 2018 hearing date. Therefore, the hearing on this matter is automatically delayed pursuant to SDCL 46-2A-4 and 46-2A-5 and will not be held on March 7, 2018.

The hearing to consider amendment to the conditions on many Big Sioux River water rights is tentatively scheduled for the Water Management Board meeting to be held May 2 - 3, 2018, in Pierre. The Board will formalize its next meeting date at their March 7th meeting. Future notice of the time and place of the hearing will be provided.

Please contact Eric Gronlund at (605) 773-3352 if you have questions regarding the hearing process.

c: Ann Mines Bailey, Assistant Attorney General

CERTIFICATION

I hereby certify that on February 27, 2018, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated February 27, 2018, regarding automatic delay of the hearing to consider amendment to the conditions on many Big Sioux River water rights, as addressed below:

Diane Best
Assistant City Attorney
City of Sioux Falls
PO Box 7402
Sioux Falls SD 57117-7402

Sent Inter-office to:

Ann Mines Bailey, Assistant Attorney General
1302 East Highway 14, Suite 1
Pierre SD 57501-8501

Eve Tronlund


Eric Gronlund
Water Rights Program, DENR

[illegible]

Sworn to, before me, this 27th day of February, 2018

Karen A. Maack

Karen Schlaak
Notary Public
My Commission expires April 1, 2019





DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES


JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

April 4, 2018

NOTICE

TO: Diane Best
Assistant City Attorney
City of Sioux Falls
PO Box 7402
Sioux Falls SD 57117-7402

FROM: Jeanne Goodman, Chief Engineer
Water Rights Program 

SUBJECT: Scheduling of Hearing to Amend Conditions Placed on Many Big Sioux River
Water Rights

The city of Sioux Falls filed a petition to intervene in response to the public notice published in the Argus Leader regarding proposed amendment to conditions placed on many Big Sioux River water rights. The March 7, 2018, hearing was postponed at the city's request. This notice reschedules the hearing for May 3, 2018.

The Water Management Board will now conduct a hearing to consider proposed amendment to conditions placed on many Big Sioux River water rights at 8:30 AM (Central Time) on Thursday, May 3, 2018, at the Floyd Matthew Training Center, Joe Foss Building, 523 E. Capitol Avenue, Pierre SD. The agenda time is an estimate and may be delayed due to prior items. Future notice will be provided to all parties if there is a significant change to the hearing time.

Applicable provisions of the public notice of hearing published in the Argus Leader on February 15, 2018, still apply.

Questions regarding the hearing process may be directed to Eric Gronlund, Water Rights Program at (605) 773-3352 or eric.gronlund@state.sd.us.

c: Ann Mines Bailey, Assistant Attorney General

CERTIFICATION

I hereby certify that on April 4, 2018, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated April 4, 2018, regarding scheduling of the hearing to consider amendment to the conditions on many Big Sioux River water rights, as addressed below:

Diane Best
Assistant City Attorney
City of Sioux Falls
PO Box 7402
Sioux Falls SD 57117-7402

Sent Inter-office to:

Ann Mines Bailey, Assistant Attorney General
1302 East Highway 14, Suite 1
Pierre SD 57501-8501




Eric Gronlund
Water Rights Program, DENR

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 4th day of April, 2018



Karen Schlaak
Notary Public
My Commission expires April 1, 2019





**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

July 22, 2021

WR Nos. 1437-3 & 1350-3

Dear Big Sioux River Water Right Holder:

I am writing to water right holders and operators who use water from the Big Sioux River north of Castlewood. The Water Management Board has placed a 5 cfs bypass qualification on stream gage No. 06479525 (the Big Sioux near Castlewood), which requires irrigators to cease operation if the flow falls to this level.

South Dakota law gives the highest priority to domestic use, including livestock watering. There is generally adequate water available to meet both domestic use and other needs. However, once water availability reaches critical low levels, other uses will begin to interfere with domestic use. If river levels become critically low, the department may need to issue shutoff orders to protect domestic use, including livestock watering and those water rights that are most senior.

At this time, we are only cautioning that shutoff orders may become necessary. **This not a shutoff order.** This letter is intended to give you advanced warning that your ability to divert water may be cut short this year. If shutoff orders are issued, you will receive another letter from the department. In the meantime, water right holders can help by closely monitoring water usage and avoid wasting water.

The US Geological Survey has an Internet site showing river flows at 164 stream gauging stations across the state, including the Castlewood gage. To view the latest realtime stream flow, go to:

<https://waterdata.usgs.gov/sd/nwis/current/?type=flow>

Thank you for your cooperation. If you have any questions, please contact Mark Rath or Blaise Hansen (605) 773-3352.

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program

Report of Examination of Works and/or Application of Water to Beneficial Use For Permit No. 7350-3

I have this day, April 27, 2022, made a thorough examination of the water use system constructed by Marvin & Maxine Czech (See Section F) of Permit No. 7350-3, bearing the priority of April 16, 2012 authorizing the diversion of 1.56 cu. ft. per second of the waters of the Big Sioux River for irrigation purposes, in Hamlin County.

A. Works used to divert the water:

Centrifugal Pump draws water directly from the Big Sioux River (see included photo)

Pump:

- 1) Make Cornell
- 2) Model 4RB-25-4
- 3) Size 10.75
- 4) Capacity 600 GPM

Motor:

- 1) Make Baldor
- 2) Model No. EJPM2531T
- 3) Horsepower rating 25 hp

B. Works used to transport water to place of use:

- 1) Type Underground PVC
- 2) Size 6 inches
- 3) Length 1100 feet

C. Works used to apply water to beneficial use:

Center pivot:

- 1) Make Valley
- 2) Overall length 1120 feet
- 3) Number of towers 6
- 4) End gun Y
- 5) Capacity 600 GPM

Chemigation Equipment:

Does chemigate Y Uses commercially available injection equipment

D. Compliance with Permit Requirements:

- 1) Permit qualifications being abided by Y
- 2) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y
- 3) Exceptions to compliance are: None

E. Condition and Location:

1. The system is in **good** condition with the point(s) of diversion located as follows: **PUMP LOCATION**
From the of NW corner Sec 3 T115N R52W, 1350 ft S & 435 ft E, Lat 44.80014 long -97.06549
(SW ¼ NW ¼).
2. The works are capable of diverting and conveying to the place of use **1.33** cu. ft. per second of water which is to be used for **irrigation**. Water has been put to beneficial use to the maximum extent as follows:

All land in Section 3 T115N R52W

NW ¼ NW ¼ -18.0 acres

NE ¼ NW ¼ – 30.5 acres

SE ¼ NW ¼ – 37.0 acres

SW ¼ NW ¼ – 21.0 acres

comprising a total of **106.5** acres of land and the license should be issued for **1.33** cfs

3. All structures, wells and lands on map **Y**

F. Comments or other permit(s) associated with the project:

The irrigated acreage was determined with the aid of FSA imagery and ArcMAP software.

Mr. James Czech, son of Marvin Czech, is now the operator of the land and the contact person for the Permit. His telephone numbers are 605/881-0992 (Cell) and 605/884-1019 (Home) and his mailing address is 45767 177th St, Watertown, SD 57201.




Pumping plant on the bank of the Big Sioux River.

A handwritten signature in black ink, reading "Darrell W DeBoer".

Darrell W DeBoer
Water Rights Inspector
DANR, Water Rights Program

Date report completed: April 30, 2022





**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

MAY 12 2022

7350-3

Marvin Czech
% James Czech
45767 177th St
Watertown SD 57201

Dear Mr. Czech:

Enclosed is Water License No. 7350-3. This is the final water right document completing your process of obtaining a Water Right. Included with your license is a map prepared by the staff engineer who conducted the field investigation.

As long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 7350-3

(1) Richard Schmit, Castlewood SD made Application No. 7350-3, April 16, 2012 for a water permit to divert 1.56 cubic feet of water per second from the Big Sioux River, Hamlin County, South Dakota for irrigation purposes. Permit No. 7350-3, with a priority date of April 16, 2012 was approved June 25, 2012 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before June 25, 2017 and for the application to beneficial use of said water on or before June 25, 2021.

Water Permit No. 7350-3 was transferred January 4, 2018, to Marvin & Maxine Czech.

(2) It is certified that the permit holders have complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and are entitled to divert 1.33 cubic feet of water per second for beneficial use. The location of the diversion point is:

- 1,350'S and 435'E of the NW corner of Section 3, T115N, R52W (SW ¼ NW ¼)
Latitude 44.80014, Longitude -97.06549

(3) The permit holders have complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 3, T115N, R52W	NW ¼ NW ¼	18.0 acres
	NE ¼ NW ¼	30.5 acres
	SE ¼ NW ¼	37.0 acres
	SW ¼ NW ¼	21.0 acres
Total		106.5 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Marvin Czech, % James Czech, 45767 177th St., Watertown SD 57201 the holder and/or owner of Water Right No. 7350-3 are issued a license to appropriate water, the right to use 1.33 cubic feet of water per second from the Big Sioux River with a priority date of April 16, 2012, from the location specified in (2) of this license for irrigation purposes.

This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Right No. 7350-3. **On May 11, 2017, and May 3, 2018, the Water Management Board amended qualifications pertaining to Water Permit No. 7350-3.** This license is subject to the following qualifications:

- Diversions under this water right are subject to senior water rights and shall be in accordance with any written orders issued by the Chief Engineer.
- This water right is subject to the irrigation water use questionnaire being submitted each year.

continued

- Low flows as needed for downstream domestic use including livestock water and prior water rights must be bypassed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer. Prior to issuing any shut off orders, the Chief Engineer shall also take into consideration the flows at the USGS Gaging Station No. 06481000 near Dell Rapids and USGS Gaging Station No. 6482020 at North Cliff Avenue in Sioux Falls. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements.

Eric Gronlund

Eric Gronlund, Chief Engineer
Water Rights Program
Department of Agriculture and Natural Resources

MAY 12 2022

date



581 MFE 114172510010/14/ZS
RETURN TO SENDER
CZECH, JIM M
PO BOX 786
WATERTOWN SD 57201-0786
RETURN TO SENDER