

WATER PERMIT NO. 7781-3

Name of Applicant: Gary Andersen

Address: 30094 463 Ave, Centerville SD 57014 Phone: 605 941-4038

Amount of Water Claimed: 1.78 cfs Total Acres: 95 acres

Source of Water Supply: groundwater (one well)

Water to be used for: irrigation County: Clay

Type of Waste Disposal System:

Location: 2 miles south of Centerville

PRIORITY Date Received: 3-4-13 Application/License Fee: \$ 950

Corrected Application Received: Period of Annual Use: April 1-October 31

Remarks: Applicant is requesting diversion rate greater than statutory limit

Diversion Point: SW 1/4 SW 1/4 Sec 1-T95N-
R52W

Land to be Irrigated: SW 1/4 Sec 1 -T95N-R52W

Depth of Well: 50 feet deep

Well Driller: Hammond Wetmore Drilling

Remarks:


Type of Map: aerial

Prepared by:

Reviewed and the Number Assigned on: 3-5-13

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____



FORM 2: Application for irrigation in South Dakota
(type or print)

Mail to: PMB 2020 DENR - Water Rights 523 E Capitol Ave Pierre, SD 57501-3182 ph. (605) 773-3352	No. <u>2781-3</u> (office use only) Hydrologic Unit <u>10170102</u>
	Basin <u>Vermillion River</u> <u>605-624-2695</u>
	Newspaper <u>Plain Talk 201 W Cherry St. Vermillion</u> <u>605-665-7811</u> <u>57069</u>
	<u>Press & Dakotan 319 Walnut Yankton 57078</u>

RECEIVED
MAR - 4 2013
WATER RIGHTS
PROGRAM

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

1. Name to Appear on Irrigation Permit Gary Andersen

(check one) ☒ Owner ☐ Tenant/lessee ☐ Owner's Legal Agent

(name and complete address if different than above name)

Mailing Address 30094 463 ave (Address) Centerville (City) sd (State) 57014 (Zip Code)

Home Phone _____ Cell 605-941-4038 Email _____

2. Amount of water claimed 1.78 *CFS or 800 **GPM ***AF Total Acreage 95
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable)

3. Source of water supply Parker centerville aquifer

4. Location of point of diversion sw 1/4 of sw1/4 of Section 1, T95N, R52W

(example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W)

County Clay

5. County or counties where water will be used clay

6. Annual period during which water is to be used april 1 - October 31

7. List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
NW1/4 of SW1/4	25		
NE1/4 of SW1/4 <u>Sec 1 - T95N - R52W</u>	34		
SE1/4 of SW1/4	34		
SW1/4 of SW1/4	4		

8. Give a description of the project. (Attach sheet if more space is needed)

center pivot irrigation of above property

well is to be dug in SW corner and piped to pivot point
a test well was dug and well log will be sent.
applicant is requesting diversion rate greater than statutory limit

I, Gary Andersen, Gary Andersen, the applicant, certify that I have read this application, have examined the attached map, and that the matters stated are true.

SOUTH DAKOTA
WATER PERMIT NO. 7781-3

Date of first receipt of application March 4, 2013.


The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 7781-3 to Gary Andersen, 30094 463 Ave, Centerville SD 57014 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 7781-3 appropriates 1.78 cubic feet of water per second from one well to be completed into the Parker:Centerville Aquifer (50 feet deep) located in the SW 1/4 SW 1/4 Section 1 for irrigation of 95 acres located in the SW 1/4 Section 1; all in T95N-R52W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 – October 31.
3. The date from which applicant may claim right is March 4, 2013.
4. The date of approval of Permit No. 7781-3 is May 20, 2013.
5. One-fifth of the construction is to be completed on or before November 20, 2015.
6. All construction is to be completed on or before May 20, 2018.
7. Water is to be put to beneficial use on or before May 20, 2022.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 7781-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. Pursuant to SDCL 46-5-6 which allows a greater diversion rate if the method of irrigation, time constraints, or type of soils so requires, Permit No. 7781-3 authorizes a maximum diversion rate of 1.78 cfs for the irrigation of 95 acres with an annual volume not to exceed 2 acre feet of water per acre per year.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD


By: 
Jeanne Goodman, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUN 21 2013

date



2013 Certification Maps



United States Department of Agriculture
Farm Service Agency

PLSS: 1_95N_52W
Farm: 4542

Clay County, SD
1:8,283

RECEIVED
MAR - 4 2013
WATER RIGHTS
PROGRAM

March 12, 2010
RECEIVED
MAR - 4 2013
**WATER RIGHTS
PROGRAM**

Wetland Determination Identifiers
● Restricted Use
▽ Limited Restrictions
☐ Exempt from Conservation Compliance Provisions

Common Land Units

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area.
Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.

2008 Ortho-Photography - Not to Scale

Lindsay Manufacturing Co.



2707 North 108th Street
Omaha, NE 68164
800 - 829 - 5300 office


RECEIVED
MAR - 4 2013
WATER RIGHTS
PROGRAM

Farm: Field1

Grower: Gary Andersen

1/31/2013

Systems:	Length	Spans	Total area including endgun
Pivot 2	1303.67 ft	7 spans + 44 ft o.h.	95.13 acres



bing

© 2012 Microsoft Corporation © 2010 DigitalGlobe © 2010 GeoEye © 2010 NAVTEQ © AND

SD EForm - 1621LD V1

SOUTH DAKOTA WATER WELL COMPLETION REPORT

11-02


Location SW 1/4 SW 1/4 Sec 1 Twp 95N Rg 52W

County Clay



North

Please mark well location with an "X"



Well Completion Date

1/29/13

1 Mile

Distance to nearest potential pollution source (septic tank, abandoned well, feed lot, etc.):

1100 ft. from Septic tank

(identify source)

PROPOSED USE:

☐ Domestic/Stock ☐ Municipal ☐ Business ☒ Test holes
☐ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

Rotary

CASING DATA:

☐ Steel ☐ Plastic ☐ Other

If other describe None

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
LB/FT	IN	FT	FT	IN
LB/FT	IN	FT	FT	IN
LB/FT	IN	FT	FT	IN

GROUTING DATA:

Grout Type	No. of Sacks	Grout Weight	From	To
bent grout	7	Lb/gal	0 Ft	55 Ft
		Lb/gal	Ft	Ft

Describe grouting procedure
tremie

SCREEN:

☐ Perforated pipe ☐ Manufactured

Diameter _____ Inches Length _____ Feet

Material _____

Slot Size _____ Set From _____ Feet to _____ Feet

Other information none

WAS A PACKER OR SEAL USED?

☐ Yes ☒ No

If so, what material?

Describe packer(s) and location

DISINFECTION: Was well disinfected upon completion?

☐ Yes, How?

☒ No, Why Not?

Lab to which water quality sample sent for analysis

Well Owner: Gary Anderson

Business Name:

Address: 30094 463rd Ave

City, State, Zip: Centerville, sd 57014

WELL LOG:

DEPTH

FORMATION

FROM

TO

topsoil, black	0	2
Silt, yellow-brown, sandy	2	17
Sand, tan, fine to medium grained	17	25
gravel, green, medium, sandy	25	55

STATIC WATER LEVEL 18 FEET

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ Inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

Reduced flow rate _____ GPM

Can well be completely shut in?

WELL TEST DATA:

☐ Pumped Describe:

☐ Bailed

☐ Other

Pumping Level Below Land Surface

_____ Ft. After _____ Hrs. pumped _____ GPM

_____ Ft. After _____ Hrs. pumped _____ GPM

If pump installed, pump rate: _____ GPM

REMARKS

RECEIVED

MAR 13 2013

WATER RIGHTS PROGRAM

This well was drilled under license # 666 and this report is true and accurate.

Drilling firm: Hammond Wetmore Drilling, LLC

Signature of License Representative:

Signature of Well Owner or Equitable Property Holder:

Date: 3-7-2013

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 3/5, 20 13

RECEIVED OF Gary Anderson 30097 463rd Ave Centerville SD 57014

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>7781-33</u> to Appropriate Water, to construct and to put water to beneficial use	750	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>7781-3</u>	200	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)		
TOTAL	950	00

No. 06214

By [Signature]
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 7781-3, Gary Andersen**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 7781-3, Gary Andersen, 30094 463 Avenue, Centerville SD 57014.

The Chief Engineer is recommending APPROVAL of Application No. 7781-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 7781-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. Pursuant to SDCL 46-5-6 which allows a greater diversion rate if the method of irrigation, time constraints, or type of soils so requires, Permit No. 7781-3 authorizes a maximum diversion rate of 1.78 cfs for the irrigation of 95 acres with an annual volume not to exceed 2 acre feet of water per acre per year.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Jeanne Goodman, Chief Engineer
May 3, 2013

REPORT TO THE CHIEF ENGINEER
ON
WATER PERMIT APPLICATION NO. 7781-3
GARY ANDERSEN
MAY 03, 2013

Water Permit Application No. 7781-3 proposes to appropriate water at a maximum diversion rate of 1.78 cubic feet of water per second (cfs) from one well approximately 50 feet. The well is to be located in the SW ¼ SW ¼ Section 1 for irrigation of 95 acres located in the SW ¼ Section 1, all in T95N-R52W. The applicant is requesting a diversion rate greater than the statutory limit.

AQUIFER: Parker-Centerville aquifer (PAC)

GEOLOGY AND AQUIFER CHARACTERISTICS:

The Parker-Centerville is a surficial outwash consisting of fine sand to coarse gravel and is unconfined in the area of the proposed well site. The aquifer underlies portions of Turner (47,360 acres), Lincoln (16,000 acres), and Clay (3,700) Counties (Hedges et. al., 1982; Lindgren and Hansen, 1990; Niehus, 1997). The aquifer can generally be encountered within 50 feet of ground surface (Jensen, 2000). The water level in the aquifer can be encountered from ground surface to 30 feet below grade but is generally from 10 to 20 feet below grade (Water Rights, 2013a). The test hole log submitted with this application identified sand and gravel from 17 to 55 feet below grade with a static water level of 18 feet below ground surface in January 2013.

The Parker-Centerville aquifer is hydraulically connected to the Vermillion East Fork and Vermillion West Fork aquifers in north-central Turner County and in places to the underlying Upper Vermillion Missouri aquifer (Lindgren and Hansen, 1990). The aquifer is also hydraulically connected to the West and East Fork of the Vermillion River (Lindgren and Hansen, 1990). The Parker-Centerville aquifer blends into the Lower Vermillion Missouri aquifer approximately 1.5 miles south of the proposed well site. Generally, the ground water movement in the aquifer is from the north to the south.

SDCL 46-2A-9

Pursuant to SDCL 46-2A-9, a permit to appropriate water may be issued only if there is a reasonable probability that there is unappropriated water available for the applicant's proposed use, that the proposed diversion can be developed without unlawful impairment of existing rights and that the proposed use is a beneficial use and in the public interest. This report will address the availability of unappropriated water and existing rights from the aquifer that are pertinent to this application.

WATER AVAILABILITY:

This application proposes to appropriate water from the Parker Centerville aquifer. If this application is approved, the actual water use will likely be less than 190 acre-feet per year (ac-ft/yr). The probability of unappropriated water available from an aquifer can be evaluated by considering SDCL 46-6-3.1, which requires "No application to appropriate groundwater may be approved if, according to the best information reasonably available, it is probable the quantity of

water withdrawn annually from a groundwater source will exceed the quantity of the average estimated annual recharge of water to the groundwater source.”

Hydrologic Budget:

Recharge:

Recharge to the Parker Centerville aquifer occurs due to infiltration of precipitation in areas where the aquifer is at or near land surface. Hedges and others (1985) estimated the recharge rate of this aquifer to be 4.9 inches per year (in/yr). Table 1 shows the recharge, in ac-ft/yr, based on the area of the aquifer.

County	Clay	Lincoln	Turner	Total
Area (ac)	3700	16000	74360	94060
Recharge (ac-ft/yr)	1510.8	6533.3	30363.7	38407.8

Table 1- Recharge to the Parker Centerville aquifer (Hedges et.al., 1982; Lindgren and Hansen, 1990; Niehus, 1997)

Discharge:

Discharge from the Parker Centerville aquifer occurs due to evapotranspiration in areas where the aquifer is near land surface, outflow to the Vermillion River, and well withdrawals from municipal and irrigation use. Currently there are 127 water rights/permits appropriating from this aquifer (Water Rights, 2013b). Only two permits are for non-irrigation purposes. Water Right Nos. 517A-3 and 517B-3 City of Hurley. Hurley is connected to TM Rural Water (Friedeman, 2013).

The amount of water that can be expected to be withdrawn by the non-irrigation use water rights/permits can be estimated by assuming water rights/permits limited only by diversion rate will pump at the maximum permitted diversion rate at 60 percent of the time. Therefore, the total annual withdrawal from the Parker Centerville aquifer by non-irrigation use, if Hurley were to use their water rights, is expected to be less than 339 ac-ft/yr; all of which is withdrawn in Turner County (Water Rights, 2013b).

There are a number of well completion reports on file with the SD DENR-Water Rights Program for domestic wells that appear to be completed into the Parker Centerville aquifer (Water Rights, 2013c). The annual withdrawal due to domestic use is not significant to the hydrologic budget of the aquifer.

The irrigation development of the Parker Centerville aquifer over the period of record, 1979 to 2011, has remained at the same general level. For irrigation use from this aquifer, there are currently 114 water rights/permits in Turner County, 11 water rights/permits in Clay County, and no water rights/permits in Lincoln County (Water Rights, 1980-2011). The historic irrigation water use from the Parker-Centerville aquifer as reported to the SD DENR-Water Rights Program through annual irrigation questionnaires is shown table 2.

Year	No. of Permits Reporting	Appropriation (ac-ft/yr)	Pumpage (ac-ft/yr)
2011	123	43376.18	11315.29
2010	123	43376.18	391.54
2009	125	43828.18	7259.88
2008	123	43717.5	13223.74
2007	120	43342.3	11995.27
2006	121	43666.3	15303.9
2005	119	43051.3	13450.04
2004	117	43064.3	14668.26
2003	116	43040.3	12473.27
2002	114	42828.3	13989.85
2001	113	42890.3	12356.4
2000	112	42596.3	13101.48
1999	112	42569.3	11118.75
1998	109	42062.5	10200.86
1997	110	41999.5	11525
1996	107	41363.5	10930.35
1995	109	43245.5	8933.39
1994	108	43005.5	10214.36
1993	111	43781.8	1918.5
1992	111	45356.8	3909.4
1991	110	45435.8	11186.3
1990	110	45435.8	12200.5
1989	110	46476.8	13958.8
1988	108	46488.8	13558.25
1987	111	47892.8	8619.9
1986	113	48252.8	6120
1985	112	47722.8	6514.5
1984	111	47712.8	5152
1983	110	47480.8	5523.29
1982	111	48320.8	6493.92
1981	121	49051	9321
1980	110	46189	7675
1979	114	45949	7481
Min	107	41363.5	391.54
Max	125	49051	15303.9
Avg	113.76	44683.96	9760.12

Table 2- Historic irrigation water use from the Parker Centerville aquifer (Water Rights, 1979-2012)

Hydrologic Budget:

The average annual withdrawal from the Parker Centerville aquifer is estimated to be less than the estimated annual recharge, both in total and by county. Therefore, there is a reasonable probability that unappropriated water is available from the Parker Centerville aquifer for this proposed appropriation.

Observation Well Data:

Administrative Rule of South Dakota Section 74:02:05:07 requires that “the Water Management Board shall rely upon the record of observation well measurements to determine that the quantity of water withdrawn annually from the aquifer does not exceed the estimated average annual recharge of the aquifer.”

The SD DENR-Water Rights Program monitors 23 observation wells in the Parker Centerville aquifer. The nearest observation wells are TU-77N and TU-57D, approximately 2.2 miles west-northwest and 4.2 miles northwest of the proposed well site, respectively (Water Rights, 2013a)

In general, the observation well data shows that water levels have remained fairly stable over the period of record. The observation well data does document cyclic conditions of water levels, recharging during wet years and declining during dry years. This data documents that, at the current level of development, temporal well withdrawal is masked by climatic conditions. Therefore, recharge to and natural discharge from the Parker Centerville aquifer significantly exceeds pumping, indicating that unappropriated water is available from the aquifer to support this proposed appropriation.




Figure 1- Hydrograph for observation well TU-77N (Water Rights, 2013a)




Figure 2- Hydrograph for observation well TU-57D (Water Rights, 2013a)

EXISTING WATER RIGHTS:

There are nine water rights/permits appropriating water from the Parker-Centerville aquifer and five from the Upper Vermillion Missouri aquifer within approximately 1.5 miles of the proposed well site (Water Rights, 2013b). The proposed well site is at the southern boundary of the Parker-Centerville aquifer. At this location the Parker-Centerville blends with the Upper Vermillion Missouri and becomes the Lower Vermillion Missouri aquifer. There are no appropriative rights within approximately 0.7 miles of the proposed well site. Table 3 shows the water rights/permits within approximately 1.5 miles of the proposed well site. There are also several well completion reports on record with the SD DENR-Water Rights Program for domestic wells within 1.5 miles of the proposed well sites that could be completed into the Parker Centerville aquifer, but none are within 0.7 miles of the proposed well site (Water Rights, 2013c).

Permit No.	Name	Status	Aquifer	Type	CFS	Acres
182-3	W.E. & W. Jerald Hansen	LC	PAC	IRR	2.05	145
2950-3	Terry & Alberta Surprenant	LC	UVM	IRR	1.57	110
3049-3	Mary White	LC	PAC	IRR	1.78	135
3157-3	Gary Andersen	LC	PAC	IRR	1.3	105
3758-3	Terry & Alberta Surprenant	LC	PAC	IRR	1.11	80
5267-3	Mary White	LC	PAC	IRR	0.43	30
5844-3	Richard H. Myers	PE	PAC	IRR	1.71	120
6568-3	Hansen Properties	PE	PAC	IRR	2.38	167
6607-3	Duane E. Auch	PE	PAC	IRR	0.02	1.5
6922-3	Paul Shubeck	LC	UVM	IRR	1.78	122
6970-3	Roger Blake	PE	UVM	IRR	1.78	236
7002-3	Hansen Properties	PE	UVM	IRR	1.56	123
7010-3	Gary Andersen	PE	PAC	IRR	0.48	110.6
7191-3	Roger Blake	PE	UVM	IRR	0	80
LC= Water Right, PE= Water Permit, PAC= Parker-Centerville, UVM= Upper Vermillion Missouri, IRR= Irrigation						

Table 3- Water Rights within approximately 1.5 miles of the proposed well site (Water Rights, 2013b)

To place water to maximum beneficial use, a certain amount of drawdown may occur. The water table conditions of the aquifer in this area dictate that drawdown due to pumping would not be significant far from the proposed well site. However, the close proximity and concentration of high capacity wells pumping from this relatively thin aquifer could lead to water level declines being compounded and magnified. Drawdown cannot be precisely quantified without aquifer testing in the area.

While the withdrawals would not exceed recharge of the aquifer as a whole, this cumulating impact of withdrawals could lead to a reduction of water levels to the extent that local water rights/permits can no longer pump at their developed, or “historically established,” diversion rates. If approved, the water permit should include a qualification that the well owner should control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights. Figure 4 shows a map of the area including water rights/permits and observation wells.




Figure 4- Map of water rights/permits and observation wells in the area of Water Permit Application No. 7781-3


SDCL 46-5-6

Pursuant to SDCL 46-5-6, the diversion rate for an irrigation appropriation cannot be in excess of one cfs per second for every 70 acres, or “the equivalent thereof.” The statute does provide that the Water Management Board may allow a greater diversion if the method of irrigation so requires. Water Permit Application 7781-3 proposes to divert water at 1.78 cfs for the irrigation of 95 acres, or the equivalent of 1.31 cfs per 70 acres. The applicant did not state a reason for the request, but on the map included with the application showed that the center pivot did not make a full rotation. In the past, the Water Management Board has accepted this as a valid reason.

CONCLUSIONS:

1. The application proposes to appropriate water at a maximum diversion rate of 1.78 cfs from the Parker-Centerville aquifer for the irrigation of 95 acres.
2. From the hydrologic budget and the observation well data, there is a reasonable probability that unappropriated water is available from the Parker Centerville aquifer to supply this proposed appropriation.
3. There is a reasonable probability this proposed diversion will not adversely impact existing appropriative or domestic users.
4. The applicant requested a diversion rate exceeding the statutory limit. The applicant did not explicitly state the reason for the requested diversion rate. A map submitted with the application showed that the center pivot was a windshield-wiper. The Water Management Board has in the past accepted this as a valid reason.


Adam Mathiowetz
SD DENR-Water Rights Program

Approved by

Ken Buhler
SD DENR-Water Rights Program

REFERENCES:

- Friedeman, B. Personal Communication. SD DENR- Drinking Water Program. 27 March, 2013
- Hedges, L.S., Allen, J., and Holly, D.E. 1985. Evaluation of Ground-Water Resources Eastern South Dakota and Upper Big Sioux River, South Dakota and Iowa. Task 7: Ground Water Recharge. South Dakota DENR-Geological Survey, Vermillion, South Dakota.
- Hedges, L.S., S.L. Burch, D.L. Iles, R.A. Barari, and R.A. Schoon. 1982. Evaluation of Ground-Water Resources Eastern South Dakota and Upper Big Sioux River, South Dakota and Iowa, Task 1: Bedrock Topography and Distribution, Task 2: Extent of Aquifers, Task 3: Ground-Water Storage, Task 4: Computerized Data Base, Final Report. U.S. Army Corps of Engineers Contract DACW 45-80-C-0185.
- Jensen, A.R. 2000. First Occurrence of Aquifer Materials in Clay County, South Dakota. SD DENR-Geological Survey Aquifer Materials Map 1. Vermillion, South Dakota.
- Lindgren, R.J., and Hansen, D.S. 1990. Water Resources of Hutchinson and Turner Counties, South Dakota. Water-Resources Investigations Report 90-4093, United State Geological Survey, Huron, South Dakota.
- Niehus, C.A., 1994. Water Resources of Lincoln and Union Counties, South Dakota. Water Resources Investigations Report 93-44195, United State Geological Survey, Rapid City, South Dakota.
- Water Rights. 1979-2012. "Annual Irrigation Summary by Aquifer": SD DENR-Water Rights Program, Joe Foss Bldg., Pierre, South Dakota.
- Water Rights. 2013a. Observation Well Files, SD DENR-Water Rights Program, Joe Foss Bldg., Pierre, South Dakota.
- Water Rights. 2013b. Water Right/Permit Files, SD DENR-Water Rights Program, Joe Foss Bldg., Pierre, South Dakota.
- Water Rights. 2013c. Water Well Completion Reports, SD DENR-Water Rights Program, Joe Foss Bldg., Pierre, South Dakota.

RECEIVED
MAY 17 2013
WATER RIGHTS
PROGRAM

AFFIDAVIT OF PUBLICATION

PLAIN TALK

DENR
Division of Environmental Services
Water Rights Program
Joe Foss Building, 523 East Capitol
Pierre, SD 57501

STATE OF SOUTH DAKOTA
COUNTY OF CLAY

TERA SCHMIDT BEING FIRST DULY SWORN ON OATH DEPOSES
AND SAYS THAT SHE IS THE CLASSIFIED MANAGER OF YANKTON
MEDIA INC., A CORPORATION, THE PRINTER AND THE PUBLISHER OF THE
PLAIN TALK, A LEGAL WEEKLY NEWSPAPER PUBLISHED AND CIRCULATED
IN THE CITY OF VERMILLION, SAID COUNTY AND STATE, AND ONE OF THE
OFFICIAL NEWSPAPERS OF THE SAID COUNTY OF FACTS STATED IN THIS
AFFIDAVIT; THAT THE ANNEXED
NOTICE OF APPLICATION TO APPROPRIATE WATER

TAKEN FROM THE PAPER, IN WHICH IT WAS LAST PUBLISHED IN THE
NEWSPAPER ON THE 10 DAY OF May 2013
THAT THE FULL AMOUNT OF THE FEE CHARGED FOR THE PUBLICATION
OF SAID NOTICE TO WIT \$27.64 ENSURES TO THE
BENEFITS OF THE PUBLISHER OF SAID NEWSPAPER AND THAT NO
AGREEMENT AND UNDERSTANDING FOR THE DIVISION THEREOF HAS
BEEN MADE WITH ANY OTHER PERSON, AND THAT NO PART THEREOF
HAS BEEN AGREED TO BE PAID TO ANY PERSON WHOMSOEVER.

PUBLISHED ON: 5/10/13

FILED ON: 5/10/13

Tera A. Schmidt
SUBSCRIBED AND SWORN TO BEFORE ME THIS

13th DAY OF

May

Angela Schild
NOTARY PUBLIC, SOUTH DAKOTA
MY COMMISSION EXPIRES

8/19/2015

NOTICE OF APPLICATION
NO. 7781-3 to
Appropriate Water

Notice is given that Gary Andersen, 30094 463 Ave, Centerville SD 57014 has filed an application for a water permit to appropriate 1.78 cubic feet of water per second from one well to be completed into the Parker:Centerville Aquifer. (50 feet deep) located in the SW 1/4 SW 1/4 Section 1 for irrigation of 95 acres located in the SW 1/4 Section 1; all in T95N-R52W. The applicant is requesting a diversion rate greater than the statutory limit.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends **APPROVAL** of said Application No. 7781-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by May 20, 2013.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirmer, Secretary, Department of Environment and Natural Resources.

Published once at the total approximate cost of \$27.64.
Published: May 10, 2013

RECEIVED

MAY 13 2013

WATER RIGHTS
PROGRAM

AFFIDAVIT OF PUBLICATION

YANKTON DAILY PRESS AND DAKOTAN

5+10

NOTICE OF APPLICATION
NO. 7781-3 to Appropriate Water

Department of Environment and Natural Resources
PMB 2020
Joe Foss Building
523 East Capitol
Pierre, SD 57501-3182



STATE OF SOUTH DAKOTA
COUNTY OF YANKTON

KELLY HERTZ BEING FIRST DULY SWORN ON OATH DEPOSES
AND SAYS THAT HE IS THE MANAGING EDITOR OF, YANKTON
MEDIA INC, A CORPORATION, THE PRINTER AND THE PUBLISHER OF THE
YANKTON DAILY PRESS AND DAKOTAN, A LEGAL DAILY NEWSPAPER
PUBLISHED AND CIRCULATED IN THE CITY OF YANKTON, SAID COUNTY
AND STATE, AND ONE OF THE OFFICIAL NEWSPAPERS OF THE SAID
COUNTY OF FACTS STATED IN THIS AFFIDAVIT; THAT THE ANNEXED
Notice of Application No. 7781-3

TAKEN FROM THE PAPER, IN WHICH IT WAS LAST PUBLISHED IN THE
NEWSPAPER ON THE 10th DAY OF May 2013
THAT THE FULL AMOUNT OF THE FEE CHARGED FOR THE PUBLICATION
OF SAID NOTICE TO WIT \$26.15 ENSURES TO THE
BENEFITS OF THE PUBLISHER OF SAID NEWSPAPER AND THAT NO
AGREEMENT AND UNDERSTANDING FOR THE DIVISION THEREOF HAS
BEEN MADE WITH ANY OTHER PERSON, AND THAT NO PART THEREOF
HAS BEEN AGREED TO BE PAID TO ANY PERSON WHOMSOEVER.

PUBLISHED ON: 5/10/2013

FILED ON: 5/10/2013


SUBSCRIBED AND SWORN TO BEFORE ME THIS 10th DAY OF May 2013

NOTARY PUBLIC, SOUTH DAKOTA
MY COMMISSION EXPIRES 8/19/2015

Notice is given that Gary Andersen, 30094 463 Ave, Centerville SD 57014 has filed an application for a water permit to appropriate 1.78 cubic feet of water per second from one well to be completed into the Parker-Centerville Aquifer (50 feet deep) located in the SW 1/4 SW 1/4 Section 1 for irrigation of 95 acres located in the SW 1/4 Section 1; all in T95N-R52W. The applicant is requesting a diversion rate greater than the statutory limit.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 7781-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by May 20, 2013.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

Published once at the total approximate cost of \$26.15.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

May 3, 2013

Plain Talk
201 W Cherry St
Vermillion SD 57069

ATTENTION: Legal Public Notice

Enclosed is a Notice on Application No. 7781-3 to Appropriate Water. Please publish the notice once on May 10, 2013. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published and arrange for payment. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Gary Andersen, 30094 463rd Ave, Centerville SD 57014 (Ph # 605-941-4038).

Please send the Water Rights Program an affidavit or the enclosed Proof of Publication form immediately.

The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

May 3, 2013

Press & Dakotan
319 Walnut
Yankton SD 57078

ATTENTION: Legal Public Notice

Enclosed is a Notice on Application No. 7781-3 to Appropriate Water. Please publish the notice once on May 10, 2013. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published and arrange for payment. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Gary Andersen, 30094 463rd Ave, Centerville SD 57014 (Ph # 605-941-4038).

Please send the Water Rights Program an affidavit or the enclosed Proof of Publication form immediately.

The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATE, CONTACT
THE NEWSPAPER(S) RIGHT AWAY.

May 3, 2013

Gary Andersen
30094 463rd Ave
Centerville SD 57014

Dear Mr. Andersen:

Water Permit Application No. 7781-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Plain Talk printed at Vermillion SD (Ph # 605-624-2695) and the Press & Dakotan printed at Yankton SD (Ph # 605-665-7811). You will need to contact the newspaper(s) and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper(s) to authorize publication of your Notice and to arrange for payment. Early contact with the paper(s) can eliminate delays. Upon receiving authorization from you, the publisher has been instructed to publish your notice. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

Instruction to Newspaper - Publish the Notice on May 10, 2013. The applicant is responsible for payment. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352 or email: Karen.schlaak@state.sd.us.

NOTICE OF APPLICATION NO. 7781-3 to Appropriate Water

Notice is given that Gary Andersen, 30094 463 Ave, Centerville SD 57014 has filed an application for a water permit to appropriate 1.78 cubic feet of water per second from one well to be completed into the Parker:Centerville Aquifer (50 feet deep) located in the SW 1/4 SW 1/4 Section 1 for irrigation of 95 acres located in the SW 1/4 Section 1; all in T95N-R52W. The applicant is requesting a diversion rate greater than the statutory limit.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 7781-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by May 20, 2013.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

Published once at the total approximate cost of _____.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

JUN 21 2013

Gary Andersen
30094 463 Ave
Centerville SD 57014

Dear Mr. Andersen:

Enclosed is Water Permit No. 7781-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Jeanne Goodman, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

7781-3

Water Rights Program - DENR
Conversation File Documentation

NAME OF PERSON OR FILE: Water Permit No. 7781-3, Gary Andersen

ADDRESS: COUNTY: Clay

DATE: June 26, 2013 TELEPHONE:

RE:

Water Permit No. 7781-3 appropriates water for irrigation from the Parker Centerville Aquifer. The application estimated the well depth at 50 feet. Mr. Andersen called and indicated that the well will likely be 90 feet deep but not through the clay that separates the Parker Centerville Aquifer from the Upper Vermillion Missouri Aquifer. I stated the permit is water source specific so as long as the well is completed into the Parker Centerville Aquifer developing a well is in compliance with the permit and he is not necessarily bound by the depth listed on the application.

I did say that if the well is completed in the Upper Vermillion Missouri Aquifer, that is not allowed by the permit and that given the current deferred applications and study that is ongoing, he would have a significant investment made in a well and irrigation equipment that he is unable to use. Mr. Andersen indicated he fully understood.

NAME:

Eric Humlund

7781-3
RECEIVED

SEP 11 2013

WATER RIGHTS
PROGRAMNOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USEDate 9-9-13TO: Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

FROM:

Gary Andersen
(name)30094-463 Ave
(address)Centerville, S.D. 57014
(city, state, zip)605-941-4038
(phone)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 7781-3 states that the water use system is to be constructed by5-20-18
(date)

, and water is to be put to beneficial use by


5-20-22
(date)The water use system was completed on 8-27-13

(date)

Applying the water to beneficial use was completed on 8-27-13

(date)

You may schedule an investigation so that the water license may be issued.

Gary Andersen
(signature)



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

September 11, 2013

7781-3

Gary Andersen
30094 463rd Ave
Centerville SD 57014

Dear Mr. Andersen:

I am writing to acknowledge receipt of the "Notice of Completion of Works" form that you sent in to let us know that you are completed with your irrigation system.

The system is now ready for inspection. Inspections are done on a county-by-county basis as staff time permits. You have done everything you need to do and the intervening time between the completion of your project and the staff inspection has no bearing on your water permit.

Someone from our office will contact you prior to the inspection to set up a time that is convenient for you. If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

7781-3

SD EForm - 1621LD V1


SOUTH DAKOTA WATER WELL COMPLETION REPORT

11-02

Location SW ¼ SW ¼ Sec 1 Twp 95 Rg 52

County Clay

North

Please mark well
location with an "X"

Well Completion Date

August 12, 2013

1 Mile

Distance to nearest potential pollution source (septic tank, abandoned well, feed lot, etc.)?
ft. from (identify source)

PROPOSED USE:

☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test holes
☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

mud rotary

CASING DATA:

☐ Steel ☒ Plastic ☐ Other

If other describe

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
LB/FT	14.00 IN	0.0 FT	70 FT	20 IN
LB/FT	IN	FT	FT	IN
LB/FT	IN	FT	FT	IN

GROUTING DATA:

Grout Type	No. of Sacks	Grout Weight	From	To
Quick Grout	41	Lb/gal	0.0 Ft	60.0 Ft
Red Flint		80.0 Lb/gal	60 Ft	110.0 Ft

Describe grouting procedure
Tremmy

SCREEN:

☐ Perforated pipe ☒ Manufactured

Diameter 14.00 Inches Length 40.0 Feet

Material Stainless Steel

Slot Size 80 Set From 70.0 Feet to 110.0 Feet

Other information

WAS A PACKER OR SEAL USED?

☐ Yes ☒ No

If so, what material?

Describe packer(s) and location

DISINFECTION: Was well disinfected upon completion?

☐ Yes, How?

☐ No, Why Not?
Lab to which water
quality sample sent for analysis

Well Owner: Gary Anderson

Business Name:

Address: 30094 463rd Ave

City, State, Zip: Centerville SD 57014

WELL LOG:

			DEPTH	
FORMATION			FROM	TO
Top Soil	Blk	M	0	2
Clay	Tan	M	2	20
Sand	Brn	Wood	20	50
Gravel	Multi	C	50	70
Sand	Tan/Gry		70	111

STATIC WATER LEVEL 18.0 FEET

If flowing: closed in pressure PSI

GPM flow through Inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

Reduced flow rate GPM

Can well be completely shut in?

WELL TEST DATA:

☐ Pumped Describe:

☐ Bailed

☐ Other

Pumping Level Below Land Surface

Ft. After Hrs. pumped GPM

Ft. After Hrs. pumped GPM

If pump installed, pump rate: GPM

REMARKS

43 04 21.3N Production #1
96 56 37.0W

20 Hrs Air Development

RECEIVED

DEC 23 2013

WATER RIGHTS
PROGRAMThis well was drilled under license # 463 and this
report is true and accurate.

Drilling firm: Steffl Drilling & Pump Inc / Kris VanHeuveln

Signature of License Representative:

Signature of Well Owner or Equitable Property Holder:

Gary Anderson

Date: 8-21-13

12-30-13



7781-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2017

NOTICE

TO: GARY ANDERSEN, 30094 463RD AVE, CENTERVILLE, SD 57014

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2016 Irrigation Questionnaires

Our records indicate your 2016 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 21, 2016. The Water Management Board has directed that owners of water permits who have not submitted the 2016 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3157-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7010-3 & 7781-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 1, 2017 at 11:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7010-3 & 7781-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3157-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 1, 2017** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



7781-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 24, 2017

Gary Andersen
30094 463rd Ave
Centerville SD 57014

RE: Water Right No. 3157-3 and Water Permit Nos. 7010-3 & 7781-3

Dear Mr. Andersen:

I am writing to acknowledge receipt of your 2016 irrigation questionnaires.

You may disregard the January 20, 2017, "Notice" concerning reporting requirements for Water Right No. 3157-3 and Water Permit Nos. 7010-3 & 7781-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2023

NOTICE

TO: GARY ANDERSEN, 30094 463RD AVE, CENTERVILLE, SD 57014
FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2022 Irrigation Questionnaires

Our records indicate your 2022 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 21, 2022. The Water Management Board has directed owners of water permits who have not submitted the 2022 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3157-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7010-3 & 7781-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 8, 2023 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7010-3 & 7781-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3157-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 8, 2023** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: KPCHVD**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 7, 2023

3157-3
7010-3
7781-3

Gary Andersen
30094 463rd Ave
Centerville SD 57014

Dear Mr. Andersen:

I am writing to acknowledge receipt of your 2022 irrigation questionnaires.

You may disregard the January 20, 2023, "Notice" concerning reporting requirements for Water Permit or Right Nos. 3157-3, 7010-3 and 7781-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

Report of Examination of Works and/or Application of Water to Beneficial Use For Permit No. 7781-3

I have this day, December 8, 2023, made a thorough examination of the water use systems owned by Gary Andersen, 30094 463rd Ave., Centerville, SD 57014, holder of Permit No. 7781-3, bearing the priority date of March 4, 2013. This permit authorizes the diversion of 1.78 cu. ft. per second of the waters of groundwater (Parker:Centerville Aquifer) authorizing the irrigation of 95 acres located in Clay County.

Inspection contacts: Gary Andersen

A. Works used to divert the water:

Well Information

- 1) Well Drilling Firm: Steffl Drilling & Pump Inc / Kris VanHeuvein
- 2) No. of Wells: 1
- 3) Depth(s): 111 feet
- 4) Well log is available: Yes

Casing:

- 1) Diameter: 14 inches
- 2) Length: 70 feet
- 3) Type: Plastic

Screen:

- 1) Diameter: 14 inches
- 2) Length: 40 feet
- 3) Type: Stainless Steel
- 4) Static water level: 18 feet

Pump:

- 1) Make: Flowserve
- 2) Model: 10CH-4
- 3) Capacity: 700 gpm

Diesel Engine:

- 1) Make: Twin Disc
- 2) Model No.: C110HP4

Gear Drive

- 1) Make: Amarillo
- 2) Model: S80A
- 3) Capacity: 80 hp

B. Works used to transport water to place of use:

- 1) Type: PVC Size: 8 inches Length: 1,360 feet

C. Works used to apply water to beneficial use:

Center Pivot:

- 1) Make: Zimmatic
- 2) Overall length: 1,300 feet
- 3) Number of towers: 7
- 4) End gun: Yes, 99 feet
- 5) Capacity: 700 gpm

Report of Examination of Works

Permit No. 7781-3

Chemigation Equipment:

- 1) Does chemigate: No

D. Compliance with Permit Requirements:

- 1) Permit qualifications being abided by: Yes
- 2) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period: Yes
- 3) Exceptions to compliance are: None

E. Condition and Location:


- 1) The system is in good condition with the point(s) of diversion located as follows:
The well is 1,090 feet north and 40 feet east of the southwest corner of Section 1-T95N-R52W (Latitude 43.07255, Longitude -96.94364– SW1/4 of the SW1/4).
- 2) The works are capable of diverting and conveying to the places of use 1.56 cu. ft. per second of water from the well which is to be used for irrigation purposes. Water has been put to beneficial use to the maximum extent as follows:

Section 1-T95N-R52W
NW1/4SW1/4 24 acres
NE1/4SW1/4 37 acres
SE1/4SW1/4 32 acres

comprising a total of 93 acres of land and the license should be issued for 1.56 cfs.

- 3) All structures, wells and lands on map: Yes

F. Comments or other permit(s) associated with the project: The pump plate did not indicate a flow rate, but the pivot is nozzled for 700 gpm (1.56 cfs), so that is what I am showing for a pump flow rate.






Keith DeJong, PE Ret.
Water Rights Inspector
DANR, Water Rights Program

Date report completed: December 15, 2023

Note from Chief Engineer: Water Permit No. 7781-3 was issued for a well to be 50 feet deep with the water source identified as the Parker Centerville aquifer (PAC). The well completion report shows the well was drilled to a depth of 111 feet deep with screen set from 70 - 110 feet deep. This could lead to a conclusion that that well is completed into the Upper Vermillion Missouri: South aquifer (UVM:S). However, upon review of the completion report this appears to be an area where the PAC and UVM:S are in contact with one another. Therefore, the decision was made stay with the aquifer identification as being the PAC aquifer. Eric Gronlund, December 18, 2023.

Water Permit No. 7781-3



Keith DeJong
Keith DeJong, PE Ret.
Staff Engineer
December 8, 2023



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

DEC 18 2023

7781-3

Gary Andersen
30094 463rd Ave
Centerville SD 57014

Dear Mr. Andersen:

Enclosed is Water License No. 7781-3. This is the final water right document completing your process of obtaining a Water Right. Included with your license is a map prepared by the staff engineer who conducted the field investigation.

For your information SDCL 46-6-27 requires that if in the future, the owner of an existing well, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

So long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

**STATE OF SOUTH DAKOTA
WATER LICENSE NO. 7781-3**

(1) Gary Andersen; 30094 463rd Ave, Centerville SD 57014, made Application No. 7781-3, March 4, 2013, for a water permit to divert 1.78 cubic feet of water per second from groundwater, one well (Parker: Centerville Aquifer), Clay County, South Dakota for irrigation purposes. Permit No. 7781-3, with a priority date of March 4, 2013, was approved May 20, 2013, and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before May 20, 2018, and for the application to beneficial use of water on or before May 20, 2022.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.56 cubic feet of water per second for beneficial use. The location of the diversion point is:

- 1,090 ft N & 40 ft E of the SW corner of Section 1, T95N, R52W (SW $\frac{1}{4}$ SW $\frac{1}{4}$)
(Latitude 43.07255 & Longitude -96.94364)

(3) The amount of appropriation may not exceed 2 acre-feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 – October 31.

(4) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate to following land:

Section 1, T95N, R52W .
NE $\frac{1}{4}$ SW $\frac{1}{4}$ 37 acres
NW $\frac{1}{4}$ SW $\frac{1}{4}$ 24 acres
SE $\frac{1}{4}$ SW $\frac{1}{4}$ 32 acres
TOTAL: 93 acres


(5) Pursuant to South Dakota Water Law 46-5-30.1 Gary Andersen, the holder and/or owner of Water Right No. 7781-3 is issued a license to appropriate water, the right to use 1.56 cubic feet of water per second from groundwater, one well (Parker: Centerville Aquifer), with a priority date of March 4, 2013, from the location specified in (2) of this license for irrigation purposes.

This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Right No. 7781-3 and subject to the following qualifications:

1. The well approved under this Water Right will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Water Right shall control their withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

continued


2. The well authorized by Water Right No. 7781-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with the Water Management Board Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28. *(The well was drilled in 2013 by Steffl Drilling & Pump Inc. A copy of the well completion report is on file with the Water Rights Program.)*
3. Pursuant to SDCL 46-5-6 which allows a greater diversion rate if the method of irrigation, time constraints, or type of soils so requires, Water Right No. 7781-3 authorizes a maximum diversion of 1.78 cfs for the irrigation of 95 acres with an annual volume not to exceed 2 acre-feet of water per acre per year. *(Water Right No. 7781-3 authorizes a maximum diversion of 1.56 cfs based on the system as developed.)*
4. This Water Right is approved subject to the irrigation water use questionnaire being submitted each year.



Eric Gronlund, Chief Engineer
Water Rights Program
Department of Agriculture and Natural Resources

DEC 18 2023

date




SOUTH DAKOTA WATER WELL COMPLETION REPORT

11-02

Location SW ¼ SW ¼ Sec 1 Twp 95 Rg 52

County Clay

North

Please mark well
location with an "X"

Well Completion Date

August 12, 2013

1 Mile

Distance to nearest potential pollution source (septic tank, abandoned well, feed lot, etc.)?
ft. from (identify source)

PROPOSED USE:

☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test holes
☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

mud rotary

CASING DATA:

☐ Steel ☒ Plastic ☐ Other

If other describe

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
LB/FT	14.00 IN	0.0 FT	70 FT	20 IN
LB/FT	IN	FT	FT	IN
LB/FT	IN	FT	FT	IN

GROUTING DATA:

Grout Type	No. of Sacks	Grout Weight	From	To
Quick Grout	41	Lb/gal	0.0 Ft	60.0 Ft
Red Flint		80.0 Lb/gal	60 Ft	110.0 Ft

Describe grouting procedure

Tremmy

SCREEN:

☐ Perforated pipe ☒ Manufactured

Diameter 14.00 Inches

Length 40.0 Feet

Material Stainless Steel

Slot Size 80 Set From 70.0 Feet to 110.0 Feet

Other information

WAS A PACKER OR SEAL USED?

☐ Yes ☒ No

If so, what material?

Describe packer(s) and location

DISINFECTION: Was well disinfected upon completion?

☐ Yes, How?

☐ No, Why Not?
Lab to which water
quality sample sent for analysis

Well Owner: Gary Anderson

Business Name:

Address: 30094 463rd Ave

City, State, Zip: Centerville SD 57014

WELL LOG:

			DEPTH	
FORMATION			FROM	TO
Top Soil	Blk	M	0	2
Clay	Tan	M	2	20
Sand	Brn	Wood	20	50
Gravel	Multi	C	50	70
Sand	Tan/Gry		70	111

STATIC WATER LEVEL 18.0 FEET

If flowing: closed in pressure PSI

GPM flow through Inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

Reduced flow rate GPM

Can well be completely shut in?

WELL TEST DATA:

☐ Pumped Describe:

☐ Bailed

☐ Other

Pumping Level Below Land Surface

Ft. After Hrs. pumped GPM

Ft. After Hrs. pumped GPM

If pump installed, pump rate: GPM

REMARKS

43 04 21.3N Production #1

96 56 37.0W

20 Hrs Air Development

RECEIVED

DEC 23 2013

WATER RIGHTS
PROGRAMThis well was drilled under license # 463 and this
report is true and accurate.

Drilling firm: Steffl Drilling & Pump Inc / Kris VanHeuveln

Signature of License Representative:

Signature of Well Owner or Equitable Property Holder:

Date:

8-21-13



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: GARY ANDERSEN, 30094 463RD AVE, CENTERVILLE, SD 57014

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaires

Our records indicate your 2024 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3157-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7010-3 & 7781-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7010-3 & 7781-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3157-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: FIMVEY**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 3, 2025

3157-3, 7010-3, 7781-3

Gary Andersen
30094 463rd Ave
Centerville SD 57014

Dear Mr. Andersen:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 3157-3, 7010-3 & 7781-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us



3157-3, 7010-3
7781-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2026

NOTICE

TO: GARY ANDERSEN, 30094 463RD AVE, CENTERVILLE, SD 57014

FROM: Ron Duvall, Engineer III
for Adam Mathiowetz, PE, Acting Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2025 Irrigation Questionnaires

Our records indicate your 2025 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 8, 2025. The Water Management Board has directed owners of water permits who have not submitted the 2025 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3157-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 7010-3 & 7781-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 4, 2026 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7010-3 & 7781-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3157-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 4, 2026** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Shannon Konst at (605) 773-3352 or email at shannon.konst@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: IMWIAH**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 19, 2026

7781-3, 7010-3
3157-3

Gary Andersen
30094 463rd Ave
Centerville, SD 57014

Dear Mr. Andersen,

I am writing to acknowledge receipt of your 2025 irrigation questionnaire(s).

You may disregard the January 20, 2026, "Notice" concerning irrigation reporting requirements for your water permit/right(s). The information was received in our office prior to the Water Management Board meeting, and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Shannon Konst

Shannon Konst
Water Rights Program
605 773-8204
Shannon.konst@state.sd.us