

WATER PERMIT NO. 8195-3

Name of Applicant: **Chad Anderson**

Address: **47866 244th St, Dell Rapids SD 57022**

Phone: **605 359-0059**

Amount of Water Claimed: **1.33 cfs**

Total Acres: **120 acres**

Source of Water Supply: **Big Sioux River**

Water to be used for: **irrigation**

County: **Moody**

Type of Waste Disposal System:

Location: **10 miles southwest of Flandreau**

PRIORITY

Date Received: **1-25-16**

Application/License Fee: **\$ 950**

Corrected Application Received:

Period of Annual Use: **May 1 – September 30**

Remarks:

Diversion Point: **SE 1/4 NE 1/4 Sec 11-T105N-R49W**

Land to be Irrigated: **NE 1/4 Sec 11-T105N-R49W**


Depth of Well: **NA**

Well Driller:

Remarks:

Type of Map: **aerial**

Prepared by:



Reviewed and the Number Assigned on: **1-28-16**

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____

SD EForm - 0499LD V4

FORM 2: Application for irrigation in South Dakota

(type or print)

Mail to:
PMB 2020
DENR - Water Rights
523 E Capitol Ave
Pierre, SD 57501-3182
ph. (605) 773-3352

No. 8195-3 (office use only)
Hydrologic Unit 10170203
Basin Sioux River 605-997-
Newspaper moody Co. Ent - Flandreau 3725
Argo Leader, S Falls 605-231-2200

RECEIVED

JAN 25 2016

WATER RIGHTS
PROGRAM

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

1. Name to Appear on Irrigation Permit Chad Anderson
(check one) ☐ Owner ☒ Tenant/lessee ☐ Owner's Legal Agent

(name and complete address if different than above name)

Mailing Address 47880 244th St Dell Rapids SD 57022
(Address) (City) (State) (Zip Code)

Home Phone _____ Cell (605) 359-0059 Email _____

2. Amount of water claimed 1.33 *CFS or 600 **GPM 120 A ***AF Total Acreage 120 A
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable)

3. Source of water supply Big Sioux River

4. Location of point of diversion 300ft from the South 520ft from the East SE 1/4 of the SE 1/4
(example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W)
Sec 11 - T105N-R49W (SE 1/4 NE 1/4) County Moody

5. County or counties where water will be used Moody

6. Annual period during which water is to be used May 1 - September 30

7. List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
NE 1/4 of the NE 1/4 Sec 11 105N-49W	35		
SE 1/4 of the NE 1/4 Sec 11 105N-49W	20		
NW 1/4 of the NE 1/4 Sec 11 105N-49W	35		
SW 1/4 of the NE 1/4 Sec 11 105N-49W	30		

8. Give a description of the project. (Attach sheet if more space is needed)

I, Chad Anderson, the applicant, certify that I have read this application, have examined the attached map, and that the matters stated are true.

SOUTH DAKOTA
WATER PERMIT NO. 8195-3 FOR IRRIGATION

Date of first receipt of application January 25, 2016.

The Water Management Board approved Water Permit No. 8195-3 on May 5, 2016 for Chad Anderson, 47880 244th St, Dell Rapids SD 57022 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 8195-3 appropriates 1.33 cubic feet of water per second (cfs) from the Big Sioux River located in the SE 1/4 NE 1/4 Section 11 for irrigation of 120 acres located in the NE 1/4 Section 11; all in T105N-R49W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 – September 30.
3. The date from which applicant may claim right is January 25, 2016.
4. One-fifth of the construction is to be completed on or before November 5, 2018.
5. All construction is to be completed on or before May 5, 2021.
6. Water is to be put to beneficial use on or before May 5, 2025.
7. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. Low flows as needed for downstream domestic use, including livestock water and prior rights must be bypassed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 20 cfs is flowing at the North Cliff Avenue USGS gaging station No. 06482020 and 43 cfs is flowing at the Dell Rapids USGS gaging station No. 06481000, or unless written orders have been issued by the Chief Engineer. Diversion under this permit shall be in accordance with any written orders by the Chief Engineer.
2. The City of Sioux Falls has senior priority rights to Big Sioux River flows under Future Use Permit Nos. 3981-3 and 3981A-3. Future diversion under Permit No 8195-3 will be subject to these prior rights and an increased by-pass may be required if and when the City of Sioux Falls develops the water reserved by Future Use Permit Nos. 3981-3 and 3981A-3.
3. The Water Management Board retains jurisdiction of Permit No 8195-3 in the event that the City of Sioux Falls develops the water reserved by their future use permit or additional information shows that a change needs to be made in the by-pass requirement.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: *Jeanne Goodman*

Jeanne Goodman, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

MAY 12 2016

date



Amendment to the qualifications contained in Water Right No. 8195-3

Deleted Qualification:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 20 cfs is flowing at the North Cliff Avenue USGS Gaging Station No. 06482020 and 43 cfs is flowing at the Dell Rapids USGS Gaging Station No. 06481000, or unless written orders have been issued by the Chief Engineer. Diversions under this Permit are shall be in accordance with any written orders issued by the Chief Engineer.

New Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Prior to issuing any shut off orders, the Chief Engineer shall also take into consideration the flows at the USGS Gaging Station No. 6482020 at North Cliff Avenue in Sioux Falls. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

May 22, 2018

NOTICE OF ENTRY OF ORDER

8195-3

Chad Anderson
47880 244th St
Dell Rapids SD 57022

Dear Mr. Anderson:

I am writing in response to action taken by the Water Management Board on May 3, 2018, regarding the Hearing to Amend the Bypass Qualifications on Big Sioux River water rights.

Attached is the qualification that was deleted from your water right and the new qualifications.

This amendment designates a US Geological Survey gaging station as the measuring point to determine if pumping is allowed. The gaging station has real time flow information that can be accessed online at <https://waterdata.usgs.gov/sd/nwis/rt>. However, the water right is also subject to written orders of the Chief Engineer regardless of the bypass criteria.

If you have questions concerning the Board action or your water right(s), please contact Mark Rath with our program at 605 773-3352 or mark.rath@state.sd.us.

Sincerely,

Jeanne Goodman, Chief Engineer
Water Rights Program

enclosure

CERTIFICATION

I hereby certify that on May 22, 2018, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice of Entry of Order dated May 22, 2018 regarding amending bypass qualifications on Big Sioux River water rights addressed as stated below:


Elaine Ahlers, PO Box 186, Flandreau SD 57028
Adam Wiese, Operator, 22603 479th Ave, Flandreau SD 57028
Chad Anderson, 47880 244th St, Dell Rapids SD 57022
Ronnie J Boever, 47948 232nd St, Flandreau SD 57028
Brian Burkhart, 24482 482nd Ave, Dell Rapids SD 57022
Jim Czech, Operator, 45767 177th St, Watertown SD 57201
Marvin & Maxine Czech, 45848 176th St, Watertown SD 57201
Dell Rocky Run Golf Course, 47364 Golf View Drive, Dell Rapids SD 57022
Allen Fugere, Operator, 700 N Main, Estelline SD 57234
W J Sanderson & Alan Blum, 703 1st Ave S, Estherville IA 51334
Darren & Allison Hamilton, 22615 480th Ave, Flandreau SD 57028
Wayne Headrick, 47926 SD Hwy 32, Flandreau SD 57028
Mrs. Raymond D Jensen & Scott Jensen, Operator, 24348 478th Ave, Dell Rapids SD 57022
Larry J Jorgenson, 24048 477th Ave, Trent SD 57065
Ted Lacey, 24064 478th Ave, Trent SD 57065
Thomas A & Patricia K Munk Revocable Living Trust, 15683 State Hwy 105, Austin MN 55912
City of Sioux Falls, Greg Anderson, 224 W 9th St, Sioux Falls SD 57102
City of Sioux Falls, Kelby Mieras, 100 E 6th St, Sioux Falls SD 57104
Diane Best, Assistant City Attorney, City of Sioux Falls, PO Box 7402, Sioux Falls SD 57117-7402

Vickie Maberry
Vickie Maberry
Secretary/Water Rights

[illegible]

Sworn to, before me, this 22nd day of May, 2018.

Karen Schlaak
Karen Schlaak
Notary Public
My Commission expires April 1, 2019



Supplemental Information

(type or print)

1. Well Information

(check one or both as applicable) ☐ Drilling new well(s) ☐ Using existing well(s)

- a) If new wells, how many ____ Have test holes been drilled ☐ Yes ☐ No Drilled by ____
(if yes, please provide copies of logs)
- b) If existing wells, how many ____ Provide copy of log(s), if available. Drilled by ____
- c) Well Depth ____ Depth to Top of Water Bearing Material ____ Depth to Water from Surface ____
- d) Distance to nearest existing domestic well:
On applicant's property ____ On property owned by others ____

2. Wastewater Disposal System Information

- a) Type of System (~~i.e. septic tank, drain field~~) River Big Sioux River
- b) System Capacity (gallons) 600 Year Constructed ____
- c) Connected to the City of ____ Sanitary System


3. Dugout Information

- a) Surface Dimensions ____ Depth ____
- b) Depth to water (ground surface to water level) ____


4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:




- b) Freeboard ____
- c) Crest Width ____
Crest Length ____
- d) Height ____
- e) Primary Outlet Capacity ____
If pipe, diameter ____
- f) Secondary Spillway Capacity ____
Spillway Width ____
- g) X & Y Slope (e.g. 3 to 1 is a typical slope)
Upstream ____
Downstream ____
- h) Surface Area of Impoundment ____
- i) Storage ____ Acre Feet
- j) Drainage Area Above Dam ____ Acres



PPLS:11_105N_49W

Data use subject to license.
© DeLorme. XMap® 7.
www.delorme.com

RECEIVED
JAN 25 2016
WATER RIGHTS
PROGRAM



RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 1/28, 20 16

RECEIVED OF Led Pencelin Inc Chad Andersen 47880 244th St Dell Rapids SD 57022

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>8195-3</u> to Appropriate Water, to construct and to put water to beneficial use	750	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>8195-3</u>	200	00
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	950 00

No. 07715

By Jane Goodman
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

**REVISED RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 8195-3, Chad Anderson**

Pursuant to SDCL 46-2A-2, the following is the revised recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 8195-3, Chad Anderson, 47866 244th Street, Dell Rapids SD 57022.

The Chief Engineer is recommending APPROVAL of Application No. 8195-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. Low flows as needed for downstream domestic use, including livestock water and prior rights must be bypassed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 20 cfs is flowing at the North Cliff Avenue USGS gaging station No. 06482020 and 43 cfs is flowing at the Dell Rapids USGS gaging station No. 06481000, or unless written orders have been issued by the Chief Engineer. Diversion under this permit shall be in accordance with any written orders by the Chief Engineer.
2. The City of Sioux Falls has senior priority rights to Big Sioux River flows under Future Use Permit Nos. 3981-3 and 3981A-3. Future diversion under Permit No 8195-3 will be subject to these prior rights and an increased by-pass may be required if and when the City of Sioux Falls develops the water reserved by Future Use Permit Nos. 3981-3 and 3981A-3.
3. The Water Management Board retains jurisdiction of Permit No 8195-3 in the event that the City of Sioux Falls develops the water reserved by their future use permit or additional information shows that a change needs to be made in the by-pass requirement.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Jeanne Goodman, Chief Engineer
May 4, 2016



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov


**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 8195-3, Chad Anderson**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 8195-3, Chad Anderson, 47866 244th Street, Dell Rapids SD 57022.

The Chief Engineer is recommending APPROVAL of Application No. 8195-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. Low flows as needed for downstream domestic use, including livestock water and prior rights must be bypassed. This permit does not authorize diversion of water from the Big Sioux River unless at least 43 cfs is flowing when pumping at the Dell Rapids USGS gaging station No. 06481000, or unless written orders have been issued by the Chief Engineer. Diversion under this permit shall be in accordance with any written orders by the Chief Engineer.
2. The City of Sioux Falls has senior priority rights to Big Sioux River flows under Future Use Permit Nos. 3981-3 and 3981A-3. Future diversion under Permit No 8195-3 will be subject to these prior rights and an increased by-pass may be required if and when the City of Sioux Falls develops the water reserved by Future Use Permit Nos. 3981-3 and 3981A-3.
3. The Water Management Board retains jurisdiction of Permit no 8195-3 in the event that the City of Sioux Falls develops the water reserved by their future use permit or additional information shows that a change needs to be made in the by-pass requirement.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.


Jeanne Goodman, Chief Engineer
February 23, 2016

REPORT ON WATER PERMIT APPLICATION NO. 8195-3
CHAD ANDERSON
FEBRUARY 9, 2016

Application No. 8195-3, Chad Anderson, proposes to appropriate 1.33 cubic feet of water per second from the Big Sioux River located in the SE 1/4 NE 1/4 Section 11 for irrigation of 120 acres located in the NE 1/4 Section 11; all in T105N-R49W. The water will be used for irrigation purposes. The proposed project is located approximately 10 miles southwest of Flandreau in Moody County.

Review of Existing Water Rights

There are 59 existing water rights/permits appropriating 159.81 cfs from the Big Sioux River from its headwaters to the confluence with the Missouri River in Union County. In addition, there are two water rights from the river appropriating 2000 cfs of flood flows only to maintain lake levels in Lake Poinsett and Dry Lake in Hamlin County. Downstream from this proposed project to the eastern edge of Sioux Falls there are 17 existing water rights/permits appropriating 103 cfs. The Big Sioux River downstream from Sioux Falls generally receives sufficient flow from tributary inflows and effluent discharge from the Sioux Falls waste water treatment plant to meet the needs of the water permit/right holders. The City of Sioux Falls also holds Future Use Permit Nos. 3981-3 and 3981A-3 for a total of 30,000 acre-feet of Big Sioux River water held in reserve for future development (Water Rights, 2016).

Review of the Proposed Water Source

The applicant proposes to pump water for irrigation from the Big Sioux River during the period May through September. The Big Sioux River is a prairie stream with headwaters located in the northern prairie coteau in southern Roberts, eastern Day and eastern Clark counties, in northeastern South Dakota. The river drains glacial till and outwash plains as it runs southward to its junction with the Missouri River near Sioux City, Iowa. The Big Sioux River physical geography is characterized by glaciated terrain and rolling plains. Rivers commonly follow the valleys formed by glacial lobes, which were glaciated as recently as 14,000 years ago. Drainages in this region formed after retreat of glaciers and are therefore poorly established in parts of the watershed. The poorly established drainage patterns are accompanied by numerous areas of internal drainages, or "potholes," and are commonly referred to as the "Prairie Pothole Region" (Hoogestrat and Stamm, 2015).

The USGS maintains several long term stream gaging stations on the Big Sioux River between the headwaters and the confluence with the Missouri River. Two of these gaging stations are located in this river reach immediately upstream and downstream of the proposed project (USGS, 2016). The gaging station located approximately 36 miles upstream having a 63 year period of record is the USGS Gaging Station No. 06480000 Big Sioux River near Brookings SD, Figure 1.

Percentile	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
10%	2	1	12	70	44	31	17	8	5	9	12	4
25%	5	5	50	137	113	85	48	24	18	19	23	12
50%	16	17	191	387	310	261	144	67	52	63	56	37
75%	53	90	587	1211	815	815	453	257	165	168	179	113
90%	143	221	1685	2768	1767	1714	1064	735	480	442	363	208

Figure 1. USGS Gaging Station No. 06480000 Big Sioux River near Brookings SD. Flow in cubic feet per second. Period of Record - 1953 to 2016.

As is typical of prairie streams in South Dakota, the peak runoff occurs during the spring months due to plains snowpack melt and runoff from larger rain events. Runoff tends to decrease in the late summer months going in to fall and winter. At the 50th percentile, monthly flow values range from 310 cfs in May to 52 cfs in September.

The most recent water permit issued from the Big Sioux River in this reach is Water Permit No. 7110-3. This water permit is located immediately upstream from this proposed project. This permit was issued with the following qualifications to protect existing water rights, including City of Sioux Fall's future use permits.

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be bypassed. This permit does not authorize diversion of water from the Big Sioux River unless at least 43 cfs is flowing when pumping at the Dell Rapids USGS gaging station No. 06481000, or unless written orders have been issued by the Chief Engineer. Diversion under this permit shall be in accordance with any written orders by the Chief Engineer.
- The City of Sioux Falls has senior priority rights to Big Sioux River flows under Future Use Permit Nos. 3981-3 and 3981A-3. Future diversion under Permit No 7110-3 will be subject to these prior rights and an increased by-pass may be required if and when the City of Sioux Falls develops the water reserved by Future Use Permit Nos. 3981-3 and 3981A-3.
- The Water Management Board retains jurisdiction of Permit no 7110-3 in the event that the City of Sioux Falls develops the water reserved by their future use permit or additional information shows that a change needs to be made in the by-pass requirement.

The second nearby stream gaging station is the USGS Gaging Station No. 06481000 Big Sioux River near Dell Rapids located approximately 16 miles downstream and has a 68 year period of record, Figure 2.

Percentile	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
10%	5	4	29	108	70	46	30	16	12	14	18	11
25%	11	12	83	197	176	133	73	41	32	33	36	21
50%	25	29	291	569	454	391	233	110	82	88	79	54
75%	86	131	857	1696	1095	981	636	352	232	216	246	146
90%	174	319	2041	4296	2153	2106	1383	901	553	525	480	307

Figure 2. USGS Gaging Station No. 06481000 Big Sioux River near Dell Rapids SD. Flow in cubic feet per second. Period of Record - 1948 to 2016.


If this application is approved, with similar qualifications as No. 7110-3, including requiring a 43 cfs bypass at the Dell Rapid gaging station, there should be sufficient water available to satisfy this permit the majority of the time. At the 25th percentile level, even if a 43 cfs by pass is required, the data indicates water should be available during the irrigation season from May into August before the cutoff limit is reached. During drier climatic conditions, particularly during the latter part of the irrigation season, the applicant may not be able to pump due to low flows in the river.

If at a future date the City of Sioux Falls develops water appropriations under their future use permits, or if a review of water availability increases due to increased runoff or a decrease in the use of water by existing rights, the bypass qualification may need to be amended by the Water Management Board.

Conclusions

1. This application proposes to appropriate 1.33 cubic feet of water per second (cfs) from the Big Sioux River for irrigation of 120 acres.
2. If this application is approved it should contain the following qualifications:
 - Low flows as needed for downstream domestic use, including livestock water and prior rights must be bypassed. This permit does not authorize diversion of water from the Big Sioux River unless at least 43 cfs is flowing when pumping at the Dell Rapids USGS gaging station No. 06481000, or unless written orders have been issued by the Chief Engineer. Diversion under this permit shall be in accordance with any written orders by the Chief Engineer.
 - The City of Sioux Falls has senior priority rights to Big Sioux River flows under Future Use Permit Nos. 3981-3 and 3981A-3. Future diversion under Permit No 8195-3 will be subject to these prior rights and an increased by-pass may be required if and when the City of Sioux Falls develops the water reserved by Future Use Permit Nos. 3981-3 and 3981A-3.
 - The Water Management Board retains jurisdiction of Permit No 8195-3 in the event that the City of Sioux Falls develops the water reserved by their future use permit or additional information shows that a change needs to be made in the by-pass requirement.
3. If this application is approved with the proposed qualifications there should be sufficient water available to satisfy this permit the majority of the time. Although during drier climatic conditions, particularly during the later summer months, the applicant may not be able to pump due to low flows in the river.

4. If at a future date the City of Sioux Falls develops water appropriations under their future use permits, or if a review of water availability increases due to increased runoff or a decrease in the use of water by existing rights, the bypass qualification may need to be amended by the Water Management Board.



Mark D. Rath
Natural Resources Engineer III

References

- Hoogestraat, G.K. and J. F. Stamm, 2015. Climate and Streamflow Characteristics for Selected Streamgages in Eastern South Dakota, Water Years 1945–2013. USGS Scientific Investigations Report 2015-5146.
- USGS. 2016. United States Geological Survey, National Water Information System – Stream Gaging Station Network for South Dakota.
- Water Rights. 2016. Water Right/Permit Files. SD DENR-Water Rights Program, Joe Foss Bldg., Pierre, SD.

Affidavit of Publication

STATE OF SOUTH DAKOTA
COUNTY OF MOODY) SS

MARY LYNN HEADRICK, of said county, being first duly sworn on oath says that she is the bookkeeper of the Moody County Enterprise, a weekly newspaper printed and published in said county of Moody and State of South Dakota, and has full and personal knowledge of all the facts herein stated; that said newspaper is a legal newspaper and has a bona fide circulation of at least 200 copies weekly, and has been published within said county for 52 consecutive weeks next prior to the publication of the notice herein mentioned, and was and is printed wholly or in part in an office maintained at said place of publication; that the advertisement headed:

Notice of Application
No. 8195-3 to
Appropriate Water

a printed copy of which, taken from the newspaper in which the same was published, is attached to this sheet and is made a part of this affidavit, was published in said newspaper at least once in each week for 1 successful weeks, on the day of each week on which said newspaper was regularly published, to wit:

March 2, 2016

that the full amount of the fee charged for the publication of said Notice inures to the benefit of the publisher of said newspaper; that no agreement or understanding for the division thereof has been made with any person, and that no part thereof has been agreed to be paid to any person whomsoever, and that the fees charged for the publication thereof are

\$ 25³⁰

M. Headrick bookkeeper
Subscribed and sworn to before me this

2nd day of March AD 2016

[Signature]

Notary Public, County Moody, South Dakota

ROGER W JANSSEN
NOTARY PUBLIC
SOUTH DAKOTA
My commission expires 2/28/18

RECEIVED

MAR 07 2016

WATER RIGHTS
PROGRAM

NOTICE OF APPLICATION NO. 8195-3 to Appropriate Water

Notice is given that Chad Anderson, 47880 244th St, Dell Rapids SD 57022 has filed an application for a water permit to appropriate 1.33 cubic feet of water per second from the Big Sioux River located in the SE 1/4 NE 1/4 Section 11 for irrigation of 120 acres located in the NE 1/4 Section 11; all in T105N-R49W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 8195-3 with qualifications because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. The Chief Engineer's recommendation with qualifications, the application, and staff report are available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605-773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by March 14, 2016.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

If the applicant does not contest the recommendation of the Chief Engineer and no petition to oppose the application is received, the Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Steven M. Pirner, Secretary,
Department of Environment
and Natural Resources.

Published once at the total approximate cost of \$25

CUSTOMER NUMBER:	078200	Argus Leader	
AD ORDER NUMBER:	1084881		
	3/2, 2016	P.O. Box 677349, Dallas, TX 75267-7349	\$65.36

Water Rights Program
Attn: Karen Schlaak
523 E Capitol Ave

Pierre, SD 57501

RECEIVED

MAR 04 2016

WATER RIGHTS PROGRAM

DETACH THIS STUB AND RETURN WITH PAYMENT

PAYMENT DUE UPON

AFFIDAVIT OF PUBLICATION

Customer Number: 078200
Invoice Number: 1084881

Argus Leader
AFFIDAVIT OF PUBLICATION

STATE OF SOUTH DAKOTA

COUNTY OF MINNEHAHA } ss

Shelley Rasmussen being duly sworn, says: That The Argus Leader is, and during all the times hereinafter mentioned was, a daily legal newspaper as defined by SDCL 17-2-21, as amended published at Sioux Falls, Minnehaha County, South Dakota; that affiant is and during all of said times, was an employee of the publisher of such newspaper and has personal knowledge of the facts stated in this affidavit; that the notice, order or advertisement, a printed copy of which is hereto attached, was published in said newspaper upon


Wednesday the 2 day of March 2016 ,
the day of 2016 ,
the day of 2016 ,
the day of 2016 ,
the day of 2016 ,
the day of 2016 ,
the day of 2016 ,
the day of 2016 ,
the day of 2016 ,

and that \$65.36 was charged for publishing the same including a \$10.00 affidavit fee.

Shelley Rasmussen
Subscribed and sworn to before me 3/2/2016

Betty Gates
Notary Public, South Dakota

My Commission expires March 11, 2016



NOTICE OF APPLICATION NO. 8195-3 to Appropriate Water. Notice is given that Chad Anderson, 4700 244th St, Dell Rapids SD 57022 has filed an application for a water permit to appropriate 1.33 cubic feet of water per second from the Big Sioux River located in the SE 1/4 NE 1/4 Section 11 for irrigation of 120 acres located in the NE 1/4 Section 11; all in T105N-R49W.

Pursuant to SDCL 46-2A-1 the Chief Engineer recommends APPROVAL of Application No. 8195-3 with the following findings: 1) unappropriated water is available, 2) existing rights will not be unduly impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. The Chief Engineer's recommendation with qualifications, the application, and staff report are available at <http://denr.sd.gov/public> or contact Eric Granlund for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605-773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by March 14, 2016.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

If the applicant does not contest the recommendation of the Chief Engineer and no petition to oppose the application is received, the Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Sтивен M. Пирнер, Секретарь, Департамент окружающей среды и природных ресурсов.

Published once at the total cost of \$65.36. 1084881 Mar. 2, 2016

Schlaak, Karen

To: mce6@mcisweb.com
Subject: No. 8195-3, Chad Anderson
Attachments: 8195-3publicnov2015.short1.docx; FORM8.FRM.doc

Attached is a notice to be published on March 2, 2016.

Chad Anderson, 47866 244th St, Dell Rapids SD 57022 (605 359-0059) has been notified to contact you to authorize publication and arrange for payment.

Please send the affidavit or return the attached Proof of Publication form ASAP.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak

Water Rights Program
523 E Capitol Ave
Pierre SD 57501
Phone: 605 773-3352

Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 26, 2016 9:54 AM
To: allegals@argusleader.com
Subject: No. 8195-3, Chad Anderson
Attachments: 8195-3publicnov2015.short1.docx; FORM8.FRM.doc

Attached is a notice to be published on March 2, 2016.

Chad Anderson, 47866 244th St, Dell Rapids SD 57022 (605 359-0059) has been notified to contact you to authorize publication and arrange for payment.

Please send the affidavit or return the attached Proof of Publication form ASAP.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak

Water Rights Program
523 E Capitol Ave
Pierre SD 57501
Phone: 605 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

**NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER(S) RIGHT AWAY.**

February 23, 2016


Chad Anderson
47866 244th St
Dell Rapids SD 57022

Dear Anderson:

Water Permit Application No. 8195-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Moody County Enterprise printed at Flandreau SD (Ph # 605-997-3725) and the Argus Leader printed at Sioux Falls SD (Ph # 605-331-2200). You will need to contact the newspaper(s) and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper(s) to authorize publication of your Notice and to arrange for payment. Early contact with the paper(s) can eliminate delays. Upon receiving authorization from you, the publisher has been instructed to publish your notice. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,


Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

NOTICE OF APPLICATION NO. 8195-3 to Appropriate Water

Notice is given that Chad Anderson, 47866 244th St, Dell Rapids SD 57022 has filed an application for a water permit to appropriate 1.33 cubic feet of water per second from the Big Sioux River located in the SE 1/4 NE 1/4 Section 11 for irrigation of 120 acres located in the NE 1/4 Section 11; all in T105N-R49W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 8195-3 with qualifications because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. The Chief Engineer's recommendation with qualifications, the application, and staff report are available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided below.


Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605-773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by March 14, 2016.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

If the applicant does not contest the recommendation of the Chief Engineer and no petition to oppose the application is received, the Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Steven M. Pirner, Secretary, Department of Environment and Natural Resources. Published once at the total approximate cost of _____.

City of Sioux Falls



CITY OF SIOUX FALLS
PUBLIC WORKS

Providing a Better Quality of Life for You!

Administration

224 West Ninth Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8600 F: 367-8114

Engineering/Real Estate

224 West Ninth Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8601 F: 367-4310

Environmental

1203 North Western Avenue
Sioux Falls, SD 57104-1201
T: 605-367-8276 F: 367-4886

Fleet Management

1000 East Chambers Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8240 F: 367-8239

GIS

132 North Dakota Avenue
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8651 F: 367-8113

Household Hazardous Waste Facility/Sustainability

1015 East Chambers Street
Sioux Falls, SD 57104-7200
T: 605-367-8695 F: 367-4993

Landfill

224 West Ninth Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8162 F: 367-8167

Light

2000 North Minnesota Avenue
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-373-6979 F: 373-6974

Street

1000 East Chambers Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8255 F: 367-8200

Utility Billing

1201 North Western Avenue
P.O. Box 7401
Sioux Falls, SD 57117-7401
T: 605-367-8131 F: 367-7341

Utility Maintenance

668 West Algonquin Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8810 F: 367-7883

Water Purification

2100 North Minnesota Avenue
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-373-6940 F: 373-6941

Water Reclamation

4500 North Sycamore Avenue
Sioux Falls, SD 57104-9612
T: 605-367-8188 F: 367-8484

March 10, 2016

Jeanne Goodman, Chief Engineer
Water Rights Program
Foss Building
523 E. Capitol
Pierre, SD 57501

Dear Jeanne:

The City of Sioux Falls is submitting comments responding to the Chief Engineer's recommendation regarding Water Permit Application 8195-3 to appropriate water for irrigation by Mr. Chad Anderson of Dell Rapids, SD. We are asking the Water Rights Board to consider changing the minimum flow requirements needed at the Dell Rapids USGS gaging station No. 06481000 to protect the diversion capacity of existing senior surface water rights of the Big Sioux River held by the City. We have concern the recommended required minimum bypass flow rate of 43cfs as measured at the Dell Rapids USGS gaging station will limit water withdrawal rates that will be needed by the City during low river flows or drought conditions. The City will most likely utilize the Big Sioux River source to its fullest extent preserving the ground water resources during extended dry weather or drought conditions.

The City of Sioux Falls currently holds the following senior water rights:

5431-3: 17.8 cubic feet per second (cfs) & 6,360 acre feet
5512-3: 1.23 cubic feet per second (cfs) & 200 acre feet
6210-3: 69.6 cubic feet per second (cfs) & 20,000 acre feet

Note: The existing water rights listed above require a bypass flow rate of 20cfs at the Cliff Avenue USGS gaging station No. 06482020.

If the City wishes to utilize the full potential of the existing 88.63 cfs from the three senior water rights there must be a minimum of 108.63 bypassing the Dell Rapids gaging station.

The City of Sioux Falls would like the Water Rights Board to please consider raising the minimum bypass of Water Right 8195-3 at the Dell Rapids gaging station to protect the most senior water rights held by the City of Sioux Falls. If you have any questions, please contact me at (605) 373-6940.

This is a petition to intervene. Please send a copy of all correspondence to:

Diane Best
Public Works Legal Advisor
City of Sioux Falls
P.O. Box 7402
Sioux Falls, SD 57117-4-7402

Please inform us of the hearing date. In the meantime, if we can accommodate for a larger bypass at the Dell Rapids gaging station we would entertain withdrawing our intervention on this application.

Sincerely,

A handwritten signature in black ink, appearing to read "Greg Anderson".

Greg Anderson
Water Superintendent
Sioux Falls Water Division

Cc: Chad Anderson

RECEIVED

MAR 14 2016

WATER RIGHTS
PROGRAM



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

March 16, 2016

NOTICE OF HEARING

TO: Chad Anderson
47866 244th Street
Dell Rapids SD 57022

Diane Best, Public Works Legal Advisor
City of Sioux Falls
PO Box 7402
Sioux Falls SD 57117-7402

FROM: Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Notice of Hearing on Water Permit Application No. 8195-3, Chad Anderson

The city of Sioux Falls submitted a petition regarding the Chief Engineer's recommendation regarding Water Permit Application No. 8195-3. This was in response to the Notice of Application published in the Moody County Enterprise and Argus Leader. This notice schedules a hearing on Application No. 8195-3 before the South Dakota Water Management Board.

Water Permit Application No. 8195-3 proposes to appropriate 1.33 cubic feet of water per second from the Big Sioux River located in the SE 1/4 NE 1/4 Section 11 for irrigation of 120 acres located in the NE 1/4 Section 11; all in T105N-R49W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 8195-3 with qualifications because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest.

The Water Management Board will consider Application No. 8195-3 at 10:30 AM (Central Daylight Time) on Thursday, May 5, 2016, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre SD. The agenda time is an estimate. Parties will be provided written notice if there is a change to the hearing time or date.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny these applications after it reaches a conclusion based on the facts presented at the public hearing.

The May 5, 2016, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any person who has filed a petition to oppose or support the application. The request for an automatic delay must be filed by April 25, 2016. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the time, date and location.

The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Contact Eric Gronlund at the above Chief Engineer's address to request the staff report, recommendation, application or any other information. Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Enclosed is a copy of the report, recommendation, affidavits of publication and petition in the matter of Water Permit Application No. 8195-3. State law directs the Chief Engineer to provide Water Management Board members with a copy of all pleadings including petitions for each proceeding. The information being provided to you is also being sent to the Board members in advance of the hearing. In addition, enclosed are two documents intended to acquaint parties with the hearing process entitled "Procedure for Hearings before the Water Management Board" and "Summary of South Dakota Water Laws and Rules." You are encouraged to review these documents prior to the hearing.

Under SDCL 1-26-17(7) notices must state that "if the amount in controversy exceeds \$2,500.00 or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." This is a Notice of Hearing, service is being provided by direct mail to you, and the applicable date to give notice to the Chief Engineer is March 28, 2016. However, since this particular matter is a water permit application and not a monetary controversy in excess of \$2,500.00 or termination of a property right, the Chief Engineer disputes the applicability of this provision and maintains that the hearing must be conducted by the Board.

As applicable, the following provides the legal authority and jurisdiction under which the hearing will be held and the particular statutes and rules pertaining to this application: SDCL 1-26-16 thru 1-26-28; SDCL 46-1-1 thru 46-1-9, 46-1-13 thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-17; 46-2A-1 thru 46-2A-12, 46-2A-14, 46-2A-15, 46-2A-20, 46-2A-21, 46-2A-23; 46-5-1.1, 46-5-2 thru 46-5-26, 46-5-30.2 thru 46-5-30.4, 46-5-31 46-5-32 thru 46-5-34.1, 46-5-38 thru 46-5-39, 46-5-46; and Board Rules ARSD 74:02:01:01 thru 74:02:01:24.02.

Questions regarding the hearing process may be directed to Eric Gronlund, Water Rights Program at (605) 773-3352 or eric.gronlund@state.sd.us.

enclosures

c: Ann Mines-Bailey, Assistant Attorney General

CERTIFICATION

I hereby certify that on March 16, 2016, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice of Hearing dated March 16, 2016, regarding notice of hearing for Water Right Permit Application No. 8195-3, as addressed below:

Chad Anderson
47866 244th Street
Dell Rapids SD 57022

Diane Best, Public Works Legal Advisor
City of Sioux Falls
PO Box 7402
Sioux Falls SD 57117-7402

Sent Inter-office to:

Ann Mines-Bailey, Assistant Attorney General
1302 East Highway 14, Suite 1
Pierre SD 57501-8501




Gail Jacobson
Water Rights Program, DENR

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 16th day of March, 2016



Karen Schlaak
Notary Public
My Commission expires April 1, 2019



REPORT ON WATER PERMIT APPLICATION NO. 8195-3
CHAD ANDERSON
FEBRUARY 9, 2016

Application No. 8195-3, Chad Anderson, proposes to appropriate 1.33 cubic feet of water per second from the Big Sioux River located in the SE 1/4 NE 1/4 Section 11 for irrigation of 120 acres located in the NE 1/4 Section 11; all in T105N-R49W. The water will be used for irrigation purposes. The proposed project is located approximately 10 miles southwest of Flandreau in Moody County.

Review of Existing Water Rights

There are 59 existing water rights/permits appropriating 159.81 cfs from the Big Sioux River from its headwaters to the confluence with the Missouri River in Union County. In addition, there are two water rights from the river appropriating 2000 cfs of flood flows only to maintain lake levels in Lake Poinsett and Dry Lake in Hamlin County. Downstream from this proposed project to the eastern edge of Sioux Falls there are 17 existing water rights/permits appropriating 103 cfs. The Big Sioux River downstream from Sioux Falls generally receives sufficient flow from tributary inflows and effluent discharge from the Sioux Falls waste water treatment plant to meet the needs of the water permit/right holders. The City of Sioux Falls also holds Future Use Permit Nos. 3981-3 and 3981A-3 for a total of 30,000 acre-feet of Big Sioux River water held in reserve for future development (Water Rights, 2016).

Review of the Proposed Water Source

The applicant proposes to pump water for irrigation from the Big Sioux River during the period May through September. The Big Sioux River is a prairie stream with headwaters located in the northern prairie coteau in southern Roberts, eastern Day and eastern Clark counties, in northeastern South Dakota. The river drains glacial till and outwash plains as it runs southward to its junction with the Missouri River near Sioux City, Iowa. The Big Sioux River physical geography is characterized by glaciated terrain and rolling plains. Rivers commonly follow the valleys formed by glacial lobes, which were glaciated as recently as 14,000 years ago. Drainages in this region formed after retreat of glaciers and are therefore poorly established in parts of the watershed. The poorly established drainage patterns are accompanied by numerous areas of internal drainages, or "potholes," and are commonly referred to as the "Prairie Pothole Region" (Hoogestrat and Stamm, 2015).

The USGS maintains several long term stream gaging stations on the Big Sioux River between the headwaters and the confluence with the Missouri River. Two of these gaging stations are located in this river reach immediately upstream and downstream of the proposed project (USGS, 2016). The gaging station located approximately 36 miles upstream having a 63 year period of record is the USGS Gaging Station No. 06480000 Big Sioux River near Brookings SD, Figure 1.

Percentile	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
10%	2	1	12	70	44	31	17	8	5	9	12	4
25%	5	5	50	137	113	85	48	24	18	19	23	12
50%	16	17	191	387	310	261	144	67	52	63	56	37
75%	53	90	587	1211	815	815	453	257	165	168	179	113
90%	143	221	1685	2768	1767	1714	1064	735	480	442	363	208

Figure 1. USGS Gaging Station No. 06480000 Big Sioux River near Brookings SD. Flow in cubic feet per second. Period of Record - 1953 to 2016.

As is typical of prairie streams in South Dakota, the peak runoff occurs during the spring months due to plains snowpack melt and runoff from larger rain events. Runoff tends to decrease in the late summer months going in to fall and winter. At the 50th percentile, monthly flow values range from 310 cfs in May to 52 cfs in September.

The most recent water permit issued from the Big Sioux River in this reach is Water Permit No. 7110-3. This water permit is located immediately upstream from this proposed project. This permit was issued with the following qualifications to protect existing water rights, including City of Sioux Fall's future use permits.

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be bypassed. This permit does not authorize diversion of water from the Big Sioux River unless at least 43 cfs is flowing when pumping at the Dell Rapids USGS gaging station No. 06481000, or unless written orders have been issued by the Chief Engineer. Diversion under this permit shall be in accordance with any written orders by the Chief Engineer.
- The City of Sioux Falls has senior priority rights to Big Sioux River flows under Future Use Permit Nos. 3981-3 and 3981A-3. Future diversion under Permit No 7110-3 will be subject to these prior rights and an increased by-pass may be required if and when the City of Sioux Falls develops the water reserved by Future Use Permit Nos. 3981-3 and 3981A-3.
- The Water Management Board retains jurisdiction of Permit no 7110-3 in the event that the City of Sioux Falls develops the water reserved by their future use permit or additional information shows that a change needs to be made in the by-pass requirement.

The second nearby stream gaging station is the USGS Gaging Station No. 06481000 Big Sioux River near Dell Rapids located approximately 16 miles downstream and has a 68 year period of record, Figure 2.

Percentile	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
10%	5	4	29	108	70	46	30	16	12	14	18	11
25%	11	12	83	197	176	133	73	41	32	33	36	21
50%	25	29	291	569	454	391	233	110	82	88	79	54
75%	86	131	857	1696	1095	981	636	352	232	216	246	146
90%	174	319	2041	4296	2153	2106	1383	901	553	525	480	307

Figure 2. USGS Gaging Station No. 06481000 Big Sioux River near Dell Rapids SD. Flow in cubic feet per second. Period of Record - 1948 to 2016.


If this application is approved, with similar qualifications as No. 7110-3, including requiring a 43 cfs bypass at the Dell Rapid gaging station, there should be sufficient water available to satisfy this permit the majority of the time. At the 25th percentile level, even if a 43 cfs by pass is required, the data indicates water should be available during the irrigation season from May into August before the cutoff limit is reached. During drier climatic conditions, particularly during the latter part of the irrigation season, the applicant may not be able to pump due to low flows in the river.

If at a future date the City of Sioux Falls develops water appropriations under their future use permits, or if a review of water availability increases due to increased runoff or a decrease in the use of water by existing rights, the bypass qualification may need to be amended by the Water Management Board.

Conclusions

1. This application proposes to appropriate 1.33 cubic feet of water per second (cfs) from the Big Sioux River for irrigation of 120 acres.
2. If this application is approved it should contain the following qualifications:
 - Low flows as needed for downstream domestic use, including livestock water and prior rights must be bypassed. This permit does not authorize diversion of water from the Big Sioux River unless at least 43 cfs is flowing when pumping at the Dell Rapids USGS gaging station No. 06481000, or unless written orders have been issued by the Chief Engineer. Diversion under this permit shall be in accordance with any written orders by the Chief Engineer.
 - The City of Sioux Falls has senior priority rights to Big Sioux River flows under Future Use Permit Nos. 3981-3 and 3981A-3. Future diversion under Permit No 8195-3 will be subject to these prior rights and an increased by-pass may be required if and when the City of Sioux Falls develops the water reserved by Future Use Permit Nos. 3981-3 and 3981A-3.
 - The Water Management Board retains jurisdiction of Permit No 8195-3 in the event that the City of Sioux Falls develops the water reserved by their future use permit or additional information shows that a change needs to be made in the by-pass requirement.
3. If this application is approved with the proposed qualifications there should be sufficient water available to satisfy this permit the majority of the time. Although during drier climatic conditions, particularly during the later summer months, the applicant may not be able to pump due to low flows in the river.

4. If at a future date the City of Sioux Falls develops water appropriations under their future use permits, or if a review of water availability increases due to increased runoff or a decrease in the use of water by existing rights, the bypass qualification may need to be amended by the Water Management Board.



Mark D. Rath
Natural Resources Engineer III

References

Hoogestraat, G.K. and J. F. Stamm, 2015. Climate and Streamflow Characteristics for Selected Streamgages in Eastern South Dakota, Water Years 1945–2013. USGS Scientific Investigations Report 2015-5146.

USGS. 2016. United States Geological Survey, National Water Information System – Stream Gaging Station Network for South Dakota.

Water Rights. 2016. Water Right/Permit Files. SD DENR-Water Rights Program, Joe Foss Bldg., Pierre, SD.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov


**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 8195-3, Chad Anderson**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 8195-3, Chad Anderson, 47866 244th Street, Dell Rapids SD 57022.

The Chief Engineer is recommending APPROVAL of Application No. 8195-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

1. Low flows as needed for downstream domestic use, including livestock water and prior rights must be bypassed. This permit does not authorize diversion of water from the Big Sioux River unless at least 43 cfs is flowing when pumping at the Dell Rapids USGS gaging station No. 06481000, or unless written orders have been issued by the Chief Engineer. Diversion under this permit shall be in accordance with any written orders by the Chief Engineer.
2. The City of Sioux Falls has senior priority rights to Big Sioux River flows under Future Use Permit Nos. 3981-3 and 3981A-3. Future diversion under Permit No 8195-3 will be subject to these prior rights and an increased by-pass may be required if and when the City of Sioux Falls develops the water reserved by Future Use Permit Nos. 3981-3 and 3981A-3.
3. The Water Management Board retains jurisdiction of Permit no 8195-3 in the event that the City of Sioux Falls develops the water reserved by their future use permit or additional information shows that a change needs to be made in the by-pass requirement.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.


Jeanne Goodman, Chief Engineer
February 23, 2016

City of Sioux Falls



CITY OF SIOUX FALLS
PUBLIC WORKS

Providing a Better Quality of Life for You!

Administration
224 West Ninth Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8600 F: 367-8114

Engineering/Real Estate
224 West Ninth Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8601 F: 367-4310

Environmental
1203 North Western Avenue
Sioux Falls, SD 57104-1201
T: 605-367-8276 F: 367-4886

Fleet Management
1000 East Chambers Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8240 F: 367-8239

GIS
132 North Dakota Avenue
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8651 F: 367-8113

**Household Hazardous
Waste Facility/Sustainability**
1015 East Chambers Street
Sioux Falls, SD 57104-7200
T: 605-367-8695 F: 367-4993

Landfill
224 West Ninth Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8162 F: 367-8167

Light
2000 North Minnesota Avenue
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-373-6979 F: 373-6974

Street
1000 East Chambers Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8255 F: 367-8200

Utility Billing
1201 North Western Avenue
P.O. Box 7401
Sioux Falls, SD 57117-7401
T: 605-367-8131 F: 367-7341

Utility Maintenance
668 West Algonquin Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-367-8810 F: 367-7883

Water Purification
2100 North Minnesota Avenue
P.O. Box 7402
Sioux Falls, SD 57117-7402
T: 605-373-6940 F: 373-6941

Water Reclamation
4500 North Sycamore Avenue
Sioux Falls, SD 57104-9612
T: 605-367-8188 F: 367-8484

March 10, 2016

Jeanne Goodman, Chief Engineer
Water Rights Program
Foss Building
523 E. Capitol
Pierre, SD 57501

Dear Jeanne:

The City of Sioux Falls is submitting comments responding to the Chief Engineer's recommendation regarding Water Permit Application 8195-3 to appropriate water for irrigation by Mr. Chad Anderson of Dell Rapids, SD. We are asking the Water Rights Board to consider changing the minimum flow requirements needed at the Dell Rapids USGS gaging station No. 06481000 to protect the diversion capacity of existing senior surface water rights of the Big Sioux River held by the City. We have concern the recommended required minimum bypass flow rate of 43cfs as measured at the Dell Rapids USGS gaging station will limit water withdrawal rates that will be needed by the City during low river flows or drought conditions. The City will most likely utilize the Big Sioux River source to its fullest extent preserving the ground water resources during extended dry weather or drought conditions.

The City of Sioux Falls currently holds the following senior water rights:

5431-3: 17.8 cubic feet per second (cfs) & 6,360 acre feet

5512-3: 1.23 cubic feet per second (cfs) & 200 acre feet

6210-3: 69.6 cubic feet per second (cfs) & 20,000 acre feet

Note: The existing water rights listed above require a bypass flow rate of 20cfs at the Cliff Avenue USGS gaging station No. 06482020.

If the City wishes to utilize the full potential of the existing 88.63 cfs from the three senior water rights there must be a minimum of 108.63 bypassing the Dell Rapids gaging station.

The City of Sioux Falls would like the Water Rights Board to please consider raising the minimum bypass of Water Right 8195-3 at the Dell Rapids gaging station to protect the most senior water rights held by the City of Sioux Falls. If you have any questions, please contact me at (605) 373-6940.

This is a petition to intervene. Please send a copy of all correspondence to:

Diane Best
Public Works Legal Advisor
City of Sioux Falls
P.O. Box 7402
Sioux Falls, SD 57117-4-7402

Please inform us of the hearing date. In the meantime, if we can accommodate for a larger bypass at the Dell Rapids gaging station we would entertain withdrawing our intervention on this application.

Sincerely,

Greg Anderson
Water Superintendent
Sioux Falls Water Division

Cc: Chad Anderson

RECEIVED

MAR 14 2016

WATER RIGHTS
PROGRAM

Affidavit of Publication

STATE OF SOUTH DAKOTA
COUNTY OF MOODY) SS

MARY LYNN HEADRICK, of said county, being first duly sworn on oath says that she is the bookkeeper of the Moody County Enterprise, a weekly newspaper printed and published in said county of Moody and State of South Dakota, and has full and personal knowledge of all the facts herein stated; that said newspaper is a legal newspaper and has a bona fide circulation of at least 200 copies weekly, and has been published within said county for 52 consecutive weeks next prior to the publication of the notice herein mentioned, and was and is printed wholly or in part in an office maintained at said place of publication; that the advertisement headed:

Notice of Application
No. 8195-3 to
Appropriate Water

a printed copy of which, taken from the newspaper in which the same was published, is attached to this sheet and is made a part of this affidavit, was published in said newspaper at least once in each week for 1 successful weeks, on the day of each week on which said newspaper was regularly published, to wit:

March 2, 2016

that the full amount of the fee charged for the publication of said Notice inures to the benefit of the publisher of said newspaper; that no agreement or understanding for the division thereof has been made with any person, and that no part thereof has been agreed to be paid to any person whomsoever, and that the fees charged for the publication thereof are

\$ 25³⁰-

M. Headrick bookkeeper
Subscribed and sworn to before me this

2nd day of March AD 2016

Roger W. Janssen

Notary Public, County Moody, South Dakota

ROGER W. JANSSEN
NOTARY PUBLIC
SOUTH DAKOTA
My commission expires 2/17/17

RECEIVED

MAR 07 2016

WATER RIGHTS
PROGRAM

NOTICE OF APPLICATION NO. 8195-3 to Appropriate Water

Notice is given that Chad Anderson, 47880 244th St, Dell Rapids SD 57022 has filed an application for a water permit to appropriate 1.33 cubic feet of water per second from the Big Sioux River located in the SE 1/4 NE 1/4 Section 11 for irrigation of 120 acres located in the NE 1/4 Section 11; all in T105N-R49W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 8195-3 with qualifications because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. The Chief Engineer's recommendation with qualifications, the application, and staff report are available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605-773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by March 14, 2016.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

If the applicant does not contest the recommendation of the Chief Engineer and no petition to oppose the application is received, the Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Steven M. Pirner, Secretary,
Department of Environment
and Natural Resources.

Published once at the total approximate cost of \$25

CUSTOMER NUMBER:	078200	Argus Leader	
AD ORDER NUMBER:	1084881		
	3/2, 2016	P.O. Box 677349, Dallas, TX 75267-7349	\$65.36

Water Rights Program
Attn: Karen Schlaak
523 E Capitol Ave

Pierre, SD 57501

RECEIVED

MAR 04 2016

WATER RIGHTS PROGRAM

DETACH THIS STUB AND RETURN WITH PAYMENT

PAYMENT DUE UPON

AFFIDAVIT OF PUBLICATION

Customer Number: 078200
Invoice Number: 1084881

Argus Leader
AFFIDAVIT OF PUBLICATION

STATE OF SOUTH DAKOTA

COUNTY OF MINNEHAHA } ss

Shelley Rasmussen being duly sworn, says: That The Argus Leader is, and during all the times hereinafter mentioned was, a daily legal newspaper as defined by SDCL 17-2-21, as amended published at Sioux Falls, Minnehaha County, South Dakota; that affiant is and during all of said times, was an employee of the publisher of such newspaper and has personal knowledge of the facts stated in this affidavit; that the notice, order or advertisement, a printed copy of which is hereto attached, was published in said newspaper upon


Wednesday the 2 day of March 2016 ,
the day of 2016 ,
the day of 2016
the day of 2016 ,
the day of 2016 ,
the day of 2016 ,
the day of 2016 ,
the day of 2016 ,
the day of 2016 ,

and that \$65.36 was charged for publishing the same including a \$10.00 affidavit fee.

Subscribed and sworn to before me 3/2/2016

Notary Public, South Dakota

My Commission expires March 11, 2016



NOTICE OF APPLICATION NO. 8195-3 to Appropriate Water Notice is given that Chad Anderson, 47880 244th St, Dell Rapids SD 57022 has filed an application for a water permit to appropriate 1.33 cubic feet of water per second from the Big Sioux River located in the SE 1/4 NE 1/4 Section 11 for irrigation of 120 acres located in the NE 1/4 Section 11; all in T105N-R49W.

Pursuant to SDCL 46-2A-2 the Chief Engineer recommends APPROVAL of Application No. 8195-3 with qualifications hereto: 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial

use of water, and 4) it is in the public interest. The Chief Engineer's recommendation with qualifications, the application, and staff report are available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605-773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by March 14, 2016.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

If the applicant does not contest the recommendation of the Chief Engineer and no petition to oppose the application is received, the Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

Published once at the total cost of \$65.36. Mar. 2, 2016 1084881

STATE OF SOUTH DAKOTA
SOUTH DAKOTA WATER MANAGEMENT BOARD

IN THE MATTER OF WATER PERMIT
APPLICATION 8195-3, CHAD
ANDERSON

*
*
*
*
*
*

AGREEMENT
AND
JOINT REQUEST

Applicant Chad Anderson ("Applicant") and the City of Sioux Falls ("City") have entered into negotiations regarding the presently pending water permit application and have agreed to make the following Joint Request:

1. Applicant and City ask that the Board adopt the "low flow" qualification on the proposed permit, as recommended by the Chief Engineer, but with revisions to monitor low flows at the USGS gaging station at North Cliff Avenue, downstream of City's diversions. The revisions are as follows (with deletions shown by overstrikes and additions shown by underlining):

Low flows as needed for downstream domestic use, including livestock water and prior rights must be bypassed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 20 cfs is flowing at the North Cliff Avenue USGS gaging station No. 06482020 and 43 cfs is flowing ~~when pumping~~, at the Dell Rapids USGS gaging station No. 06481000, or unless written orders have been issued by the Chief Engineer. Diversion under this permit shall be in accordance with any written orders by the Chief Engineer.

2. The City does not oppose Applicant's irrigation permit if it can be qualified to allow the City to use its senior water rights to the extent needed and to allow the

Applicant to use water when available.

3. Further basis for the proposal is as follows:

- a. City holds senior rights to about 90 cfs below the Applicant's diversion point and above the Cliff Avenue gaging station. Also, the City's permits require City to bypass 20 cfs, as measured at the Cliff Avenue gaging station. If City was using all its water rights at the same time, a flow of about 110 cfs would need to be available in order for the City to still release the 20 cfs. Moreover, the Board granted Future Use Permits to the City in 1977 which will provide the City with more senior priority rights when fully permitted by the Board.
- b. The bypass that would work best as between the Applicant and City should be based on actual contemporaneous use of Big Sioux River water as measured at the Cliff Avenue gaging station. Under this proposal, the City would use its senior water rights to the extent necessary (and honor the 20 cfs bypass at the Cliff Avenue gage as required by its own permits). However, if the Cliff Avenue gage records more than 20 cfs, the Applicant, an upstream junior user, would be able to irrigate. Conversely when the City needs to divert water during dry periods and can only bypass 20 cfs, the Applicant would not be able to irrigate.
- c. Although both the Applicant and the City would be required to bypass 20 cfs at the Cliff Avenue gaging station under this proposal, the law also requires the Chief Engineer to issue any shut off orders based on priority dates. Consequently, the Applicant and other upstream junior rights would be shut off prior to City.

4. Both the City and the Applicant support the other proposed qualifications recommended by the Chief Engineer and ask that the Board grant the applicant's permit with the qualifications stated above.

5. The parties wish to be heard on this matter by telephone conference call rather than appearing in person at the hearing now set for May 5 at 10:30 a.m. in Pierre.

6. If the Board adopts this request, the City waives any further right to appear and present testimony and further waives Findings of Fact and Conclusions or Law or other legal process.

7. The City reserves the right to proceed to hearing and present testimony if the

Board does not adopt this proposal. In such event, the City would ask for hearing at Board's next regularly scheduled meeting or at the Board's convenience.

CITY OF SIOUX FALLS, SD

CHAD ANDERSON

Karen Best
Assistant City Attorney

Board does not adopt this proposal. In such event, the City would ask for hearing at Board's next regularly scheduled meeting or at the Board's convenience.

CITY OF SIOUX FALLS, SD

CHAD ANDERSON



Gronlund, Eric

From: Best, Diane <DBest@siouxfalls.org>
Sent: Monday, May 02, 2016 3:18 PM
To: Gronlund, Eric
Cc: Mines, Ann; Anderson, Greg; Chad Anderson
Subject: Application No. 8195-3, Chad Anderson
Attachments: Joint Request.pdf

Enclosed for filing is an Agreement and Joint Request in the Chad Anderson water permit application now scheduled for Thursday morning at 10:30 am.

We would like to appear by phone regarding this application if possible.

I have included Chad Anderson on this email, so please respond to all when you reply regarding any arrangements for a teleconference or, if necessary, any change in timing.

Thank you in advance for your consideration.

*Diane P. Best
Assistant City Attorney
Public Works Legal Advisor
P.O. Box 7402
224 West Ninth Street
Sioux Falls, SD 57117-7402
(605) 367-8880*

STATE OF SOUTH DAKOTA
SOUTH DAKOTA WATER MANAGEMENT BOARD

IN THE MATTER OF WATER PERMIT
APPLICATION 8195-3, CHAD
ANDERSON

*
*
*
*
*
*

AGREEMENT
AND
JOINT REQUEST

Applicant Chad Anderson ("Applicant") and the City of Sioux Falls ("City") have entered into negotiations regarding the presently pending water permit application and have agreed to make the following Joint Request:

1. Applicant and City ask that the Board adopt the "low flow" qualification on the proposed permit, as recommended by the Chief Engineer, but with revisions to monitor low flows at the USGS gaging station at North Cliff Avenue, downstream of City's diversions. The revisions are as follows (with deletions shown by overstrikes and additions shown by underlining):

Low flows as needed for downstream domestic use, including livestock water and prior rights must be bypassed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 20 cfs is flowing at the North Cliff Avenue USGS gaging station No. 06482020 and 43 cfs is flowing ~~when pumping~~, at the Dell Rapids USGS gaging station No. 06481000, or unless written orders have been issued by the Chief Engineer. Diversion under this permit shall be in accordance with any written orders by the Chief Engineer.

2. The City does not oppose Applicant's irrigation permit if it can be qualified to allow the City to use its senior water rights to the extent needed and to allow the Applicant to use water when available.

3. Further basis for the proposal is as follows:

- a. City holds senior rights to about 90 cfs below the Applicant's diversion point and above the Cliff Avenue gaging station. Also, the City's permits require City to bypass 20 cfs, as measured at the Cliff Avenue gaging station. If City was using all its water rights at the same time, a flow of about 110 cfs would need to be available in order for the City to still release the 20 cfs. Moreover, the Board granted Future Use Permits to the City in 1977 which will provide the City with more senior priority rights when fully permitted by the Board.
- b. The bypass that would work best as between the Applicant and City should be based on actual contemporaneous use of Big Sioux River water as measured at the Cliff Avenue gaging station. Under this proposal, the City would use its senior water rights to the extent necessary (and honor the 20 cfs bypass at the Cliff Avenue gage as required by its own permits). However, if the Cliff Avenue gage records more than 20 cfs, the Applicant, an upstream junior user, would be able to irrigate. Conversely when the City needs to divert water during dry periods and can only bypass 20 cfs, the Applicant would not be able to irrigate.
- c. Although both the Applicant and the City would be required to bypass 20 cfs at the Cliff Avenue gaging station under this proposal, the law also requires the Chief Engineer to issue any shut off orders based on priority dates. Consequently, the Applicant and other upstream junior rights would be shut off prior to City.

4. Both the City and the Applicant support the other proposed qualifications recommended by the Chief Engineer and ask that the Board grant the applicant's permit with the qualifications stated above.

5. The parties wish to be heard on this matter by telephone conference call rather than appearing in person at the hearing now set for May 5 at 10:30 a.m. in Pierre.

6. If the Board adopts this request, the City waives any further right to appear and present testimony and further waives Findings of Fact and Conclusions or Law or other legal process.

7. The City reserves the right to proceed to hearing and present testimony if the

Board does not adopt this proposal. In such event, the City would ask for hearing at Board's next regularly scheduled meeting or at the Board's convenience.

CITY OF SIOUX FALLS, SD

CHAD ANDERSON

Chad Anderson

Board does not adopt this proposal. In such event, the City would ask for hearing at Board's next regularly scheduled meeting or at the Board's convenience.

CITY OF SIOUX FALLS, SD

CHAD ANDERSON

Kane Best
Assistant City Attorney



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

MAY 12 2016

Chad Anderson
47880 244th St
Dell Rapids SD 57022

Dear Mr. Anderson:

Enclosed is Water Permit No. 8195-3 authorizing construction of the water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.


Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,


Jeanne Goodman, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures



8195-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2017

NOTICE

TO: CHAD ANDERSON, 47880 244TH ST, DELL RAPIDS, SD 57022

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2016 Irrigation Questionnaire(s)

Our records indicate your 2016 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 8195-3. The request for the Questionnaire was dated October 21, 2016. The Water Management Board has directed that owners of water permits who have not submitted the 2016 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 8195-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 1, 2017 at 11:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 8195-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 1, 2017** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

January 31, 2017

8195-3

Chad Anderson
47880 244th St
Dell Rapids SD 57022

Dear Mr. Anderson:

I am writing to acknowledge receipt of your 2016 irrigation questionnaire.

You may disregard the January 20, 2017, "Notice" concerning reporting requirements for Water Right No. 8195-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 31, 2018

8195-3

CHAD ANDERSON
47880 244TH ST
DELL RAPIDS SD 57022

Subject: Bypass Qualifications on Big Sioux River Water Rights

Dear MR ANDERSON,

I am writing to inform you of an effort the SD Dept. of Environment and Natural Resources Water Rights Program is undertaking to review and update a number of water right permits authorized to pump water from the Big Sioux River. When a number of these permits were issued, they contained a qualification requiring a minimum flow bypass before the user is able to pump water from the river. The bypass qualification was placed on these permits to protect the use of water by downstream senior priority water right holders and domestic water users, which includes livestock watering. The review found, with the passage of time, a number of senior water right permits have been cancelled due to abandonment or forfeiture. Consequently, it may be possible to lower the flow bypass limitation on the remaining permits. In other words, the amount of flow in the river can be lower and pumping will still be allowed. The review also found an inconsistency between permits on where the bypass flow is to be measured.

The intent of this effort is to standardize and make consistent the bypass requirements for the remaining water users. In most cases, the proposed changes will reduce the flow bypass requirement on the individual permits. To make the permits consistent, the bypass measuring point will also be designated at a United States Geological Survey (USGS) stream gaging station. The USGS maintains a real-time stream gaging network on the Big Sioux River. Current river flow information can be easily accessed from the internet at the following internet address:

<https://waterdata.usgs.gov/sd/nwis/rt>

In order to amend a qualification on an existing water right permit, formal action by the SD Water Management Board is needed. In the next few weeks, you can expect to receive official notification scheduling a hearing before the Water Management Board. If you wish to participate in the hearing you can, but you are not required to. There will be instructions with the notification on how to participate in the hearing if you so choose.

If you have any questions concerning this effort, please contact Mark Rath of the Water Rights Program at phone (605) 773-3352.

Sincerely,

A handwritten signature in black ink, appearing to read "Jeanne Goodman".

Jeanne Goodman, Chief Engineer
Water Rights Program

Handwritten initials in black ink, possibly "JG".



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 12, 2018

8195-3

Chad Anderson
47880 244th St
Dell Rapids SD 57022

Subject: Bypass Qualifications on Big Sioux River Water Rights

Dear Mr. Anderson:

The SD Department of Environment and Natural Resources has evaluated the minimum flow bypass condition on water rights that pump from the Big Sioux River. The Chief Engineer is recommending amending the bypass qualification on 21 Big Sioux water rights. The intent is to bring uniformity to the bypass requirement placed on water rights in past years. Water Right(s) that you own or operate are included in those proposed to be amended.

Attached is the qualification to be deleted from the water right(s) and the proposed new qualifications.

The proposed amendment to your water right will not impose a more restrictive condition than currently is in place on your water right. In some cases the bypass requirement remains the same but generally the proposed amendment decreases the minimum bypass that must exist before a user is able to pump water from the river. The amendment does designate a US Geological Survey gaging station as the measuring point to determine if pumping is allowed. The gaging station has real time flow information that can be accessed on-line at <https://waterdata.usgs.gov/sd/nwis/rt>. Many, but not all, water rights referenced the bypass being located at the pump site where there isn't real time flow information.

A hearing before the Water Management Board is scheduled at 11:30 AM, Wednesday, March 7, 2018 in the Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre SD. Enclosed is the notice to be published on or before February 15, 2018, in one newspaper from each of the seven counties that the Big Sioux River flows through. This notice provides information on filing a petition in either support or opposition to the propose amendment. The filing of a petition must be postmarked by February 26, 2018. Additionally filing a petition affords you the opportunity to participate in the March 7th hearing before the Board if you choose.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Mark Rath at 605 773-3352 or mark.rath@state.sd.us. If you have questions, please call. DENR is willing to work to answer any questions.

Sincerely,

Eric Gronlund
Water Rights Program, DENR
605 773-3352
Eric.gronlund@state.sd.us

enclosure

Proposed Qualification Revisions

In order to standardize the bypass qualifications for the 14 existing water rights/permits containing bypass qualifications in the Big Sioux River reach between the USGS stream gaging station near Castlewood downstream to the USGS stream gaging station near Dell Rapids, the following changes are proposed.

Amendment to the qualifications contained in Water Right No. 8195-3

Delete Qualification:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 20 cfs is flowing at the North Cliff Avenue USGS Gaging Station No. 06482020 and 43 cfs is flowing at the Dell Rapids USGS Gaging Station No. 06481000, or unless written orders have been issued by the Chief Engineer. Diversions under this Permit are shall be in accordance with any written orders issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Review of Big Sioux River Water Rights and Report on Proposed Amendments

February 13, 2018

Introduction

The Big Sioux River is a prairie stream with headwaters located in the northern prairie coteau in southern Roberts, eastern Day and eastern Clark counties, in northeastern South Dakota. The river drains glacial till and outwash plains as it runs southward to its junction with the Missouri River near Sioux City, Iowa. The Big Sioux River physical geography is characterized by glaciated terrain and rolling plains. Rivers commonly follow the valleys formed by glacial lobes, which were glaciated as recently as 14,000 years ago. Drainages in this region formed after retreat of glaciers and are therefore poorly established in parts of the watershed. The poorly established drainage patterns are accompanied by numerous areas of internal drainages, or “potholes,” and are commonly referred to as the “Prairie Pothole Region” (Hoogestrat and Stamm, 2015).

As is typical of prairie streams in South Dakota, the peak runoff occurs during the spring months due to plains snowpack melt and from runoff of larger rain events. Runoff tends to decrease in the late summer months going in to fall and winter.

Qualification Status

A review of Water Right Program files shows there have been 163 water right permits (water permits) issued for the Big Sioux River, some with priority dates going back to statehood. Many of these have been cancelled due to abandonment or forfeiture, some have been incorporated into other water permits and some remain active. An examination of water right files found the Water Resources Commission placed the first bypass qualification, 20 cubic feet per second (cfs) bypass at the diversion point, on a Big Sioux River water permit in Moody County in 1960 (Water Rights, 2018).

After the Water Resources Commission placed the first bypass qualification on a Big Sioux River water permit in 1960, it appears from then until the mid-1990’s, with the advent of real-time accessible stream gaging, the management of water permits from the Big Sioux River was primarily addressed on a river reach basis and the presence of senior priority water permits. Water permits issued in a similar reach with relatively similar priority dates would have the same bypass requirements. Later when water permits were issued, the bypass requirement would be incrementally increased to account for protection of the senior priority water permits (Water Rights, 2018).

The northern most river reach, from the headwaters in southern Roberts County to the Brookings – Moody county line, only has a hand full of permits issued since 1960. Bypass qualifications range from 5 cfs for those water permits issued in the mid-1960’s to 35 cfs for those issued more recently (Water Rights, 2018).

In the Big Sioux River reach from the northern border of Moody County to Dell Rapids, which has the most water permits issued, the 20 cfs bypass requirement was placed on Big Sioux River water permits from 1960 until 1966 when the bypass requirement was raised to 30 cfs for new permits issued. In 1968 the bypass requirement was raised to 35 cfs and was then incrementally increased to 50 cfs by 1976. Many of these water permits have subsequently been cancelled due to abandonment or forfeiture. The most recent water permits issued in this reach contained a 43 cfs bypass requirement (Water Rights, 2018).

In the Big Sioux River reach immediately to the south between Dell Rapids where the Big Sioux River crosses Cliff Avenue on the eastern side of Sioux Falls there have been multiple water permits issued. These contain a 20 cfs bypass requirement. Earlier issued water permits require a 20 cfs bypassed at the diversion point while the later issued ones require a 20 cfs bypass at the United States Geologic Survey (USGS) stream gaging station at North Cliff Avenue in Sioux Falls (Water Rights, 2018 and USGS, 2018).

The southernmost river reach from where the river crosses North Cliff Avenue in eastern Sioux Falls to the confluence with Missouri River in southern Union County does not have any water permits with bypass requirements. This reach, even during drier climatic conditions has sufficient flow exceeding demand. The additional flow is attributed to effluent discharge from the Sioux Falls waste water treatment plant and contributions from downstream tributaries such as Split Rock Creek near Brandon (Water Rights, 2018).

Currently there are 59 active water permits authorized for the Big Sioux River from the headwaters in Roberts County to the mouth in Union County, Figure 1. There have been 49 water permits issued since 1960, when the first bypass requirement was enacted, to present which have subsequently been cancelled due to abandonment or forfeiture. Currently 21 of the existing water permits contain some sort of flow bypass qualification. When the water permits were issued with bypass qualifications, it was done because the senior priority water permits were active and being used, so the amount of the bypass requirement placed on the water permit was based on a level to protect senior priority water use. Since there has been significant attrition in the number of active water permits using Big Sioux River water since 1960, with many of them being cancelled, this leaves a somewhat disjointed system of bypass requirements for the remaining water permits. In addition, the City of Sioux Falls holds two active future use permits with 1977 priority dates reserving 30,000 acre-feet of Big Sioux River water in the river reach between the Dell Rapids gage and the North Cliff Avenue gage (Water Rights, 2018 and USGS, 2018).




Figure 1. Area map of the Big Sioux River showing the locations of the active water rights/permits and USGS Big Sioux River stream flow gaging stations (Water Rights, 2018 and USGS, 2018).

It is proposed that the existing bypass qualifications for each of the active water permits be reviewed, taking into account the amount of bypass required, the presence of existing rights, the location of the diversions points, and the historical river flow conditions along the various reaches of the river. This review will determine if it is justified to recommend modifications of the existing bypass qualifications.

Authority

SDCL 46-1-14 gives the Water Management Board the authority to amend water right permits. Water permits issued by the board may be amended by the board with priority retained upon amendment. The board may alter terms, conditions, restrictions, qualifications or quantifications.

South Dakota Codified Law

46-1-14. Terms and conditions of permits and licenses--Amendment. The Water Management Board may issue any permit or license subject to terms, conditions, restrictions, qualifications, quantifications, or limitations on perpetuity consistent with this chapter which it considers necessary to protect the public interest and which are related to matters within the jurisdiction of the board. Water rights issued pursuant to this section may be amended by the board and priority is retained upon amendment. Upon amendment the board may alter terms, conditions, restrictions, qualifications, or quantifications consistent with this chapter.

46-2-3.1. Delegation of authority to chief engineer--Restrictions. The Water Management Board may delegate to the chief engineer authority to act on its behalf concerning the quasi-judicial functions of interpreting, applying, and enforcing existing rules and laws and ordering action or abatement of action. The board may not delegate any other quasi-judicial functions as defined in § 1-32-1, except as otherwise provided by law. The board may promulgate rules pursuant to chapter 1-26 to delegate to the chief engineer the authority to issue permits pursuant to § 46-1-14.

46-2-17. Chief engineer's general enforcement authority. The chief engineer may:

- 1) Investigate the use of the waters of the state and compliance with the provisions of water permits, licenses, rules, regulations, and laws relating to water rights;
- 2) Institute enforcement and other proceedings before the Water Management Board;
- 3) Enforce orders of the board; and
- 4) Perform other acts authorized by statute or regulation.

46-2-18. Chief engineer's authority to order discontinuance of water use. The provisions of chapter 1-26 notwithstanding, the chief engineer may, after appropriate investigation, issue an order to any person to shut off or limit the person's use of surface or groundwater, or to plug or otherwise control a well. The order may be issued only to protect another user who has higher or earlier priority or to cause a user of water to discontinue the use of water to which the user has no legal right. Upon a refusal to obey the order, the chief engineer may request a court of proper jurisdiction to issue a temporary restraining order or injunction to effectuate the provisions of the order.

The 21 remaining active water permits authorized to divert water from the Big Sioux River having bypass requirements are subject to SDCL 46-2-3.1, 46-2-17, and 46-2-18, as are all water permits. These statutes give the Chief Engineer the ability to issue written orders within the context of authority granted under the statutes. The remaining 37 active water permits without any bypass requirements authorized to use Big Sioux River water either have priority dates senior to 1960 or are located in the river reach between the North Cliff Avenue gage and the confluence with the Missouri River. There is no intent with this effort to place bypass qualifications on these 37 water permits that do not currently have bypass qualifications.

Evaluation of the Existing Flow Bypass Qualifications and River Reach

The active Big Sioux water permits containing bypass qualifications vary on where the flow bypass is to be measured. The ones with earlier priority dates require a minimum flow past the diversion point. Because it is

impractical for the water user to measure flow at their pump site the more recently issued permits contained bypass qualifications referenced to a nearby United States Geological Survey (USGS) stream flow gaging stations.

In the section of river from southern Codington County to a point where the Big Sioux River crosses North Cliff Avenue in eastern Sioux Falls, three of the USGS gaging stations allowing access to real-time stream flow information have been used as measuring points for bypass limits from the river. See Table 1 (USGS, 2018).

Station Number	Station Name	Years Operated
06479525	Big Sioux River near Castlewood SD	1977-2017
06481000	Big Sioux River near Dell Rapids SD	1949- 2017
06482020	Big Sioux River at North Cliff Ave at Sioux Falls SD	1972- 2017

Table 1. USGS Big Sioux River stream flow gaging stations located near Castlewood, near Dell Rapids and at North Cliff Avenue in Sioux Falls SD (USGS, 2018).

The USGS has collected daily flow data at these gaging stations over several years. The USGS maintains an archive of historical flow and statistical flow data for these gaging stations that can be accessed by the public. A major concern in setting bypass qualifications is to identify the times when the river is experiencing lower flows and also to identify when those lower flows occurred. A review will focus on events when a particular stream segment experiences the lower half of the daily flow. Median, otherwise referred to as 50 percentile (50%), is used to help understand the central tendency of a set of statistical results with the lower half of measured daily flow values being at or less than the 50% value. Based on the period of record for each gage site, the daily flow value or less would be expected to occur on average 10 out of 20 years. At the 25 percentile (25%) flow value, the daily flow would be expected to be at or below that value an average of 5 out of 20 years. At the 10 percentile (10%) flow value, the daily flow would be expected to be at or below that value an average of 2 out of 20 years, (USGS, 2018).

Analysis and Proposed Qualification Revisions

A fresh look was taken of the original bypass requirements to determine whether the original bypass levels would be effective limits for the existing active water rights. The review took into consideration the existing water rights, the qualifications, the authorized use, the location of the diversion points, the annual period of use, and historic stream flow data.

Based upon this review, the river was broken into four separate bypass management reaches. The upper most reach is from the headwaters down to the Castlewood gage. The next reach is from the Castlewood gage to the Dell Rapids gage. The third reach is from the Castlewood gage to the North Cliff Avenue gage at Sioux Falls, and the final reach is from the North Cliff Avenue gage to the confluence with the Missouri River at North Sioux City.

The bypass qualifications originally adopted in the 1960's by the Water Resources Commission of 5 cfs for the reach north of Castlewood and 20 cfs for the reach between Castlewood to Dell Rapids were based on Water Rights staff recommendations. The recommendations were based on water use and flow history for each of those reaches. The 20 cfs bypass requirement for the river reach between Dell Rapids and Sioux Falls was first placed on a water permit in 1989 by the Water Management Board, a successor to the Water Resources Commission, following a low flow analysis by Water Rights staff for the Big Sioux River in that reach (Water Rights, 2018).

Of the 21 existing water permits containing some sort of flow bypass qualification all but two are for irrigation use. The two permits not for irrigation are for municipal use and are held by the City of Sioux Falls. Since most of the water permits having bypass qualifications were issued for irrigation, the following discussion

references a typical crop irrigation season of May 1 to October 15. The analysis focused on the typical irrigation season because this is characteristically when water management actions, such as issuing of shutoff orders by the Chief Engineer, would occur.

The irrigation season for grasses, as would be grown on golf courses and parks, may extend outside the typical irrigation season and run from the early April through late October. Of the four existing water permits for irrigation one is for a golf course at Dell Rapids and three are for irrigating golf courses and soccer fields in Sioux Falls (Water Rights, 2018).

Headwaters to Castlewood Reach

On the upper Big Sioux River there are four existing water permits, two are for storage in lakes Pelican and Kampeska and the other two are for irrigation. The two irrigation water permits containing a bypass qualification both are located approximately five miles upstream from the USGS stream gaging station near Castlewood. The total current authorized diversion rate for this reach is 4.26 cfs. Figure 2 shows the total annual appropriated volume and reported usage volume for the years 1983 to 2016 (Water Rights, 2018).




Figure 2. Total irrigation allocation and reported use from the Big Sioux River for the river reach upstream from the USGS gaging station near Castlewood (Water Rights, 2018).

On November 8, 1967, the Water Resources Commission set the initial bypass limit of 5 cfs on a water permit located in the upper river reach north of the Castlewood gage. The application for this water permit had been opposed at a previous meeting so the Commission deferred action and directed staff to investigate. At that time, staff determined excess water was available most years May through July, sometimes available in August and seldom available in September and October. In 2012, a permit was issued in this reach with a 35 cfs bypass qualification. This bypass requirement was the same one

previously placed on a downstream senior priority water permit located in the Castlewood to Dell Rapids reach (Water Rights, 2018).

Figure 3, is a hydrograph for the Castlewood gage showing the 50, 25 and 10 percentile daily flows for the 41 year period of record, 1977 to 2017. In Figure 3, the 10 percentile curve is above the 5 cfs line from the beginning of the irrigation season until the last 10 days of July. The 25 percentile curve is greater than 5 cfs throughout the irrigation season.




Figure 3. Daily percentile flow hydrographs for the USGS Big Sioux River near Castlewood 1977-2017, contributing drainage area 579 mi² (USGS, 2018).

The frequency of low flow events in the upper most river reach was examined by considering how many actual days the average daily flow was less than 5 cfs during the typical irrigation season of May through mid-October over the 41 year period of record. During that time frame 9.2% of the days that had flow less than 5 cfs fell within the May to mid-October irrigation season (USGS, 2018).

Figure 4 shows for the period of record at the Castlewood gage, the total number of days each year the average daily flow in the Big Sioux River was less than 5 cfs. This figure indicates this reach experiences dry climatic conditions causing several day periods of low flow less than 5cfs. The figure also shows there are many more years when the 5 cfs threshold is not met.




Figure 4. Total number of days for each year during the period of record the average daily flow in the Big Sioux River measured at the USGS gaging station near Castlewood was less than 5 cfs (USGS, 2018).

In this reach it is proposed for both of the existing irrigation water permits, the existing bypass qualification be amended to:

- Low flows as needed for downstream domestic use including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

Castlewood to Dell Rapids Reach

The river reach between the Castlewood gage and the Dell Rapids gage contains 29 active water permits. One of existing water permits is for flood flow diversion, two are for storage in Poinsett and Dry lakes and two water permits are for instream storage in Flandreau Dam and Dell Rapids Dam. The remaining 24 existing water permits are for irrigation, with 14 water permits containing bypass qualifications. The total current authorized diversion rate for this reach is 31.86 cfs. Figure 5 shows the total annual appropriated volume and reported usage volume for the years 1983 to 2016 (Water Rights, 2018).

In this Big Sioux River reach the original 20 cfs bypass requirement was placed on Big Sioux River water permits in April of 1960 by the Water Resources Commission based upon Water Rights staff review and recommendation to set bypass levels on permits. The bypass requirement was raised in 1966 to 30 cfs and was incrementally increased to 50 cfs by 1976. As stated earlier, many of these water permits have subsequently been cancelled due to abandonment or forfeiture (Water Rights, 2018).




Figure 5. Total irrigation allocation and reported use from the Big Sioux River for the river reach between the USGS gaging stations near Castlewood to the gaging station near Dell Rapids (Water Rights, 2018).

The current bypass limits on existing water permits in this reach range from 20 cfs to 50 cfs with some of the limits set at the diversion point and some measured at the Dell Rapids gage. Using the original 20 cfs bypass as the benchmark, this bypass level was compared to the historic flow record for the Dell Rapids gage. Figure 6 shows the daily percentile flow hydrographs for a 68 year period of record dating back to 1948 for the USGS stream gaging station near Dell Rapids. The 10 percentile curve is above 20 cfs value from the beginning of the irrigation season until the last ten days of August (USGS, 2018).




Figure 6. Daily percentile flow hydrographs for the USGS Big Sioux River gage near Dell Rapids 1949-2017, contributing drainage area 3057 mi² (USGS, 2018).

The frequency of low flow events in this reach was examined by considering how many actual days the average daily flow was less than 20 cfs during the typical irrigation season of May through mid-October over the 69 year period of record. During that time frame 7.2% of the days had flow less than 20 cfs within May to mid-October irrigation season (USGS, 2018).

Figure 7 shows for period of record at the Dell Rapids gage the total number of days for each year the average daily flow in the Big Sioux River was less than 20 cfs. Similar to what is seen in the upstream reach, this reach also experiences dry climatic conditions causing several days of low flow less than 20 cfs. The figure also shows there are many more years when the 20 cfs threshold is exceeded.




Figure 7. Total number of days for each year during the period of record the average daily flow in the Big Sioux River measured at the USGS gaging station near Dell Rapids was less than 20 cfs (USGS, 2018).

In this reach it is proposed for the 14 existing irrigation water permits the existing bypass qualification be amended to:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

Dell Rapids to North Cliff Avenue at Sioux Falls Reach

In the river reach between the Dell Rapids gage and the North Cliff Avenue at Sioux Falls gage there are six existing water permits. The total current authorized diversion rate for this reach is 87.33 cfs. One right is for instream storage at Baltic Dam, two of the existing rights are for municipal use, and three are for irrigation. The bypass requirement for five existing rights with qualifications is 20 cfs. Three of the water permits require 20 cfs bypassing the diversion point and two requiring measurement of the flow bypass at the North Cliff Avenue gage. It should also be noted the City of Sioux Falls holds two future use permits located in this reach reserving up to 30,000 acre-feet from the Big Sioux River. The Water Management Board did a seven year status review of these permits in July of 2016. The Board ruled to allow these future use permits to remain in effect for the full 30,000 acre-feet for an additional seven years. Figure 8 shows the total annual appropriated volume and reported irrigation usage volume for the years 1983 to 2016, and Figure 9 shows the total annual appropriated volume and reported municipal usage volume for the years 1983 to 2016 in this reach (Water Rights, 2018).




Figure 8. Total irrigation allocation and reported use from the Big Sioux River for the river reach between the USGS gaging stations near Dell Rapids to the gaging station at North Cliff Avenue at Sioux Falls (Water Rights, 2018).




Figure 9. Total municipal allocation and reported use from the Big Sioux River for the river reach between the USGS gaging stations near Dell Rapids to the gaging station at North Cliff Avenue at Sioux Falls (Water Rights, 2018).

Figure 10 shows the daily percentile flow hydrographs for a 45 year period of record dating back to 1971 for the USGS stream gaging station at North Cliff Avenue at Sioux Falls. The 10 percentile curve is above 20 cfs value from the beginning of the irrigation season until the curve drops slightly below 20 cfs line for a few days the first part of September before rising above 20 cfs for the remainder of the irrigation season (USGS, 2018).




Figure 10. Daily percentile flow hydrographs for the USGS Big Sioux River gage at North Cliff Ave at Sioux Falls 1971-2017, contributing drainage area 3778 mi² (USGS, 2018).

The frequency of low flow events in this reach was examined by considering how many actual days the average daily flow was less than 20 cfs during the typical irrigation season of May through mid-October over the 45 year period of record. During that time frame 2.6% of the days had flow less than 20 cfs fell within May to mid-October irrigation season (USGS, 2018).

Figure 11 shows for period of record at the North Cliff Avenue gage the total number of days for each year the average daily flow in the Big Sioux River was less than 20 cfs. Similar to what was experienced in the upstream reaches, this reach can also experience during dry climatic conditions causing several day periods of low flow less than 20 cfs. The figure also shows there are many more years when the 20 cfs threshold is exceeded.




Figure 11. Total number of days for each year during the period of record the average daily flow in the Big Sioux River measured at the USGS gaging station at North Cliff Avenue at Sioux Falls was less than 20 cfs (USGS, 2018).

The five existing water permits in this Big Sioux River reach all contain a 20 cfs bypass requirement. The earlier issued water permits required 20 cfs bypassed at the diversion point while the later issued ones required a 20 cfs bypass at the USGS gaging station at North Cliff Avenue in Sioux Falls (Water Rights, 2018). In this reach it is proposed the existing bypass qualification on these five permits retain the 20 cfs bypass requirement but the qualification be amended to:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

North Cliff Avenue at Sioux Falls to the Missouri River Confluence Reach

The southern reach of the Big Sioux River from the North Cliff Gage to the confluence with the Missouri River in southern Union County does not have any active water permits having bypass qualifications. As shown in Figure 12, the 10 percentile curve is above 50 cfs value throughout the entire irrigation season. This reach has not historically experienced a water shortage, and the Chief Engineer has not had to issue shutoff orders for any of the existing water permits located in this reach. There is not a proposal to amend any of the existing water permits in this lower reach of the Big Sioux River (USGS, 2018).




Figure 12. Daily percentile flow hydrographs for the USGS Big Sioux River gage at Akron IA 1971-2017, contributing drainage area 6995 mi² (USGS, 2018).

Considering Future Water Use

Anticipating future water demands from the Big Sioux River and climatic conditions may change over time. Particularly with the City of Sioux Falls holding two future use permits bearing a 1977 priority date reserving up to 30,000 acre-feet of water. It is proposed the following qualification be placed on all of the water permits being amended:

- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

The existing water permits without bypass qualifications and not targeted to be amended by this effort, will continue to be managed based upon their individual priority dates and location along the river.

Specific Proposed Qualification Revisions by Water Permit

In order to standardize the bypass qualifications for the existing water permits containing bypass qualifications in the Big Sioux River reach upstream from the USGS stream gaging station near Castlewood, the following changes are proposed.

Amendment to the qualifications contained in Water Right No. 1437-3

Delete Qualification:

- Diversions of water under this permit can only be made when there is flow of 5 or more cubic feet per second of water flowing at the diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Permit No. 7350-3

Delete Qualification:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 35 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

To standardize the bypass qualifications for the 14 existing water rights/permits containing bypass qualifications in the Big Sioux River reach between the USGS stream gaging station near Castlewood downstream to the USGS stream gaging station near Dell Rapids, the following changes are proposed.

Amendment to the qualifications contained in Water Right No. 956-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This Permit is granted allowing withdrawals of water whenever 20 cfs or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1175-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This Permit is granted allowing withdrawals of water whenever 20 cfs or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1302-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This Permit is granted allowing withdrawals of water whenever 20 cfs or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1350-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This Permit is granted allowing withdrawals of water whenever 30 cfs or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids

when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1500-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This Permit is granted allowing withdrawals of water whenever 30 cfs or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1696-3

Delete Qualification:

- Natural flows in the Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This Sioux River portion of this permit is granted allowing withdrawals of water whenever 35 cfs of water or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1801-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This permit is granted allowing withdrawals of water whenever 35 cfs of water or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 1812-3**Delete Qualification:**

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This permit is granted allowing withdrawals of water whenever 35 cfs of water or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 2065-3**Delete Qualification:**

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This permit is approved allowing withdrawals whenever 45 cfs of water or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 2952-3**Delete Qualification:**

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This permit is approved allowing withdrawals whenever 40 cfs of water or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 6042-3

Delete Qualification:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River unless at least 41 cfs is flowing past the Dell Rapids USGS Gaging Station, or unless written orders have been issued by the Chief Engineer. Diversions under this Permit are shall be in accordance with any written orders issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 6124-3

Delete Qualification:

- Natural flows in the Big Sioux River are not a dependable source of water during the latter part of the summer. Prior appropriative rights and downstream domestic use must be respected. This permit is approved allowing withdrawals whenever 50 cfs of water or more is flowing past your diversion point.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 7110-3

Delete Qualification:

- Low flows as needed for domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 43 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, or unless written orders have been issued by the Chief Engineer. Diversions under this permit are shall be in accordance with any written orders issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 8195-3

Delete Qualification:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 20 cfs is flowing at the North Cliff Avenue USGS Gaging Station No. 06482020 and 43 cfs is flowing at the Dell Rapids USGS Gaging Station No. 06481000, unless written orders have been issued by the Chief Engineer. Diversions under this Permit are shall be in accordance with any written orders issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

To standardize the qualifications for the 5 existing water rights/permits containing bypass qualifications in the Big Sioux River reach between the USGS stream gaging station near Dell Rapids downstream to the USGS stream gaging station at North Cliff Avenue at Sioux Falls, the following changes are proposed.

Amendment to the qualifications contained in Water Right No. 5431-3

Delete Qualification:

- Permit No. 5431-3 does not authorize pumping from the Big Sioux River unless at least 20 cfs can be bypassed when pumping.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 5512-3

Delete Qualification:

- Permit No. 5512-3 does not authorize pumping from the Big Sioux River unless at least 20 cfs is being bypassed when pumping.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 5698-3

Delete Qualification:

- Permit No. 5698-3 does not authorize pumping from the Big Sioux River unless at least 20 cfs is being bypassed when pumping.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 6210-3

Delete Qualification:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River,

when pumping, unless at least 20 cfs is flowing at the Cliff Avenue USGS Gaging Station, or unless written orders have been issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Amendment to the qualifications contained in Water Right No. 6210A-3

Delete Qualification:

- Low flows as needed for downstream domestic use, including livestock water and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 20 cfs is flowing at the North Cliff Avenue USGS Gaging Station No. 06482020, or unless written orders have been issued by the Chief Engineer. Diversions under this Permit are subject to senior water rights and any written orders issued by the Chief Engineer.

Add Qualifications:

- Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
- The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

Conclusions

1. Currently there are 58 active water permits authorized for the Big Sioux River from the headwaters in Roberts County to the mouth in Union County. Currently 21 of the existing water permits contain some sort of flow bypass qualification.
2. Since many water permits have been cancelled over the years, the system of various bypass requirements on several existing Big Sioux water permits are not putting water to beneficial use to the highest extent possible for the current water permit holders. The system is also difficult to manage for the Water Rights Program.
3. A fresh look was taken of the original bypass requirements to determine whether the original bypass levels would be effective limits for the existing active water rights. The review was completed of the original bypass requirements taking into consideration the existing water rights, the qualifications placed on them, their authorized use, the location of their diversion points, their annual period of use and historic stream flow data.

4. Based upon this review, the river was broken into four separate bypass management reaches and standardized qualifications are proposed for each of these reaches.
5. Anticipating future water demands from the Big Sioux River and climatic conditions may change over time, the amendments to the water permits being amended should also contain a qualification allowing the Water Management Board to retain jurisdiction to address future issues if as necessary.
6. On the reach upstream from the Castlewood gaging station, for the two water permits containing bypass requirements replace those qualifications with:
 - Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
 - The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.
7. On the reach between the Castlewood gaging station and the Dell Rapids gaging station, for the 14 water permits containing bypass requirements replace those qualifications with:
 - Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
 - The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.
8. On the reach upstream from the Dell Rapids gaging station to the North Cliff Avenue gaging station, for the five water permits containing bypass requirements replace those qualifications with:
 - Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06482020 at North Cliff Avenue when pumping, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
 - The Water Management Board is retaining jurisdiction of this permit in the event additional information shows that adjustments need to be made to the bypass requirements.

9. The existing water permits without bypass qualifications and not targeted to be amended by this effort, will continue to be managed based upon their individual priority dates and location along the river.



Mark D. Rath
Natural Resources Engineer III

References

- Hoogestraat, G.K. and J. F. Stamm, 2015. Climate and Streamflow Characteristics for Selected Streamgages in Eastern South Dakota, Water Years 1945–2013. USGS Scientific Investigations Report 2015-5146.
- USGS. 2018. United States Geological Survey, National Water Information System – Stream Gaging Station Network for South Dakota.
- Water Rights. 2018. Water Right/Permit Files. SD DENR-Water Rights Program, Joe Foss Bldg., Pierre, South Dakota.

NOTICE OF HEARING ON CHIEF ENGINEER'S RECOMMENDATION FOR BIG SIOUX RIVER WATER RIGHTS

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among water rights from the river and the ability for the Chief Engineer to issue written orders to allow pumping to continue if climatic conditions are favorable. The amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights.

Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in order for pumping to occur. The Water Rights Program has reviewed all Big Sioux River water rights and determined that the conditions can be modified to a standard bypass at one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

1. River reach upstream from the USGS gaging station near Castlewood;
2. River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;
3. River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.

Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet of water per second (cfs) bypass requirement. Those water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water right.

The Chief Engineer recommends that the Water Management Board approve deletion of the existing bypass condition on applicable water rights and add the following qualifications specific to the bypass flow at a referenced gaging station depending on the location of the water right.

1. Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.
2. The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements.

Any interested person opposing or supporting the proposed amendment and intending to participate in the hearing shall file a petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided above.

The Water Management Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave. Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the time, date and location.

Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00 "or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board set forth above, you need to notify the Chief Engineer (Water Rights Program, 523 E Capitol Avenue, Pierre SD) by February 26, 2018.

Steven M. Pirner, Secretary, Department of Environment and Natural Resources. Published once at an approximate cost of_____.

Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:36 AM
To: allegals@argusleader.com
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 15, 2018.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:37 AM
To: mce6@mcisweb.com
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 14, 2018.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:35 AM
To: svn@siouxvalleynewsonline.com
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 15, 2018.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:34 AM
To: Hamlin County Publishing (hcp@itctel.com)
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 14, 2018 in the Hamlin County Republican, Castlewood SD.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:32 AM
To: legals@thepublicopinion.com
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 15, 2018.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:37 AM
To: registerclassifieds (registerclassifieds@brookingsregister.com)
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 15, 2018.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



Schlaak, Karen

From: Schlaak, Karen
Sent: Friday, February 09, 2018 8:38 AM
To: G5 (leader1@iw.net)
Subject: Notice of Hearing - Big Sioux River Water Rights
Attachments: BigSiouxWRqualif.wmb.docx; FORM8.FRM.doc

Attached is a notice to be published on February 15, 2018.

The Water Rights Program will pay for this publication.

Please send the affidavit or return the attached Proof of Publication form and the invoice as soon as possible to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak
SD DENR, Water Rights Program
(605) 773-3352



CUSTOMER NUMBER:	78306	Argus Leader P.O. Box 677349, Dallas, TX 75267-7349
INVOICE NUMBER:	2727212	
RUN DATES:	2/15, 2018	AMOUNT DUE: \$162.36

RECEIVED
FEB 20 2018
WATER RIGHTS PROGRAM

Attn: Karen Schlaak
Water Rights Program
523 E. Capital - Jose Foss Building
Pierre, SD 57501-0000

DETACH THIS STUB AND RETURN WITH PAYMENT

PAYMENT DUE UPON RECEIPT

AFFIDAVIT OF PUBLICATION-

Customer Number: 78306
Invoice Number: 902065

523 E. Capital - Jose Foss Building

Argus Leader AFFIDAVIT OF PUBLICATION

STATE OF SOUTH DAKOTA

COUNTY OF MINNEHAHA } ss

Sara Kruse being duly sworn, says: That The **Argus Leader** is, and during all the times hereinafter mentioned was, a daily legal newspaper as defined by SDCL 17-2-2.1, as amended published at Sioux Falls, Minnehaha County, South Dakota; that affiant is and during all of said times, was an employee of the publisher of such newspaper and has personal knowledge of the facts stated in this affidavit; that the notice, order or advertisement, a printed copy of which is hereto attached, was published in said newspaper upon

Thursday	the	15	day of	February	2018	,
	the		day of		2018	,
	the		day of		2018	,
	the		day of		2018	,
	the		day of		2018	,
	the		day of		2018	,
	the		day of		2018	,
	the		day of		2018	,

and that \$162.36 was charged for publishing the same


Sara Kruse

Subscribed and sworn to before me 2/15/18

Betty Gates

Notary Public, South Dakota

My Commission expires March 14, 2023



amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights. Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in or near the water right. The Water Rights Program has reviewed all Big Sioux River water rights and determined that the conditions can be modified to a standard bypass of one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

1. River reach upstream from the USGS gaging station near Castlewood;
2. River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;
3. River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.

Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet per second (cfs) bypass requirement. Those water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water rights in South Dakota. The objective is to bring consistency among the Water Rights Program and the ability for the Chief Engineer to issue written condition orders to allow pumping to continue if climatic conditions are favorable. The referenced gaging station depending on the location of the water right.

1. Low flows as needed for downstream domestic use, including livestock water, and prior rights must be bypassed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer.
2. The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements. Any interested person opposing or supporting the proposed amendment and intending to participate in the hearing shall file a petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E. Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if the hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided above.

The Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave, Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts of the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting. The Chief Engineer's and personal notice will be provided to all petitioners regarding the time, date and location.

Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00 "or if a party's right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board, you need to notify the Chief Engineer (Water Rights Program, 523 E. Capitol Avenue, Pierre SD) by February 26, 2018.

Steven M. Pirner, Secretary, Department of Environment and Natural Resources. Published once on an approximate cost of \$162.36. 2727212 Feb 15, 2018

NOTICE OF HEARING ON CHIEF ENGINEER'S RECOMMENDATION FOR BIG SIOUX RIVER WATER RIGHTS

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 Big Sioux River water right E. Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among the Water Rights Program and the ability for the Chief Engineer to issue written condition orders to allow pumping to continue if climatic conditions are favorable. The

February 20, 2018

PAYMENT REQUEST FORM

PAYEE: Argus Leader
PO Box 677349
Dallas, TX

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Affidavit of Publication

AMOUNT: \$162.36

FUNDING SOURCE:


GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION:



I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

RECEIVED

MAR 07 2018

WATER RIGHTS
PROGRAM

Affidavit of Publication

State of South Dakota

Exhibit "A"

ss

County of Brookings

Katherine Foiles of said county, first duly sworn, on oath, says: That she is the office clerk of THE BROOKINGS REGISTER, a daily newspaper, printed and published in the City of Brookings, in said County of Brookings, and State of South Dakota; that she has full and personal knowledge of the facts herein stated; that said newspaper is a legal newspaper and has a bona fide circulation of at least two hundred copies of each issue daily; that said newspaper has been published within the said County of Brookings and State of South Dakota, for more than one year prior to the first publication of Exhibit "A," hereto attached and herein mentioned, and was and is printed that the


Leg#164 Notice on Hearing

same was published, is hereto attached marked Exhibit said newspaper for _____ 1 times, to-wit:

February 15, 2018

said Exhibit "A" inures to the sole benefit for the publishers of said newspaper; that no agreement or understanding for the division thereof has been made with any other person, and that no part thereof has been agreed to be paid to any person whomsoever; that the fees charged for the publication thereof are:

Sixty-Seven Dollars and Seventy-Three Cents \$67.73



KM Foiles

26 day of

February

2018

Notary Public in and for the County of Brookings, South Dakota.
My Commission expires February 22, 2020.

Legal 164, 1x, 2/15
NOTICE OF HEARING
ON CHIEF ENGINEER'S RECOMMENDATION FOR BIG SIOUX RIVER WATER RIGHTS

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among water rights from the river and the ability for the Chief Engineer to issue written orders to allow pumping to continue if climatic conditions are favorable. The amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights. Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in order for pumping to occur. The Water Rights Program has reviewed all Big Sioux River water rights and determined that the conditions can be modified to a standard bypass at one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

1. River reach upstream from the USGS gaging station near Castlewood;
 2. River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;
 3. River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.
- Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet of water per second (cfs) bypass requirement. Those water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.
- The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water right.
- The Chief Engineer recommends that the Water Management Board approve deletion of the existing bypass condition on applicable water rights and add the following qualifications specific to the bypass flow at a referenced gaging station depending on the location of the water right.
1. Low flows as needed for downstream domestic use, including livestock water, and prior rights must be bypassed. This water right does not authorize diversion of water from

the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.

2. The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements.

Any interested person opposing or supporting the proposed amendment and intending to participate in the hearing shall file a petition with the Chief Engineer.

The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided above.

The Water Management Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave. Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the time, date and location. Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605)

773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00 "or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board set forth above, you need to notify the Chief Engineer (Water Rights Program, 523 E Capitol Avenue, Pierre SD) by February 26, 2018. Steven M. Pirner, Secretary, Department of Environment and Natural Resources. Published once at the total approximate cost of \$67.73.

March 7, 2018

PAYMENT REQUEST FORM

PAYEE: Brookings Register
PO Box 177
Brookings, SD 57006-0177

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Notice of Hearing

AMOUNT: \$67.73

FUNDING SOURCE:


GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION:

A handwritten signature in black ink, appearing to read "Monte Goodman", is written over the "AUTHORIZATION:" label.

I declare and affirm under the penalties of perjury that this claim is in all things, true and correct.
I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

312 5TH ST
P.O. BOX 177
BROOKINGS, SD 57006-0177
Phone (605) 692-6271 Fax (605) 692-2979

WATER RIGHTS PROGRAM

CUSTOMER NUMBER 106003

SD-WATER RIGHTS PROGRAM
ATTN: ERIC GRONLUND
523 E CAPITOL- JOE FOSS BLDG
PIERRE SD 57501-3181

AMOUNT ENCLOSURE \$

DOCUMENT	DATE	TYPE	REFERENCES	AMOUNT													
372411	02/15/18	INVOICE	Leg164 Notice on Hearing	67.73													
<table border="1"> <thead> <tr> <th rowspan="2">CURRENT</th> <th colspan="3">PAST DUE AMOUNTS</th> <th rowspan="2">AMOUNT DUE</th> </tr> <tr> <th>OVER 30 DAYS</th> <th>OVER 60 DAYS</th> <th>OVER 90 DAYS</th> </tr> </thead> <tbody> <tr> <td>67.73</td> <td>.00</td> <td>.00</td> <td>.00</td> <td>67.73</td> </tr> </tbody> </table>					CURRENT	PAST DUE AMOUNTS			AMOUNT DUE	OVER 30 DAYS	OVER 60 DAYS	OVER 90 DAYS	67.73	.00	.00	.00	67.73
CURRENT	PAST DUE AMOUNTS			AMOUNT DUE													
	OVER 30 DAYS	OVER 60 DAYS	OVER 90 DAYS														
67.73	.00	.00	.00	67.73													

Affidavit of Publication

STATE OF SOUTH DAKOTA
COUNTY OF MOODY) SS

MARY LYNN HEADRICK, of said county, being first duly sworn on oath says that she is the bookkeeper of the Moody County Enterprise, a weekly newspaper printed and published in said county of Moody and State of South Dakota, and has full and personal knowledge of all the facts herein stated; that said newspaper is a legal newspaper and has a bona fide circulation of at least 200 copies weekly, and has been published within said county for 52 consecutive weeks next prior to the publication of the notice herein mentioned, and was and is printed wholly or in part in an office maintained at said place of publication; that the advertisement headed:

Notice of hearing on Chief Engineer's Recommendation for Big Sioux River Water Rights

a printed copy of which, taken from the newspaper in which the same was published, is attached to this sheet and is made a part of this affidavit, was published in said newspaper at least once in each week for 1 successful weeks, on the day of each week on which said newspaper was regularly published, to wit:

2-14-18

that the full amount of the fee charged for the publication of said Notice inures to the benefit of the publisher of said newspaper; that no agreement or understanding for the division thereof has been made with any person, and that no part thereof has been agreed to be paid to any person whomsoever, and that the fees charged for the publication thereof are

\$ 75⁶²

M. Headrick bookkeeper
Subscribed and sworn to before me this

15th day of February AD 2018

Notary Public, County Moody, South Dakota
ROGER W. JANUSSEN

NOTARY PUBLIC
SOUTH DAKOTA

My commission expires 2/14/18

RECEIVED

FEB 28 2018

WATER RIGHTS
PROGRAM

NOTICE OF HEARING ON CHIEF ENGINEER'S RECOMMENDATION FOR BIG SIOUX RIVER WATER RIGHTS

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among water rights from the river and the ability for the Chief Engineer to issue written orders to allow pumping to continue if climatic conditions are favorable. The amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights.

Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in order for pumping to occur. The Water Rights Program has reviewed all Big Sioux River water rights and determined that the conditions can be modified to a standard bypass at one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

1. River reach upstream from the USGS gaging station near Castlewood;
2. River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;
3. River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.

Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet of water per second (cfs) bypass requirement. Those water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place

on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water right.

The Chief Engineer recommends that the Water Management Board approve deletion of the existing bypass condition on applicable water rights and add the following qualifications specific to the bypass flow at a referenced gaging station depending on the location of the water right.

1. Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.

2. The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements.

Any interested person opposing or supporting the proposed amendment and intending to participate in the hearing shall file a petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the

County of _____

AFFIDAVIT OF PUBLICATION

Filed in the office of _____

on the _____ day

Attorney for _____

Water Rights Program address provided above.

The Water Management Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave. Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the time, date and location.

Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00 "or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board set forth above, you need to notify the Chief Engineer (Water Rights Program, 523 E Capitol Avenue, Pierre SD) by February 26, 2018.

Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

Published once at approximate cost of \$76

March 2, 2018

PAYMENT REQUEST FORM

PAYEE: Moody County Enterprise
PO Box 71
Flandreau, SD 57028

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Notice of Hearing

AMOUNT: \$75.62

FUNDING SOURCE:

GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION: 

I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

Invoice
Moody County Enterprise
PO Box 71
Flandreau, SD 57028

Water Rights
523 E Capitol
Pierre SD 57501

Date	Item advertised	Rate
2-14-18	Notice of Hearing	75.62
Total		\$75.62

Payment can be sent to us at the above address.
Thank you

Affidavit of Publication

STATE OF SOUTH DAKOTA
COUNTY OF LINCOLN

ANDY WILCOX


being first duly sworn on his oath says; that the Sioux Valley News is a legal weekly newspaper of general circulation as required by South Dakota Code of Nineteen Hundred Thirty-Nine, and any acts amendatory thereto, printed and published by the Sioux Valley News, Inc., in Canton, in said county and State, and has been such legal newspaper during the time hereinafter mentioned; that he is and during all of said time was publisher of said newspaper and has personal knowledge of the facts stated in this affidavit; that the advertisement headed:

**DENR Water Rights Program
Notice of Hearing**


a printed copy of which is hereto attached, was printed and published in said newspaper for ONE successive week(s) upon the following dates, to-wit:

February 15, 2018

that the full amount of the fees charged for publishing the same to-wit: the sum of \$72.47 inures solely to the benefit of the publishers of said newspaper; that no agreement or understanding for any division of this sum has been made with any other person; and that no part of said sum has been agreed to be paid to any person whomsoever.




Ascribed and sworn to before me this 15th day of
February, 2018.



Notary Public, South Dakota

(Seal)



**NOTICE OF HEARING
ON CHIEF ENGINEER'S
RECOMMENDATION FOR BIG
SIOUX RIVER WATER RIGHTS**

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among water rights from the river and the ability for the Chief Engineer to issue written orders to allow pumping to continue if climatic conditions are favorable. The amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights.

Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in order for pumping to occur. The Water Rights Program has reviewed all Big Sioux River water rights and determined that the conditions can be modified to a standard bypass at one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

1. River reach upstream from the USGS gaging station near Castlewood;
2. River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;
3. River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.

Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet of water per second (cfs) bypass requirement. Those

water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water right.

The Chief Engineer recommends that the Water Management Board approve deletion of the existing bypass condition on applicable water rights and add the following qualifications specific to the bypass flow at a referenced gaging station depending on the location of the water right.

1. Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.

2. The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements.

Any interested person opposing or supporting the proposed amendment and intending to participate in the

My Commission Expires
December 9, 2020

RECEIVED

FEB 26 2018

**WATER RIGHTS
PROGRAM**

hearing shall file a petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided above.

The Water Management Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave. Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

* The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the time, date and location.

Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00 "or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board set forth above, you need to notify the Chief Engineer (Water Rights Program, 523 E Capitol Avenue, Pierre SD) by February 26, 2018.

Steven M. Pirner, Secretary,
Department of Environment and
Natural Resources.

Published in the Sioux Valley News
on February 15, 2018, at the total
approximate cost of \$72.47.

February 26, 2018

PAYMENT REQUEST FORM

PAYEE: Sioux Valley News Inc.
PO Box 255
Canton, SD

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Affidavit of Publication-Big Sioux River

AMOUNT: \$72.47

FUNDING SOURCE:

GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION: 

I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

Sioux Valley News Inc.
213 East 5th St P O Box 255
Canton SD 57013

Statement	2/22/2018	50
	DATE	NUMBER

Phone Number: (605) 764-2000
Please return yellow copy
with payment.

Next Closing Day March 29, 2018

ID# 541

Dept of Environment & Natural Resou
Attn: Karen Water Rights Program
523 East Capitol, Joe Foss Building
Pierre SD 57501

We now offer online Subscriptions!
www.SiouxValleyNewsOnline.com

Balance Due: 72.47

Date	Description	Units	Debit	Credit
02/15/2018	Legals		72.47	
	Big Sioux River Notice			
	Balance Due		72.47	

Current	30	60	90	90+
72.47	0.00	0.00	0.00	0.00

Service charge of 1-3/4% per month (21% per year) on accounts 30 days past due. Minimum charge \$30.
In addition, costs and reasonable attorney's fees for collection may be charged.

RECEIVED

FEB 22 2018

Form 8

WATER RIGHTS
PROGRAM

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)

County of Codington) SSI, Jackie Wettstad

certify that the attached printed Notice was taken

from the WatertownPublic Opinionprinted and published in WatertownCounty of Codington and

state of South Dakota. The notice was published

in the newspaper on the following date:

February 15, 2018Cost of Printing \$131.01Jackie Wettstad
(Signature)Accounting Clerk
(Title)2/19/18

(Date Signed)

DEPT OF EN-
VIRONMENT
AND NATURAL
RESOURCES

NOTICE OF HEARING
ON CHIEF ENGINEER'S
RECOMMENDATION FOR BIG
SIOUX RIVER WATER RIGHTS
Notice is given that the Water
Rights Program, Department
of Environment and Natural
Resources, 523 E Capitol Avenue,
Pierre SD 57501 proposes that
the Water Management Board
amend conditions placed on
many Big Sioux River water rights
in South Dakota. The objective is
to bring consistency among water
rights from the river and the ability
for the Chief Engineer to issue
written orders to allow pumping to
continue if climatic conditions are
favorable. The amendments will
not increase either the authorized
diversion rate or number of
irrigated acres authorized under
existing Big Sioux River water
rights.

Currently, water rights differ in
the amount of water that must be
bypassed at the pump site or at a
United States Geological Survey
(USGS) gaging station in order
for pumping to occur. The Water
Rights Program has reviewed all
Big Sioux River water rights and
determined that the conditions
can be modified to a standard
bypass at one of three gaging
stations depending on the stream
segment where the water right is
located. It is proposed that the
bypass condition along the river is
best managed in three segments
identified by USGS gaging
stations as follows:

1. River reach upstream from
the USGS gaging station near
Castlewood;
2. River reach between USGS
gaging station near Castlewood
downstream to gaging station
near Dell Rapids;
3. River reach between USGS
gaging station near Dell Rapids
downstream to gaging station
near North Cliff Avenue in Sioux
Falls.

Water rights that currently have a
bypass condition will be amended
such that those water rights
upstream of the Castlewood
gaging station will have a 5 cubic
feet of water per second (cfs)
bypass requirement. Those water
rights in the two other reaches
described above will have a 20 cfs
bypass requirement referenced to
either the Dell Rapids or North Cliff
Avenue gaging station depending
on the location of the water right.
Water rights with senior priority
dates that do not currently have
a bypass requirement will see no
change.

The proposed amendment will
not impose any conditions more
restrictive than the conditions
currently in place on any water
right. Big Sioux River water right
holders whose bypass condition
is proposed for amendment will
be provided personal notice of
the proposed amendment to their
water right.

The Chief Engineer recommends
that the Water Management
Board approve deletion of the
existing bypass condition on
applicable water rights and add
the following qualifications specific
to the bypass flow at a referenced
gaging station depending on the
location of the water right.

1. Low flows as needed for
downstream domestic use,
including livestock water, and
prior rights must be by-passed.
This water right does not
authorize diversion of water
from the Big Sioux River, when
pumping, unless at least "X"
cfs is flowing past the USGS
Gaging Station "IDENTIFY
APPLICABLE STATION" unless
written orders have been
issued by the Chief Engineer.
Divisions under this water right
shall be in accordance with any
written orders issued by the
Chief Engineer.

2. The Water Management
Board is retaining jurisdiction
of this water right in the
event additional information
shows that adjustments need
to be made to the bypass
requirements.

Any interested person opposing
or supporting the proposed
amendment and intending to
participate in the hearing shall file
a petition with the Chief Engineer.
The Chief Engineer's address is
"Water Rights Program, Foss
Building, 523 E Capitol, Pierre SD
57501 (605 773-3352)". A petition
filed by either an interested person
or a water right holder must be
filed by February 26, 2018.

The petition may be informal,
but shall be in writing and shall
include a statement describing
the petitioner's interest, the
petitioner's reasons for opposing
or supporting the proposed
change, and the signature and
mailing address of the petitioner
or the petitioner's legal counsel,
if legal counsel is obtained.

The hearing is an adversary
proceeding and any party has the
right to be present at the hearing
and to be represented by a lawyer.
These and other due process
rights will be forfeited if they are
not exercised at the hearing and
decisions of the Board may be
appealed to the Circuit Court and
State Supreme Court as provided
by law.

The staff report including affected
water rights and the proposed
changes is available at <http://denr.sd.gov/public> or contact Eric
Gronlund for this information, or
other information, at the Water
Rights Program address provided
above.

The Water Management Board
will consider the proposed
changes at 11:30 a.m. on March
7, 2018, in the Matthew Training
Center, Joe Foss Bldg, 523 E.
Capitol Ave, Pierre SD. The
hearing will be held pursuant to
the provisions of SDCL 46-1-14
and 46-2-17.

The Chief Engineer's
recommendation is not final or
binding upon the Board. The
Board is authorized to 1) approve,
2) modify, 3) defer, or 4) deny the
proposed amendments after it
reaches a conclusion based on
facts at the public hearing. The
Board has legal authority and
jurisdiction to consider this matter
pursuant to SDCL 46-2-9 and 46-
2-11.

The March 7, 2018 hearing date
will be automatically delayed
for at least 20 days upon written
request to the Chief Engineer
from any person who has filed a
petition to oppose or support the
proposed change. The request
for an automatic delay must be
filed by February 26, 2018. If
an automatic delay is requested,
the hearing will be rescheduled
for a future Board meeting and
personal notice will be provided to
all petitioners regarding the time,
date and location.

Notice is given to individuals with
disabilities that this hearing is be-
ing held in a physically accessible
place. Please notify the Depart-
ment of Environment and Natural
Resources at least 48 hours before
the hearing if you have a disabili-
ty for which special arrangements
must be made at the hearing. The
telephone number for making ar-
rangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any
contested case, if the amount in
controversy exceeds \$2,500.00
"or if a property right may be
terminated, any party to the
contested case may require the
agency to use the Office of Hearing
Examiners by giving notice of the
request to the agency no later than
ten days after service of a notice of
hearing issued pursuant to SDCL
1-26-17." If you choose to use the
Office of Hearing Examiners rather
than the hearing procedure before
the Water Management Board
set forth above, you need to notify
the Chief Engineer (Water Rights
Program, 523 E Capitol Avenue,
Pierre SD) by February 26, 2018.
Steven M. Pinner, Secretary, De-
partment of Environment and Nat-
ural Resources.

Published once at an approxi-
mate cost of \$126.01.
(February 15, 2018)

February 22, 2018

PAYMENT REQUEST FORM

PAYEE: Watertown Public Opinion
120 3rd Avenue NW
Watertown, SD

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Notice of Hearing-Big Sioux River

AMOUNT: \$131.01

FUNDING SOURCE:


GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION:

A handwritten signature in black ink, appearing to read "Hannah Goodman", is written over the "AUTHORIZATION:" label.

I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

FEB 20 2018

WATER RIGHTS
PROGRAM

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)

County of Hamlin) SSI, LeeAnne Dufek

certify that the attached printed Notice was taken

from the Hamlin County
Republicanprinted and published in CastlewoodCounty of Hamlin and

state of South Dakota. The notice was published

in the newspaper on the following date:

Feb 14, 2018Cost of Printing \$69.09LeeAnne Dufek
(Signature)Owner
(Title)2-14-2018
(Date Signed)NOTICE OF HEARING ON CHIEF
ENGINEER'S RECOMMENDA-
TION FOR BIG SIOUX RIVER
WATER RIGHTS

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among water rights from the river and the ability for the Chief Engineer to issue written orders to allow pumping to continue if climatic conditions are favorable. The amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights.

Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in order for pumping to occur. The Water Rights Program has reviewed all Big Sioux River water rights and determined that the conditions can be modified to a standard bypass at one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

River reach upstream from the USGS gaging station near Castlewood;

River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;

River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.

Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet of water per second (cfs) bypass requirement. Those water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water right.

The Chief Engineer recommends that the Water Management Board approve deletion of the existing bypass condition on applicable water rights and add the following qualifications specific to the bypass flow at a referenced gaging station depending on the location of the water right.

Low flows as needed for downstream domestic use, including live-stock water, and prior rights must be by-passed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.

The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements.

Any interested person opposing or supporting the proposed amendment and intending to participate in the hearing shall file a petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided above.

The Water Management Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave. Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the time, date and location.

Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00, "or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board set forth above, you need to notify the Chief Engineer (Water Rights Program, 523 E Capitol Avenue, Pierre SD) by February 26, 2018.

Steven M. Pimer, Secretary
Department of Environment and Natural Resources.

Published Feb. 14, 2018, at total cost of \$69.09.

February 20, 2018

PAYMENT REQUEST FORM

PAYEE: Hamlin County Publishing Inc.
PO Box 50
Castlewood, SD 57223

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Notice of Hearing Big Sioux River

AMOUNT: \$69.09

FUNDING SOURCE:

GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION:



I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

Statement

B 2 0 2018

Bill To

DENR

Teresa Williams
Air Quality Program
523 E. Capitol, Joe Foss Bldg.
Pierre, SD 57501

[illegible]

Current	1-30 Days Past Due	31-60 Days Past Due	61-90 Days Past Due	OVER 90 Days Past Due	Amount Due
\$69.09	\$0.00	\$0.00	\$0.00	\$0.00	\$69.09

AFFIDAVIT OF PUBLICATION

State of South Dakota)

:ss

County of Union)

Bruce L. Odson,

the publisher of the Leader-Courier, deposes and says that

The Leader-Courier

is a legal weekly newspaper of a general circulation, printed and published in Elk Point, County of Union, State of South Dakota, and has been such legal newspaper during the time hereinafter mentioned, and that affiant is and was during all the time hereinafter mentioned in charge of the advertising department thereof, and has personal knowledge of all the facts stated in this affidavit: and that the notice and advertisement headed:

Notice of Hearing

a printed copy of which is hereunto attached and made a part hereof, was printed and published in the said newspaper at least once in

each week for 1 successive weeks; that said newspaper at the time of the first publication of said notice hereinafter stated, had, and still has, a bona fide circulation of over two hundred paid copies weekly, and had been published in the said County of Union for more than one year immediately prior to the date of the said publication of said notice, and that said newspaper during said times, was, and is, printed in part in an office maintained at said city of Elk Point, the said place of publication; that the first publication of said notice in said newspaper was

on Thursday, the 15 day of February, 2018

and that the succeeding publications were

on Thursday, the _____ day of _____, _____

on Thursday, the _____ day of _____, _____

on Thursday, the _____ day of _____, _____

that the fees for the printing and publishing of said notice and advertisement in said newspaper as aforesaid were

\$ 70.99, that the full amount of the fee charged insures to the benefit of the publisher of the said newspaper, that no agreement or understanding for the division thereof has been made with any other person and that no part thereof has been agreed to be paid to any other person whomsoever.


Subscribed and sworn to before me

this 15 day of February, 2018

My commission expires 7-12-23

SUSAN ODSON
NOTARY PUBLIC
SOUTH DAKOTA

Notary Public

NOTICE OF HEARING ON CHIEF ENGINEER'S RECOMMENDATION FOR BIG SIOUX RIVER WATER RIGHTS

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD 57501 proposes that the Water Management Board amend conditions placed on many Big Sioux River water rights in South Dakota. The objective is to bring consistency among water rights from the river and the ability for the Chief Engineer to issue written orders to allow pumping to continue if climatic conditions are favorable. The amendments will not increase either the authorized diversion rate or number of irrigated acres authorized under existing Big Sioux River water rights.

Currently, water rights differ in the amount of water that must be bypassed at the pump site or at a United States Geological Survey (USGS) gaging station in order for pumping to occur. The Water Rights Program has reviewed all Big Sioux River

water rights and determined that the conditions can be modified to a standard bypass at one of three gaging stations depending on the stream segment where the water right is located. It is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows:

1. River reach upstream from the USGS gaging station near Castlewood;

2. River reach between USGS gaging station near Castlewood downstream to gaging station near Dell Rapids;

3. River reach between USGS gaging station near Dell Rapids downstream to gaging station near North Cliff Avenue in Sioux Falls.

Water rights that currently have a bypass condition will be amended such that those water rights upstream of the Castlewood gaging station will have a 5 cubic feet of water per second (cfs) bypass requirement. Those water rights in the two other reaches described above will have a 20 cfs bypass requirement referenced to either the Dell Rapids or North Cliff Avenue gaging station depending on the location of the water right. Water rights with senior priority dates that do not currently have a bypass requirement will see no change.

RECEIVED

FEB 20 2018

WATER RIGHTS
PROGRAM

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. Big Sioux River water right holders whose bypass condition is proposed for amendment will be provided personal notice of the proposed amendment to their water right.

The Chief Engineer recommends that the Water Management Board approve deletion of the existing bypass condition on applicable water rights and add the following qualifications specific to the bypass flow at a referenced gaging station depending on the location of the water right.

1. Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This water right does not authorize diversion of water from the Big Sioux River, when pumping, unless at least "X" cfs is flowing past the USGS Gaging Station "IDENTIFY APPLICABLE STATION" unless written orders have been issued by the Chief Engineer. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.

2. The Water Management Board is retaining jurisdiction of this water right in the event additional information

shows that adjustments need to be made to the bypass requirements.

Any interested person opposing or supporting the proposed amendment and intending to participate in the hearing shall file a petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or a water right holder must be filed by February 26, 2018.

The petition may be informal, but shall be in writing and shall include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. The hearing is an adversary proceeding and any party has the right to be present at the hearing and to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing and decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

The staff report including affected water rights and the proposed changes is available at <http://denr.sd.gov/public> or

contact Eric Gronlund for this information, or other information, at the Water Rights Program address provided above.

The Water Management Board will consider the proposed changes at 11:30 a.m. on March 7, 2018, in the Matthew Training Center, Joe Foss Bldg, 523 E. Capitol Ave. Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) modify, 3) defer, or 4) deny the proposed amendments after it reaches a conclusion based on facts at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The March 7, 2018 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any person who has filed a petition to oppose or support the proposed change. The request for an automatic delay must be filed by February 26, 2018. If an automatic delay is requested, the hearing will be rescheduled for a future Board meeting and personal notice will be provided to all petitioners regarding the

time, date and location.

Notice is given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Department of Environment and Natural Resources at least 48 hours before the hearing if you have a disability for which special arrangements must be made at the hearing. The telephone number for making arrangements is (605) 773-3352.

Under SDCL 1-26-18.3, in any contested case, if the amount in controversy exceeds \$2,500.00 "or if a property right may be terminated, any party to the contested case may require the agency to use the Office of Hearing Examiners by giving notice of the request to the agency no later than ten days after service of a notice of hearing issued pursuant to SDCL 1-26-17." If you choose to use the Office of Hearing Examiners rather than the hearing procedure before the Water Management Board set forth above, you need to notify the Chief Engineer (Water Rights Program, 523 E Capitol Avenue, Pierre SD) by February 26, 2018.

Steven M. Pirner, Secretary, Department of Environment and Natural Resources.
Publish Feb. 15, 2018
Published once the total approximate cost of \$70.99
7-4-231

February 20, 2018

PAYMENT REQUEST FORM

PAYEE: Southern Union County Leader-Courier
PO Box 310
Elk Point, SD

FROM: DENR Water Rights Program
523 E. Capitol Ave
Pierre, SD 57501-3181

DESCRIPTION OF SERVICE, PRODUCE OR TRANSFER

Notice of Hearing-Big Sioux River

AMOUNT: \$70.99

FUNDING SOURCE:


GENERAL: X

FEDERAL:

OTHER:

COMMENTS:

AUTHORIZATION:



I declare and affirm under the penalties of perjury that this claim is in all things, true and correct. I further agree to comply with the provisions of the Civil Rights Act of 1964 and regulations issued thereunder relating to nondiscrimination in federal assisted programs.

Southern Union County **LEADER-COURIER**

*The community newspaper of Dakota Dunes, Elk Point,
Jefferson, McCook Lake and North Sioux City.*

RECEIVED

FEB 20 2018

**WATER RIGHTS
PROGRAM**

**Water Rights Program
523 E Capitol Ave
Pierre, SD 57501**

2/15/18

DATE	INVOICE	DESCRIPTION	CHARGES	BALANCE
2/15/18	SJ073117	Notice of Hearing- Big Sioux River	\$70.99	\$70.99

Finance Charge \$0.00

AMOUNT DUE* \$70.99

*Includes finance charges on amounts more than 30 days past due.

**PO Box 310
Elk Point, SD 57025
Phone 605-356-2632
Fax 605-356-3626**

**PO Box 1457
North Sioux City, SD 57049
Phone 605-235-1914
Fax 605-232-3679**

FEB 26 2018

WATER RIGHTS
PROGRAMCity of
Sioux Falls

City Attorney

Providing a Better Quality of Life for You!

KAREN A. LEONARD
Deputy City Attorney
kleonard@siouxfalls.org

DANIEL J. BROWN
Assistant City Attorney
dbrown4@siouxfalls.org

RYAN J. SAGE
Assistant City Attorney
rsage@siouxfalls.org

100 S. Dakota Ave., Ste. 200
P.O. Box 7402
Sioux Falls, SD 57117-7402
605-367-8880

KEITH E. ALLENSTEIN, JR.
Assistant City Attorney
Police and Fire Legal Advisor
kallenstein@siouxfalls.org

(Law Enforcement Center)
320 W. Fourth Street
Sioux Falls, SD 57104-2413
605-367-8880

COLLEEN M. MORAN
Assistant City Attorney
ADA Coordinator
cmoran@siouxfalls.org

KATIE L. DUNN
Assistant City Attorney
Human Relations Legal Advisor
kdunn@siouxfalls.org

224 W. Ninth Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
605-367-8745

PAUL M. BENGFORD
Assistant City Attorney
Public Works Legal Advisor
pbengford@siouxfalls.org

DIANE P. BEST
Assistant City Attorney
Public Works Legal Advisor
dbest@siouxfalls.org

(Public Works Administration)
224 W. Ninth Street
P.O. Box 7402
Sioux Falls, SD 57117-7402
605-367-8880

605-367-7039 TTY
605-367-7330 FAX
www.siouxfalls.org

February 23, 2018

SENT VIA U.S. MAIL AND EMAIL TO: DENRINTERNET@STATE.SD.US

Ms. Jeanne Goodman
Chief Engineer
Water Rights Program, DENR
523 E. Capitol Avenue,
Pierre, SD 57501

Re: Big Sioux River Recommendations

Dear Ms. Goodman,

Please consider this letter as the City of Sioux Falls' Petition to Intervene in the pending Big Sioux River Water Rights matter now scheduled for March 7, 2018.

The City of Sioux Falls ("*Sioux Falls*") appreciates the the Department of Environment & Natural Resources ("*DENR*") objective of bringing consistency to the water right permits and their administration along the Big Sioux River ("*BSR*"). Changing the qualifications to ensure they are all based on USGS river gages is a good thing. Sioux Falls does have some concerns that it would like to share with the South Dakota Water Management Board ("*Board*").

The proposed new qualifications for each stretch of the BSR would be based on the next USGS gage below the water permit involved. For example, irrigation above the Castlewood gage would be allowed so long as the Castlewood gage was at 5 cfs or more. As such, this qualification would tend to assure these upstream irrigators have the right to irrigate so long as the stream gage below them meets a particular criteria, without regard to what is happening to senior users further downstream. Under this scenario, a junior irrigator above the Castlewood gage could irrigate if the Castlewood gage was at 5 cfs regardless of whether the gages at Dell Rapids and Sioux Falls were below 20 cfs. At the same time, a senior appropriator would be constrained by the 20 cfs qualification at the downstream gages. While I understand these qualifications are intended to provide for flexibility by the Chief Engineer and as such, the Chief Engineer could seek cooperation among the upstream junior appropriators, the language of these qualifications seems to reduce the legal means for the senior water right holders to take action against junior water right holders that impair water rights downstream.

Ms. Jeanne Goodman
Page 2
February 23, 2018

Sioux Falls would suggest all downstream gage criteria be incorporated in the qualifications. For the two permits above Castlewood, we would propose the qualification state as follows:

Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 5 cfs is flowing past the USGS Gaging Station No. 06479525 near Castlewood, at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids, and at least 20 cfs is flowing past USGS Gaging Station No. 6482020 at North Cliff Avenue in Sioux Falls, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

Similarly, for the 14 permits above Dell Rapids, we would propose the qualification state as follows:

Low flows as needed for downstream domestic use, including livestock water, and prior rights must be by-passed. This permit does not authorize diversion of water from the Big Sioux River, when pumping, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids, and at least 20 cfs is flowing past USGS Gaging Station No. 6482020 at North Cliff Avenue in Sioux Falls, unless written orders have been issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.


We appreciate the fact that administering these diversions during severe drought will be a challenge. We would respectfully submit, however, that the qualifications, as stated above, would protect the senior water rights and also be a better means to protect the flows in the river for the entire stretch impacted.

We also reserve our right to address any other issues that may be presented by other intervenors or the Board at a hearing.

At the hearing Sioux Falls may also address the extent to which releases from the Sioux Falls Water Reclamation Plant augment other available flows in the BSR.

Due to scheduling constraints, Sioux Falls is exercising its right to automatically delay the hearing for at least twenty (20) days as provided by state law.

Sincerely,



Diane P. Best
Assistant City Attorney

DPB/amr

Sioux Falls Ordinances

§ 53.015 USE OF PUBLIC SEWERS REQUIRED.

(a) It shall be unlawful for any person to place, deposit or permit to be deposited in any unsanitary manner on public or private property within the city, or in any area under the jurisdiction of the city, any human or animal excrement, garbage or other objectionable waste.

(b) It shall be unlawful to discharge to any natural outlet within the city or in any area under the jurisdiction of the city any wastewater or other polluted waters, except where suitable treatment has been provided in accordance with this subchapter, or permitted by the DENR or EPA.

(c) Except as provided in this subchapter, it shall be unlawful to construct or maintain any privy, privy vault, septic tank, cesspool or other facility intended or used for the disposal of wastewater.

(d) The owner of each house, building or property used for human occupancy, employment, recreation or other purposes, in the city and abutting on any street, alley or right-of-way in which there is located or may be located a public sanitary sewer of the city, shall at the owner's expense install suitable toilet facilities therein, and connect the facilities directly with the proper public sewer in accordance with the provisions of this subchapter, within five years after the date of official notice to do so, provided that the public sewer is within 200 feet of the property line and reasonably accessible as determined by the city engineer.

(1992 Code, § 41-111) (Ord. 47-81, passed 6-1-1981; Ord. 57-93, passed 7-12-1993; Ord. 102-96, passed 9-3-1996; Ord. 48-03, passed 6-9-2003) Penalty, see § 53.999

§ 53.016 PRIVATE WASTEWATER DISPOSAL.

(a) Where a public sanitary sewer is not available under the provisions of § 53.015(d), the building sewer shall be connected to a private wastewater disposal system complying with the provisions of this subchapter and State of South Dakota Administrative Rules for individual and small on-site wastewater systems (ARSD Chapter 74:03:01).

(b) Before commencement of construction of a private wastewater disposal system, the owner shall first obtain a written permit signed by the city engineer. The application for the permit shall be made on a form furnished by the city which the applicant shall supplement by any plans, specifications and other information deemed necessary by the city. A permit and inspection fee established by ordinance shall be paid to the city when the application is filed.

(c) A permit for a private wastewater disposal system shall not become effective until the installation is completed to the satisfaction of the city engineer. The city engineer shall be allowed to inspect the work at any stage of construction, and in any event, the applicant for the permit shall notify the city engineer when the work is ready for final inspection, and before any underground portions are covered. The inspection shall be made within three hours of the receipt of notice by the city engineer.

(d) The type, capacity, location and layout of a private wastewater disposal system shall comply with all recommendations of the state department of health. For persons with a public water supply, no permit shall be issued for any private wastewater disposal system employing subsurface soil absorption facilities where the area of the lot is less than one-half acre. For persons with a private well, no permit shall be issued for any private wastewater disposal system employing subsurface soil absorption facilities where the area of the lot is less than one acre. No septic tank or cesspool shall be permitted to discharge to any natural outlet.

(e) When a public sewer becomes available to a property served by a private wastewater disposal system, as provided in § 53.015(d), a direct connection shall be made to the public sewer within five years in compliance with this subchapter, and any septic tanks, cesspools and similar private wastewater disposal facilities shall be cleaned of sludge and filled with suitable material.

(f) The owner shall operate and maintain the private wastewater disposal facilities in a sanitary manner at all times, at no expense to the city.

(g) No statement contained in this subchapter shall be construed to interfere with any additional requirements that may be imposed by a health officer.

(1992 Code, § 41-112) (Ord. 47-81, passed 6-1-1981; Ord. 19-82, passed 3-8-1982; Ord. 57-93, passed 7-12-1993; Ord. 102-96, passed 9-3-1996; Ord. 48-03, passed 6-9-2003)



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**


JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 27, 2018

NOTICE

TO: Diane Best
Assistant City Attorney
City of Sioux Falls
PO Box 7402
Sioux Falls SD 57117-7402

FROM: Jeanne Goodman, Chief Engineer
Water Rights Program 

SUBJECT: Automatic Delay of Hearing to Amend Conditions Placed on Many Big Sioux River
Water Rights

The city of Sioux Falls filed a petition to intervene in response to the public notice regarding the Water Management Board hearing to consider an amendment to the conditions on many Big Sioux River water rights. The city's petition included a request for an automatic delay of the March 7, 2018 hearing date. Therefore, the hearing on this matter is automatically delayed pursuant to SDCL 46-2A-4 and 46-2A-5 and will not be held on March 7, 2018.

The hearing to consider amendment to the conditions on many Big Sioux River water rights is tentatively scheduled for the Water Management Board meeting to be held May 2 - 3, 2018, in Pierre. The Board will formalize its next meeting date at their March 7th meeting. Future notice of the time and place of the hearing will be provided.

Please contact Eric Gronlund at (605) 773-3352 if you have questions regarding the hearing process.

c: Ann Mines Bailey, Assistant Attorney General

CERTIFICATION

I hereby certify that on February 27, 2018, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated February 27, 2018, regarding automatic delay of the hearing to consider amendment to the conditions on many Big Sioux River water rights, as addressed below:

Diane Best
Assistant City Attorney
City of Sioux Falls
PO Box 7402
Sioux Falls SD 57117-7402

Sent Inter-office to:

Ann Mines Bailey, Assistant Attorney General
1302 East Highway 14, Suite 1
Pierre SD 57501-8501




Eric Gronlund
Water Rights Program, DENR

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 27th day of February, 2018



Karen Schlaak
Notary Public
My Commission expires April 1, 2019





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**


JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

April 4, 2018

NOTICE

TO: Diane Best
Assistant City Attorney
City of Sioux Falls
PO Box 7402
Sioux Falls SD 57117-7402

FROM: Jeanne Goodman, Chief Engineer
Water Rights Program 

SUBJECT: Scheduling of Hearing to Amend Conditions Placed on Many Big Sioux River
Water Rights

The city of Sioux Falls filed a petition to intervene in response to the public notice published in the Argus Leader regarding proposed amendment to conditions placed on many Big Sioux River water rights. The March 7, 2018, hearing was postponed at the city's request. This notice reschedules the hearing for May 3, 2018.

The Water Management Board will now conduct a hearing to consider proposed amendment to conditions placed on many Big Sioux River water rights at 8:30 AM (Central Time) on Thursday, May 3, 2018, at the Floyd Matthew Training Center, Joe Foss Building, 523 E. Capitol Avenue, Pierre SD. The agenda time is an estimate and may be delayed due to prior items. Future notice will be provided to all parties if there is a significant change to the hearing time.

Applicable provisions of the public notice of hearing published in the Argus Leader on February 15, 2018, still apply.

Questions regarding the hearing process may be directed to Eric Gronlund, Water Rights Program at (605) 773-3352 or eric.gronlund@state.sd.us.

c: Ann Mines Bailey, Assistant Attorney General

CERTIFICATION

I hereby certify that on April 4, 2018, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated April 4, 2018, regarding scheduling of the hearing to consider amendment to the conditions on many Big Sioux River water rights, as addressed below:

Diane Best
Assistant City Attorney
City of Sioux Falls
PO Box 7402
Sioux Falls SD 57117-7402

Sent Inter-office to:

Ann Mines Bailey, Assistant Attorney General
1302 East Highway 14, Suite 1
Pierre SD 57501-8501




Eric Gronlund
Water Rights Program, DENR

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 4th day of April, 2018



Karen Schlaak
Notary Public
My Commission expires April 1, 2019



Report of Examination of Works and/or Application of Water to Beneficial Use For Permit No. 8195-3

I have this day, June 15, 2021, made a thorough examination of the water use system constructed by Chad Anderson 47880 244th St, Dell Rapids, SD 57022 of Permit No. 8195-3, bearing the priority of January 25, 2016 authorizing the diversion of 1.33 cu. ft. per second of the waters of Big Sioux River for irrigation purposes, in Moody County.

A. Works used to divert the water:

A centrifugal pump is used to withdraw water from the River with a discharge of 900 gpm (2.0 cfs) per information from Mr. Anderson via telephone

B. Works used to transport water to place of use:

- 1) Type _____ 2) Size _____ inches 3) Length _____ feet

Comments: A 1100-foot buried line pipeline is used to transport river water to the pivot.

C. Works used to apply water to beneficial use:

Center pivot:

- 1) Make Zimmatic
2) Overall length 1450 feet
3) Number of towers 7 plus a corner leg
4) End gun Y
5) Capacity 900 GPM

Chemigation Equipment:

- 1) Does chemigate N

D. Compliance with Permit Requirements:

- 1) Permit qualifications being abided by N
Appears to be pumping more water than provided in Permit.
2) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y
3) Exceptions to compliance are: See item 1

E. Condition and Location:

1. The system is in good condition with the point(s) of diversion located as follows: From the NE corner of Sec 11 - T105N-R49W 2320 ft S & 980 ft W, Lat 43.91440 Long -96.67192 (SE ¼ NE ¼ Sec 11)

2. The works are capable of diverting and conveying to the place of use 2.0 cu. ft. per second of water which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:

All land in Sec 11-T105N-R49W

NW1/4 NE 1/4 – 36 ac

NE 1/4 NE 1/4 - 34 ac

SE 1/4 NE 1/4 - 23 ac

SW 1/4 NE 1/4 - 27 ac

comprising a total of 120 acres of land and the license should be issued for 1.33 cfs (original permit value)

3. All structures, wells and lands on map Y

F. Comments or other permit(s) associated with the project:


Irrigated acreage was determined using FSA maps and the ArcMAP software.

Contact information (address and phone number) are current.



Darrell W DeBoer
Water Rights Inspector
DANR, Water Rights Program

Date report completed: **June 16, 2021**



0 625 1,250 2,500 3,750 5,000 Feet







**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

JUL 21 2021

8195-3

Chad Anderson
47880 244th St
Dell Rapids SD 57022

Dear Mr. Anderson:

Enclosed is Water License No. 8195-3. This is the final water right document completing your process of obtaining a Water Right. Included with your license is a map prepared by the staff engineer who conducted the field investigation.

As long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water.

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

NOTE: The investigation of your water use system found it capable of diverting 2.00 cubic feet of water per second (cfs) which is equivalent to approximately 900 gallons per minute. Your original application and subsequent water permit specified 1.33 cfs (equivalent to 600 gpm) to irrigate 120 acres. Diversion of water under this water license is limited to the 1.33 cfs diversion rate originally permitted.

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 8195-3

(1) Chad Anderson, 47880 244th St., Dell Rapids SD 57022 made Application No. 8195-3, January 25, 2016 for a water permit to divert 1.33 cubic feet of water per second from the Big Sioux River, Moody County, South Dakota for irrigation purposes. Permit No. 8195-3, with a priority date of January 25, 2016 was approved May 5, 2016 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before May 5, 2021 and for the application to beneficial use of said water on or before May 5, 2025.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.33 cubic feet of water per second for beneficial use. The location of the diversion point is:

- 2,320'S and 980'W of the NE corner of Section 11, T105N, R49W (SE ¼ NE ¼)
Latitude 43.91440, Longitude -96.67192

(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 11, T105N, R49W	NW ¼ NE ¼	36 acres
	NE ¼ NE ¼	34 acres
	SE ¼ NE ¼	23 acres
	SW ¼ NE ¼	27 acres
Total		120 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Chad Anderson, 47880 244th St., Dell Rapids SD 57022 the holder and/or owner of Water Right No. 8195-3 is issued a license to appropriate water, the right to use 1.33 cubic feet of water per second from the Big Sioux River with a priority date of January 25, 2016 from the location specified in (2) of this license for irrigation purposes.

This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Right No. 8195-3 and subject to the following qualifications **(on May 3, 2018, the Water Management Board amended the qualifications listed in the permit)**

- Low flows as needed for downstream domestic use including livestock water and prior water rights must be bypassed. This water right does not authorize diversion of water from the Big Sioux River, unless at least 20 cfs is flowing past the USGS Gaging Station No. 06481000 near Dell Rapids when pumping, unless written orders have been so issued by the Chief Engineer. Prior to issuing any shutoff orders, the Chief Engineer shall also take into consideration the flows at the USGS Gaging Station No. 6482020 at North Cliff Avenue in Sioux Falls. Diversions under this water right shall be in accordance with any written orders issued by the Chief Engineer.

Continued

- The City of Sioux Falls has senior priority rights to Big Sioux River flows under Future Use Permit Nos. 3981-3 and 3981A-3. Future diversion under Water Right No. 8195-3 will be subject to these prior water rights and an increased by-pass may be required if and when the City of Sioux Falls develops the water reserved by Future Use Permit Nos. 3981-3 and 3981A-3.
- The Water Management Board is retaining jurisdiction of this water right in the event additional information shows that adjustments need to be made to the bypass requirements.
- This water right is subject to the irrigation water use questionnaire being submitted each year.

Eric Gronlund

Eric Gronlund, Chief Engineer
Water Rights Program
Department of Agriculture and Natural Resources

JUL 21 2021

date





DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: CHAD ANDERSON, MANAGER, 47880 244TH ST, DELL RAPIDS, SD 57022

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaire(s)

Our records indicate your 2024 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 7559-3 & 8195-3. The request for the Questionnaire was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 7559-3 & 8195-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 7559-3 & 8195-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: OUPHT**

cc: WADEMAN PETERSON, 25563 475TH AVE, RENNER SD 57055

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 21, 2025

7559-3 & 8195-3

Chad Anderson
47880 244th St
Dell Rapids SD 57022

Dear Mr. Anderson:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 7559-3 & 8195-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

cc: WADEMAN PETERSON, 25563 475TH AVE, RENNER SD 57055



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 7th, 2026

8195-3

Chad Anderson
47880 244th St
Dell Rapids, SD 57022

Dear Mr. Anderson:

I am writing to you today in response to the 2025 Irrigation Questionnaire information submitted online for Water Right No. 8195-3.

Water Right No. 8195-3 (copy enclosed) authorized diversion of 1.33 cubic feet of water per second (600 gpm) from the Big Sioux River, Moody County SD for irrigation of 120 acres located in the NE1/4, Section 11, T105N, R49W..

On this year's questionnaire you reported the irrigation of 135 acres. If an additional 15 acres have been developed for irrigation, additional permitting would be required.

Please contact me to either revise your 2024 Irrigation Questionnaire or discuss additional permitting.

Sincerely,

Shannon Konst
Water Rights Program
Shannon.konst@state.sd.us
(605) 773-3352

enclosure