

WATER PERMIT NO. 8502-3

Name of Applicant: **Bret Fliehs**

Address: **39865 137th St, Groton SD 57445**

Phone: **605 380-3808**

Amount of Water Claimed: **1.33 cfs**

Total Acres: **130**

Source of Water Supply: **drain tile**

Water to be used for: **irrigation**

County: **Brown**

Type of Waste Disposal System:

Location: **2 1/2 miles northwest of Claremont**

PRIORITY

Date Received: **3-19-21**

Application/License Fee: **\$ 1050**


Corrected Application Received:

Period of Annual Use: **April 1 – Sept 30**

Remarks:

Diversion Point: **lift stations – NW 1/4 SE 1/4 and
SW 1/4 SW 1/4 Sec 21-T126N-R60W**

Land to be Irrigated: **SW 1/4 Sec 21-T126N-
R60W**



Depth of Well: **NA**

Well Driller:

Remarks:

Type of Map: **aerial**

Prepared by:

Reviewed and the Number Assigned on: **3-22-21**

By: **Karen Schlaak**

Notice of Hearing - date to intervene: _____

**SOUTH DAKOTA
WATER PERMIT NO. 8502-3**

Date of first receipt of application March 19, 2021.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 8502-3 to Bret Fliehs, 39865 137th St, Groton SD 57445 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 8502-3 appropriates 1.33 cubic feet of water per second from drainage tile outflow for irrigation of 130 acres located in the SW 1/4 Section 21-T126N-R60W. The drain tile system collects drainage from Section 21 and Section 28 and conveys the water to the proposed irrigated acreage via lift stations located in the NW 1/4 SE 1/4 and the W 1/2 SW 1/4 Section 21; all in T126N-R60W. This site is located approximately 2 1/2 miles northwest of Claremont SD.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 – September 30.
3. The date from which applicant may claim right is March 19, 2021.
4. The date of approval of Permit No. 8502-3 is May 3, 2021.
5. One-fifth of the construction is to be completed on or before November 3, 2023.
6. All construction is to be completed on or before May 3, 2026.
7. Water is to be put to beneficial use on or before May 3, 2030.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATION

This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Eric Gronlund
Eric Gronlund, Chief Engineer
Water Rights Program
Department of Agriculture and Natural Resources

MAY 17 2021
date



Mail to: DENR - Water Rights 523 E Capitol Ave Pierre, SD 57501-3182 ph. (605) 773-3352	No. <u>8502-3</u> (office use only)	Hydrologic Unit <u>10160003</u>
	Basin <u>James River</u>	
	Newspaper <u>American News</u>	

PAID
MAR 19 2021
Ck# 2155

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

1. Name to Appear on Irrigation Permit Bret Fliche

Note: The "Name to Appear on Irrigation Permit" must be the name in which the property to be irrigated is held in.

Mailing Address 39865 137th Street Groton SD 57445
(Address) (City) (State) (Zip Code)

Phone _____ Mobile 605-380-3808 Email bfliehs@yahoo.com

2. Amount of water claimed 1.33 *CFS or 600 **GPM ***AF Total Acreage 130
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable)

3. Source of water supply drain tile 140 acres on sec 21 130 acres on sec 28

4. Location of point of diversion drain tile lift station NW corner of SE 1/4 21-126-60
(example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W)
west side of SW 1/4 21-126-60 County Brown

5. County or counties where water will be used Brown

6. Annual period during which water is to be used April - September 30

7. List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
SW 1/4 of SW 1/4 21-126-60	~~40~~ 32.5		
SE 1/4 of SW 1/4 21-126-60	~~40~~ 32.5		
NE 1/4 of SW 1/4 21-126-60	~~40~~ 32.5		
NW 1/4 of SW 1/4 21-126-60	~~40~~ 32.5		

8. Give a description of the project. (Attach sheet if more space is needed)

Use water from drain tile on 140 acres on sec 21-126-60
also use water from drain tile on 130 acres on sec 28-126-60
April - September. Pump to a center pivot to irrigate ~~130~~ 130
acres on SW 1/4 sec 21-126-60 2 lift stations 300 gpm pumps
600 total

I, Bret Fliche Owner, the applicant, certify under
Name of Person Title (if applicable)

penalty of perjury that I have read this application, examined the attached map, and that the matters stated are true. I further certify, if acting on behalf of an entity or individual other than myself, that I am authorized to submit this application.



United States
Department of
Agriculture

Brown County, South Dakota



Common Land Unit  Tract Boundary

 Non-Cropland
 Cropland

 PLSS

Wetland Determination Identifiers

-  Restricted Use
-  Limited Restrictions
-  Exempt from Conservation
-  Compliance Provisions

2021 Program Year

Map Created December 28, 2020

Farm 13129

21 -126N -60W

United States Department of Agriculture (USDA) Farm Service Agency (FSA) maps are for FSA Program administration only. This map does not represent a legal survey or reflect actual ownership; rather it depicts the information provided directly from the producer and/or National Agricultural Imagery Program (NAIP) imagery. The producer accepts the data 'as is' and assumes all risks associated with its use. USDA-FSA assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on this data outside FSA Programs. Wetland identifiers do not represent the size, shape, or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact boundaries and determinations or contact USDA Natural Resources Conservation Service (NRCS).



United States
Department of
Agriculture

Brown County, South Dakota



Common Land Unit

- Tract Boundary
- PLSS
- Non-Cropland
- Cropland

Wetland Determination Identifiers

- Restricted Use
- ▽ Limited Restrictions
- Exempt from Conservation Compliance Provisions

2021 Program Year

Map Created December 28, 2020

Farm 13129

28 -126N -60W

United States Department of Agriculture (USDA) Farm Service Agency (FSA) maps are for FSA Program administration only. This map does not represent a legal survey or reflect actual ownership; rather it depicts the information provided directly from the producer and/or National Agricultural Imagery Program (NAIP) imagery. The producer accepts the data 'as is' and assumes all risks associated with its use. USDA-FSA assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on this data outside FSA Programs. Wetland identifiers do not represent the size, shape, or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact boundaries and determinations or contact USDA Natural Resources Conservation Service (NRCS).

discharge

21

X lift station



• Center pivot

Drain Tile

X
lift
station



Drain Tile



wet land

28



3D



lift station

21

lift station • center pivot

Bret Fliehs
SD Brown South Detroit
28 NW 126 60
+/- 1/4" 60'
Proposed 2-24-21


116th St


out not doing

28

408th Ave

04"	121371.94 ft
06"	1089.34 ft
08"	878.52 ft
10"	859.66 ft
12"	1489.72 ft
12" DW	1777.74 ft
15" DW	2159.04 ft
Pressure PVC	873.38 ft





RECEIPT

WATER RIGHTS PROGRAM South Dakota Department of Environment and Natural Resources


Date March 19, 2021

RECEIVED OF Bret Flichs 39865 137th Street Groton SD 57445

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>8502-3</u> to Appropriate Water, to construct and to put water to beneficial use	\$850.00
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$
Fee to retain Future Use Permit No. _____ after period of seven years.	\$
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>8502-3</u>	\$200.00
Fee for Filing Transfer Form _____	\$
Fee for _____	\$
Fee for Issuing New Well Driller's License No. _____	\$
Fee for Renewal of Well Driller's License No. _____	\$
Fee for Issuing Well Pump Installer's License No. _____	\$
Fee for Renewal of Well Pump Installer's License No. _____	\$
(Any Other Work Provided by Law) TOTAL	\$1050.00

By Eric Gronlund
Chief Engineer
EM



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 8502-3, Bret Fliehs**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 8502-3, Bret Fliehs, 39865 137th St, Groton SD 57445.

The Chief Engineer is recommending APPROVAL of Application No. 8502-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualifications:

This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Eric Gronlund, Chief Engineer
April 12, 2021

NOTE: The installation of drainage tile is under the county jurisdiction. Therefore, you will need to meet any legal requirements Brown County has adopted for the tile drainage system.

REPORT ON WATER PERMIT APPLICATION NO. 8502-3

Bret Flichs

April 7, 2021

Application No. 8502-3, proposes to appropriate 1.33 cubic feet of water per second from drainage tile for irrigation of 130 acres located in the SW 1/4 Section 21-T126N-R60W. The application states the drain tile systems collects drainage in small sump areas from the SE 1/4 Section 21 and the NW 1/4 Section 28; all in T126N-R60W and conveys the water to the proposed irrigated acreage via lift stations located in the NW1/4 SE1/4 and the W1/2 SW1/4 of Section 21 T126N-R60W. This site is located approximately 2 1/2 miles northwest of Claremont SD in Brown County.

South Dakota Codified Law SDCL 46-2A-2 directs the Chief Engineer to make a recommendation to the Water Management Board on a permit application. The Chief Engineer needs to consider four criteria in making a recommendation on whether a permit should be approved, approved with qualifications, denied, or deferred. They are: 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use, and 4) it is in the public interest. This report will analyze the available information to make a recommendation to the Chief Engineer on the first two criteria the Chief Engineer needs to consider in making an official recommendation to the Water Management Board.

Review of the Proposed Project

Water Permit Application No. 8502-3 proposes to appropriate water utilizing a subsurface tile drainage system to provide water for this project. The drain tile system will be installed on approximately 270 acres underlying ground adjacent to the acres proposed to be irrigated. Water discharged from the drainage system will be collected in two sump areas and pumped using lift stations to the center pivot. Whether there is unappropriated water available is driven by climatic conditions which is the determining factor for the amount of discharge water available from the drain tile system. The water from the drain tile system can be considered unappropriated water that is available for appropriation to the extent water discharges from the drain tile system (Figure 1).



Figure 1. Area map for Water Permit Application No. 8502-3.

In areas where irrigation water is scarce, the use of drainage water is an important strategy for supplementing water resources. Furthermore, reuse may help alleviate drainage disposal problems by reducing the volume of drainage water involved (FAO. 2003). The ability for the drain tile to supply sufficient water for the irrigation system will be climate driven.

The 30 year (1981-2010) average annual precipitation for the Britton SD weather station located approximately 16 miles northeast of this project is 23.14 inches (NOAA. 2021). The applicant should recognize that when the climatic conditions shift from wetter conditions to drier

conditions, the water supply from the drain tile system likely will be reduced. There may be times when there is limited discharge water available to satisfy the needs for the number of acres requested.

SDCL 46-5-6 provides that the volume of water diverted for irrigation use may not exceed two acre-feet per acre delivered to the land annually. If approved, Water Permit Application No. 8502-3 will authorize the irrigation of 130 acres from a drain tile system with a total annual diversion volume of 260 acre-feet of water. It is worth noting irrigators in eastern South Dakota generally apply less than one foot of water per acre per year. However, to account for the fluctuation in wet and dry cycles from year to year, the one foot of water per acre per year application rate will be used to liberally estimate the annual withdrawal from the drain tile.

In South Dakota, drainage falls under the jurisdiction of counties as specified in South Dakota Codified Law chapter 46A-10A. Installation of a tile drainage system to collect water, as proposed in this application, would need to meet any legal requirements Brown County has adopted in their local ordinances.

Review of Existing Water Rights

A review of existing water rights found no active water permit/rights within a 3 mile radius of the project. The closest surface water right is located approximately 9 miles to the southeast and is for storage in a slough (Water Rights. 2021). Since the source of this water is from the collection of water from a drain tile system, there are no other existing water rights/permits that will be directly impacted.

Conclusions

1. This application proposes to appropriate 1.33 cubic feet of water per second for irrigation of 130 acres supplied from a drainage tile system.
2. The drain tile system will be installed on approximately 270 acres underlying ground adjacent to the acres proposed to be irrigated.
3. The water from the drain tile system can be considered unappropriated water that is available for appropriation to the extent water discharges from the drain tile system.
4. Based upon climatic conditions, there may be times when there is limited discharge of water available from the drainage system and there may not be enough water to satisfy the irrigation needs for the number of acres requested.



Mark D. Rath

Natural Resources Engineer III

References

1. FAO. 2003. Food and Agriculture Organization of the United Nations, Irrigation and Drainage Paper No 61. Agricultural Drainage Water Management in Semi-arid Areas.
2. NOAA. 2021. National Oceanic and Atmospheric Administration; National Centers for Environmental Information. www.ncdc.noaa.gov/cdo-web/datatools/lcd.
3. Water Rights. 2021. Water Right/Permit Files. SD DENR-Water Rights Program, Joe Foss Bldg., Pierre, South Dakota.

Schlaak, Karen

From: Schlaak, Karen
Sent: Tuesday, April 13, 2021 7:47 AM
To: bfliehs@yahoo.com
Subject: Water Permit Application No. 8502-3
Attachments: 1037.pdf; FLIEHS-97-957067-1.pdf

Attached is a copy of the report, chief engineer recommendation and information regarding the public notice for your water permit application. As stated in the letter, please contact the paper as soon as possible to authorize publication and arrange for payment.

The second document is from the American News and has an account # which should help when contacting them.

This information is being mailed to you today.

Karen Schlaak

Water Rights Program
(605) 773-3352



RECEIVED

MAY 04 2021

WATER RIGHTS
PROGRAM

BRET FLIEHS
39865 137TH STREET
GROTON, SD 57445

STATE OF WISCONSIN

County of Brown

Signature

Printed Name

being duly sworn, on his/her oath says: That the AMERICAN NEWS is a daily newspaper of general circulation, printed and published in Aberdeen, Brown County, South Dakota, by the Aberdeen News Company, a corporation, and has been such a newspaper during the times hereinafter mentioned; That affiant is an employee and principal clerk of said publisher and has personal knowledge of all facts stated in this affidavit.

Published Dates:
04/21/21

That said newspaper is a legal newspaper published five days or more each week; with a bona fide circulation of more than two hundred copies daily; published in the English language within the said county of Brown for more than one year prior to the first publication of said notice; and printed in whole in an office maintained at the place of publication of said newspaper; That the whole amount of the fee paid for the publication of the annexed notice is \$68.85, which insures solely to the benefit of said publisher; That no agreement or understanding for a division thereof had been made with any other person; and That no part thereof has been agreed to be paid to any person whomsoever.

Subscribed and sworn to before me this 4th
day of
May,
A.D.
2021

Signed:

NOTARY PUBLIC
State of Wisconsin
County of Brown

My commission expires

979-21

VICKY FELTY
Notary Public
State of Wisconsin

Ad ID 957067

AFFIDAVIT OF PUBLICATION

(No. 957067)
(April 21, 2021)

NOTICE OF APPLICATION NO.
8502-3 to Appropriate Water

Notice is given that Bret Fliehs, 39865 137th St, Groton SD 57445 has filed an application for a water permit to appropriate 1.33 cubic feet of water per second from drainage tile outflow for irrigation of 130 acres located in the SW 1/4 Section 21-T126N-R60W. The application states the drain tile systems collect drainage from Section 21 and Section 28 and conveys the water to the proposed irrigated acreage via lift stations located in the NW 1/4 SE 1/4 and the W 1/2 SW 1/4 Section 21; all in T126N-R60W. This site is located approximately 2 1/2 miles northwest of Claremont SD.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 8502-3 with qualifications because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. The Chief Engineer's recommendation with qualifications, the application, and staff report are available at <http://denr.sd.gov/> public or contact Ron Duvall for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by May 3, 2021.

The petition may be informal but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

If the applicant does not con-

test the recommendation of the Chief Engineer and no petition to oppose the application is received, the Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled, and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Published once at the total approximate cost of \$68.85.

Schlaak, Karen

From: Schlaak, Karen
Sent: Monday, April 12, 2021 2:47 PM
To: Aberdeen News Legals (aan-legals@aberdeennews.com)
Subject: 8502-3, Bret Fliehs
Attachments: 8502-3public.short.docx; FORM8.FRM.doc

Attached is a notice to be published on April 21, 2021.

Bret Fliehs, 39865 137th St, Groton SD 57445, (605 380-3808) has been notified to contact you to authorize publication and arrange for payment.


Please send the affidavit or return the attached Proof of Publication form ASAP to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak

Water Rights Program
(605) 773-3352





DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

**NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.**

April 13, 2021

Bret Fliehs
39865 137th St
Groton SD 57445

Dear Mr. Fliehs:

Water Permit Application No. 8502-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the American News printed at Aberdeen SD (Ph # 605 225-4100). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspapers to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization from you, the publisher has been instructed to publish your notice. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Karen Schlaak

Karen Schlaak
Water Rights Program
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

NOTICE OF APPLICATION NO. 8502-3 to Appropriate Water

Notice is given that Bret Fliehs, 39865 137th St, Groton SD 57445 has filed an application for a water permit to appropriate 1.33 cubic feet of water per second from drainage tile outflow for irrigation of 130 acres located in the SW 1/4 Section 21-T126N-R60W. The application states the drain tile systems collects drainage from Section 21 and Section 28 and conveys the water to the proposed irrigated acreage via lift stations located in the NW 1/4 SE 1/4 and the W 1/2 SW 1/4 Section 21; all in T126N-R60W. This site is located approximately 2 1/2 miles northwest of Claremont SD.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 8502-3 with qualifications because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. The Chief Engineer's recommendation with qualifications, the application, and staff report are available at <http://denr.sd.gov/public> or contact Ron Duvall for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by May 3, 2021.

The petition may be informal but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

If the applicant does not contest the recommendation of the Chief Engineer and no petition to oppose the application is received, the Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled, and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Published once at the total approximate cost of_



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

MAY 17 2021

Bret Fliehs
39865 137th St
Groton SD 57445

Dear Mr. Fliehs:

Enclosed is Water Permit No. 8502-3 authorizing construction of the water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Eric Gronlund
Eric Gronlund, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

0502-3



RECEIVED

JUN 04 2025

Water Rights
Program

DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Rights Program, DANR
523 E. Capitol Ave.
Pierre, SD 57501-3182
or via email to DANRmail@state.sd.us

Date 6/03/2025

FROM: Bret Fliehs
(name)
39865 137th street
(address)
Groton SD 57445
(city, state, zip)

605-380-3808
(phone)
bfliehs@yahoo.com
(email)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 8502-3 states that the water use system is to be constructed by 5/03/2026, and water is to be put to beneficial use by 5/03/2030.
(date) (date)

The water use system was completed on 5/01/2023
(date)

Applying the water to beneficial use was completed on 5/15/2023
(date)

You may schedule an inspection so that the water license may be issued.