WATER PERMIT NO. 8584A-3

Name of Applicant: **Allen Vannorsdel**

Address: **45515 288th Street, Viborg SD 57070** Phone: **605-660-4988**

Amount of Water Claimed: **No Add'l** Total Acres: **No Add'l**

Source of Water Supply: **Groundwater**

Water to be used for: **Irrigation** County: **Turner**

Type of Waste Disposal System:

Location: **Approx. 3 miles northwest of Viborg**

PRIORITY Date Received: **11-07-25** Application/License Fee: **$100.00**

Corrected Application Received: **11-12-25** Period of Annual Use: **June 1 – August 31**

Remarks: **Amending No. 8584-3, relocating acres and adding an existing diversion point, no increase of acres or diversion rate.**

Diversion Point: **Approx. center SW 1/4 Sec 16-T97N-R53W**

Land to be Irrigated: **NW 1/4 Sec 21-T97N-R53W**



Depth of Well: **160**

Well Driller:

Remarks:

Type of Map: **aerial**

Reviewed and the Number Assigned on: **11-12-25** By: **Rachel Rodriguez**

Notice of Hearing - date to intervene: _____

SOUTH DAKOTA
WATER PERMIT NO. 8584A-3

Date of first receipt of application November 7, 2025.
Date of return to applicant for corrections, amendments or changes November 7, 2025.
Date of receipt of corrected application November 10, 2025.

The Acting Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 8584A-3 to Allen Vannorsdel, 45515 288th Street, Viborg SD 57070, authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 8584A-3 amends Water Permit No. 8584-3 by changing the location of the irrigated acres and diversion point, with no increase to the number of irrigated acres or diversion rate authorized by Permit No. 8584-3. Water Permit No. 8584-3 appropriates 2.22 cubic feet of water per second (cfs) from one well to be completed into the Upper Vermillion Missouri: West Aquifer (approximately 189 feet deep) located in the E 1/2 SE 1/4 Section 35-T97N-R53W for irrigation of 156 acres located in the NE 1/4 Section 2-T96N-R53W. The permit relocates all 156 acres from the NE 1/4 Section 2-T96N-R53W to the NW 1/4 Section 21-T97N-R53W. This permit also changes the diversion point location, allowing for use of an existing well (242 feet deep), completed into the same aquifer, located in the SE 1/4 SW 1/4 Section 16-T97N-53W, authorized by Water Permit No. 8585-3. This permit amends Water Permit No. 8584-3 and does not authorize any increase in either the 2.22 cfs diversion rate, or 156 irrigated acres, authorized by Water Permit No. 8584-3. This site is located approximately three miles northwest of Viborg SD.

2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: June 1 – August 31.

3. The date from which applicant may claim right is January 21, 2022.

4. The date of approval of Permit No. 8584A-3 is February 17, 2026.

5. All construction is to be completed on or before April 4, 2027.

6. Water is to be put to beneficial use on or before April 4, 2031.

7. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit and Water Permit No. 8585-3 is located near domestic wells and other wells which may obtain water from the same aquifer. The well owner must control withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Adam Mathiowetz _____ MAR 1 1 2026
date

Adam Mathiowetz, PE
Acting Chief Engineer
Water Rights Program
Department of Agriculture and Natural Resources

FORM 2: Application for irrigation in South Dakota
(type or print)

RECEIVED
NOV 07 2025
Water Rights Program

Mail to:	No. 8584A-3 Hydrologic Unit 10170102
SD DANR, Water Rights 523 E Capitol Ave Pierre, SD 57501-3182 ph. (605) 773-3352	Basin Vermillion Newspaper Turner Co New Era Argus Leader (office use only)

Application for Permit to Appropriate Water for Irrigation

Type of Application: ☐ New ☐ Vested Right (Use predates Mar 2, 1955) ☒ Amendment/Correction to Permit No. 8584-3

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)
relocating acres from NE 1/4 Sec 2-T96N-R53W to NW 1/4 Sec 21-T97N-R53W and changing diversion point location to utilize existing well auth. under 8585-3

1. Name to Appear on Irrigation Permit Allen Vannorsdel

Note: The "Name to Appear on Irrigation Permit" must be the name in which the property to be irrigated is held in.

Mailing Address 45515 288th St (Address) Viborg (City) SD (State) 57070 (Zip Code)

Phone _____ Mobile 605-660-4988 Email blanchevannorsdel@gmail.com

2. Amount of water claimed N/A *CFS or N/A **GPM N/A ***AF Total Acreage 156
(*Cubic Feet per Second) (**Gallons per Minute) (***Acre Feet - storage capacity of dam/dugout or annual use if applicable)

3. Source of water supply groundwater (UVM:W)

4. Location of point of diversion one existing well auth. by 8585-3 ~~approx. center~~ SE1/4 SW 1/4 Sec 16-T97N-R53W
(example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W)
County Turner

5. County or counties where water will be used Turner

6. Annual period during which water is to be used June 1 - Aug 31

7. List below each forty-acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
NW 1/4 Sec 21-T97N-R53W	156		

8. Give a description of the project. (Attach sheet if more space is needed)
Acres are being relocated and a new (existing) diversion point is being requested, without increase to the number of irrigated acres or rate of diversion. The groundwater source (UVM:W) will remain the same.

I, Shawn Vannorsdel (Name of Person) _____ (Title (if applicable)), the applicant, certify under penalty of perjury that I have read this application, examined the attached map, and that the matters stated are true. I further certify, if acting on behalf of an entity or individual other than myself, that I am authorized to submit this application.

2021-08

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Also, attach map and any other technical information. (see instructions)

Form 2A
(Complete applicable portions only)

Supplemental Information

(type or print)

RECEIVED
NOV 0 7 2025
Water Rights Program

1. Well Information (check one or both as applicable) ☐ Drilling new well(s) ☒ Using existing well(s)

a) If new wells, how many _____ Have test holes been drilled? ☐ Yes ☐ No Drilled by _____
(if yes, please provide copies of logs)

b) If existing wells, how many 1 Provide copy of log(s), if available. Drilled by _____

For either existing or proposed wells: (see WCR for 8585-3)

c) Well Depth (required) 250 Depth to Top of Water Bearing Material _____ Depth to Water from Surface _____

d) Distance to nearest domestic well on applicant's property _____ Property owned by others _____

2. Wastewater Disposal System Information

a) Type of System (i.e. septic tank, drain field) _____

b) System Capacity (gallons) _____ Year Constructed _____

c) Connected to the City of _____ Sanitary System

3. Dugout Information

a) Surface Dimensions _____ Depth _____

b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:



b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Primary Outlet Capacity _____

If pipe, diameter _____

f) Secondary Spillway Capacity _____

Spillway Width _____

g) X & Y Slope (e.g. 3 to 1 is a typical slope)

Upstream _____

Downstream _____

h) Area of Impoundment _____

i) Storage _____ Acre Feet

j) Drainage Area Above Dam _____ Acres



RECEIVED
NOV 07 2025
Water Rights
Program

Location of existing well
under permit # 8585-3

Requesting to relocate ~~diversion~~ acres
~~point~~ to NW 1/4 Sec 21-97-53
Amending permit # 8584-3



RECEIVED
NOV 07 2025
Water Rights Program

Location of existing well under permit # 8585-3

NW1/4 Sec 21-97-53

requesting to relocate ~~diversion point~~ acres to this legal. Amending Permit # 8584-3

VANNORSDEL
ALLEN R
EDELMAN
JEROME V
mapbox
Sat


Swan Lake - Turne
35
VANNORSDEL
ALLEN R
mapbox
Sat

97N 53W
Section: 06
97N 53W
Section: 05
97N 53W
Section: 04
97N 53W
Section: 03
US HWY 18
18
455 AVE
97N 53W
Section: 07
97N 53W
Section: 08
97N 53W
Section: 09
97N 53W
Section: 10
454 AVE
287 ST
LAKEVIEW DR
SWAN LAKE DR
10170102 Vermillion
Lewis and Clark Lake
97N 53W
Section: 18
97N 53W
Section: 17
97N 53W
Section: 16
97N 53W
Section: 15
288 ST
453 AVE
97N 53W
Section: 20
97N 53W
Section: 21
97N 53W
Section: 22
97N 53W
Section: 19
289 ST
97N 53W
Section: 30
97N 53W
Section: 29
97N 53W
Section: 28
97N 53W
Section: 27

I, Shawn Vannorsdel, intend to irrigate land located in the NW ¼ of Section 21-T97N-R53W located in the Swan Lake Township of Turner County, SD. I am requesting permission from Allen Vannorsdel and Jerome Edelman to be able to irrigate this land.

RECEIVED
NOV 07 2025
Water Rights Program

Allen Vannorsdel

Allen Vannorsdel
Date: 11-7-25

Jerome Edelman

Jerome Edelman
Date: 11-7-25

RECEIPT

WATER RIGHTS PROGRAM
South Dakota Department of Agriculture and Natural Resources

Date November 12th, 2025

RECEIVED OF Allen Vannorsdel 45515 288th Street Viborg SD 57070

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. 8584A-3 to Appropriate Water, to construct and to put water to beneficial use	$100.00
Fee for Application for Permit No. _____ to Appropriate Water for Future use	$____
Fee to retain Future Use Permit No. _____ after period of seven years.	$____
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	$____
Fee for Filing Transfer Form _____	$____
Fee for _____	$
Fee for Issuing New Well Driller's License No. _____	$____
Fee for Renewal of Well Driller's License No. _____	$
Fee for Issuing Well Pump Installer's License No. _____	$
Fee for Renewal of Well Pump Installer's License No. _____	$
(Any Other Work Provided by Law) TOTAL	$100.00

By Mark Mayer
Chief Engineer

SR

DEPARTMENT of AGRICULTURE and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

RECOMMENDATION OF ACTING CHIEF ENGINEER FOR WATER PERMIT APPLICATION NO. 8584A-3, Allen Vannorsdel

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Acting Chief Engineer, Water Rights Program, Department of Agriculture and Natural Resources concerning Water Permit Application No. 8584A-3, Allen Vannorsdel, 45515 288th Street, Viborg SD 57070.

The Acting Chief Engineer is recommending APPROVAL of Application No. 8584A-3 because 1) the proposed diversion can be developed without unlawful impairment of existing domestic water uses and water rights, 2) the proposed use is a beneficial use and 3) it is in the public interest as it pertains to matters of public interest within the regulatory authority of the Water Management Board with the following qualifications:

1. The well approved under this Permit and Water Permit No. 8585-3 is located near domestic wells and other wells which may obtain water from the same aquifer. The well owner must control withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Mark Mayer, PE
Director of Office of Water
January 14, 2026

REPORT TO THE CHIEF ENGINEER
ON
WATER PERMIT APPLICATION NO. 8584A-3
FOR
ALLEN VANNORSDEL
JANUARY 14, 2026

Water Permit Application No. 8584A-3 proposes to amend Water Permit No. 8584-3 by changing the location of the irrigated acres and the diversion point, with no increase to the number of irrigated acres or diversion rate authorized by Water Permit No. 8584-3. Water Permit No. 8584-3 appropriates 2.22 cubic feet of water per second (cfs) from one well to be completed into the Upper Vermillion Missouri: West aquifer (approximately 189 feet deep) located in the E ½ SE ¼ Sec. 35-T97N-R53W for irrigation of 156 acres located in the NE ¼ Sec. 2-T96N-R53W. This application proposes to relocate all 156 acres from the NE ¼ Sec. 2-T96N-R53W to the NW ¼ Sec. 21-T97N-R53W, which is approximately four miles northwest of their current location. The application also proposes to change the diversion point location, allowing for use of an existing well authorized by Water Permit No. 8585-3 and completed into the same aquifer (242 feet deep) located in the SE ¼ SW ¼ Sec. 16-T97N-R53W. This application to amend Water Permit No. 8584-3 does not authorize any increase in either the 2.22 cfs diversion rate or 156 acres authorized by Water Permit No. 8584-3. This site is approximately three miles northwest of Viborg, SD.

AQUIFER: Upper Vermillion Missouri: West (UVM:W)

Aquifer Characteristics:
The Upper Vermillion Missouri aquifer is a Quaternary aged buried glacial outwash aquifer composed of fine to coarse sand and gravel with intermixed layers of clay (Holmes and Filipovic, 2015; Water Rights, 2026d). The Upper Vermillion Missouri aquifer has been divided into three management units: North, South, and West (Buhler, 2014). The well this application proposes to use is completed into the West management unit of the Upper Vermillion Missouri aquifer (UVM:W). Buhler (2014) with data from the SD DANR-Geological Survey partially re-delineated the southern portion of the extent of the UVM:W aquifer from previous work done by Buhler (2012) (see Figure 1). Buhler's 2012 mapping of the Upper Vermillion Missouri aquifer did not include management units. Thus, the southern boundary of the UVM:W aquifer from Buhler's 2012 mapping as shown in Figure 1 will be based on the Buhler 2014 mapping.

Buhler has made two separate mappings of the Upper Vermillion Missouri: West aquifer (Buhler, 2012 and 2014). The newer mapping (Buhler, 2014) was based primarily on a SD DANR-Geological Survey study (Holmes and Filipovic, 2015) of the entire Upper Vermillion Missouri aquifer that was in progress when Buhler completed his 2014 report. Based on the remapping by Buhler in 2014, the 2015 Holmes and Filipovic aquifer study report, well completion reports (Water Rights, 2026d), and lithologic logs on file with the SD Geological Survey (SDGS, 2026), it was determined the most northwestern observation wells (Water Rights, 2026b), water rights/permits and future use permits (Water Rights, 2026c) as well as the western half of the 2012 Buhler mapped extent of the Upper Vermillion Missouri: West aquifer are separate from the Buhler 2014 mapping of the aquifer. This is further supported by an ongoing study by the DANR-Geological Survey Program (Vinke, 2025). Thus, only the water rights/permits and the observation

wells within the 2014 Buhler mapped extent of the Upper Vermillion Missouri: West aquifer will be considered in this report. A more in-depth discussion regarding delineations of the Upper Vermillion Missouri: West aquifer is available in the report for Water Permit Application No. 8797-3 (Mathiowetz, 2023). The approximate areal extent of the Buhler 2014 Upper Vermillion Missouri: West aquifer is approximately 50,280 acres.

The well completion report on file for Water Permit No. 8585-3 indicates aquifer material was encountered from 96 to 245 feet below grade with a static water level of 26.6 feet below grade in June 2023. The aquifer material was primarily sand with some intermixed gravel and a few clay layers in the upper half. At the well site, the aquifer is under confined conditions with a saturated aquifer thickness of 149 feet.

APPLICABLE SOUTH DAKOTA CODIFIED LAW (SDCL):

SDCL 46-5-34 allows an irrigation water right to be severed from on parcel of land and simultaneously transferred to another parcel of land if it becomes impracticable to use all or any part of the water beneficially or economically for irrigation on the current land. The reason for this request to move parcels is due to the inability at the current site to develop a well that provides sufficient volume and rate of water as well as more practical irrigated acres at the location proposed by this application.

Water Availability:

Since this application proposes no change in the number of irrigated acres or diversion rate currently authorized, the amount of water to be used under this application, if approved, is expected to be the same as it was under Water Permit No. 8584-3. This proposed transfer of irrigated acres will not result in additional appropriation of water from the UVM:W aquifer.

While no water was placed to beneficial use at the current site due to the limitations, an estimated average annual application rate for irrigation permits completed into the UVM:W has been calculated and can be used to estimate average annual withdrawals for this proposed location (Mathiowetz, 2026). An estimated average annual withdrawal has historically been accounted for since the submittal of the application for of Water Permit No. 8584-3, as a matter of reviewing new permit application submitted after Water Permit No. 8584-3. The application rate was determined to be 4.9 inches per acre (in/ac) using 2013-2024 irrigation questionnaire data (Mathiowetz, 2026). Using the 156 acres authorized by Water Permit No. 8584-3, the estimated average annual use if this application were approved would be 63.7 ac-ft/yr. This estimated use has continually been accounted for in hydrologic budgets for the UVM:W aquifer since the report on the application for Water Permit No. 8584-3 was written.



Figure 1- Approximate areal extent of UVM:W aquifer from Buhler's 2012 and 2014 mappings with observation wells, water rights/permits, future use permits, deferred applications, and pending applications (Water Rights, 2026b and 2026c) currently labeled as completed into the UVM:W aquifer

POTENTIAL FOR UNLAWFUL IMPAIRMENT OF EXISTING WATER RIGHTS:
The nearest well(s) authorized by a water right/permit, excluding the well authorized by Water Permit No. 8585-3 which this application proposes to use are shown in Figure 2. The closest appropriative wells are authorized by Water Right No. 6662-3 and are located approximately 1.4 miles southeast of the well this application proposes to use (Water Rights, 2026c). The proposed well site for Deferred Water Permit Application No. 8817-3 is approximately 1.1 miles southeast of the well this application proposes to use (Water Rights, 2026c). Deferred Application No. 8817-3, if approved, would have a priority date junior to this application if approved.

The nearest domestic well on file with the Water Rights Program to the well this application proposes to use are located approximately 1 mile south and 1.1 miles southeast (Water Rights, 2026d). These domestic wells are in much closer proximity to Water Right No. 6662-3 and have not reported any issues (Water Rights, 2026a). The locations of domestic wells are based on the location provided by the well driller on the water well completion report. The locations as filed with the Water Rights Program are not exact locations. It is possible there are other domestic use UVM:W aquifer wells in the area of the applicant's proposed well site that are not on file with the Water Rights Program.

The UVM:W aquifer is under confined conditions at the applicant's well site (Water Rights, 2026d). Since the aquifer is confined, drawdown can extend some distance from a well. However, the exact drawdown behavior cannot be determined without an aquifer performance test. The Water Management Board recognizes that putting water to beneficial use requires a certain amount of drawdown to occur. The Board has promulgated rules to allow water to be placed to maximum beneficial use without the necessity of maintaining artesian head pressure for domestic use. The Water Management Board defined an "adversely impacted domestic well" in ARSD 74:02:04:20(7) as:

> "A well in which the pump intake was set at least 20 feet below the top of the aquifer at the time of construction or, if the aquifer is less than 20 feet thick, is as near to the bottom of the aquifer as is practical and the water level of the aquifer has declined to a level that the pump will no longer deliver sufficient water for the well owner's needs."



Figure 2- UVM:W aquifer water rights/permits, deferred applications, and observation well within approximately 1.5 miles of the well site for Application No. 8584A-3 (Water Rights, 2026b and 2026c)

Table 1- Water rights/permits and deferred permit applications shown in Figure 2 (Water Rights, 2026c)

Permit No.	Name	Priority Date	Deferral Date	Status	Use	CFS	Acres	Non-irr. Permitted/ Estimated Vol. (ac-ft/yr)
6662-3	VANNORSDEL'S DAIRY	09/16/2008	n/a	LC	COM/DOM /LCO	0.134	n/a	97.1*
8488-3	BRETT PETERSEN	02/08/2021	n/a	PE	IRR	1.78	80	n/a
8585-3	ALLEN VANNORSDEL	01/21/2022	n/a	PE	IRR	2.22	156	n/a
8594-3	MERLIN VANNORSDEL	02/11/2022	n/a	PE	IRR	2.22	156	n/a
8763-3	B & K Dairy Farms LLC	05/23/2023	03/06/24	DF	COM	1.11	n/a	480
8817-3	Merlin Vannorsdel	01/11/2024	05/08/24	DF	IRR	n/a	91	n/a
TU= Turner, LC= Water Right, PE= Water Permit, DF= Deferred, MUN= Municipal, IRR= Irrigation, COM= Commercial, DOM= Domestic, LCO= Livestock Confinement Operation, *= 100% full time pumping; **= if approved						***TOTAL***	***557.1***	

The Water Management Board considered the delivery of water by artesian head pressure versus maximum beneficial use during the issuance of Water Right No. 2313-2 for Coca-Cola Bottling Company of the Black Hills (Water Rights, 1995). The Board adopted the Findings of Fact and Conclusions of Law that noted the reservation of artesian head pressure for delivery of water would be inconsistent with SDCL 46-1-4 which states, "general welfare requires that the water resources of the state be put to beneficial use to the fullest extent of which they are capable…" (Water Rights, 1995). Furthermore, the Water Management Board found if increased cost or decreased production as a result of impacts on artesian head pressure by legitimate users is to be considered as an unlawful impairment, it would also conflict with SDCL 46-1-4 (Water Rights, 1995). Observation well TU-77S is located within approximately 1.5 miles of four water rights/permits with high capacity, greater than 0.2 cfs, wells. Observation well TU-77S, hydrograph shown in Figure 3, is 146 feet deep with a depth to top of aquifer of 112 feet but a smaller gravel section from 56 to 61 feet below grade (SDGS, 2026; Water Rights, 2026b). The static water level measured in the well ranges from 7 to 47 feet below ground surface. That means at the lowest recorded water level, there was still approximately 65 feet of artesian head pressure above the top of the aquifer.



Figure 2- Hydrograph of all UVM:W observation well data (Water Rights, 2026b)

A review of the Turner County complaint file showed one complaint filed regarding potential well interference from wells completed into the UVM:W aquifer (Water Rights, 2026a). In July 2022, a well owner with a well located in Sec. 6-T97N-R53W, approximately three miles northwest of the well site for this application and 1.4 miles south of observation well TU-77S, stated the well was not pumping water for his cattle. No well completion report was found for the well; however, it was reported as 7 to 15 years old so a well completion report should have been filed. The well owner believed the well to be 160 feet deep with a pump setting of 60 feet. The well owner stated the well had pumped all winter and spring but had ceased pumping in the past 2-3 weeks. Review of the hydrograph for TU-77S showed the static water level at that time was approximately 40 feet below grade and had a similar surface elevation as the non-pumping well. The nearest appropriative pumping was under Water Permit No. 7633-3 approximately 1.3 miles northeast of the non-pumping well. The non-pumping well is located near the mapped edge of the aquifer and possibly has greater than expected drawdown when pumping. Based on the available information, it was determined the non-pumping well was not unlawfully impaired by appropriative pumping in the area.

There was a notable decline of artesian head pressure in both TU-77S and TU-77T (see Figure 2), the water levels have stabilized since 2023 without dewatering of the actual aquifer material at those locations. However, some existing well owners may need to lower pumps depending on the specific characteristics of the UVM:W aquifer at their location to ensure their pump is at least 20 feet below the top of the saturated aquifer. When considering the statutes (SDCL 46-1-4 and 46-6-6.1), rule (ARSD 74:02:04:20(7)), the amount of artesian head pressure at the proposed well site for this application (65 to 100 feet based on TU-77S and the applicant's well completion reports), and the lack of substantiated well interference complaints in the area of this application from the UVM:W aquifer, there is a reasonable probability that any drawdown created by using this proposed diversion will not cause an unlawful impairment on existing water rights/permits with adequate wells or adequate domestic wells.

CONCLUSIONS:

1. Water Permit Application No. 8584A-3 proposes to amend Water Permit No. 8584-3 by changing the location of the irrigated acres and diversion point, with no increase to the number of irrigated acres or diversion rate authorized by Permit No. 8584-3. Water Permit No. 8584-3 appropriates 2.22 cubic feet of water per second (cfs) from one well to be completed into the Upper Vermillion Missouri: West aquifer (approximately 189 feet deep) located in the E ½ SE ¼ Sec. 35-T97N-R53W for irrigation of 156 acres located in the NE ¼ Sec. 2-T96N-R53W. This application proposes to relocate all 156 acres from the NE ¼ Sec. 2-T96N-R53W to the NW ¼ Sec. 21-T97N-R53W, which is approximately four miles northwest of their current location. The application also proposes to change the diversion point location, allowing for use of an existing well authorized by Water Permit No. 8585-3 and completed into the same aquifer (242 feet deep) located in the SE ¼ SW ¼ Sec. 16-T97N-R53W. This application to amend Water Permit No. 8584-3 does not authorize any increase in either the 2.22 cfs diversion rate or 156 acres authorized by Water Permit No. 8584-3.

2. Since there is no change in total acres to be irrigated or authorized diversion rate, there will be no change in appropriation.

3. There is a reasonable probability that the relocation of the diversion point for this application and increased diversion rate authority at the new well site will not unlawfully impair existing water rights/permits with adequate wells or adequate domestic wells.

Adam Mathiowetz, PE
SD DANR-Water Rights Program

REFERENCES:

Buhler, K.A. 2014. Report to the Chief Engineer on 21 Water Permit Applications from the Upper Vermillion Missouri Aquifer. Report in file for Water Permit No. 7715-3. SD DANR-Water Rights Program. Pierre, SD.

Buhler, K.A. 2012. Report to the Chief Engineer on Water Permit Application No. 7441-3 & 7442-3, Gary or Julie Peterson; Water Permit Application No. 7452-3 , Jerome Hult; Water Pe1mit Application No. 7466-3, Bethel Hagen Trust; Water Permit Application No. 7467-3 & 7468-3, Cleland Hagen Trust; and Water Permit Application No. 7535-3 Donald D Benson, December 11, 2012: SD DANR- Water Rights Program. Pierre, SD.

Holmes, S.L. and Filipovic, D. 2015. Hydrogeologic Investigation of the Upper-Vermillion-Missouri Aquifer. Open-File Report 93-UR. SD DANR-Geological Survey. Vermillion, SD.

Mathiowetz, A.W. 2026. Report to the Chief Engineer on Water Permit Application No. 8961-3 January 2026. SD DANR-Water Rights Program. Pierre, SD.

Mathiowetz, A.W. 2023. Report to the Chief Engineer on Water Permit Application No. 8797-3 December 01, 2023. SD DANR-Water Rights Program. Pierre, SD.

SDGS. 2026. SDGS Interactive Map, Lithologic Logs Data Layer. Accessed: January 10, 202. SD DANR-Geological Survey. Vermillion, SD. <https://usd.maps.arcgis.com/apps/webappviewer/index.html?id=e54c5063b19c49629560a86a7be2eb3d >

Vinke, A. 2025. *Personal Communications with Water Rights Program Staff.* SD DANR-Geological Survey Program Environmental Scientist II. December 2025.

Water Rights. 2026a. County Files. SD DANR-Water Rights Program, Joe Foss Bldg., Pierre, SD

Water Rights. 2026b. Observation Well Files. SD DANR-Water Rights Program, Joe Foss Bldg., Pierre, SD.

Water Rights. 2026c. Water Right/Permit Files. SD DANR-Water Rights Program, Joe Foss Bldg., Pierre, SD.

Water Rights. 2026d. Well Completion Reports. SD DANR-Water Rights Program, Joe Foss Bldg., Pierre, SD.

Water Rights. 1995. Water Rights File No. 2313-2 Coca-Cola Bottling Company of the Black Hills. SD DANR-Water Rights Program. Pierre, SD.

Rodriguez, Rachel

From: Dewell, Amanda
Sent: Friday, November 7, 2025 2:28 PM
To: Shawn Vannorsdel; Rodriguez, Rachel; Mathiowetz, Adam (DENR)
Subject: RE: [EXT] Application to amend water permit

Shawn, we've received you application and supplemental information. Once the fees have been received we will begin processing the application.

Thank you,

Amanda Dewell
DANR - Water Rights Program
Permitting Administrator
Main Phone: 605 773-3352
Website: danr.sd.gov

From: Shawn Vannorsdel <svannorsdel1@gmail.com>
Sent: Friday, November 7, 2025 2:22 PM
To: Rodriguez, Rachel <Rachel.Rodriguez@state.sd.us>; Mathiowetz, Adam (DENR) <Adam.Mathiowetz@state.sd.us>; Dewell, Amanda <Amanda.Dewell@state.sd.us>
Subject: [EXT] Application to amend water permit

Attached are the supporting documents that you requested to amend permit 8584-3. Please let me know if you need anything else. I will mail out the originals along with the check today. Thank you.

Shawn Vannorsdel

Rodriguez, Rachel

From: Shawn Vannorsdel <svannorsdel1@gmail.com>
Sent: Thursday, October 30, 2025 9:03 AM
To: Mathiowetz, Adam (DENR)
Cc: Dewell, Amanda; Duvall, Ron; Rodriguez, Rachel
Subject: Re: [EXT] water permit #8584-3
Attachments: IMG_5018.png; IMG_5017.jpeg

Amanda, attached are photos of the quarter that I would like to transfer my existing permit to. The legal description is as follows. My father Allen Vannorsdel owns the W1/2 of the NW 1/4 of Section 21-R53-Twp97. Jerome Edelman owns the E1/2 of Sec 21-53-97. This is located in Swan Lake Township. We will utilize the existing well as described in the conversation below. Please let me know if you need anything else.
Thank you. Shawn Vannorsdel

On Fri, Sep 26, 2025 at 10:45 AM Mathiowetz, Adam (DENR) <Adam.Mathiowetz@state.sd.us> wrote:

Shawn,

Just to make sure everyone is on the same page, your intent is to transfer the acres to be irrigated and the diversion rate authority, how fast you can pump water, from the location of Water Permit No. 8584-3 approximately 4 miles northwest to the location of Water Permit Npo. 8585-3 by Swan Lake. You also intend to use the well 8585-3 already uses increase the diversion rate it already pumps by the amount currently authorized by 8584-3. Furthermore, you and Allen Vannorsdel do not currently own all the land at the new location you would like to irrigate. Both permits are for withdrawal from the Upper Vermillion Missouri: West aquifer so that will not be an issue.

To transfer these acres and the diversion rate authority will take a new application. The exact details of what needs to be provided on the application should be discussed with Amanda or Ron.

Adam Mathiowetz, PE

Engineer, Water Rights Program

Department of Agriculture and Natural Resources

523 E. Capitol Ave. Pierre SD, 57501

605.773.3352

danr.sd.gov

From: Shawn Vannorsdel <svannorsdel1@gmail.com>
Sent: Wednesday, September 17, 2025 8:16 AM
To: Mathiowetz, Adam (DENR) <Adam.Mathiowetz@state.sd.us>
Subject: [EXT] water permit #8584-3

Adam, I have a couple of questions about amending this permit and moving it to another farm. Please call me when you have a chance. 605-660-1469 Thanks.

Shawn Vannorsdel

DEPARTMENT of AGRICULTURE and NATURAL RESOURCES
JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

NOTE: TO BE SURE OF PUBLICATION ON THE CORRECT DATES, CONTACT THE NEWSPAPERS RIGHT AWAY.

January 26, 2026

Allen Vannorsdel
45515 288th Street
Viborg SD 57070

Dear Mr. Vannorsdel:

Water Permit Application No. 8584A-3 for irrigation use have been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the New Era printed at Parker SD (Ph # 605 297-4419) and the Argus Leader printed at Sioux Falls SD (see attachment for contact number). You will need to contact the newspapers and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Acting Chief Engineer and report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspapers to authorize publication of your Notice and to arrange for payment. Early contact with the papers can eliminate delays. Upon receiving authorization from you, the publishers have been instructed to publish your notice. The newspapers have also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Rachel Rodriguez

Rachel Rodriguez
Water Rights Program
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Acting Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

Instruction to Newspaper - Publish the Notice on February 5, 2026. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 8584A-3 to Amend Water Permit No. 8584-3

Notice is given that Allen Vannorsdel, 45515 288th Street, Viborg SD 57070, has filed an application to amend Water Permit No. 8584-3 by changing the location of the irrigated acres and diversion point, with no increase to the number of irrigated acres or diversion rate authorized by Permit No. 8584-3. Water Permit No. 8584-3 appropriates 2.22 cubic feet of water per second (cfs) from one well to be completed into the Upper Vermillion Missouri: West Aquifer (approximately 189 feet deep) located in the E 1/2 SE 1/4 Section 35-T97N-R53W for irrigation of 156 acres located in the NE 1/4 Section 2-T96N-R53W. The applicant proposes to relocate all 156 acres from the NE 1/4 Section 2-T96N-R53W to the NW 1/4 Section 21-T97N-R53W. This application also proposes to change the diversion point location, allowing for use of an existing well (242 feet deep), completed into the same aquifer, located in the SE 1/4 SW 1/4 Section 16-T97N-53W, authorized by Water Permit No. 8585-3. This application to amend Water Permit No. 8584-3 does not authorize any increase in either the 2.22 cfs diversion rate, or 156 irrigated acres, authorized by Water Permit No. 8584-3. This site is located approximately three miles northwest of Viborg SD.

Pursuant to SDCL 46-2A-2, the Acting Chief Engineer recommends APPROVAL of Application No. 8584A-3 because 1) the proposed diversion can be developed without unlawful impairment of existing domestic water uses and water rights, 2) the proposed use is a beneficial use and 3) it is in the public interest as it pertains to matters of public interest within the regulatory authority of the Water Management Board. The Acting Chief Engineer's recommendation with qualifications, the application, and staff report are available at https://danr.sd.gov/public or contact Ron Duvall for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing this application or recommendation shall allege that the application, upon approval, will cause injury to the person that is unique from any injury suffered by the public in general. The injury must concern a matter either within the regulatory authority found in SDCL 46-2A-9 for approval or denial of the application, or other matter concerning the application within the regulatory authority of the board to act upon as defined by SDCL 46-2-9 and 46-2-11, or both. Any person meeting the petitioner requirements and wishing to be a party of record in a contested case hearing shall file a written petition to oppose the application with BOTH the applicant and Acting Chief Engineer. A petition opposing the application shall be filed on a form provided by the Acting Chief Engineer. The petition form is available online at https://danr.sd.gov/public or by contacting the Acting Chief Engineer. The Acting Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501" or call (605) 773-3352. The applicant's mailing address is given above. If contesting the Acting Chief Engineer's recommendation, the applicant shall also file a petition. A petition filed by either an interested person or the applicant must be filed by February 17, 2026.

The petition shall include a statement describing the unique injury upon approval of the application on the petitioner, the petitioner's reasons for opposing the application, and the name and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

Any interested person may file a comment on the application with the Acting Chief Engineer. The comment shall be filed on a form provided by the Acting Chief Engineer and is available online at https://danr.sd.gov/public or by calling (605) 773-3352 or writing the Acting Chief Engineer at the address provided above. Filing a comment does not make the commenter a party of record or a participant in any hearing that may be held. Any comment must be filed by February 17, 2026.

If the applicant does not contest the recommendation of the Acting Chief Engineer and no petition to oppose the application is received, the Acting Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled, and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Published once at the total approximate cost of_

Rodriguez, Rachel

From: Gannett Legals Public Notices 4 <ganlegpubnotices4@gannett.com>
Sent: Monday, January 26, 2026 9:44 AM
To: Rodriguez, Rachel
Cc: blanchevannorsdel@gmail.com
Subject: [EXT] 12030895 RE: 8584A-3 Allen Vannorsdel - Public Notice
Attachments: Order_Confirmation_Liners - 2026-01-26T104317.063.pdf

Hello!
Please find your order confirmation and proof of ad attached. Please note that prepayment is required.

Your ad is set to run in the Sioux Falls Argus Leader on 2/5. The total cost is $68.50 which includes an affidavit that will be sent 7-10 business days after the last day of the ad printing. Please email before 8am on Tuesday, 2/3 with any changes.

Please call 844-254-5287 by 2/2 @ noon **for PAYMENT of the ad in order to run.** Anyone who answers can help you. Please reference order# 12030895.

Thank you!
Kerri Furnace
Public Notice Representative
USA TODAY CO.
844-254-5287
National voice. Local strength. Subscribe TODAY.
#TeamUSATODAY
Tell my boss I rock HERE***!***

*NOTE: We are not legally trained, and it is your responsibility to make sure your ad meets the requirements of your State/Court which includes wording and publication times. Please verify all information is there and that it is correct. If your ad is not compliant with applicable law and needs to be re-published you will be responsible for all additional fees incurred.

From: Rodriguez, Rachel <Rachel.Rodriguez@state.sd.us>
Sent: Monday, January 26, 2026 10:14 AM
To: SFA-Legals mbx <allegals@appleton.gannett.com>
Subject: 8584A-3 Allen Vannorsdel - Public Notice

Attached is a notice to be published on February 5, 2026.

Allen Vannorsdel, 45515 288th Street, Viborg SD 57070, 605-660-4988, blanchevannorsdel@gmail.com has been notified to contact you to authorize publication and arrange for payment.

Please send the affidavit or return the attached Proof of Publication form ASAP to the Water Rights Program, Attn Rachel Rodriguez, 523 E Capitol Ave, Pierre SD 57501.

Let me know if you have questions. Please confirm receipt of this email.

Thank you,

USA TODAY NETWORK

Order Confirmation

Not an Invoice

Account Number:	1581178
Customer Name:	Vannorsdel Allen
Customer Address:	Vannorsdel Allen 45515 288th Street Viborg SD 57070
Contact Name:	Vannorsdel
Contact Phone:	
Contact Email:	
PO Number:	

Date:	01/26/2026
Order Number:	12030895
Prepayment Amount:	$ 0.00

Column Count:	1.0000
Line Count:	195.0000
Height in Inches:	21.4800

Print

Product	#Insertions	Start - End	Category
SFA SiouxFalls Argus Leader	1	02/05/2026 - 02/05/2026	Public Notices
SFA argusleader.com	1	02/05/2026 - 02/05/2026	Public Notices

Order Confirmation Amount	$68.50

Rodriguez, Rachel

From: Rodriguez, Rachel
Sent: Monday, January 26, 2026 9:13 AM
To: New Century Press
Subject: 8584A-3 Allen Vannorsdel - Public Notice
Attachments: 8584A-3 public.short_final.docx; FORM8.FRM.doc

Attached is a notice to be published on February 5, 2026.

Allen Vannorsdel, 45515 288th Street, Viborg SD 57070, 605-660-4988 has been notified to contact you to authorize publication and arrange for payment.

Please send the affidavit or return the attached Proof of Publication form ASAP to the Water Rights Program, Attn Rachel Rodriguez, 523 E Capitol Ave, Pierre SD 57501.

Let me know if you have questions. Please confirm receipt of this email.

Thank you,

Rachel Rodriguez
DANR | Program Assistant
Rachel.Rodriguez@state.sd.us

Rodriguez, Rachel

From: Rodriguez, Rachel
Sent: Monday, January 26, 2026 9:14 AM
To: legals@argusleader.com
Subject: 8584A-3 Allen Vannorsdel - Public Notice
Attachments: 8584A-3 public.short_final.docx; FORM8.FRM.doc

Attached is a notice to be published on February 5, 2026.

Allen Vannorsdel, 45515 288th Street, Viborg SD 57070, 605-660-4988, blanchevannorsdel@gmail.com has been notified to contact you to authorize publication and arrange for payment.

Please send the affidavit or return the attached Proof of Publication form ASAP to the Water Rights Program, Attn Rachel Rodriguez, 523 E Capitol Ave, Pierre SD 57501.

Let me know if you have questions. Please confirm receipt of this email.

Thank you,

Rachel Rodriguez
DANR | Program Assistant
Rachel.Rodriguez@state.sd.us

USA TODAY CO.

LocaliQ

PO Box 630567 Cincinnati, OH 45263-0567

AFFIDAVIT OF PUBLICATION

RECEIVED
FEB 18 2026
OFFICE OF WATER

Water Rights Program
Rachel Rodriguez
Water Rights Program
523 E Capitol Ave
Pierre SD 57501

STATE OF WISCONSIN, COUNTY OF BROWN

The Argus Leader, a daily newspaper published in the city of Sioux Falls, Minnehaha County, State of South Dakota, and personal knowledge of the facts herein state and that the notice hereto annexed was Published in said newspapers in the issue:

02/05/2026

and that the fees charged are legal.
Sworn to and subscribed before on 02/05/2026

Legal Clerk

Notary, State of WI, County of Brown

8-21-26

My commission expires

Publication Cost:	$68.50	
Tax Amount:	$0.00	
Payment Cost:	$68.50	
Order No:	12030895	# of Copies:
Customer No:	1581178	1
PO #:		

THIS IS NOT AN INVOICE!

Please do not use this form for payment remittance.

NICOLE JACOBS
Notary Public
State of Wisconsin

RECEIVED

FEB 18 2026

OFFICE OF WATER

NOTICE OF APPLICATION NO. 8584A-3 to Amend Water Permit No. 8584-3

Notice is given that Allen Vannorsdel, 45515 288th Street, Viborg SD 57070, has filed an application to amend Water Permit No. 8584-3 by changing the location of the irrigated acres and diversion point, with no increase to the number of irrigated acres or diversion rate authorized by Permit No. 8584-3. Water Permit No. 8584-3 appropriates 2.22 cubic feet of water per second (cfs) from one well to be completed into the Upper Vermillion Missouri: West Aquifer (approximately 189 feet deep) located in the E 1/2 SE 1/4 Section 35-T97N-R53W for irrigation of 156 acres located in the NE 1/4 Section 2-T96N-R53W. The applicant proposes to relocate all 156 acres from the NE 1/4 Section 2-T96N-R53W to the NW 1/4 Section 21-T97N-R53W. This application also proposes to change the diversion point location, allowing for use of an existing well (242 feet deep), completed into the same aquifer, located in the SE 1/4 SW 1/4 Section 16-T97N-53W, authorized by Water Permit No. 8585-3. This application to amend Water Permit No. 8584-3 does not authorize any increase in either the 2.22 cfs diversion rate, or 156 irrigated acres, authorized by Water Permit No. 8584-3. This site is located approximately three miles northwest of Viborg SD.

Pursuant to SDCL 46-2A-2, the Acting Chief Engineer recommends APPROVAL of Application No. 8584A-3 because 1) the proposed diversion can be developed without unlawful impairment of existing domestic water uses and water rights, 2) the proposed use is a beneficial use and 3) it is in the public interest as it pertains to matters of public interest within the regulatory authority of the Water Management Board. The Acting Chief Engineer's recommendation with qualifications, the application, and staff report are available at https://danr.sd.gov/public or contact Ron Duvall for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing this application or recommendation shall allege that the application, upon approval, will cause injury to the person that is unique from any injury suffered by the public in general. The injury must concern a matter either within the regulatory authority found in SDCL 46-2A-9 for approval or denial of the application, or other matter concerning the application within the regulatory authority of the board to act upon as defined by SDCL 46-2-9 and 46-2-11, or both. Any

person meeting the petitioner requirements and wishing to be a party of record in a contested case hearing shall file a written petition to oppose the application with BOTH the applicant and Acting Chief Engineer. A petition opposing the application shall be filed on a form provided by the Acting Chief Engineer. The petition form is available online at https://danr.sd.gov/public or by contacting the Acting Chief Engineer. The Acting Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501" or call (605) 773-3352. The applicant's mailing address is given above. If contesting the Acting Chief Engineer's recommendation, the applicant shall also file a petition. A petition filed by either an interested person or the applicant must be filed by February 17, 2026.

The petition shall include a statement describing the unique injury upon approval of the application on the petitioner, the petitioner's reasons for opposing the application, and the name and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

Any interested person may file a comment on the application with the Acting Chief Engineer. The comment shall be filed on a form provided by the Acting Chief Engineer and is available online at https://danr.sd.gov/public or by calling (605) 773-3352 or writing the Acting Chief Engineer at the address provided above. Filing a comment does not make the commenter a party of record or a participant in any hearing that may be held. Any comment must be filed by February 17, 2026.

If the applicant does not contest the recommendation of the Acting Chief Engineer and no petition to oppose the application is received, the Acting Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled, and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Published on February 5, 2026 at the total approximate cost of $68.50 and may be viewed free of charge at www.sdpublicnotices.com

RECEIVED

FEB 18 2026

OFFICE OF WATER

Form 8

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
) SS
County of Turner)

I, Amber D. Miller

certify that the attached printed Notice was taken from the New Era

printed and published in Parker

County of Turner and

state of South Dakota. The notice was published in the newspaper on the following date:

February 5, 2026

Cost of Printing 52.85

Amber D. Miller
(Signature)

office assistant
(Title)

02/06/26
(Date Signed)

NOTICE OF APPLICATION NO. 8584A-3 to Amend Water Permit No. 8584-3

Notice is given that Allen Vannorsdel, 45515 288th Street, Viborg SD 57070, has filed an application to amend Water Permit No. 8584-3 by changing the location of the irrigated acres and diversion point, with no increase to the number of irrigated acres or diversion rate authorized by Permit No. 8584-3. Water Permit No. 8584-3 appropriates 2.22 cubic feet of water per second (cfs) from one well to be completed into the Upper Vermillion Missouri: West Aquifer (approximately 189 feet deep) located in the E 1/2 SE 1/4 Section 35-T97N-R53W for irrigation of 156 acres located in the NE 1/4 Section 2-T96N-R53W. The applicant proposes to relocate all 156 acres from the NE 1/4 Section 2-T96N-R53W to the NW 1/4 Section 21-T97N-R53W. This application also proposes to change the diversion point location, allowing for use of an existing well (242 feet deep), completed into the same aquifer, located in the SE 1/4 SW 1/4 Section 16-T97N-53W, authorized by Water Permit No. 8585-3. This application to amend Water Permit No. 8584-3 does not authorize any increase in either the 2.22 cfs diversion rate, or 156 irrigated acres, authorized by Water Permit No. 8584-3. This site is located approximately three miles northwest of Viborg SD.

Pursuant to SDCL 46-2A-2, the Acting Chief Engineer recommends APPROVAL of Application No. 8584A-3 because 1) the proposed diversion can be developed without unlawful impairment of existing domestic water uses and water rights, 2) the proposed use is a beneficial use and 3) it is in the public interest as it pertains to matters of public interest within the regulatory authority of the Water Management Board. The Acting Chief Engineer's recommendation with qualifications, the application, and staff report are available at https://danr.sd.gov/public or contact Ron Duvall for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing this application or recommendation shall allege that the application, upon approval, will cause injury to the person that is unique from any injury suffered by the public in general. The injury must concern a matter either within the regulatory authority found in SDCL 46-2A-9 for approval or denial of the application, or other matter concerning the application within the regulatory authority of the board to act upon as defined by SDCL 46-2-9 and 46-2-11, or both. Any person meeting the petitioner requirements and wishing to be a party of record in a contested case hearing shall file a written petition to oppose the application with BOTH the applicant and Acting Chief Engineer. A petition opposing the application shall be filed on a form provided by the Acting Chief Engineer. The petition form is available online at https://danr.sd.gov/public or by contacting the Acting Chief Engineer. The Acting Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501" or call (605) 773-3352. The applicant's mailing address is given above. If contesting the Acting Chief Engineer's recommendation, the applicant shall also file a petition. A petition filed by either an interested person or the applicant must be filed by February 17, 2026.

The petition shall include a statement describing the unique injury upon approval of the application on the petitioner, the petitioner's reasons for opposing the application, and the name and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

Any interested person may file a comment on the application with the Acting Chief Engineer. The comment shall be filed on a form provided by the Acting Chief Engineer and is available online at https://danr.sd.gov/public or by calling (605) 773-3352 or writing the Acting Chief Engineer at the address provided above. Filing a comment does not make the commenter a party of record or a participant in any hearing that may be held. Any comment must be filed by February 17, 2026.

If the applicant does not contest the recommendation of the Acting Chief Engineer and no petition to oppose the application is received, the Acting Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled, and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Published once at the total approximate cost of $52.85 and may be viewed free of charge at www.sdpublicnotices.com.

(N0205-1)

Rodriguez, Rachel

From: Rodriguez, Rachel
Sent: Monday, January 26, 2026 10:01 AM
To: 'blanchevannorsdel@gmail.com'
Subject: 8584A-3 Allen Vannorsdel - Public Notice
Attachments: 8584A-3 Rec.pdf; 8584A-3 Ltr.pdf; 8584A-3 PubNotice.pdf; ArgusLeader Info.pdf

Good morning,

Attached is a copy of the report, acting chief engineer's recommendation, and information regarding the public notice for your water permit application. As stated in the letter, please contact the paper(s) as soon as possible to authorize publication and arrange for payment. Please note that the Argus Leader requires prepayment by February 2, 2026, at noon. This information is also being mailed to you today.

Let me know if you have questions. Please confirm receipt of this email.

Thank you,

Rachel Rodriguez
DANR | Program Assistant
Rachel.Rodriguez@state.sd.us

DEPARTMENT of AGRICULTURE and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

MAR 1 1 2026

Allen Vannorsdel
45515 288th Street
Viborg SD 57070

Dear Mr. Vannorsdel:

Enclosed is Water Permit No. 8584A-3 authorizing construction of the water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *?Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Adam Mathiowetz, PE
Acting Chief Engineer
Water Rights Program

enclosures

DEPARTMENT of AGRICULTURE and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Affidavit of Public Notice Posting on DANR Website

Pursuant to SDCL § 46-2A-4, public notice of the following application was posted on the DANR web site at https://danr.sd.gov/public. The posted public notice is the same notice as published in the pertinent newspaper(s) and a copy of the public notice is maintained in the application file. If the application is contested, the posting is moved to the DANR contested case website at https://danr.sd.gov/public/ContestedCase.aspx until final action is taken on the application pursuant to SDCL § 46-2A-4.

Application No.: 8584A-3

Name of Applicant: Allen Vannorsdel

Date of Posting: 2/2/2026

Date of Removal: 3/11/2026

Amanda Dewell, Permitting Administrator

3/11/2026
Date

Subscribed and sworn to before me, a notary public, this 11th day of Mar, 2026.

Notary Public - South Dakota
My commission expires:

Rachel Rodriguez
My Commission Expires
May 16, 2029

(SEAL)

RACHEL RODRIGUEZ NOTARY Seal PUBLIC STATE OF SOUTH DAKOTA

Form 10

RECEIVED
JUN 01 2026
OFFICE OF WATER

NOTICE OF COMPLETION OF WORKS AND APPLICATION OF WATER TO BENEFICIAL USE

Date 5-26-26

TO: Water Rights Program, DANR
523 E. Capitol
Pierre, SD 57501-3181

FROM: Allen Vannorsdel
(name)
45515 288th St
(address)
Viborg, SD 57070
(city, state, zip)
605-660-4988
(phone)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 8584A-3 states that the water use system is to be constructed by 4/4/27 (date), and water is to be put to beneficial use by 4/4/31 (date).

The water use system was completed on 5/12/26 (date).

Applying the water to beneficial use was completed on 5/12/26 (date).

You may schedule an investigation so that the water license may be issued.

Allen Vannorsdel
(signature)

7-98

DEPARTMENT of AGRICULTURE and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

June 1, 2026

8584A-3

Allen Vannorsdel
45515 288th St
Viborg, SD 57070

Dear Mr. Vannorsdel:

I am writing to acknowledge receipt of the "Notice of Completion of Works" form that you sent in to let us know that you are completed with your water use system.

The system is now ready for inspection. Inspections are done on a county-by-county basis as staff time permits. You have done everything you need to do and the intervening time between the completion of your project and the staff inspection has no bearing on your water permit.

Someone from our office will contact you prior to the inspection to set up a time that is convenient for you. If you have any questions, please contact me.

Sincerely,

Shannon Konst

Shannon Konst
Water Rights Program
(605) 773-3352
email: Shannon.konst@state.sd.us