

WATER PERMIT NO. 8663-3

Name of Applicant: Chad Boomgarden

Address: 28453 460th Ave, Davis SD 57021

Phone: 605 214-0204

Amount of Water Claimed: 1.78 cfs

Total Acres: 60

Source of Water Supply: groundwater (1 well)

Water to be used for: irrigation

County: Turner

Type of Waste Disposal System:

Location: 1/2 mile west of Davis SD

PRIORITY

Date Received: 8-30-22

Application/License Fee: \$700

Corrected Application Received: 9-22-22

Period of Annual Use: April 1 – Oct 31


Remarks: Requesting a diversion rate greater than statutory limit

Diversion Point: NE 1/4 SE 1/4 Sec 32-T98N-

R52W

Land to be Irrigated: E 1/2 SE 1/4 Sec 32-T98N-

R52W



Depth of Well: 50 feet

Well Driller:

Remarks:

Type of Map: aerial

Prepared by:

Reviewed and the Number Assigned on: 9-22-22

By: Karen Schlaak

Notice of Hearing - date to intervene: _____

**SOUTH DAKOTA
WATER PERMIT NO. 8663-3**

Date of first receipt of application August 30, 2022.

Date of return to applicant for corrections, amendments or changes September 6, 2022.

Date of receipt of corrected application September 22, 2022.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 8663-3 to Chad Boomgarden, 28453 460th Ave, Davis SD 57021 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 8663-3 appropriates 1.78 cubic feet of water per second (cfs) from one well to be completed into the Parker Centerville Aquifer (approximately 50 feet deep) located in the E 1/2 SE 1/4 Section 32 for irrigation of 60 acres located in the E 1/2 SE 1/4 Section 32; all in T98N-R52W. This site is located approximately one-half mile west of Davis SD.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 – October 31.
3. The date from which applicant may claim right is August 30, 2022.
4. The date of approval of Permit No. 8663-3 is December 19, 2022.
5. One-fifth of the construction is to be completed on or before June 19, 2025.
6. All construction is to be completed on or before December 19, 2027.
7. Water is to be put to beneficial use on or before December 19, 2031.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under Water Permit No. 8663-3 is located near domestic wells and other wells which may obtain water from the same aquifer. Water withdrawals shall be controlled so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 8663-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. Pursuant to SDCL 46-5-6 which allows a greater diversion rate if the method of irrigation, time constraints, or type of soils so requires, Permit No. 8663-3 authorizes a maximum diversion rate of 1.78 cfs for the irrigation of 60 acres with an annual volume not to exceed 2 acre feet of water per acre per year.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Eric Gronlund
Eric Gronlund, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JAN 19 2023

date



FORM 2: Application for irrigation in South Dakota
(type or print)

RECEIVED

AUG 30 2022

OFFICE OF
WATER

Mail to: SD DANR, Water Rights 523 E Capitol Ave Pierre, SD 57501-3182 ph. (605) 773-3352	No. <u>8663-3</u> Hydrologic Unit <u>10170102</u> Basin <u>Vermillion R</u> Newspaper <u>Turner Co. New Era</u> <u>August Leader</u> (office use only)
---	---

Application for Permit to Appropriate Water for Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

1. Name to Appear on Irrigation Permit Chad Boomgarden

Note: The "Name to Appear on Irrigation Permit" must be the name in which the property to be irrigated is held in.

Mailing Address 28453 460th ave Davis SD 57021
(Address) (City) (State) (Zip Code)
Phone _____ Mobile 605-214-0204 Email boomer99-99@hotmail.com

2. Amount of water claimed 1.78 *CFS or 800 **GPM _____ ***AF Total Acreage 60
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable)

3. Source of water supply Parker Centerville Aquifer

4. Location of point of diversion 1 well. SE 1/4 SE 1/4 of sec 32 T98N R52W
NE (example - 3 wells in SW 1/4 NE 1/4 section 12, T104N, R53W)
County Turner

5. County or counties where water will be used Turner

6. Annual period during which water is to be used April 1st - October 31st

7. List below each forty-acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

NE	Land Description	Acres	Land Description	Acres
SE 1/4 SE 1/4	Sec 32-T98N-R52W	30		
SE 1/4 SE 1/4		30		

8. Give a description of the project. (Attach sheet if more space is needed)

New well for Irrigation.

Requesting diversion rate greater than statutory limit.

I, Chad Boomgarden, the applicant, certify under
Name of Person Title (if applicable)

penalty of perjury that I have read this application, examined the attached map, and that the matters stated are true. I further certify, if acting on behalf of an entity or individual other than myself, that I am authorized to submit this application.

Supplemental Information

(type or print)

1. Well Information (check one or both as applicable)

☒ Drilling new well(s) ☐ Using existing well(s)

- a) If new wells, how many 1 Have test holes been drilled? ☐ Yes ☒ No Drilled by _____
(If yes, please provide copies of logs)
- b) If existing wells, how many _____ Provide copy of log(s), if available. Drilled by _____

For either existing or proposed wells:

- c) Well Depth (required) 50 ft Depth to Top of Water Bearing Material _____ Depth to Water from Surface _____
- d) Distance to nearest domestic well on applicant's property no well Property owned by others 1 mile

2. Wastewater Disposal System Information

- a) Type of System (i.e. septic tank, drain field) _____
- b) System Capacity (gallons) _____ Year Constructed _____
- c) Connected to the City of _____ Sanitary System


3. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:



- b) Freeboard _____
- c) Crest Width _____
Crest Length _____
- d) Height _____
- e) Primary Outlet Capacity _____
If pipe, diameter _____
- f) Secondary Spillway Capacity _____
Spillway Width _____
- g) X & Y Slope (e.g. 3 to 1 is a typical slope)
Upstream _____
Downstream _____
- h) Area of Impoundment _____
- i) Storage _____ Acre Feet
- j) Drainage Area Above Dam _____ Acres

98N 52W
Section: 30

98N 52W
Section: 29

98N 52W
Section: 28

98N 52W
Section: 31

98N 52W
Section: 32

98N 52W
Section: 33

97N 52W
Section: 06

97N 52W
Section: 05

97N 52W
Section: 04



RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Agriculture and Natural Resources

Date September 22, 2022

RECEIVED OF Michelle/Chad Boomgarden 28453 460th Ave., Davis SD 57021

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>8663-3</u> to Appropriate Water, to construct and to put water to beneficial use	\$ <u>500.00</u>
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$ _____
Fee to retain Future Use Permit No. _____ after period of seven years.	\$ _____
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>8663-3</u>	\$ <u>200.00</u>
Fee for Filing Transfer Form _____	\$ _____
Fee for _____	\$ _____
Fee for Issuing New Well Driller's License No. _____	\$ _____
Fee for Renewal of Well Driller's License No. _____	\$ _____
Fee for Issuing Well Pump Installer's License No. _____	\$ _____
Fee for Renewal of Well Pump Installer's License No. _____	\$ _____
(Any Other Work Provided by Law)	TOTAL
	\$ <u>700.00</u>

By *Eric Gronlund*
Chief Engineer
VM

Schlaak, Karen

From: Schlaak, Karen
Sent: Wednesday, September 14, 2022 1:01 PM
To: Davis Fire
Subject: RE: [EXT] Permit

Chad,
If you want to keep the process going, you can submit the information requested in my letter. If it turns out water is not available, you can withdraw the application (prior to public notice) and the application fee will be refunded to you. FYI - Once the application is complete, we have 60 days to prepare a report and recommendation and then proceed with the public notice.
Karen

-----Original Message-----

From: Davis Fire <boomer99-99@hotmail.com>
Sent: Tuesday, September 13, 2022 10:36 AM
To: Schlaak, Karen <Karen.Schlaak@state.sd.us>
Subject: [EXT] Permit

I am still planning on sending a map and a check. I seemed to have put the cart before the horse. My well man was supposed to be out to test drill 2 weeks ago. I know there is water there, just don't want to bet \$700 that there is. Thank you for your patience.

Chad Boomgarden.

Sent from my iPhone



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

September 6, 2022

Chad Boomgarden
28453 460th Ave
Davis SD 57021

Dear Mr. Boomgarden:

Thank you for submitting the *Application for a Permit to Appropriate Water* for irrigation in Turner County. In order to complete the application, the following is required.

- A map needs to be submitted that references a government section corner or quarter corner including section, township and range. For your use, I have attached a map with those designations. Please outline the acres to be irrigated and mark the proposed well location with an "X".
- Also, the application states 30 acres will be located in the SE 1/4 SE 1/4 and another 30 acres will be located in the SE 1/4 SE 1/4. I am assuming that one of those designations should be the NE 1/4 SE 1/4; all in Section 32. When you return the map, I will change the application accordingly.
- The application/license fee for irrigation of 60 acres is \$700.00.

If you have any questions, please contact me.

Sincerely,

Karen Schlaak

Karen Schlaak
Water Rights Program
605 773-3352
karen.schlaak@state.sd.us

enclosure



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 8663-3, Chad Boomgarden**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Agriculture and Natural Resources concerning Water Permit Application No. 8663-3, Chad Boomgarden, 28453 460th Avenue, Davis SD 57021.

The Chief Engineer is recommending APPROVAL of Application No. 8663-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing domestic water uses and water rights, 3) the proposed use is a beneficial use and 4) it is in the public interest as it pertains to matters of public interest within the regulatory authority of the Water Management Board with the following qualifications:

1. The well approved under Water Permit No. 8663-3 is located near domestic wells and other wells which may obtain water from the same aquifer. Water withdrawals shall be controlled so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The well authorized by Permit No. 8663-3 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. Pursuant to SDCL 46-5-6 which allows a greater diversion rate if the method of irrigation, time constraints, or type of soils so requires, Permit No. 8663-3 authorizes a maximum diversion rate of 1.78 cfs for the irrigation of 60 acres with an annual volume not to exceed 2 acre feet of water per acre per year.
4. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Eric Gronlund, Chief Engineer
November 30, 2022

**Report to the Chief Engineer on
Water Permit Application No. 8663-3**

Chad Boomgarden
25 October 2022

Water Permit Application No. 8663-3 seeks to appropriate 1.78 cubic feet of water per second (cfs) from one new well completed into the Parker Centerville aquifer (approximately 50 feet deep) in the E ½ SE ¼ Section 32 for irrigation of 60 acres located in the E ½ SE ¼ Section 32; all in T98N-R52W. The applicant is requesting a diversion rate greater than the statutory limit of 1 cfs per 70 acres. This site is located on the west edge of the city limits of Davis, South Dakota.

Aquifer: Parker-Centerville (PAC)

Hydrogeologic Characteristics

The Parker-Centerville aquifer is a sand and gravel outwash that was deposited in an ancient riverbed during the Quaternary geologic period [1]. The aquifer can generally be encountered within 50 feet of ground surface, with water levels typically within 30 feet of ground surface [2]. Multiple estimates of the area and boundaries of the Parker-Centerville aquifer are available. The first report on the Parker-Centerville aquifer mainly interpreted aquifer boundaries by visual survey of the landscape [3]. That study is likely to be the source used by Hedges et al. [4], although they do not explicitly list sources for county-level aquifer information in their report. The boundary interpreted by Hedges et al. [4] was used by the Water Rights Program until 2015, when it was superseded by a boundary interpreted by Holmes and Filipovic [1]. Lindgren and Hansen [5] also published a county study including boundaries for the Parker-Centerville aquifer that do not agree with Hedges et al. [4] or Holmes and Filipovic [1]. Based on where water rights/permits are interpreted as belonging to the Parker-Centerville aquifer, it does not appear that the boundaries interpreted by Lindgren and Hansen [5] were consistently used by the Water Rights Program [6]. Other geological information available in the form of lithologic logs [7], well completion reports [8], and a map of the first occurrences of aquifer materials in Turner County [9] indicates the boundaries of the Parker-Centerville aquifer may be wider than the area interpreted by Holmes and Filipovic [1]. For this report, the boundaries interpreted by Holmes and Filipovic [1] will be used, since they are the boundaries most recently accepted by the Water Management Board.

The Parker-Centerville aquifer primarily underlies the Vermillion River valley, with an approximate areal extent of 40,270 acres in Clay, Lincoln, and Turner Counties [1]. The northern boundary of the Parker-Centerville aquifer is in hydraulic connection to the Vermillion East Fork, Montrose and Vermillion West Fork aquifers, which are made of the same material at the same elevation as the Parker-Centerville aquifer [5] [7] [8]. The Parker-Centerville aquifer directly overlies portions of the Upper Vermillion-Missouri aquifer [1], and the two aquifers both blend into the Lower Vermillion-Missouri aquifer to the south [4] [8]. The Parker-Centerville aquifer also has some hydrologic connection to the Vermillion River [1] and possibly other surface water features. Generally, the direction of groundwater movement in the Parker-Centerville aquifer is from north to south [2].

The applicant did not submit a well completion report or test hole log with their application, but sufficient information is available to analyze the requirements of this report. A lithologic log

located approximately 0.23 miles south of the applicant's proposed well location indicates the presence of sand and gravel from 9 to 35 feet below grade [7]. Sand and gravel at those depths is typical of the Parker-Centerville aquifer, although it is thinner than most of the aquifer [2]. The proposed well is on the edge of the aquifer [1] [7] so it may have difficulty achieving the pump rate requested with a single well.

Applicable South Dakota Codified Law

Pursuant to SDCL 46-2A-9, a permit to appropriate water may be issued if there is reasonable probability that there is unappropriated water available for the applicant's proposed use, that the proposed diversion can be developed without unlawful impairment of existing domestic water uses and water rights, and that the proposed use is a beneficial use and in the public interest as it pertains to matters of public interest within the regulatory authority of the Water Management Board. This report will only assess the availability of water and possibility of developing this application without unlawful impairment of existing domestic water uses and water rights.

Pursuant to SDCL 46-6-3.1, no application to appropriate groundwater may be approved if, according to the best information reasonably available, it is probable that the quantity of water withdrawn annually from a groundwater source will exceed the quantity of the average estimated annual recharge of the water to the groundwater source. An exception allows water distribution systems to withdraw from groundwater sources older or stratigraphically lower than the Greenhorn Formation regardless of the results of a hydrologic budget. The applicant is not a water distribution system as defined in SDCL 46-1-6(17). The Parker-Centerville aquifer is younger and stratigraphically higher than the Greenhorn Formation. Therefore, it is necessary to find that recharge exceeds withdrawals to approve this application.

Pursuant to SDCL 46-5-6 the amount of water diverted may not exceed 1 cfs per 70 acres irrigated, but also provides that the "Water Management Board may allow a greater diversion, in volume or rate or both, if the method of irrigation, any time constraints on diversion of water, or the type of soil so requires." The applicant is requesting to divert more than 1 cfs per 70 acres for this application. The method of irrigation is a pivot that does not rotate in a full circle and requires the requested flow rate and associated pressure for the system to function. In the past, the Water Management Board has approved applications that request a higher diversion rate than the statutory limit for similar reasons.

Availability of Water

Hydrologic Budget

Recharge

Recharge to the Parker-Centerville aquifer is mainly by infiltration of precipitation and from surface water features when the stage of the surface water features is higher than the water level in the aquifer [3]. Hedges, Allen, and Holly [10] used observation well analysis to estimate that average annual recharge to the Parker-Centerville aquifer is 4.9 inches per acre. Multiplying the Hedges, Allen, and Holly [10] estimate of recharge over the most recent estimate of aquifer area [1], the estimated average annual recharge to the aquifer is 16,444 acre-feet per year (ac-ft/yr).

Discharge

Discharge from the Parker-Centerville aquifer is by evapotranspiration, groundwater outflow to aquifers that are hydrologically connected to the Parker-Centerville aquifer when the hydraulic head of the Parker-Centerville aquifer is higher than the hydraulic head of connected aquifers, outflow to surface water features when the hydraulic head of the aquifer is higher than the stage of the surface water, and by domestic and appropriative withdrawals [1] [5]. Due to their relatively low pump rate and the presence of water distribution systems, domestic withdrawals from the Parker-Centerville aquifer are negligible for this hydrologic budget. There are 150 water rights/permits authorized to withdraw from the Parker-Centerville aquifer and one future use permit reserving water in the aquifer [6]. The future use permit is for the City of Parker and also reserves water from the Vermillion West Fork aquifer [6]. The total reservation for that future use permit is 340 ac-ft/yr [6]. Of the water rights/permits authorized to withdraw, 146 are for irrigation, two are for municipal use, one is for industrial use, and one is for commercial use [6]. Irrigation reported over the period of record (1979-2021) is shown in Figure 1 [11]. The average irrigation reported over the entire period of record is 10,011 ac-ft/yr [11]. Due to changes in irrigation practices and increased acreage and permits, the average over the entire period of record may not be reflective of average withdrawals in the future. The average over the last 10 years of record is 10,772 ac-ft/yr [11]. Two irrigation permits are new enough that they have never submitted an irrigation questionnaire [6] [11]. They are assumed to apply 10 inches of water per year over the total of 300 acres authorized by both permits, for an estimated withdrawal of 250 ac-ft/yr.




Figure 1: Irrigation reported in the Parker-Centerville aquifer from 1979 through 2021 [11]

Of the four non-irrigation permits authorized to withdraw from the Parker-Centerville aquifer, two belong to the Town of Hurley, which purchases its water from another distribution system

[12]. The Town of Hurley retains its permits for emergency purposes and is assumed to withdraw a negligible amount of water for this hydrologic budget. The other two non-irrigation permits are required to report their annual withdrawals and are limited to a volume stated on their permits [6]. Permit No. 8358-3 is for a livestock feeding operation and has not reported any withdrawals in its four years reporting but may still place their water to beneficial use [13]. It is assumed to withdraw its permitted volume limit of 222 ac-ft/yr [6]. Permit No. 8428-3 is for dewatering a gravel mining operation [6] and reported a withdrawal of 186 ac-ft in 2021 [13], which is its only year of record so far. Their annual volume limit is 795 ac-ft/yr [6]. In the area of the Parker-Centerville aquifer, 2021 was a period of drought [14], so the withdrawal reported for Permit No. 8428-3 that year may be low compared to their average in the future. Therefore, it will also be assumed to withdraw its entire volume limit as listed on the permit.

Summary of Hydrologic Budget

Recharge to the Parker-Centerville aquifer is estimated to be 16,444 ac-ft/yr [1] [10]. Table 1 summarizes estimated withdrawals and reservations for the Parker-Centerville aquifer. The total withdrawals and reservations estimated is 12,379 ac-ft/yr. If approved, this application may withdraw up to 120 ac-ft/yr, although based on Water Rights Staff experience, it is rare for irrigators to use their full volume limit. Therefore, based on the hydrologic budget, there is reasonable probability unappropriated water is available for this application.

Table 1: Estimated withdrawals and reservations in the Parker-Centerville aquifer

Estimation type	Count	Estimated Use (ac-ft/yr)
Irrigation, reporting	144	10,772
Irrigation, too new to report	2	250
Standby	2	0
Volume Limited, too new to average	2	1,017
Subtotal, authorized to withdraw	150	12,039
Future use	1	340
Grand total	151	12,379

Observation Wells

Administrative Rule of South Dakota 74:02:05:07 requires the Water Management Board to consider the record of observation wells in addition to other information to determine the availability of unappropriated groundwater. The Water Rights Program maintains 22 observation wells completed into the Parker-Centerville aquifer [2]. The nearest observation well to this application is TU-80G, located 0.8 miles south of the proposed well [2]. The next nearest observation well to this application is TU-77J, located approximately 1.2 miles northwest of the proposed well [2]. Figure 2 shows water level elevations in those two wells [2]. In general, water levels rise during periods of higher-than-average precipitation and decline during periods of less-than-average precipitation [2] [14], indicating natural discharge occurs in the aquifer on average. Natural discharge is available for capture. Therefore, based on observation well water levels, there is a reasonable probability unappropriated water is available for this application.

Selected Water Rights Observation Wells




Figure 2: Water level elevations in selected Water Rights observation wells [2]

Possibility of Unlawful Impairment of Existing Water Rights

The nearest water right/permit to this application is Water Permit No. 7789-3, located approximately 0.4 miles west of the proposed well [6]. The nearest domestic well on file with the Water Rights Program to this application that is likely to be completed into the Parker-Centerville aquifer is located approximately 3 miles southeast of the proposed well [8]. The Water Rights Program has historically interpreted an unlawful impairment of existing water rights to occur if a junior water right/permit causes a nearby adequate well with a senior water right/permit to become unable to withdraw at the rate it is entitled to or, if a domestic well is impacted, a water right/permit causes an adequate domestic well to be unable to withdraw at the rate needed to supply reasonable domestic use of water. Administrative Rule of South Dakota (ARSD) 74:02:04:20(6) defines an adequate well as:

...a well constructed or rehabilitated to allow various withdrawal methods to be used, to allow the inlet to the pump to be placed not less than 20 feet into the saturated aquifer or formation material when the well is constructed, or to allow the pump to be placed as near to the bottom of the aquifer as is practical if the aquifer thickness is less than 20 feet

Precise drawdown due to this application cannot be known without an aquifer performance test. Since the Parker-Centerville aquifer is under unconfined conditions [2], drawdown would not extend as far from this application as it would in a confined aquifer. This application is near the edge of the Parker-Centerville aquifer [1] [7], and therefore boundary effects may impact its ability to access the requested diversion rate. There are no complaints on file with the Water Rights Program concerning potential well interference in adequate wells in the Parker-Centerville aquifer in Turner County [15]. Based on the lack of complaints and unconfined nature of the aquifer, as well as the distance of this application to the nearest water right/permit, there is reasonable probability this application can be developed without unlawful impairment of existing water rights.

Conclusions

1. Water Permit Application No. 8663-3 proposes to appropriate 1.78 cfs from one new well completed into the Parker Centerville aquifer in the E $\frac{1}{2}$ SE $\frac{1}{4}$ Section 32 for irrigation of 60 acres located in the E $\frac{1}{2}$ SE $\frac{1}{4}$ Section 32; all in T98N-R52W.
2. The applicant is requesting a diversion rate greater than the statutory limit of 1 cfs per 70 acres. This application is for a pivot that does not rotate in a full circle and requires the requested flow rate to function. In the past, the Water Management Board has approved applications that request a higher flow rate than the statutory limit for similar reasons.
3. Based on the hydrologic budget and observation well analysis, there is reasonable probability unappropriated water available for this application.
4. There is reasonable probability this application can be developed without unlawful impairment of existing water rights/permits and domestic uses.



Kimberly C. Drennon, E.I.
Natural Resources Engineer II, DANR Water Rights Program.

References

- [1] S. L. Holmes and D. Filipovic, "Hydrogeologic investigation of the Upper-Vermillion-Missouri aquifer," SD DANR Geological Survey Program, Vermillion, South Dakota, 2015.
- [2] SD DANR Water Rights Program, "Observation wells," Pierre, South Dakota, 2022.
- [3] M. J. Tipton, "Geology and hydrology of the Parker-Centerville outwash," SD DENR Geological Survey Program, Vermillion, South Dakota, 1957.
- [4] L. S. Hedges, S. L. Burch, D. L. Iles, R. A. Barari and R. A. Schoon, "Evaluation of ground-water resources eastern South Dakota and upper Big Sioux River. South Dakota and Iowa, Tasks 1-4," U.S. Army Corps of Engineers, Omaha, Nebraska, 1982.
- [5] R. J. Lindgren and D. S. Hansen, "Major aquifers in Hutchinson and Turner Counties, South Dakota," SD DENR Geological Survey Program, Vermillion, South Dakota, 1993.
- [6] SD Water Rights, "Water Right/Permit Files," Joe Foss Bldg., Pierre, South Dakota, 2022.
- [7] SD Geological Survey, "Lithologic logs," Vermillion, South Dakota, 2020.
- [8] SD DANR Water Rights Program, "Well completion reports," Pierre, South Dakota, 2022.
- [9] A. Jensen, "First occurrence of aquifer materials in Turner County, South Dakota," SD DENR Geological Survey Program, Vermillion, South Dakota, 2015.
- [10] L. S. Hedges, J. Allen and D. E. Holly, "Evaluation of ground-water resources eastern South Dakota and upper Big Sioux River - South Dakota and Iowa: Task 7: Ground water recharge," U.S. Army Corps of Engineers, Omaha, Nebraska, 1985.
- [11] SD DANR Water Rights Program, "Irrigation questionnaire summaries," SD DANR Water Rights Program, Joe Foss Bldg., Pierre, SD, 2021.
- [12] SD Drinking Water Program, "Town of Hurley Drinking Water Report," SD DENR Drinking Water Program, Joe Foss Bldg., Pierre, South Dakota, 2022.
- [13] SD DANR Water Rights Program, "Non-Irrigation Yearly Reports," SD DANR Water Rights Program, Joe Foss Bldg., Pierre, South Dakota, 2022.
- [14] NOAA, "Climate at a Glance: Divisional Time Series, South Dakota Division 9. Southeast," National Oceanic and Atmospheric Administration, 1 November 2022. [Online]. Available: <https://www.ncdc.noaa.gov/cag/>. [Accessed 16 November 2022].

[15] SD DANR Water Rights Program, "County files," SD DANR Water Rights Program, Joe Foss Bldg., Pierre, South Dakota, 2022.

Schlaak, Karen

From: Schlaak, Karen
Sent: Wednesday, November 30, 2022 1:57 PM
To: Davis Fire
Subject: Water Permit Application No. 8663-3
Attachments: 4485.pdf

Attached is a copy of the report, chief engineer recommendation and information regarding the public notice for your water permit application. As stated in the letter, please contact the paper(s) as soon as possible to authorize publication and arrange for payment. This information is being mailed to you today.

Karen Schlaak
DANR - Water Rights Program
(605) 773-3352
Website: <https://danr.sd.gov>



Argus Leader

P.O. Box 677349, Dallas, TX 75267-7349

RECEIVED

DEC 21 2022

OFFICE OF
WATER

Account No.: 6052140204CHAD

Ad No.: 0005507547

PO #:

Lines: 160

Ad Total: \$51.49

CHAD BOOMGARDEN
28453 460TH AVE
DAVIS, SD 57021

This is not an invoice

of Affidavits: 1

Account No.: 6052140204CHAD

Ad No.: 0005507547

Argus Leader AFFIDAVIT OF PUBLICATION


State of Wisconsin

County of Brown

I being duly sworn, says: That The Argus Leader is, and during all the times hereinafter mentioned was, a daily legal newspaper published at Sioux Falls, Minnehaha County, South Dakota; that affiant is and during all of said times, was an employee of the publisher of such newspaper and has personal knowledge of the facts stated in this affidavit; that the notice, order or advertisement, a printed copy of which is hereto attached, was published in said newspaper issue(s):

Thursday, December 8, 2022

Sworn to and subscribed before me this 21 day of December, 2022.




Legal Clerk



Notary Public, State of Wisconsin, County of Brown

7/27/25

My Commission expires



NOTICE OF
APPLICATION NO. 8663-3
to Appropriate Water

Notice is given that Chad Boomegarden, 28453 460th Ave, Davis SD 57021 has filed an application for a water permit to appropriate 1.78 cubic feet of water per second (cfs) from one well to be completed into the Parker Centerville Aquifer (approximately 50 feet deep) located in the E 1/2 SE 1/4 Section 32 for irrigation of 60 acres located in the E 1/2 SE 1/4 Section 32, all in T98N-R52W. The applicant is requesting a diversion rate greater than the statutory limit of 1 cfs per 70 acres. This site is located approximately one-half mile west of Davis SD.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 8663-3 with qualifications because 1) unappropriated water is available, 2) existing domestic water uses and water rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest as it pertains to matters within the regulatory authority of the Water Management Board. The Chief Engineer's recommendation with qualifications, the application, and staff report are available at <https://danr.sd.gov/public> or contact Ron Duval for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing this application or recommendation shall allege that the application, upon approval, will cause injury to the person that is unique from any injury suffered by the public in general. The injury must concern a matter either within the regulatory authority found in SDCL 46-2A-9 for approval or denial of the application, or other matter concerning the application within the regulatory authority of the board to act upon as defined by SDCL 46-2-9 and 46-2-11, or both. Any person meeting the petitioner requirements and wishing to be a party of record in a contested case hearing shall file a written petition to oppose the application with BOTH the applicant and Chief Engineer. A petition opposing the application shall be filed on a form provided by the Chief Engineer. The petition form is available online at <https://danr.sd.gov/public> or by contacting the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501" or call (605) 773-3352. The applicant's mailing address is given above. If contesting the Chief Engineer's recommendation, the applicant shall also file a petition. A petition filed by either an interested person or the applicant must be filed by December 19, 2022. The petition shall include a statement describing the unique injury upon approval of the application on the petitioner, the petitioner's reasons for opposing the application, and the name and mailing address of the petitioner or the petitioner's legal counsel. If legal counsel is obtained. Any interested person may file a comment on the application with the Chief

Engineer. The comment shall be filed on a form provided by the Chief Engineer and is available online at <https://danr.sd.gov/public> or by calling (605) 773-3352 or writing the Chief Engineer at the address provided above. Filing a comment does not make the commenter a party of record or a participant in any hearing that may be held. Any comment must be filed by December 19, 2022.

If the applicant does not contest the recommendation of the Chief Engineer and no petition to oppose the application is received, the Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled, and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition. Published Dec. 8, 2022, at the total approximate cost of \$31.49 and may be viewed free of charge at www.sdpublishnotices.com.

RECEIVED

DEC 20 2022

OFFICE OF
WATER

Affidavit of Publication

STATE OF SOUTH DAKOTA
COUNTY OF TURNER

I, Michelle Stewart, of the City of Parker, County of Turner, State of South Dakota being first duly sworn on oath, deposes and says: The New Era is a weekly legal newspaper of general circulation, printed and published in the City of Parker, in said County of Turner, by The New Era, New Century Press, publishers, and has been such legal newspaper during the times here in after mentioned; that the said newspaper has been in existence as such legal newspaper for more than one year prior to the publication of the notice here unto attached, and has during all of said publication of the notice herunto attached, and has during all of said time had, and now has, more than 200 bona fide subscribers; that the undersigned, the affiant, is the Office Manager of the said newspaper, in charge of the advertisement department thereof and has personal knowledge of all the facts stated in this affidavit and the advertisement headed:

N1208-5-Appropriate Water

once printed copy of hereto attached, is printed and published in the said newspaper for one successive week, one each week and on the same day of the week, on the following dates, to wit:

On Thursday, the 8th day of December 2022

That \$52.13 being the full amount of the fees for publication of the attached notices insure solely for the benefits of the publishers of the said newspaper, that no arrangement or understanding for a division thereof has been made with any other person and that no part thereof has been agreed to be paid to any other person whomsoever.


Michelle C Stewart

Subscribed and sworn to before me this 20th

Day of December 2022

Paul R Harms
Notary Public, Turner County, South Dakota

My Commission Expires: April 24, 2024



**NOTICE OF APPLICATION
NO. 8663-3 TO APPROPRIATE
WATER**

Notice is given that Chad Boomgarden, 28453 460th Ave, Davis S.D. 57021 has filed an application for a water permit to appropriate 1.78 cubic feet of water per second (cfs) from one well to be completed into the Parker Centerville Aquifer (approximately 50 feet deep) located in the E 1/2 SE 1/4 Section 32 for irrigation of 60 acres located in the E 1/2 SE 1/4 Section 32; all in T98N-R52W. The applicant is requesting a diversion rate greater than the statutory limit of 1 cfs per 70 acres. This site is located approximately one-half mile west of Davis S.D.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 8663-3 with qualifications because 1) unappropriated water is available, 2) existing domestic water uses and water rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest as it pertains to matters within the regulatory authority of the Water Management Board. The Chief Engineer's recommendation with qualifications, the application, and staff report are available at <https://danr.sd.gov/public> or contact Ron Duvall for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing this application or recommendation shall allege that the application, upon approval, will cause injury to the person that is unique from any injury suffered by the public in general. The injury must concern a matter either within the regulatory authority found in SDCL 46-2A-9 for approval or denial of the application, or other matter concerning the application within the regulatory authority of the board to act upon as defined by SDCL 46-2-9 and 46-2-11, or both. Any person meeting the petitioner requirements and wishing to be a party of record in a contested case hearing shall file a written petition to oppose the application with BOTH the applicant and Chief Engineer. A petition opposing the application shall be filed on a form provided by the Chief Engineer.

The petition form is available online at <https://danr.sd.gov/public> or by contacting the Chief Engineer. The Chief Engineer's address is Water Rights Program, Foss Building, 523 E Capitol, Pierre S.D. 57501 or call (605) 773-3352. The applicant's mailing address is given above. If contesting the Chief Engineer's recommendation, the applicant shall also file a petition. A petition filed by either an interested person or the applicant must be filed by December 19, 2022.

The petition shall include a statement describing the unique injury upon approval of the application on the petitioner, the petitioner's reasons for opposing the application, and the name and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

Any interested person may file a comment on the application with the Chief Engineer. The comment shall be filed on a form provided by the Chief Engineer and is available online at <https://danr.sd.gov/public> or by calling (605) 773-3352 or writing the Chief Engineer at the address provided above. Filing a comment does not make the commenter a party of record or a participant in any hearing that may be held. Any comment must be filed by December 19, 2022.

If the applicant does not contest the recommendation of the Chief Engineer and no petition to oppose the application is received, the Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled, and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Published once at the total approximate cost of \$52.13.
(N1208-5)

Publication Fee \$52.13
Notary Fees \$
Total \$52.13

Schlaak, Karen

From: Schlaak, Karen
Sent: Wednesday, November 30, 2022 1:24 PM
To: 'legals@argusleader.com'
Subject: 8663-3, Chad Boomgarden
Attachments: 8663-3public.short_final.docx; FORM8.FRM.doc

Attached is a notice to be published on December 8, 2022.

Chad Boomgarden, 28453 460th Ave, Davis SD 57021 (605 214-0204) has been notified to contact you to authorize publication and arrange for payment.

Please send the affidavit or return the attached Proof of Publication form ASAP to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak

DANR - Water Rights Program
(605) 773-3352
Website: <https://danr.sd.gov>



Schlaak, Karen

From: Schlaak, Karen
Sent: Wednesday, November 30, 2022 1:23 PM
To: 'New Era'
Subject: 8663-3, Chad Boomgarden
Attachments: 8663-3public.short_final.docx; FORM8.FRM.doc

Attached is a notice to be published on December 8, 2022.

Chad Boomgarden, 28453 460th Ave, Davis SD 57021 (605 214-0204) has been notified to contact you to authorize publication and arrange for payment.

Please send the affidavit or return the attached Proof of Publication form ASAP to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Karen Schlaak

DANR - Water Rights Program
(605) 773-3352
Website: <https://danr.sd.gov>



NOTICE OF APPLICATION NO. 8663-3 to Appropriate Water

Notice is given that Chad Boomgarden, 28453 460th Ave, Davis SD 57021 has filed an application for a water permit to appropriate 1.78 cubic feet of water per second (cfs) from one well to be completed into the Parker Centerville Aquifer (approximately 50 feet deep) located in the E 1/2 SE 1/4 Section 32 for irrigation of 60 acres located in the E 1/2 SE 1/4 Section 32; all in T98N-R52W. The applicant is requesting a diversion rate greater than the statutory limit of 1 cfs per 70 acres. This site is located approximately one-half mile west of Davis SD.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 8663-3 with qualifications because 1) unappropriated water is available, 2) existing domestic water uses and water rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest as it pertains to matters within the regulatory authority of the Water Management Board. The Chief Engineer's recommendation with qualifications, the application, and staff report are available at <https://danr.sd.gov/public> or contact Ron Duvall for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing this application or recommendation shall allege that the application, upon approval, will cause injury to the person that is unique from any injury suffered by the public in general. The injury must concern a matter either within the regulatory authority found in SDCL 46-2A-9 for approval or denial of the application, or other matter concerning the application within the regulatory authority of the board to act upon as defined by SDCL 46-2-9 and 46-2-11, or both. Any person meeting the petitioner requirements and wishing to be a party of record in a contested case hearing shall file a written petition to oppose the application with BOTH the applicant and Chief Engineer. A petition opposing the application shall be filed on a form provided by the Chief Engineer. The petition form is available online at <https://danr.sd.gov/public> or by contacting the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501" or call (605) 773-3352. The applicant's mailing address is given above. If contesting the Chief Engineer's recommendation, the applicant shall also file a petition. A petition filed by either an interested person or the applicant must be filed by December 19, 2022.

The petition shall include a statement describing the unique injury upon approval of the application on the petitioner, the petitioner's reasons for opposing the application, and the name and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

Any interested person may file a comment on the application with the Chief Engineer. The comment shall be filed on a form provided by the Chief Engineer and is available online at <https://danr.sd.gov/public> or by calling (605) 773-3352 or writing the Chief Engineer at the address provided above. Filing a comment does not make the commenter a party of record or a participant in any hearing that may be held. Any comment must be filed by December 19, 2022.

If the applicant does not contest the recommendation of the Chief Engineer and no petition to oppose the application is received, the Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled, and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Published once at the total approximate cost of .



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

**NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPERS RIGHT AWAY.**

November 30, 2022

Chad Boomgarden
28453 460th Ave
Davis SD 57021

Dear Mr. Boomgarden:

Water Permit Application No. 8663-3 for irrigation use have been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Turner County New Era printed at Parker (Ph # 605 297-4419) and the Argus Leader printed at Sioux Falls (see attachment for contact number). You will need to contact the newspapers and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspapers to authorize publication of your Notice and to arrange for payment. Early contact with the papers can eliminate delays. Upon receiving authorization from you, the publishers have been instructed to publish your notice. The newspapers have also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Karen Schlaak

Karen Schlaak
Water Rights Program
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

JAN 19 2023

Chad Boomgarden
28453 460th Ave
Davis SD 57021

Dear Mr. Boomgarden:

Enclosed is Water Permit No. 8663-3 authorizing construction of the water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

**Affidavit of Public Notice
on DANR Website**

Pursuant to SDCL § 46-2A-4, public notice of the following application was posted on the DANR web site at <https://danr.sd.gov/public>. The posted public notice is the same notice as published in the pertinent newspaper(s) and a copy of the public notice is maintained in the application file. If the application is contested, the posting is moved to the DANR contested case website at <https://danr.sd.gov/public/ContestedCase.aspx> until final action is taken on the application pursuant to SDCL § 46-2A-4.

Application No.: 8663-3

Name of Applicant: Chad Boomgarden

Date of Posting: 12/5/2022

Date of Removal: 1/19/2023



Ron Duvall, Water Rights Permitting Administrator


1/19/23

Date

Subscribed and sworn to before me, a notary public, this 19th day of Jan, 20 23.



Notary Public - South Dakota
My commission expires: 4/1/2025





8663-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

August 14, 2023

8663-3

Chad Boomgarden
28453 460th Ave
Davis SD 57021

Dear Mr. Boomgarden:

I am writing to acknowledge receipt of the "Notice of Completion of Works" form that you sent in to let us know that you are completed with your water use system.

The system is now ready for inspection. Inspections are done on a county-by-county basis as staff time permits. You have done everything you need to do and the intervening time between the completion of your project and the staff inspection has no bearing on your water permit.

Someone from our office will contact you prior to the inspection to set up a time that is convenient for you. If you have any questions, please contact me.

Sincerely,

Amanda Dewell
Water Rights Program
(605) 773-3352
email: Amanda.Dewell@state.sd.us

RECEIVED

AUG 14 2023

OFFICE OF
WATERNOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USEDate 8-10-23

TO: Water Rights Program, DANR
523 E. Capitol
Pierre, SD 57501-3181

FROM: Chad Boongarder
(name)

28453 460th Ave
(address)

Davis SD 57021
(city, state, zip)

605-214-0204
(phone)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 8663-3 states that the water use system is to be constructed by 12-19-27, and water is to be put to beneficial use by 12-19-2031.
(date) (date)

The water use system was completed on 7-28-23.
(date)

Applying the water to beneficial use was completed on 7-30-23.
(date)

You may schedule an investigation so that the water license may be issued.

Chad Boongarder
(signature)





DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: CHAD BOOMGARDEN, 28453 460TH AVE, DAVIS, SD 57021

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaire(s)

Our records indicate your 2024 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 8663-3. The request for the Questionnaire was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 8663-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 8663-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: NDIXOY**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 24, 2025

8663-3

Chad Boomgarden
28453 460th Ave
Davis SD 57021

Dear Mr. Boomgarden:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 8663-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us